Catálogo de accesorios Náuticos

Trolling Motors

Instruments

Electrical

Lighting

Anchor & Dock

Safety

Steering, Controls

Pumps

Fuel System

Seating & Pedestals

Trailering

Tops & Covers





Parte 1

El Navegante

www.repuestoselnavegante.com



Información importante



Trolling Motors

Bienvenidos a Repuestos El Navegante.

Instruments

Aquí podrás encontrar mas de **35.000** productos de diferentes fabricantes, con una gran variedad de accesorios y componentes para tu embarcación, contamos con mas de 20 años de experiencia en el sector náutico, no dudes en contactarnos para aclarar cualquier duda que tengas, prestamos asesoría técnica lo que es un valor agregado, y te dará tranquilidad a la hora de tomar una decisión de compra.

Electrical

Lighting

Anchor & Dock

Nota Importante:

Safety

Steering, Controls muchas empresas se vieron afectadas debido a la falta de materia prima, por este motivo tanto los precios como las fechas de entrega sufrieron cambios en gran cantidad de productos, comuníquese con nosotros a través del correo: repuestoselnavegante@gmail.com y solicite su presupuesto sin compromiso, también

Pumps

Fuel System

Seating & Pedestals

Trailering

Tops & Covers

Perform.

Propellers

& Care Cleaning & Care

Engine

Paint & Paint Acc.

Fun & Flotation

Topside Acc.

Cockpit & Deck

Hardware, **Fasteners**

Camouflage

Comm

Misc.

Debido a las restricciones causadas por el Covid 19, y otros problemas a nivel Mundial puede comunicase vía Telegram o WhatsApp escaneando los códigos QR.





Los productos aquí publicados se encuentran en varias partes del mundo, pero la mayoría se encuentran en Estados Unidos y Europa, por lo que estos precios no incluyen gastos de envío.

También puede consultar en nuestra pagina <u>www.repuestoselnavegante.com</u> nuestros términos y condiciones antes de efectuar la compra, ahí podrá ver también nuestra política de devoluciones.

Los productos pueden ser entregados en un currier de su confianza.

En nuestra pagina podrá encontrar mas de 3.500 productos para entrega inmediata.

Nos especializamos en repuestos Volvo Penta, Cummings, Yanmar, Caterpillar, Mercruiser.

Ofrecemos repuestos para Generadores Onan, Kholer, Westerbeke, Fisher Panda y Northern Lights.



			IVIIIIII	Kota Trolling Motor Reference	duluc					
D841 #	D 4"				TI .	V 1		Shaft		Noto
DMI#	Part #	Model	Mount Feature	Control	Thrust	Volt	Speeds	Length	Features	=
Ultrex v	with i-Pilo	ot GPS, Digital Ma	ximizer and Wee	dless Wedge 2 Propeller (Bow Mo	unt M	otors)			E
1756006	1368800	80/IP/US2/BT	Lift-Assist	i-Pilot Remote/Foot Pedal	80#	24	Variable	45"	Universal Sonar 2	Frolling
756008	1368801	80/IP/US2/BT	Lift-Assist	i-Pilot Remote/Foot Pedal	80#	24	Variable	52"	Universal Sonar 2	
756013	1368820	112/IP/US2/BT	Lift-Assist	i-Pilot Remote/Foot Pedal	112#	36	Variable	45"	Universal Sonar 2	(-
756015	1368821	112/IP/US2/BT	Lift-Assist	i-Pilot Remote/Foot Pedal	112#	36	Variable	52"	Universal Sonar 2	
756017	1368822	112/IP/US2/BT	Lift-Assist	i-Pilot Remote/Foot Pedal	112#	36	Variable	60"	Universal Sonar 2	
756077	1368850	80/IP/MDI/BT	Lift-Assist	i-Pilot Remote/Foot Pedal	80#	24	Variable	45"	Built-In MEGA DI	
756079	1368851	80/IP/MDI/BT	Lift-Assist	i-Pilot Remote/Foot Pedal	80#	24	Variable	52"	Built-In MEGA DI	
756081	1368852	80/IP/MDI/BT	Lift-Assist	i-Pilot Remote/Foot Pedal	80#	24	Variable	60"	Built-In MEGA DI	
756083	1368870	112/IP/MDI/BT	Lift-Assist	i-Pilot Remote/Foot Pedal	112#	36	Variable	45"	Built-In MEGA DI	
756085	1368871	112/IP/MDI/BT	Lift-Assist	i-Pilot Remote/Foot Pedal	112#	36	Variable	52"	Built-In MEGA DI	
756087	1368872	112/IP/MDI/BT	Lift-Assist	i-Pilot Remote/Foot Pedal	112#	36	Variable	60"	Built-In MEGA DI	Floor
Jitrex v	with i-Pilo	ot Link GPS. Digita	al Maximizer and	Weedless Wedge 2 Prope	ller (Bov	v Moı	ınt Motors)			Elect
756019	1368810	80/IP Link/US2/BT	Lift-Assist	i-Pilot Link Remote/Foot Pedal	80#	24	Variable	45"	Universal Sonar 2	Ţ
756021	1368811	80/IP Link/US2/BT	Lift-Assist	i-Pilot Link Remote/Foot Pedal	80#	24	Variable	52"	Universal Sonar 2	
756021 756025	1368830	112/IP Link/US2/BT	Lift-Assist	i-Pilot Link Remote/Foot Pedal	112#	36	Variable	45"	Universal Sonar 2	Instru
756027	1368830	112/IP Link/US2/BT	Lift-Assist	i-Pilot Link Remote/Foot Pedal	112#	36	Variable	52"	Universal Sonar 2	
756065	1368860	80/IP Link/MDI/BT	Lift-Assist	i-Pilot Link Remote/Foot Pedal	80#	24	Variable	45"	Built-In MEGA DI	Elec
756067	1368861	80/IP Link/MDI/BT	Lift-Assist	i-Pilot Link Remote/Foot Pedal	80#	24	Variable	52"	Built-In MEGA DI	
756069	1368862	80/IP Link/MDI/BT	Lift-Assist	i-Pilot Link Remote/Foot Pedal	80#	24	Variable	60"	Built-In MEGA DI	Ligh
756071	1368880	112/IP Link/MDI/BT	Lift-Assist	i-Pilot Link Remote/Foot Pedal	112#	36	Variable	45"	Built-In MEGA DI	Ligi
756073	1368881	112/IP Link/MDI/BT	Lift-Assist	i-Pilot Link Remote/Foot Pedal	112#	36	Variable	52"	Built-In MEGA DI	And
756075	1368882	112/IP Link/MDI/BT	Lift-Assist	i-Pilot Link Remote/Foot Pedal	112#	36	Variable	60"	Built-In MEGA DI	& C
756099	1368865							45"		Cof
	1368866	80/IP Link/	Lift-Assist	i-Pilot Link Remote/Foot Pedal	80# 80#	24 24	Variable	52"	Mega DI/Side Imaging	Saf
56101 EC102		80/IP Link/	Lift-Assist	i-Pilot Link Remote/Foot Pedal		24	Variable Variable	60"	Mega DI/Side Imaging	Ste
'56103 '56105	138867 1368885	80/IP Link/ 112/IP Link/	Lift-Assist Lift-Assist	i-Pilot Link Remote/Foot Pedal i-Pilot Link Remote/Foot Pedal	80# 112#	36	Variable	45"	Mega DI/Side Imaging	Cor
	1368886	112/IP Link/						52"	Mega DI/Side Imaging	
756107			Lift-Assist	i-Pilot Link Remote/Foot Pedal	112#	36	Variable		Mega DI/Side Imaging	Pun
756109	1368887	112/IP Link/	Lift-Assist	i-Pilot Link Remote/Foot Pedal	112#	36	Variable	60"	Mega DI/Side Imaging	Fue
lterra	with i-Pil	ot GPS, Digital M	aximizer and We	edless Wedge 2 Propeller	(Bow M	ount N	/lotors)			Sys
755983	1358922	80/IP/US2/BT	Auto Stow/Deploy	i-Pilot Remote/Foot Pedal	80#	24	Variable	45"	Universal Sonar 2	Sea
755986	1358920	80/IP/US2/BT	Auto Stow/Deploy	i-Pilot Remote/Foot Pedal	80#	24	Variable	60"	Universal Sonar 2	Ped
755988	1358932	112/IP/US2/BT	Auto Stow/Deploy	i-Pilot Remote/Foot Pedal	112#	36	Variable	45"	Universal Sonar 2	
755990	1358930	112/IP/US2/BT	Auto Stow/Deploy	i-Pilot Remote/Foot Pedal	112#	36	Variable	60"	Universal Sonar 2	Trai
755992	1358933	112/IP/US2/BT	Auto Stow/Deploy	i-Pilot Remote/Foot Pedal	112#	36	Variable	72"	Universal Sonar 2	Тор
755601	1358982	80/IP/MDI/BT	Auto Stow/Deploy	i-Pilot Remote/Foot Pedal	80#	24	Variable	45"	Built-In MEGA DI	Cov
755603	1358980	80/IP/MDI/BT	Auto Stow/Deploy	i-Pilot Remote/Foot Pedal	80#	24	Variable	60"	Built-In MEGA DI	
756007	1358992	112/IP/MDI/BT	Auto Stow/Deploy	i-Pilot Remote/Foot Pedal	112#	36	Variable	45"	Built-In MEGA DI	Peri
756009	1358990	112/IP/MDI/BT	Auto Stow/Deploy	i-Pilot Remote/Foot Pedal	112#	36	Variable	60"	Built-In MEGA DI	
										Dro
			Auto Stow/Deploy	i-Pilot Remote/Foot Pedal		36	Variable	72"	I Built-in MeGA Di	FIU
756010	1358993	112/IP/MDI/BT	Auto Stow/Deploy	i-Pilot Remote/Foot Pedal	112#	36	Variable	72"	Built-In MEGA DI	_
756010 I lterra	1358993 with i-Pil	112/IP/MDI/BT ot Link GPS, Digit	tal Maximizer and	l Weedless Wedge 2 Prop	112# eller (Bo	w Mo	unt Motors)			Eng
756010	1358993 with i-Pil 1358983	112/IP/MDI/BT	tal Maximizer and Auto Stow/Deploy	I Weedless Wedge 2 Propositive i-Pilot Link Remote/Foot Pedal	112#	w Mo 24		45"	Built-In MEGA DI	Eng & C
756010 I lterra	1358993 with i-Pil	112/IP/MDI/BT ot Link GPS, Digit	tal Maximizer and	l Weedless Wedge 2 Prop	112# eller (Bo	w Mo	unt Motors)			Eng & C
756010 Iterra v 755995 755997 755998	1358993 with i-Pil 1358983 1358981 1358991	ot Link GPS, Digit 80/IP Link/MDI/BT 80/IP Link/MDI/BT 112/IP Link/MDI/BT	Auto Stow/Deploy Auto Stow/Deploy Auto Stow/Deploy Auto Stow/Deploy	I Weedless Wedge 2 Propi i-Pilot Link Remote/Foot Pedal i-Pilot Link Remote/Foot Pedal i-Pilot Link Remote/Foot Pedal	112# eller (Bo 80# 80# 112#	W Mo 24 24 36	unt Motors) Variable Variable Variable	45" 60" 60"	Built-In MEGA DI Built-In MEGA DI Built-In MEGA DI	Eng & C
756010 Iterra 755995 755997 755998 755600	1358993 with i-Pil 1358983 1358981 1358991 1358994	ot Link GPS, Digit 80/IP Link/MDI/BT 80/IP Link/MDI/BT 112/IP Link/MDI/BT 112/IP Link/MDI/BT	Auto Stow/Deploy Auto Stow/Deploy Auto Stow/Deploy Auto Stow/Deploy Auto Stow/Deploy	i-Pilot Link Remote/Foot Pedal i-Pilot Link Remote/Foot Pedal i-Pilot Link Remote/Foot Pedal i-Pilot Link Remote/Foot Pedal i-Pilot Link Remote/Foot Pedal	112# eller (Bo 80# 80# 112# 112#	24 24 36 36	unt Motors) Variable Variable Variable Variable Variable	45" 60" 60" 72"	Built-In MEGA DI Built-In MEGA DI Built-In MEGA DI Built-In MEGA DI	Eng & C
756010 Iterra 755995 755997 755998 755600 756089	1358993 with i-Pil 1358983 1358981 1358991 1358994 1358985	ot Link GPS, Digit 80/IP Link/MDI/BT 80/IP Link/MDI/BT 112/IP Link/MDI/BT 112/IP Link/MDI/BT 80/IP Link/	Auto Stow/Deploy Auto Stow/Deploy Auto Stow/Deploy Auto Stow/Deploy Auto Stow/Deploy Auto Stow/Deploy	i-Pilot Link Remote/Foot Pedal i-Pilot Link Remote/Foot Pedal	112# eller (Bo 80# 80# 112#	24 24 36 36 24	unt Motors) Variable Variable Variable	45" 60" 60" 72" 45"	Built-In MEGA DI Built-In MEGA DI Built-In MEGA DI Built-In MEGA DI Mega DI/Side Imaging	Eng & C Clea & C Pair
156010 155995 155997 155998 155600 156089 156091	1358993 with i-Pil 1358983 1358981 1358991 1358994 1358985 1358986	112/IP/MDI/BT ot Link GPS, Digit 80/IP Link/MDI/BT 80/IP Link/MDI/BT 112/IP Link/MDI/BT 112/IP Link/MDI/BT 80/IP Link/ 80/IP Link/	Auto Stow/Deploy Auto Stow/Deploy Auto Stow/Deploy Auto Stow/Deploy Auto Stow/Deploy Auto Stow/Deploy Auto Stow/Deploy	i-Pilot Link Remote/Foot Pedal i-Pilot Link Remote/Foot Pedal	112# eller (Bo 80# 80# 112# 112# 80# 80#	24 24 36 36 24 24	Variable Variable Variable Variable Variable Variable Variable Variable	45" 60" 60" 72" 45" 60"	Built-In MEGA DI Built-In MEGA DI Built-In MEGA DI Built-In MEGA DI Mega DI/Side Imaging Mega DI/Side Imaging	Eng & C Cle & C Pain Pain Fun
156010 155995 155997 155998 155600 156089 156091 156093	1358993 with i-Pil 1358983 1358981 1358991 1358994 1358985 1358986 1358995	ot Link GPS, Digit 80/IP Link/MDI/BT 80/IP Link/MDI/BT 112/IP Link/MDI/BT 112/IP Link/MDI/BT 80/IP Link/ 80/IP Link/	Auto Stow/Deploy	i-Pilot Link Remote/Foot Pedal i-Pilot Link Remote/Foot Pedal	112# 80# 80# 112# 112# 80# 80# 80# 112#	24 24 36 36 24 24 36	Variable Variable Variable Variable Variable Variable Variable Variable Variable	45" 60" 60" 72" 45" 60"	Built-In MEGA DI Built-In MEGA DI Built-In MEGA DI Built-In MEGA DI Mega DI/Side Imaging Mega DI/Side Imaging Mega DI/Side Imaging	Eng & C Cle & C Pain Pain Fun Floor
terra 55995 55997 55998 55600 56089 56091 56093	1358993 with i-Pil 1358983 1358981 1358991 1358994 1358985 1358986	112/IP/MDI/BT ot Link GPS, Digit 80/IP Link/MDI/BT 80/IP Link/MDI/BT 112/IP Link/MDI/BT 112/IP Link/MDI/BT 80/IP Link/ 80/IP Link/	Auto Stow/Deploy Auto Stow/Deploy Auto Stow/Deploy Auto Stow/Deploy Auto Stow/Deploy Auto Stow/Deploy Auto Stow/Deploy	i-Pilot Link Remote/Foot Pedal i-Pilot Link Remote/Foot Pedal	112# eller (Bo 80# 80# 112# 112# 80# 80#	24 24 36 36 24 24	Variable Variable Variable Variable Variable Variable Variable Variable	45" 60" 60" 72" 45" 60"	Built-In MEGA DI Built-In MEGA DI Built-In MEGA DI Built-In MEGA DI Mega DI/Side Imaging Mega DI/Side Imaging	Eng & C Cle & C Pair Pair Fun Flot
56010 Iterra 55995 55997 55998 55600 56089 56091 56093 56095	1358993 with i-Pil 1358983 1358981 1358991 1358994 1358985 1358986 1358995 1358996	112/IP/MDI/BT ot Link GPS, Digit 80/IP Link/MDI/BT 80/IP Link/MDI/BT 112/IP Link/MDI/BT 112/IP Link/MDI/BT 80/IP Link/ 80/IP Link/ 112/IP Link/ 112/IP Link/	Auto Stow/Deploy	i-Pilot Link Remote/Foot Pedal i-Pilot Link Remote/Foot Pedal	112# eller (Bo 80# 80# 112# 112# 80# 80# 112# 112# 112#	24 24 36 36 24 24 36 36	Variable Variable Variable Variable Variable Variable Variable Variable Variable	45" 60" 60" 72" 45" 60"	Built-In MEGA DI Built-In MEGA DI Built-In MEGA DI Built-In MEGA DI Mega DI/Side Imaging Mega DI/Side Imaging Mega DI/Side Imaging	Enq. & (Cle & (Cle & (Cle A Cle A Cl
56010 Iterra 55995 55997 55998 55600 56089 56091 56093 56095	1358993 with i-Pil 1358983 1358981 1358991 1358994 1358985 1358986 1358995 1358996 with i-Pi	112/IP/MDI/BT ot Link GPS, Digit 80/IP Link/MDI/BT 80/IP Link/MDI/BT 112/IP Link/MDI/BT 112/IP Link/MDI/BT 80/IP Link/ 80/IP Link/ 112/IP Link/ 112/IP Link/	Auto Stow/Deploy	i-Pilot Link Remote/Foot Pedal i-Pilot Link Remote/Foot Pedal	112# eller (Bo 80# 112# 112# 80# 80# 112# 112# (Bow M	24 24 36 36 24 24 36 36 36	Variable	45" 60" 60" 72" 45" 60" 60" 72"	Built-In MEGA DI Built-In MEGA DI Built-In MEGA DI Built-In MEGA DI Mega DI/Side Imaging Mega DI/Side Imaging Mega DI/Side Imaging Mega DI/Side Imaging	Eng & Cle &
56010 Iterra 55995 55997 55998 55600 56089 56091 56093 56095 Errova 55957	1358993 with i-Pil 1358983 1358981 1358991 1358994 1358986 1358986 1358995 1358996 with i-Pil	112/IP/MDI/BT ot Link GPS, Digit 80/IP Link/MDI/BT 80/IP Link/MDI/BT 112/IP Link/MDI/BT 112/IP Link/MDI/BT 80/IP Link/ 80/IP Link/ 112/IP Link/ 112/IP Link/ 112/IP Link/	Auto Stow/Deploy	i-Pilot Link Remote/Foot Pedal i-Pilot Remote/Foot Pedal	112# eller (Bo 80# 80# 112# 112# 80# 112# 112# (Bow M 55#	24 24 36 36 24 24 36 36 36	Variable	45" 60" 60" 72" 45" 60" 60" 72"	Built-In MEGA DI Built-In MEGA DI Built-In MEGA DI Built-In MEGA DI Mega DI/Side Imaging Mega DI/Side Imaging Mega DI/Side Imaging Mega DI/Side Imaging	Engles (Section 1) Engles (S
56010 Iterra 55995 55997 55998 55600 56089 56091 56093 56095 PITOVA 55957 55960	1358993 with i-Pil 1358983 1358981 1358991 1358994 1358986 1358995 1358996 with i-Pil 1358856 1358857	112/IP/MDI/BT ot Link GPS, Digit 80/IP Link/MDI/BT 80/IP Link/MDI/BT 112/IP Link/MDI/BT 112/IP Link/MDI/BT 80/IP Link/ 80/IP Link/ 112/IP Link/ 112/IP Link/ lot GPS, Digital M 55/IP/US2/BT	Auto Stow/Deploy	i-Pilot Link Remote/Foot Pedal i-Pilot Remote/Foot Pedal i-Pilot Remote/Foot Pedal i-Pilot Remote/Foot Pedal	112# eller (Bo 80# 80# 112# 112# 80# 80# 112# 112# (Bow M 55# 55#	24 24 36 36 24 24 36 36 0 unt 1	Variable	45" 60" 60" 72" 45" 60" 72" 45" 54"	Built-In MEGA DI Built-In MEGA DI Built-In MEGA DI Built-In MEGA DI Mega DI/Side Imaging Mega DI/Side Imaging Mega DI/Side Imaging Mega DI/Side Imaging Universal Sonar 2	Engles (a) Cle & (c) Pai
56010 Iterra 55995 55997 55998 55600 56089 56091 56093 56095 PITOVA 55957 55960 55963	1358993 with i-Pil 1358983 1358981 1358991 1358994 1358986 1358995 1358996 with i-Pil 1358856 1358857 1358893	112/IP/MDI/BT ot Link GPS, Digit 80/IP Link/MDI/BT 80/IP Link/MDI/BT 112/IP Link/MDI/BT 112/IP Link/MDI/BT 80/IP Link/ 80/IP Link/ 112/IP Link/ 112/IP Link/ lot GPS, Digital M 55/IP/US2/BT 80/IP/US2/BT	Auto Stow/Deploy Lift-Assist Lift-Assist Lift-Assist	i-Pilot Link Remote/Foot Pedal i-Pilot Remote/Foot Pedal	112# eller (Bo 80# 80# 112# 112# 80# 80# 112# 112# (Bow M 55# 55# 80#	24 24 36 36 24 24 36 36 0 unt 1	Variable	45" 60" 72" 45" 60" 72" 45" 54" 45"	Built-In MEGA DI Built-In MEGA DI Built-In MEGA DI Built-In MEGA DI Muga DI/Side Imaging Mega DI/Side Imaging Mega DI/Side Imaging Mega DI/Side Imaging Mega DI/Side Imaging Universal Sonar 2 Universal Sonar 2 Universal Sonar 2	Ença (
756010 Iterra 755995 755997 755998 755600 756093 756095 Perrova 755957 755960 755963 755965	1358993 with i-Pil 1358983 1358981 1358991 1358994 1358996 1358995 1358996 with i-Pil 1358856 1358857 1358893 1358894	112/IP/MDI/BT ot Link GPS, Digit 80/IP Link/MDI/BT 80/IP Link/MDI/BT 112/IP Link/MDI/BT 112/IP Link/MDI/BT 80/IP Link/ 80/IP Link/ 112/IP Link/ 112/IP Link/ lot GPS, Digital M 55/IP/US2/BT 80/IP/US2/BT 80/IP/US2/BT	Auto Stow/Deploy Lift-Assist Lift-Assist Lift-Assist Lift-Assist	i-Pilot Link Remote/Foot Pedal i-Pilot Remote/Foot Pedal	112# eller (Bo 80# 80# 112# 112# 80# 80# 112# 112# (Bow M 55# 55# 80# 80#	24 24 36 36 24 24 36 36 ount 1 12 12 24 24	Variable	45" 60" 72" 45" 60" 72" 45" 54" 45" 54" 45" 60"	Built-In MEGA DI Mega DI/Side Imaging Universal Sonar 2 Universal Sonar 2 Universal Sonar 2	Eng & C Cle & C Pair Pair Floi Top Acc Coc & E Harr Fas
756010 Iterra 755995 755997 755998 755600 756093 756095 PITOVA 755957 755960 755963 755965 755967	1358993 with i-Pil 1358983 1358981 1358991 1358994 1358996 1358996 with i-Pil 1358856 1358857 1358893 1358894 1358895	112/IP/MDI/BT ot Link GPS, Digit 80/IP Link/MDI/BT 80/IP Link/MDI/BT 112/IP Link/MDI/BT 112/IP Link/MDI/BT 80/IP Link/ 80/IP Link/ 112/IP Link/ 112/IP Link/ lot GPS, Digital M 55/IP/US2/BT 55/IP/US2/BT 80/IP/US2/BT 80/IP/US2/BT 80/IP/US2/BT	Auto Stow/Deploy Lift-Assist Lift-Assist Lift-Assist Lift-Assist Lift-Assist	i-Pilot Link Remote/Foot Pedal i-Pilot Remote/Foot Pedal	112# Boller (Boller) 80# 112# 112# 80# 112# 112# (Bow M 55# 55# 80# 80# 80#	24 24 36 36 24 24 36 36 ount 1 12 12 24 24 24	Variable	45" 60" 72" 45" 60" 72" 45" 54" 45" 54" 45" 60" 72"	Built-In MEGA DI Mega DI/Side Imaging Universal Sonar 2	Eng & C Clee & C Pair Fun Fun Foot Coc & E Harr Fast
756010 Iterra 755995 755997 755998 755600 756091 756093 756095 Perrova 755957 755960 755963	1358993 with i-Pil 1358983 1358981 1358991 1358994 1358996 1358995 1358996 with i-Pil 1358856 1358857 1358893 1358894	112/IP/MDI/BT ot Link GPS, Digit 80/IP Link/MDI/BT 80/IP Link/MDI/BT 112/IP Link/MDI/BT 112/IP Link/MDI/BT 80/IP Link/ 80/IP Link/ 112/IP Link/ 112/IP Link/ lot GPS, Digital M 55/IP/US2/BT 80/IP/US2/BT 80/IP/US2/BT	Auto Stow/Deploy Lift-Assist Lift-Assist Lift-Assist Lift-Assist	i-Pilot Link Remote/Foot Pedal i-Pilot Remote/Foot Pedal	112# eller (Bo 80# 80# 112# 112# 80# 80# 112# 112# (Bow M 55# 55# 80# 80#	24 24 36 36 24 24 36 36 ount 1 12 12 24 24	Variable	45" 60" 72" 45" 60" 72" 45" 54" 45" 54" 45" 60"	Built-In MEGA DI Mega DI/Side Imaging Universal Sonar 2 Universal Sonar 2 Universal Sonar 2	Proproduction of the control of the



116

Trolling Motors
Instruments

Electrical

Anchor & Dock
Safety
Steering, Controls
Pumps
Fuel
System
Seating & Pedestals
Trailering

Tops & Covers

Perform.

Propellers

Engine & Care

Paint & Paint Acc.

Fun & Flotation

Topside Acc.

Cockpit & Deck

Hardware, Fasteners

Camouflage



Minn Kota Trolling Motor Reference Guide

				·				01 6	
DMI#	Part #	Model	Mount Feature	Control	Thrust	Volt	Speeds	Shaft Length	Features
Terrova	with i-Pi	lot GPS, Digital N	laximizer and Wee	edless Wedge 2 Propeller	(Bow M	lount	Motors)		
4755968	1358880	80/IP/MDI/BT	Lift-Assist	i-Pilot Remote/Foot Pedal	80#	24	Variable	45"	Built-In MEGA DI
4755970	1358881	80/IP/MDI/BT	Lift-Assist	i-Pilot Remote/Foot Pedal	80#	24	Variable	60"	Built-In MEGA DI
4755972	1358882	80/IP/MDI/BT	Lift-Assist	i-Pilot Remote/Foot Pedal	80#	24	Variable	72"	Built-In MEGA DI
4755974	1358835	112/IP/MDI/BT	Lift-Assist	i-Pilot Remote/Foot Pedal	112#	36	Variable	60"	Built-In MEGA DI
Terrova	with i-Pi	lot Link GPS. Digi	tal Maximizer and	Weedless Wedge 2 Prop	eller (Bo	w M	ount Motors)		
4755973	1358858	55/IP Link/US2/BT	Lift-Assist	i-Pilot Link Remote/Foot Pedal	55#	12	Variable	54"	Universal Sonar 2
4755975	1358896	80/IP Link/US2/BT	Lift-Assist	i-Pilot Link Remote/Foot Pedal	80#	24	Variable	45"	Universal Sonar 2
4755978	1358897	80/IP Link/US2/BT	Lift-Assist	i-Pilot Link Remote/Foot Pedal	80#	24	Variable	60"	Universal Sonar 2
4755961	1358883	80/IP Link/MDI/BT	Lift-Assist	i-Pilot Link Remote/Foot Pedal	80#	24	Variable	45"	Built-In MEGA DI
4755962	1358884	80/IP Link/MDI/BT	Lift-Assist	i-Pilot Link Remote/Foot Pedal	80#	24	Variable	60"	Built-In MEGA DI
4755964	1358837	112/IP Link/MDI/BT	Lift-Assist	i-Pilot Link Remote/Foot Pedal	112#	36	Variable	60"	Built-In MEGA DI
4755966	1358838	112/IP Link/MDI/BT	Lift-Assist	i-Pilot Link Remote/Foot Pedal	112#	36	Variable	72"	Built-In MEGA DI
Fortrex	with Digi	tal Maximizer an	d Weedless Wedg	e 2 Propeller (Bow Moun	t Motors	s)			
475590	1368660	Fortrex 80	Lift-Assist/Bowguard	Heel-Toe/Cable Foot Pedal	80#	24	Variable	45"	
475591	1368661	Fortrex 80	Lift-Assist/Bowguard	Heel-Toe/Cable Foot Pedal	80#	24	Variable	52"	
475599	1368687	Fortrex 112	Lift-Assist/Bowguard	Heel-Toe/Cable Foot Pedal	112#	36	Variable	45"	
475602	1368688	Fortrex 112	Lift-Assist/Bowguard	Heel-Toe/Cable Foot Pedal	112#	36	Variable	52"	
475593	1368670	Fortrex 80/US2	Lift-Assist/Bowguard	Heel-Toe/Cable Foot Pedal	80#	24	Variable	45"	Universal Sonar 2
475592	1368671	Fortrex 80/US2	Lift-Assist/Bowguard	Heel-Toe/Cable Foot Pedal	80#	24	Variable	52"	Universal Sonar 2
475610	1368695	Fortrex 112/US2	Lift-Assist/Bowguard	Heel-Toe/Cable Foot Pedal	112#	36	Variable	45"	Universal Sonar 2
475613	1368696	Fortrex 112/US2	Lift-Assist/Bowguard	Heel-Toe/Cable Foot Pedal	112#	36	Variable	52"	Universal Sonar 2
475598	1368666	Fortrex 80/MDI	Lift-Assist/Bowguard	Heel-Toe/Cable Foot Pedal	80#	24	Variable	52"	Built-In MEGA DI
475600	1368675	Fortrex 112/MDI	Lift-Assist/Bowguard	Heel-Toe/Cable Foot Pedal	112#	36	Variable	45"	Built-In MEGA DI
PowerD	rive with	Digital Maximize	er (Bow Mount Mo	tors)					
4756032	1358790	PowerDrive 45/BT	Deploy-Assist Lever	Side-to-Side/Electric Foot Pedal	45#	12	Variable	48"	Power Prop
4756036	1358737	PowerDrive 55/BT	Deploy-Assist Lever	Side-to-Side/Electric Foot Pedal	55#	12	Variable	54"	Weedless Wedge 2
4756045	1358733	PowerDrive 70/BT	Deploy-Assist Lever	Side-to-Side/Electric Foot Pedal	70#	24	Variable	60"	Weedless Wedge 2
PowerD	rive with	Digital Maximize	er and Universal S	onar 2 (Bow Mount Motor	rs)				
4756038	1358748	55/US2/BT	Deploy-Assist Lever	Side-to-Side/Electric Foot Pedal	55#	12	Variable	54"	Weedless Wedge 2
4756049	1358763	70/US2/BT	Deploy-Assist Lever	Side-to-Side/Electric Foot Pedal	70#	24	Variable	60"	Weedless Wedge 2
				dless Wedge 2 Propeller				00	Troduicos Trougo L
				· · · · · ·					
4756056	1358744	55/IP/BT	Deploy-Assist Lever	Side-to-Side/Electric Foot Pedal	55#	12	Variable	54"	
4756061	1358731	70/IP/BT	Deploy-Assist Lever	Side-to-Side/Electric Foot Pedal	70#	24	Variable	54"	Hairman Comen
4756058 4756063	1358749 1358761	55/IP/US2/BT	Deploy-Assist Lever Deploy-Assist Lever	Side-to-Side/Electric Foot Pedal Side-to-Side/Electric Foot Pedal	55# 70#	12 24	Variable Variable	54" 60"	Universal Sonar 2 Universal Sonar 2
		70/IP/US2/BT	, ,	,	70#	24	Valiable	00	Ulliversal Sulidi Z
			Propeller (Bow M						
475410	1368561	Maxxum 70	Bowguard	Heel-Toe/Cable Foot Pedal	70#	24	Variable	42"	Digital Maximizer
475424	1368562	Maxxum 70	Bowguard	Heel-Toe/Cable Foot Pedal	70#	24	Variable	52"	Digital Maximizer
475397	1368560	Maxxum 70/SC	Bowguard	Heel-Toe/Cable Foot Pedal	70#	24	5-Speed	42"	
475520	1368630	Maxxum 70/SC/H	Bowguard	Tilt/Extend Tiller	70#	24	5 FWD/3 REV	52"	
Edge (B	ow Moun	t Motors)							
475212	1355946	Edge 45	Latch & Door	Heel-Toe/Cable Foot Pedal	45#	12	5-Speed	36"	Power Prop
475214	1366947	Edge 45	Latch & Door	Heel-Toe/Cable Foot Pedal	45#	12	5-Speed	45"	Power Prop
475290	1355956	Edge 55	Latch & Door	Heel-Toe/Cable Foot Pedal	55#	12	5-Speed	45"	Weedless Wedge 2
475292	1355957	Edge 55	Latch & Door	Heel-Toe/Cable Foot Pedal	55#	12	5-Speed	52"	Weedless Wedge 2
475296	1355970	Edge 70	Latch & Door	Heel-Toe/Cable Foot Pedal	70#	24	5-Speed	45"	Weedless Wedge 2
475297	1355971	Edge 70	Latch & Door	Heel-Toe/Cable Foot Pedal	70#	24	5-Speed	52"	Weedless Wedge 2
475218	1355935	Edge 45/H	Latch & Door	Tilt Twist Tiller	45#	12	5 FWD/3 REV	45"	Power Prop
475220	1355963	Edge 55/H	Latch & Door	Tilt Twist Tiller	55#	12	5 FWD/3 REV	52"	Weedless Wedge 2

Misc.

Comm.

El Navegante

Fasteners Camouflage

Misc.

Comm.





			Minn Ko	ota Trolling Motor Reference	Guide					٤
DMI#	Part #	Model	Mount Feature	Control	Thrust	Volt	Speeds	Shaft Length	Features	Joseph Motor
raxxis	with Digi	ital Maximizer (Tı	ransom Mount Mot	ors)						E
000946	1368707	Traxxis 45	One-Hand Stow	Tilt/Extend Tiller	45#	12	Variable	36"	Power Prop	-
75181	1368715	Traxxis 55	One-Hand Stow	Tilt/Extend Tiller	55#	12	Variable	36"	Power Prop	
5179	1368716	Traxxis 55	One-Hand Stow	Tilt/Extend Tiller	55#	12	Variable	42"	Power Prop	-
000948	1368720	Traxxis 70	One-Hand Stow	Tilt/Extend Tiller	70#	24	Variable	42"	Weedless Wedge 2	
000950	1368730	Traxxis 80	One-Hand Stow	Tilt/Extend Tiller	80#	24	Variable	42"	Weedless Wedge 2	
ndura			er (Transom Mount	Motors)						
74850	1352140	Endura Max 40	Lever Lock	Telescoping Tiller	40#	12	Variable	36"	Power Prop	
74855	1352145	Endura Max 45	Lever Lock	Telescoping Tiller	45#	12	Variable	36"	Power Prop	
74860	1352150	Endura Max 50	Lever Lock	Telescoping Tiller	50#	12	Variable	36"	Power Prop	
74870	1352155	Endura Max 55	Lever Lock	Telescoping Tiller	55#	12	Variable	36"	Power Prop	Ele
74875	1352156	Endura Max 55	Lever Lock	Telescoping Tiller	55#	12	Variable	42"	Power Prop	
		Mount Motors)								1
74830	1352230	Endura 30	Lever Lock	Telescoping Tiller	30#	12	Variable	30"	Power Prop	le
74835	1352240	Endura 40	Lever Lock	Telescoping Tiller	40#	12	Variable	36"	Power Prop	Inst
000902	1352245	Endura 45	Lever Lock	Telescoping Tiller	45#	12	Variable	36"	Power Prop	Ela
74840	1352250	Endura 50	Lever Lock	Telescoping Tiller	50#	12	Variable Variable	36"	Power Prop	Ele
75450 74845	1352251 1352256	Endura 50 Endura 55	Lever Lock Lever Lock	Telescoping Tiller Telescoping Tiller	50# 55#	12 12	Variable Variable	42" 42"	Power Prop Power Prop	Lig
				, ,			Variable	42	rowei riop	
				edge 2 Propeller (Bow Mo						An & I
756004	1358745	PowerDrive 54/BT	Quick Release Bracket	Side-to-Side/Electric Foot Pedal	54#	12	Variable	48"	Digital Maximizer	
756005	1358729	PowerDrive 68/BT	Quick Release Bracket	Side-to-Side/Electric Foot Pedal	68#	24	Variable	48"	Digital Maximizer	Sa
ontooi				eller (Bow Mount Motors						Ste
74743	1355964	Pontoon 55/H	Pontoon Latch & Door	Tilt Twist Tiller	55#	12	5 FWD/3 REV	52"		_
74746	1355979	Pontoon 70/H	Pontoon Latch & Door	Tilt Twist Tiller	70#	24	5 FWD/3 REV	52"		Pui
iptide	Ulterra w	vith i-Pilot GPS, D	igital Maximizer a	nd Weedless Wedge 2 Pr	opeller (Bow	Mount Motor	rs)		Fue
755935	1358955	80/IP/BT	Auto Stow/Deploy	i-Pilot Remote	80#	24	Variable	54"		
755937	1358956	80/IP/BT	Auto Stow/Deploy	i-Pilot Remote	80#	24	Variable	60"		Se Pe
755938	1358954	80/IP/BT	Auto Stow/Deploy	i-Pilot Remote	80#	24	Variable	72"		
755939	1358965	112/IP/BT	Auto Stow/Deploy	i-Pilot Remote	112#	36	Variable	60"		Tra
755941	1358966	112/IP/BT	Auto Stow/Deploy	i-Pilot Remote	112#	36	Variable	72"		Top
iptide				zer and Weedless Wedge		eller (l				Co
755945	1358958	80/IP Link/BT	Auto Stow/Deploy	i-Pilot Link Remote	80#	24	Variable	60"		Pe
755947	1358959	80/IP Link/BT	Auto Stow/Deploy	i-Pilot Link Remote	80#	24	Variable	72"		
755951	1358967	112/IP Link/BT	Auto Stow/Deploy	i-Pilot Link Remote	112#	36	Variable Variable	60"		Pro
755953	1358968	112/IP Link/BT	Auto Stow/Deploy	i-Pilot Link Remote	112#	36	Variable	72"		En
				s Wedge 2 Propeller (Bo						8.1
755915	1363762	80/CP/BT	Lift-Assist	CoPilot Remote	80#	24	Variable	54"		Cle
iptide	Terrova v	vith i-Pilot, Digita	l Maximizer and W	Veedless Wedge 2 Propel	ler (Bow	/ Mou	nt Motors)			Pai
55917	1363706	55/IP/BT	Lift-Assist	i-Pilot Remote	55#	12	Variable	54"		Pa
756097	1363708	55/IP/BT	Lift-Assist	i-Pilot Remote	55#	12	Variable	60"		Fu
755919	1363740	80/IP/BT	Lift-Assist	i-Pilot Remote	80#	24	Variable	54"		Flo
755921	1363741	80/IP/BT	Lift-Assist	i-Pilot Remote	80#	24	Variable	60"		To
755922	1363742	80/IP/BT	Lift-Assist	i-Pilot Remote	80#	24	Variable	72"		Ac
755924	1363732	112/IP/BT	Lift-Assist	i-Pilot Remote	112#	36	Variable	60"		Co
755926	1363735	112/IP/BT	Lift-Assist	i-Pilot Remote	112#	36	Variable	72"	l	8 1
										Hai Fas





Trolling Motors
Instruments

Electrical

Anchor & Dock
Safety
Steering, Controls
Pumps
Fuel
System
Seating & Pedestals
Trailering

Tops & Covers

Perform.

Propellers

Engine & Care

Paint & Paint Acc.
Fun & Flotation

Topside
Acc.

Cockpit
& Deck

Hardware,
Fasteners

Camouflage

Misc.

Comm.

7000952 | 1371010 | E-Drive



				ota froming motor nererence	Guido				
DMI#	Part #	Model	Mount Feature	Control	Thrust	Volt	Speeds	Shaft Length	Features
Riptide	Terrova v	vith i-Pilot Link, D	igital Maximizer a	and Weedless Wedge 2 P	ropeller	(Bow	Mount Moto	rs)	
4755929	1363707	55/IP Link/BT	Lift-Assist	i-Pilot Link Remote	55#	12	Variable	54"	
4755933	1363746	80/IP Link/BT	Lift-Assist	i-Pilot Link Remote	80#	24	Variable	60"	
4755934	1363747	80/IP Link/BT	Lift-Assist	i-Pilot Link Remote	80# 112#	24 36	Variable Variable	72" 60"	
4755936 4755940	1363738 1363739	112/IP Link/BT 112/IP Link/BT	Lift-Assist Lift-Assist	i-Pilot Link Remote i-Pilot Link Remote	112#	36	Variable	72"	
4755942	1363737	112/IP Link/BT	Lift-Assist	i-Pilot Link Remote	112#	36	Variable	87"	
Riptide	PowerDr	ive with Digital N	laximizer and Wee	edless Wedge 2 Propeller	(Bow N	ount	Motors)		
4755908	1363558	55/CP/BT	Deploy-Assist Lever	CoPilot Remote	55#	12	Variable	48"	
4755910	1363559	55/CP/BT	Deploy-Assist Lever	CoPilot Remote	55#	12	Variable	54"	
4755912	1363565	70/CP/BT	Deploy-Assist Lever	CoPilot Remote	70#	24	Variable	54"	
•				nd Weedless Wedge 2 Pr		Bow		rs)	
4755903	1363556	55/IP/BT	Deploy-Assist Lever	i-Pilot Remote	55#	12	Variable	48"	
4755932 4755905	1363548 1363564	55/IP/BT 70/IP/BT	Deploy-Assist Lever Deploy-Assist Lever	i-Pilot Remote i-Pilot Remote	55# 70#	12 24	Variable Variable	54" 54"	
			. ,					JŦ	
	1			s Wedge 2 Propeller (Bov					
475109	1363640	Riptide Fortrex 80	Lift-Assist/Bowguard	Tilt/Extend Tiller	80#	24	Variable	52"	
475110 475116	1363641 1363660	Riptide Fortrex 80 Riptide Fortrex 112	Lift-Assist/Bowguard Lift-Assist/Bowguard	Tilt/Extend Tiller Tilt/Extend Tiller	80# 112#	24 36	Variable Variable	62" 62"	
		·	ū		112//	30	Variable	0Z	
			· · · · · · · · · · · · · · · · · · ·	(Bow Mount Motors)					
475031 475118	1363422 1363447	55/L&D/H 80/L&D/H	Latch & Door Latch & Door	Tilt/Extend Tiller Tilt/Extend Tiller	55# 80#	12 24	Variable Variable	52" 52"	Digital Maximizer Digital Maximizer
475116	1363420	55/L&D/SC/H	Latch & Door	Tilt/Extend Tiller	55#	12	5 FWD/3 REV	42"	Digital Maximizer
475043	1363421	55/L&D/SC/H	Latch & Door	Tilt/Extend Tiller	55#	12	5 FWD/3 REV	52"	
475071	1363425	70/L&D/SC/H	Latch & Door	Tilt/Extend Tiller	70#	24	5 FWD/3 REV	52"	
475119 475120	1363445 1363446	80/BG/H 80/BG/H	Bowguard Bowguard	Tilt/Extend Tiller Tilt/Extend Tiller	80# 80#	24 24	Variable Variable	52" 62"	Digital Maximizer Digital Maximizer
			, and the second second	•				UZ	Digital Maximizer
				Wedge 2 Propeller (Bow l					
475033	1355920	Riptide Edge 70/H	Latch & Door	Tilt/Extend Tiller	70#	24	Variable	52"	
Riptide	Transom		imizer (Transom M						
475112	1363845	Riptide Transom 45	Lever Lock Bracket	Tilt/Extend Tiller	45#	12	Variable	36"	Weedless Wedge 2
475117 475108	1363856 1363831	Riptide Transom 55 Riptide Transom 80	Lever Lock Bracket Lever Lock Bracket	Tilt/Extend Tiller Tilt/Extend Tiller	55# 80#	24 24	Variable Variable	42" 42"	Weedless Wedge 2 Weedless Wedge 2
		(Transom Mount I		THY LAIGHU THIGI	UUIF	^+	varianic	74	**GGUIGSS **GUYG Z
				T 1 : T''	45 "	40	E DAID (0 DE) (00//	D D
475114 475115	1363844 1363854	Riptide Transom 45/SC Riptide Transom 55/SC	Lever Lock Bracket Lever Lock Bracket	Telescoping Tiller Telescoping Tiller	45# 55#	12 12	5 FWD/3 REV 5 FWD/3 REV	36" 42"	Power Prop Power Prop
			FEARL FOCK DIGCKEL	relescoping filler	JJII	12	J I VVD/J IILV	74	1 owei i iop
E-Drive	Electric	Julboard							



Throttle/Outboard Engine Steering | 2 HP

48

Variable



20"

Stainless Steel

Bolt-on Transom

Electronics Trolling

Instruments

Electrical

Johnson Outdoors Marine Electronics, Inc. 555 Main Street Racine, WI 53403

2021 RIGGING ALLOWANCE PROGRAM

Dear Valued Dealer,

Johnson Outdoors is continuing our submission form exclusively online for the Minn Kota and Humminbird rigging programs.

- The online submission form is located on the Johnson Outdoors Dealer Extranet (https://go.johnsonoutdoors.com). Sign in with your dealer credentials and click on "Rigging", located at the top of the page. If you do not currently have access to the Dealer Extranet, please see the set-up instructions.
- Please review the "Rigging Form Guide" located at the top of the Rigging page prior to placing your first submission. This guide provides step-by-step instructions on how to submit your form. Please note that you will need your dealer account number. New dealers must contact Johnson Outdoors in order to receive their account number as well as become set up on the extranet prior to using the online rigging submission form.
- If you have any questions or need further assistance, please contact Ron Bailey via e-mail (rbailey@johnsonoutdoors.com).

Complete information must be received to qualify for the below 2021 model year rigging allowance:

Minn Kota Item	Minn Kota Series or Model	Allowance
All freshwater models	FORTREX	\$20
All freshwater models	MAXXUM	\$20
All freshwater models	EDGE (except 45 lb thrust)	\$15
All freshwater models	ULTREX i-Pilot	\$20
All freshwater models	ULTREX LINK	\$50
All freshwater models	POWERDRIVE (except 45 lb thrust)	\$20
All freshwater models	TERROVA i-Pilot	\$20
All freshwater models	TERROVA LINK	\$50
All freshwater models	ULTERRA i-Pilot	\$20
All freshwater models	ULTERRA LINK	\$50
All saltwater models	RIPTIDE BOW MOUNT	\$20
All saltwater models	RIPTIDE BOW MOUNT LINK	\$50

Program dates are October 5, 2020 thru October 1, 2021.

Discontinued, OEM (Boat Builder), International and Reconditioned product does not apply.

Minn Kota and Humminbird reserve the right to request proof of installation.

Please allow 8-10 weeks processing time to receive your payment. Guidelines are subject to change • Revision July 8, 2020





Humminbird Item	Humminbird Series or Model	Allowance			
411340-1CHO	HELIX 8 CHIRP MDI GPS G4N CHO	\$30			
411340-1	HELIX 8 CHIRP MDI GPS G4N	\$40			
411350-1CHO	HELIX 8 CHIRP MSI+ GPS G4N CHO	\$30			
411350-1	HELIX 8 CHIRP MSI+ GPS G4N	\$50			
411370-1CHO	HELIX 9 CHIRP MDI+ GPS G4N CHO	\$30			
411370-1	HELIX 9 CHIRP MDI+ GPS G4N	\$40			
411380-1CHO	HELIX 9 CHIRP MSI+ GPS G4N CHO	\$30			
411380-1	HELIX 9 CHIRP MSI+ GPS G4N	\$50			
411410-1CHO	HELIX 10 CHIRP MDI+ GPS G4N CHO	\$30			
411410-1	HELIX 10 CHIRP MDI+ GPS G4N	\$40			
411420-1CHO	HELIX 10 CHIRP MSI+ GPS G4N CHO	\$30			
411420-1	HELIX 10 CHIRP MSI+ GPS G4N	\$50			
411440-1CHO	HELIX 12 CHIRP MDI+ GPS G4N CHO	\$30			
411440-1	HELIX 12 CHIRP MDI+ GPS G4N	\$40			
411450-1CHO	HELIX 12 CHIRP MSI+ GPS G4N CHO	\$30			
411450-1	HELIX 12 CHIRP MSI+ GPS G4N	\$50			
411310-1CHO	HELIX 15 CHIRP MDI+ GPS G4N CHO	\$50			
411320-1CHO	HELIX 15 CHIRP MSI+ GPS G4N CHO	\$50			
411320-1	HELIX 15 CHIRP MSI+ GPS G4N	\$50			
411530-1CHO	SOLIX 10 MSI+ G3 CHO	\$50			
411530-1	SOLIX 10 MSI+ G3	\$50			
411550-1CHO	SOLIX 12 MSI+ G3 CHO	\$50			
411550-1	SOLIX 12 MSI+ G3	\$50			
411570-1CHO	SOLIX 15 MSI+ G3 CHO	\$50			
411570-1	SOLIX 15 MSI+ G3	\$50			
411470-1CHO	APEX 13 MSI+ CHARTPLOTTER CHO	\$50			
411470-1	APEX 13 MSI+ CHARTPLOTTER	\$50			
411500-1CHO	APEX 16 MSI+ CHARTPLOTTER CHO	\$50			
411500-1	APEX 16 MSI+ CHARTPLOTTER	\$50			
411240-1CHO	APEX 19 MSI+ CHARTPLOTTER CHO	\$50			
411240-1	APEX 19 MSI+ CHARTPLOTTER	\$50			
750013-1	HB 2124 CHIRP RADAR	\$50			





4756006 (1368800) 45" Shaft

4756008 (1368801) 52" Shaft

4756013 (1368820) 45" Shaft

4756015 (1368821) 52" Shaft

4756017 (1368822) 60" Shaft

Electronics

Trolling **Motors**

Instruments

Electrical

instant responsiveness.

Lighting Anchor

& Dock

Safety

readjustment, just easier steering every day. i-Pilot GPS Trolling System: The most-trusted GPS system in fishing. i-Pilot uses GPS to control your trolling motor with incredible features

Steering Controls

Pumps

Fuel

i-Pilot Link Integrated GPS Trolling System: i-Pilot Link gives you screen remote or the Humminbird. You can set Spot-Locks, record paths, follow depth contours, automatically navigate to your favorite spots,

System Seating & Pedestals

Trailering

Tops &

Perform

Propeller

Engine & Care & Care

Paint & Paint Acc

Fun & Flotation Topside

Acc.

Cockpit & Deck

Hardware, Fasteners

Camouflage

Misc

 Freshwater. • Bow mount, foot control.

- Power Steering: The most comfortable, responsive steering available. Ultrex's foot pedal is built for all-day ease, with precision control and
- Steering Lock: When you take your foot off Ultrex's foot pedal, the motor head remains pointed in the direction you left it. No recoil or
- that keep you on the fish. Set Spot-Locks, record paths, control speed and steering, and more. i-Pilot makes boat positioning and control automatic, and you can take command from its easy-to-read large LCD screen.
- unprecedented control over your boat by linking your trolling motor to your Humminbird fish finder. Control your trolling motor from Link's color touchcontrol speed and steering, and more.
- Spot-Lock with Jog: Spot-Lock will hold you in place with unparalleled GPS accuracy. Available on i-Pilot GPS system that is pre-installed, Spot-Lock gives you the power to stay right on top of any productive fishing spot, without touching your trolling motor. With the included heading sensor, you can use Jog to move your Spot-Lock location five feet in any direction. Activate Spot-Lock from the i-Pilot remote or Humminbird fish
- Lift-Assist: Ultrex's patented Lift-Assist Design cuts the weight of stow and deploy in half. Features a stainless steel, nitrogen gas-charged spring.
- AutoPilot: Automatically navigate your boat in any direction you choose. Just point the head of your trolling motor in the direction you want to travel, activate AutoPilot, and your trolling motor will keep you on that heading automatically, even correcting for wind, waves and current.
- Heel-Toe/Cable Foot Pedal: It's the only foot pedal with Power Steering for all-day comfort and instant responsiveness - plus a button to activate Spot-Lock electronic anchor.
- Integrated Battery Meter: The i-Pilot remote can tell you the exact charge left in your trolling batteries, so you know how much time you have
- **Digital Maximizer:** Provides up to 5 times longer run time on a single battery charge. These variable speed trolling motors let you dial in your exact speed, and they deliver only as much power as you need, helping to conserve your battery for a full day of fishing.
- Mobile App Compatibility: Control i-Pilot directly from your Apple or Android device with our mobile app. You get quick command of speed, steering, Spot-Lock and Advanced AutoPilot - plus the ability to update i-Pilot software.
- Weedless Wedge 2 Prop.
- Indestructible Composite Shaft.
- Cool, Quiet Power.
- 2-year warranty

i-PILOT GPS WITH BUILT-IN MEGA DOWN IMAGING

• Built-In MEGA Down Imaging: With a transducer built right into the motor, you get crystal clear Humminbird MEGA Down Imaging and a clean protected look.

80# Thrust

80# Thrust

112# Thrust

112# Thrust

24 volt **\$2,399.99** Z0-4457910

24 volt **\$2,449.99** Z0-0661020

36 volt **\$2,499.99** Z0-5775020

36 volt **\$2,549.99** Z0-1989020

112# Thrust 36 volt **\$2,599.99** Z0-6004120

Order No. Mfg. No. / Description			List Price
4756077 (1368850) 45" Shaft	80# Thrust	24 volt	\$2,499.99 Z0-5775020
4756079 (1368851) 52" Shaft	80# Thrust	24 volt	\$2,549.99 Z0-1989020
4756081 (1368852) 60" Shaft	80# Thrust	24 volt	\$2,599.99 Z0-6004120
4756083 (1368870) 45" Shaft	112# Thrust	36 volt	\$2,599.99 Z0-6004120
4756085 (1368871) 52" Shaft	112# Thrust	36 volt	\$2,649.99 Z0-2218120
4756087 (1368872) 60" Shaft	112# Thrust	36 volt	\$2,699.99 Z0-7322220

IIIEOI	EININ OI O N		VEHOAL OUR	A11 E		
Order No.	Mfg. No. / Descr	iption			List Price	
4756019	(1368810) 45	" Shaft	80# Thrust	24 volt	\$2,799.99	Z0-8640320
4756021	(1368811) 52	" Shaft	80# Thrust	24 volt	\$2,849.99	Z0-4854320
4756025	(1368830) 45	" Shaft	112# Thrust	36 volt	\$2,899.99	Z0-9968320
4756027	(1368831) 52	" Shaft	112# Thrust	36 volt	\$2,949.99	Z0-5182420

i-PILOT LINK GPS WITH BUILT-IN MEGA DOWN IMAGING

i-PILOT LINK GPS WITH LINIVERSAL SONAR 2

 Built-In MEGA Down Imaging: With a transducer built right into the motor, you get crystal clear Humminbird MEGA Down Imaging and a clean protected look.

Urder No. Mfg. No. / Description			List Price	
4756065 (1368860) 45" Shaft	80# Thrust	24 volt	\$2,899.99 Z0-9968	3320
4756067 (1368861) 52" Shaft	80# Thrust	24 volt	\$2,949.99 Z0-5182	2420
4756069 (1368862) 60" Shaft	80# Thrust	24 volt	\$2,999.99 Z0-0396	3420
4756071 (1368880) 45" Shaft	112# Thrust	36 volt	\$2,999.99 Z0-0396	3420
4756073 (1368881) 52" Shaft	112# Thrust	36 volt	\$3,049.99 Z0-6401	520
4756075 (1368882) 60" Shaft	112# Thrust	36 volt	\$3,099.99 Z0-1615	520

i-PILOT LINK GPS WITH BUILT-IN MEGA DOWN/SIDE IMAGING

 Built-In MEGA Side and Down Imaging: With a transducer built right into the trolling motor, you get crystal clear Humminbird MEGA Side Imaging and MEGA Down Imaging with a clean look and protected housing.

Urder No.	IVITG. INO. / DI	escription			LIST Price	
4756099	(1368865)	45" Shaft	80# Thrust	24 volt	\$3,099.99	Z0-1615520
4756101	(1368866)	52" Shaft	80# Thrust	24 volt	\$3,149.99	Z0-7729520
4756103	(1368867)	60" Shaft	80# Thrust	24 volt	\$3,199.99	Z0-2933620
4756105	(1368885)	45" Shaft	112# Thrust	36 volt	\$3,199.99	Z0-2933620
4756107	(1368886)	52" Shaft	112# Thrust	36 volt	\$3,249.99	Z0-8057620
4756109	(1368887)	60" Shaft	112# Thrust	36 volt	\$3,299.99	Z0-3261720







Electronics Trolling

nstruments

Flectrical

Lighting

Anchor

& Dock

Safety

Steering

Controls

Pumps

Fuel

System

Seating &

Pedestals

Trailering

Tops & Covers Perform.

Propellers

Engine & Care

Cleaning

& Care

Paint &

Fun &

Flotation

Topside

Cockpit

& Deck

Acc.

Paint Acc

Minn Kota Ulterra Series Trolling Motors - Bluetooth



i-PILOT GPS WITH	UNIVERSAL SONAR 2
------------------	--------------------------

Order No.	Mfg. No. / Description			List Price
4755983	(1358922) 45" Shaft	80# Thrust	24 volt	\$2,349.99 Z0-3548910
4755986	(1358920) 60" Shaft	80# Thrust	24 volt	\$2,399.99 Z0-5762020
4755988	(1358932) 45" Shaft	112# Thrust	36 volt	\$2,549.99 Z0-3435120
4755990	(1358930) 60" Shaft	112# Thrust	36 volt	\$2,649.99 Z0-7873220
4755992	(1358933) 72" Shaft	112# Thrust	36 volt	\$2,799.99 Z0-4546320

i-PILOT GPS WITH BUILT-IN MEGA DOWN IMAGING

• Built-In MEGA Down Imaging: With a transducer built right into the motor, you get crystal clear Humminbird MEGA Down Imaging and a clean protected look.

Urder No. Mfg. No. / Description			List Price
4755601 (1358982) 45" Shaft	80# Thrust	24 volt	\$2,499.99 Z0-0211120
6755603 (1358980) 60" Shaft	80# Thrust	24 volt	\$2,549.99 Z0-3435120
4756007 (1358992) 45" Shaft	112# Thrust	36 volt	\$2,699.99 Z0-9008220
4756009 (1358990) 60" Shaft	112# Thrust	36 volt	\$2,799.99 Z0-4546320
4756010 (1358993) 72" Shaft	112# Thrust	36 volt	\$2,949.99 Z0-2219420

i-PILOT LINK GPS WITH BUILT-IN MEGA DOWN IMAGING

• Built-In MEGA Down Imaging: With a transducer built right into the motor, you get crystal clear Humminbird MEGA Down Imaging and a clean protected look.

Order No. Mfg. No. / Description			List Price
4755995 (1358983) 45" Shaft	80# Thrust	24 volt	\$2,849.99 Z0-7760420
4755997 (1358981) 60" Shaft	80# Thrust	24 volt	\$2,899.99 Z0-9984420
4755998 (1358991) 60" Shaft	112# Thrust	36 volt	\$3,149.99 Z0-1106620
4755600 (1358994) 72" Shaft	112# Thrust	36 volt	\$3,299.99 Z0-8768720

i-PILOT LINK GPS WITH BUILT-IN MEGA DOWN/SIDE IMAGING

• Built-In MEGA Side and Down Imaging: With a transducer built right into the trolling motor, you get crystal clear Humminbird MEGA Side Imaging and MEGA Down Imaging with a clean look and protected housing.

Order No.	Mfg. No. / Description			List Price		
4756089	(1358985)	45" Shaft	80# Thrust	24 volt	\$3,049.99	Z0-7657520
4756091	(1358986) 6	60" Shaft	80# Thrust	24 volt	\$3,099.99	Z0-9871620
4756093	(1358995) 6	60" Shaft	112# Thrust	36 volt	\$3,349.99	Z0-1092820
4756095	(1358996)	72" Shaft	112# Thrust	36 volt	\$3,499.99	Z0-8655920



- Freshwater.
- Bow mount, foot control.
- Auto Stow & Deploy: Stow or deploy Ulterra just by pushing a button on your i-Pilot or i-Pilot Link remote, foot pedal or Humminbird fish finder.
- Power Trim: Trim Ulterra up or down at the push of a button on either the foot pedal, the i-Pilot or i-Pilot Link remote or a Humminbird fish finder. Adjust to changing fishing conditions without reaching down to your trolling motor.
- i-Pilot GPS Trolling System: The most-trusted GPS system in fishing. i-Pilot uses GPS to control your trolling motor with incredible features that keep you on the fish. Set Spot-Locks, record paths, control speed and steering, and more. i-Pilot makes boat positioning and control automatic, and you can take command from its easy-to-read large LCD screen.
- i-Pilot Link Integrated GPS Trolling System: i-Pilot Link gives you unprecedented control over your boat by linking your trolling motor to your Humminbird fish finder. Control your trolling motor from Link's color touchscreen remote or the Humminbird. You can set Spot-Locks, record paths, follow depth contours, automatically navigate to your favorite spots, control speed and steering, and more.
- Spot-Lock with Jog: Spot-Lock will hold you in place with unparalleled GPS accuracy. Available on i-Pilot GPS system that is pre-installed, Spot-Lock gives you the power to stay right on top of any productive fishing spot, without touching your trolling motor. With the included heading sensor, you can use Jog to move your Spot-Lock location five feet in any direction. Activate Spot-Lock from the i-Pilot remote or Humminbird fish finder.
- AutoPilot: Automatically navigate your boat in any direction you choose. Just point the head of your trolling motor in the direction you want to travel, activate AutoPilot, and your trolling motor will keep you on that heading automatically, even correcting for wind, waves and current.
- Heel-Toe Electric Foot Pedal: Stow, deploy and adjust the trim on Ulterra - all from the foot pedal. You can even activate Spot-Lock with one tap. Includes 18' cord.
- Integrated Battery Meter: The i-Pilot remote can tell you the exact charge left in your trolling batteries, so you know how much time you have left on the water.
- Digital Maximizer: Provides up to 5 times longer run time on a single battery charge. These variable speed trolling motors let you dial in your exact speed, and they deliver only as much power as you need, helping to conserve your battery for a full day of fishing.
- Mobile App Compatibility: Control i-Pilot directly from your Apple or Android device with our mobile app. You get quick command of speed, steering, Spot-Lock and Advanced AutoPilot - plus the ability to update i-Pilot software.
- Weedless Wedge 2 Prop.
- Indestructible Composite Shaft.
- · Cool, Quiet Power.
- 2-year warranty.



Hardware. Fasteners Camouflage

Misc.

SPECIAL HANDLING MAY APPL

Minn Kota Terrova Series Trolling Motors - Bluetooth









• Freshwater. Electronics

Trolling **Motors**

Instruments

Electrical

Lighting

Anchor

& Dock

Safety

Steering

Controls

Pumps

Fuel

System

Seating &

Pedestals

Trailering

Tops &

Propellers

Engine & Care

Cleaning

& Care

Paint &

Fun & Flotation

Topside

Cockpit

& Deck

Hardware,

Fasteners

Acc.

Paint Acc

- Lift-Assist Design. • Stow/Deploy Lever.
- Power Steering.
- · Wireless Remote.
 - Heel-Toe Electric Foot Pedal.
 - Push-to-Test Battery Meter.
 - Digital Maximizer.
 - i-Pilot GPS Trolling System: The most-trusted GPS system in fishing. i-Pilot uses GPS to control your trolling motor with incredible features that keep you on the fish. Set Spot-Locks, record paths, control speed and steering, and more. i-Pilot makes boat positioning and control automatic, and you can take command from its easy-to-read large LCD screen.
 - Spot-Lock with Jog: Available on i-Pilot GPS system that is pre-
 - AutoPilot: Automatically navigate your boat in any direction you choose. Just point the head of your trolling motor in the direction you want to travel, activate AutoPilot, and your trolling motor will keep you on that heading automatically, even correcting for wind, waves and current.
 - Mobile App Compatibility: Control i-Pilot directly from your Apple or Android device with our mobile app.
 - Weedless Wedge 2 Prop.
 - Indestructible Composite Shaft. Cool, Quiet Power.
 - 2-year warranty.

i-PILOT GPS

N N/ N /D

Order No. Mfg. No. / Description List Price **4755975** (1358805) 54" Shaft 55# Thrust 12 volt **\$1,249.99** Z0-1984010 4755978 (1358814) 60" Shaft 80# Thrust 24 volt **\$1,499.99** Z0-0785210

i-PILOT GPS WITH UNIVERSAL SONAR 2

Order No. Mfg. No. / Description			List Price
4755957 (1358856) 45" Shaft	55# Thrust	12 volt	\$1,599.99 Z0-1624310
4755960 (1358857) 54" Shaft	55# Thrust	12 volt	\$1,649.99 Z0-6548310
4755963 (1358893) 45" Shaft	80# Thrust	24 volt	\$1,849.99 Z0-9325510
4755965 (1358894) 60" Shaft	80# Thrust	24 volt	\$1,899.99 Z0-6349510
4755967 (1358895) 72" Shaft	80# Thrust	24 volt	\$2,049.99 Z0-2202710
4755969 (1358846) 60" Shaft	112# Thrust	36 volt	\$2,149.99 Z0-4140810
4755971 (1358847) 72" Shaft	112# Thrust	36 volt	\$2,299.99 Z0-1003910

i-PILOT GPS WITH BUILT-IN MEGA DOWN IMAGING

• Built-In MEGA Down Imaging: With a transducer built right into the motor, you get crystal clear Humminbird MEGA Down Imaging and a clean protected look.

Order No. Mtg. No. / Description	List Price			
4755968 (1358880) 45" Shaft	80# Thrust	24 volt	\$1,999.99 Z0-6287610	
4755970 (1358881) 60" Shaft	80# Thrust	24 volt	\$2,049.99 Z0-2202710	
4755972 (1358882) 72" Shaft	80# Thrust	24 volt	\$2,199.99 Z0-9064810	
4755974 (1358835) 60" Shaft	112# Thrust	36 volt	\$2,299,99 70-1003910	

i-PILOT LINK GPS WITH UNIVERSAL SONAR 2

Order No. Mfg. No. / Description List Price **4755973** (1358858) 54" Shaft 55# Thrust 12 volt **\$1,999.99** Z0-6287610

i-PILOT LINK GPS WITH BUILT-IN MEGA DOWN IMAGING

• Built-In MEGA Down Imaging: With a transducer built right into the motor, you get crystal clear Humminbird MEGA Down Imaging and a clean protected look.

Order No. Mfg. No. / Description	List Price		
4755961 (1358883) 45" Shaft	80# Thrust	24 volt	\$2,399.99 Z0-2931020
4755962 (1358884) 60" Shaft	80# Thrust	24 volt	\$2,449.99 Z0-7855020
4755964 (1358837) 60" Shaft	112# Thrust	36 volt	\$2,699.99 Z0-7656220
4755966 (1358838) 72" Shaft	112# Thrust	36 volt	\$2,849.99 Z0-3519320

Minn Kota Fortrex Series Trolling Motors

• Freshwater. Perform

Bow mount, foot control.

• Lift-Assist Mount: Stainless steel, nitrogen-charged gas spring makes stow and deploy easy.

Removable Bowquard 360° Bracket: Breaks away on impact from any angle and automatically resets itself, giving you uninterrupted fishing. Plus, its dual bearing system eliminates noise and the entire mount is easily removable.

 Mono-Arm Design: Made of extruded, anodized aluminum with solid one-piece construction that helps your trolling motor run quieter, with less wear for longer life.

- Counter-Tension Stabilizer.
- Illuminated Directional Indicator.
- Heel-Toe/Cable-Steer Foot Pedal.
- Push-to-Test Battery Meter. Digital Maximizer.
- Weedless Wedge 2 Prop. Camouflage
 - Indestructible Composite Shaft. Cool, Quiet Power.

 2-year warranty. Misc





iving. No. / Description			LIST PIICE
(1368660) 45" Shaft	80# Thrust	24 volt	\$1,369.09 D0-7259010
(1368661) 52" Shaft	80# Thrust	24 volt	\$1,400.69 D0-5502110
(1368687) 45" Shaft	112# Thrust	36 volt	\$1,526.99 D0-9512210
(1368688) 52" Shaft	112# Thrust	36 volt	\$1,449.99 Z0-9439110
	(1368660) 45" Shaft (1368661) 52" Shaft (1368687) 45" Shaft	(1368660) 45" Shaft (1368661) 52" Shaft (1368687) 45" Shaft (1368687) 45" Shaft (12# Thrust	(1368660) 45" Shaft 80# Thrust 24 volt (1368661) 52" Shaft 80# Thrust 24 volt

UNIVERSAL SONAR 2

Uluel No.	ivilg. ivo. / Description			LIST LLICE
475593	(1368670) 45" Shaft	80# Thrust	24 volt	\$1,399.99 Z0-3325110
475592	(1368671) 52" Shaft	80# Thrust	24 volt	\$1,429.99 Z0-2077110
475610	(1368695) 45" Shaft	112# Thrust	36 volt	\$1,549.99 Z0-0857210
475613	(1368696) 52" Shaft	112# Thrust	36 volt	\$1,549.99 Z0-0857210

BUILT-IN MEGA DOWN IMAGING

• Built-In MEGA Down Imaging: With a transducer built right into the motor, you get crystal clear Humminbird MEGA Down Imaging and a clean protected look.

Urder No.	Mfg. No. / Description
	(4000000) =0" 01

Order No.	Mfg. No. / Description			List Price
475598	(1368666) 52" Shaft	80# Thrust	24 volt	\$1,629.99 D0-5502110
475600	(1368675) 45" Shaft	112# Thrust	36 volt	\$1,749.99 Z0-3404410







Minn Kota PowerDrive Series Trolling Motors - Bluetooth



POWER PROP

Side-To-Side/Electric Foot Pedal. No remote.

Order No. Mfg. No. / Description List Price **4756032** (1358790) 48" Shaft 45# Thrust 12 volt **\$674.69** D0-5793500

WEEDLESS WEDGE 2 PROP

Side-To-Side/Electric Foot Pedal. No remote.

Order No. Mfg. No. / Description List Price 4756036 (1358737) 54" Shaft

\$776.19 D0-5902600 55# Thrust 12 volt 4756045 (1358733) 60" Shaft 70# Thrust 24 volt **\$1,017.79** D0-3241800

UNIVERSAL SONAR 2 WITH WEEDLESS WEDGE 2 PROP

Side-To-Side/Electric Foot Pedal. No remote

Order No. Mfg. No. / Description 4756038 (1358748) 54" Shaft \$849.99 B0-9946700 55# Thrust 12 volt 4756049 (1358763) 60" Shaft 24 volt **\$1,049.99** B0-9944900 70# Thrust

i-PILOT GPS WITH WEEDLESS WEDGE 2 PROP

No foot pedal.

Order No. Mfg. No. / Description

4756056 (1358744) 54" Shaft 12 volt **\$1,271.99** D0-9571010 55# Thrust 4756061 (1358731) 54" Shaft 70# Thrust 24 volt **\$1,430.89** D0-1744110

i-PILOT GPS WITH UNIVERSAL SONAR 2 & WEEDLESS WEDGE 2 PROP

No foot pedal.

Order No. Mfg. No. / Description

4756058 (1358749) 54" Shaft 55# Thrust 12 volt **\$1,377.99** D0-9320110

4756063 (1358761) 60" Shaft 70# Thrust 24 volt **\$1,536.89** D0-1592210 MINN KOTA

😝 Bluetooth



- Freshwater.
- Bow mount, foot control.
- Deploy-Assist Lever.
- Push-To-Test Battery Meter.
- Digital Maximizer.

• i-Pilot GPS Trolling System: The mosttrusted GPS system in fishing. i-Pilot uses GPS to control your trolling motor with incredible features that keep you on the fish. Set Spot-Locks, record paths, control speed and steering, and more. i-Pilot makes boat positioning and control automatic, and you can take command from its easy-to-read large LCD screen.

- i-Pilot PowerDrive trolling motors do not include, and are not compatible, with a foot pedal.
- Spot-Lock: Just press a button, and Spot-Lock will hold you in place with unparalleled GPS accuracy. Available on i-Pilot GPS systems, Spot-Lock gives you the power to stay right on top of any productive fishing spot automatically, without touching your trolling motor.
- AutoPilot: Automatically navigate your boat in any direction you choose. Just point the head of your trolling motor in the direction you want to travel, activate AutoPilot, and your trolling motor will keep you on that heading automatically, even correcting for wind, waves and current.
- Mobile App Compatibility: Control i-Pilot directly from your Apple or Android device with our mobile app.
- Indestructible Composite Shaft.
- · Cool, Quiet Power.
- · 2-year warranty.

Minn Kota Maxxum Series Trolling Motors





List Price

List Price





- · Freshwater.
- · Bow mount, foot control.
- Bowguard 360° Breakaway Mount:

Breaks away on impact, then automatically resets itself, giving you uninterrupted fishing and an extra safeguard from damaging your trolling motor or boat. It even detaches for added convenience.

- Illuminated Directional Indicator: Easy-to-read illuminated directional indicator built right into the motor head tells you right where you're headed - in any conditions.
- Heel-Toe/Cable-Steer Foot Pedal: Get heel/toe control of your motor with this ultra-responsive foot pedal that includes speed control, and momentary and constant on/off. Made with a high-impact composite material for unparalleled durability.
- Weedless Wedge 2 Prop.
- Indestructible Composite Shaft.

MAY

- · Cool, Quiet Power.
- 2-year warranty



• Digital Maximizer: Provides up to 5 times longer run time on a single battery charge. These variable speed trolling motors let you dial in your exact speed, and they deliver only as much power as you need, helping to conserve your battery for a full day of fishing.

Order No. Mfg. No. / Description

List Price

475410 (1368561) 42" Shaft 70# Thrust 24 volt \$948.99 D0-9195700 **475424** (1368562) 52" Shaft 24 volt **\$1,013.49** D0-9701800 70# Thrust

5-SPEED SETTINGS

• 5-Speed Settings: Choose from five forward speed settings to dial in the right speed control when you're trolling.

Order No. Mfg. No. / Description

475397 (1368560) 42" Shaft

70# Thrust

24 volt

\$853.49 D0-9728600

List Price





Engine & Care

Cleaning & Care

Paint & Paint Acc

Fun & Flotation

Topside


Cockpit & Deck

Hardware. Fasteners

Camouflage

Misc.





Electronics

Trolling

nstruments Electrical

Lighting Anchor & Dock

Safety

Steering, Controls

Pumps

Fuel

System Seating & Pedestals

Trailering

Tops &

Perform.

Propellers

Electronics

Trolling

Motors

Instruments

Electrical

Lighting

Anchor

& Dock

Safety

Steering Controls

Pumps

Fuel System

Seating &

Trailering Tops &

& Care

Cleaning

& Care

Paint &

Fun &

Paint Acc.

Flotation

Topside

Cocknit

Misc

Acc






Minn Kota Edge Series Trolling Motors

MINN KOTA



- Freshwater.
- Bow mount, foot control.
- Latch & Door Bracket: This bracket gives you a rock-solid hold while stowing your trolling motor and makes for easy removal at the end of the day.
- Heel-Toe/Cable-Steer Foot Pedal: Get heel/toe control of your motor with this ultra-responsive foot pedal that includes speed control, and momentary and constant on/off. Made with a high-impact composite material for unparalleled durability.



- Directional Indicator.
- Indestructible Composite Shaft.
- Cool, Quiet Power.
- · 2-year warranty. POWER PROP

•	LOWE	1 1101			
ĺ	Order No.	Mfg. No. / Description			List Price
J	475212	(1355946) 36" Shaft	45# Thrust	12 volt	\$448.09 D0-7485300
ì	475214	(1355947) 45" Shaft	45# Thrust	12 volt	\$504.09 D0-7230400
ı					
	WEEDL	ESS WEDGE 2 PROP			
ı	Order No.	Mfg. No. / Description			List Price
J	475290	(1355956) 45" Shaft	55# Thrust	12 volt	\$638.49 D0-9701500
	475292	(1355957) 52" Shaft	55# Thrust	12 volt	\$672.09 D0-7673500
J	475296	(1355970) 45" Shaft	70# Thrust	24 volt	\$732.19 D0-5758500

Minn Kota Edge Series Trolling Motors

24 volt

70# Thrust







 Freshwater. Engine

Bow mount, hand control.

475297 (1355971) 52" Shaft

 Latch & Door Bracket: This bracket gives you a rock-solid hold while stowing your trolling motor and makes for easy removal at the end of the day.

· Edge Hand Control Motors are controlled with our natural, ergonomic Tilt Twist Tiller.

- 5 Forward/3 Reverse Speed Settings.
- Directional Indicator.
- Indestructible Composite Shaft.
- Cool, Quiet Power.
- 2-year warranty.

& Deck	POWER	PROP				
Hardware.	Order No.	Mfg. No. / Description			List Price	
Fasteners	475218	(1355935) 45" Shaft	45# Thrust	12 volt	\$299.99 B0-999	6200
Computlana	WEEDI	FSS WEDGE 2 PROP				

Order No. Mfg. No. / Description List Price **475220** (1355963) 52" Shaft \$499.99 B0-9994400 55# Thrust 12 volt

Minn Kota Maxxum Series Trolling Motors

🤨 MINN KOTA





- Freshwater.
- · Bow mount, hand control.
- Bowguard 360° Breakaway Mount: Breaks away on impact, then automatically resets itself, giving you uninterrupted fishing and an extra safeguard from damaging your trolling motor or boat. It even detaches for added convenience.
- Tilt/Extend Tiller: Take command of your hand control trolling motor with this versatile tiller, which both tilts (up to 45°) and extends (up to 6°) and features a digital battery indicator on the head.
- Weedless Wedge 2 Prop.
- Indestructible Composite Shaft.
- · Cool, Quiet Power.
- 2-year warranty.

5 FORWARD/3 REVERSE SPEED SETTINGS

• 5 Fwd/3 Rev Speed Settings: Five speed settings for forward and three speed settings for reverse.

Order No. Mfg. No. / Description List Price **475520** (1368630) 52" Shaft 70# Thrust **\$853.49** D0-9728600 24 volt

Minn Kota Traxxis Series Trolling Motors

过 MINN KOTA



\$784.09 D0-7272600

- · Freshwater.
- Transom mount, hand control.
- One-Hand Stow.
- Tilt/Extend Tiller.
- Digital Maximizer.
- Quick-Lock Cam Depth Adjuster.
- Steering Tension Control.
- Push-to-Test Battery Meter.
- Indestructible Composite Shaft.
- Cool, Quiet Power.
- 2-year warranty.

POWER PROP Order No. Mfg. No. / Description List Price 7000946 (1368707) 36" Shaft 45# Thrust 12 volt \$350.49 D0-9308200 **475181** (1368715) 36" Shaft 55# Thrust 12 volt \$395.29 D0-3261300 **475179** (1368716) 42" Shaft 55# Thrust 12 volt **\$403.59** D0-7822300 7000948 (1368720) 42" Shaft 70# Thrust 24 volt **\$502.09** D0-7610400


WEEDLESS WEDGE 2 PROP

Order No. Mfg. No. / Description List Price 7000950 (1368730) 42" Shaft 80# Thrust 24 volt \$616.09 D0-7829400













Freshwater Exclusive Saltwater Exclusive

MINN KOTA

Minn Kota Endura Max Trolling Motors

MINN KOTA



- Freshwater.
- Transom mount, hand control.
- · Lever-Lock Bracket.
- Telescoping Tiller.
- Digital Maximizer.
- Push-to-Test Battery Meter.
- · Variable Speed Control.
- Power Prop.
- Indestructible Composite Shaft.
- · Cool, Quiet Power.
- 2-year warranty.

y Motors
No. of Concession, Name of Street, or other party of the Concession, Name of Street, or other pa
T
4,
1
A

Order No.	Mfg. No. / Descript	tion			List Price	
474850	(1352140) 36"	Shaft	40# Thrust	12 volt	\$245.69	D0-5569100
474855	(1352145) 36"	Shaft	45# Thrust	12 volt	\$265.59	D0-7421200
474860	(1352150) 36"	Shaft	50# Thrust	12 volt	\$288.49	D0-9703200
474870	(1352155) 36"	Shaft	55# Thrust	12 volt	\$308.09	D0-7464200
474875	(1352156) 42"	Shaft	55# Thrust	12 volt	\$318.69	D0-5945200

Minn Kota PowerDrive Pontoon Foot Control Series Trolling Motors





- Freshwater.
- Bow mount, foot control.
- Deploy-Assist Lever.
- Aluminum Quick Release Bracket.
- PowerDrive Foot Pedal.
- · Power Steering.
- Push-to-Test Battery Meter.
- Digital Maximizer.
- Power Prop.
- Indestructible Composite Shaft.
- · Cool, Quiet Power.
- 2-year warranty.

Order No. Mfg. No. / Description		List Price
4756004 (1358745) 48" Shaft	54# Thrust	12 volt \$840.09 D0-7027600
4756005 (1358729) 48" Shaft	68# Thrust	24 volt \$1,067.09 D0-7635800

Minn Kota Endura Series Trolling Motors



- Freshwater.
- Transom mount, hand control.
- Lever-Lock Bracket.
- Telescoping Tiller.
- 5 Forward/3 Reverse Speed Settings.

30# Thrust

40# Thrust

45# Thrust

50# Thrust

50# Thrust

55# Thrust

Minn Kota Pontoon Hand Control Series Trolling Motors

55# Thrust

70# Thrust

- Power Prop.
- Indestructible Composite Shaft.
- Cool, Quiet Power.
- · 2-year warranty.

Order No. Mfg. No. / Description

474830 (1352230) 30" Shaft

474835 (1352240) 36" Shaft

7000902 (1352245) 36" Shaft

474840 (1352250) 36" Shaft

475450 (1352251) 42" Shaft

474845 (1352256) 42" Shaft

过 MINN KOTA

• Freshwater.

• Bow mount, hand control.

• 5 Forward/3 Reverse Speed Settings.

• Indestructible Composite Shaft.

· Latch & Door Bracket.

• Tilt Twist Tiller.

· Power Steering.

· Cool, Quiet Power.

Order No. Mfg. No. / Description

474743 (1355964) 52" Shaft

474746 (1355979) 52" Shaft

• 2-year warranty.

• Power Prop.

•	
-	

List Price

12 volt **\$183.59** D0-7864100

12 volt **\$214.69** D0-5717100

12 volt **\$236.19** D0-5988100

12 volt **\$248.29** D0-5717100

12 volt **\$269.89** D0-1951200

List Price

12 volt **\$500.69** B0-2605400

24 volt **\$600.89** B0-0804500

12 volt

\$118.79 D0-3059000

	FIGURIALITY
_	

Tea	lline
HU	шщ
MA	40.00
IWIU	ILUIS

Instruments

Electrical

Lighting

Anchor & Dock

Safety

Steering Controls

Pumps Fuel

System

Trailering

Tops &

Perform.

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc

Fun & Flotation

Topside Acc.

Cockpit & Deck

Hardware, Fasteners

Camouflage

Misc.









Minn Kota Riptide Ulterra Series Trolling Motors - Bluetooth

- · Saltwater.
- · Bow mount.
- Auto Stow & Deploy: Stow or deploy Ulterra just by pushing a button on your i-Pilot or i-Pilot Link remote, foot pedal or Humminbird fish finder
- Power Trim: Trim Ulterra up or down at the push of a button - on either the foot pedal, the i-Pilot or i-Pilot Link remote or a Humminbird fish finder. Adjust to changing fishing conditions without reaching down to your trolling motor.
- Power Steering.

Electronics

Trolling

Motors

Instruments

Electrical

Lighting

Anchor

& Dock

Safety

Steering

Controls

Fuel System

Tops &

Perform

Propellers

Engine

& Care

& Care

Paint &

Fun &

Flotation

Topside

Cockpit

& Deck

Hardware,

Fasteners

Camouflage

Misc

Acc.

Paint Acc

- Spot-Lock with Jog: Spot-Lock will hold you in place with unparalleled GPS accuracy. Available on i-Pilot GPS system that is pre-installed, Spot-Lock gives you the power to stay right on top of any productive fishing spot, without touching your trolling motor. With the included heading sensor, you can use Jog to move your Spot-Lock location five feet in any direction. Activate Spot-Lock from the i-Pilot remote or Humminbird fish finder.
- AutoPilot: Automatically navigate your boat in any direction you choose. Just point the head of your trolling motor in the direction you want to travel, activate AutoPilot, and your trolling motor will keep you on that heading automatically, even correcting for wind, waves and current.
- Mobile App Compatibility: Control i-Pilot directly from your Apple or Android device with our mobile app.
- Wireless Remote.
- Integrated Battery Meter.
- Digital Maximizer.
- Weedless Wedge 2 Prop.
- Indestructible Composite Shaft. Cool, Quiet Power.
- Advanced Corrosion Protection. Fully Encapsulated Electronics.
- Sacrificial Anode.
- 2-year warranty. Pumps







i-PILOT GPS

• i-Pilot GPS Trolling System: The most-trusted GPS system in fishing. i-Pilot uses GPS to control your trolling motor with incredible features that keep you on the fish. Set Spot-Locks, record paths, control speed and steering, and more. i-Pilot makes boat positioning and control automatic, and you can take command from its easy-to-read large LCD screen.

Order No.	Mfg. No. / Descrip	otion			List Price	
4755935	(1358955) 54"	Shaft	80# Thrust	24 volt	\$2,299.99	Z0-0324910
4755937	(1358956) 60"	Shaft	80# Thrust	24 volt	\$2,349.99	Z0-3548910
4755938	(1358954) 72"	Shaft	80# Thrust	24 volt	\$2,499.99	Z0-0211120
4755939	(1358965) 60"	Shaft	112# Thrust	36 volt	\$2,699.99	Z0-9008220
4755941	(1358966) 72"	Shaft	112# Thrust	36 volt	\$2,849.99	Z0-7760420

i-PILOT LINK GPS

• i-Pilot Link Integrated GPS Trolling System: i-Pilot Link gives you unprecedented control over your boat by linking your trolling motor to your Humminbird fish finder. Control your trolling motor from Link's color touchscreen remote or the Humminbird. You can set Spot-Locks, record paths, follow depth contours, automatically navigate to your favorite spots, control speed and steering, and more.

Order No.	Mfg. No. / De	escription			List Price	
4755945	(1358958)	60" Shaft	80# Thrust	24 volt	\$2,849.99	Z0-7760420
4755947	(1358959)	72" Shaft	80# Thrust	24 volt	\$2,999.99	Z0-4433520
4755951	(1358967)	60" Shaft	112# Thrust	36 volt	\$3,049.99	Z0-7657520
4755953	(1358968)	72" Shaft	112# Thrust	36 volt	\$3,249.99	Z0-6544720

Minn Kota Riptide PowerDrive Series Trolling Motors - Bluetooth

- Seating & Pedestals Saltwater.
- Bow mount. Trailering
 - Deploy-Assist Lever: Get in and out of the water easily. Just depress the lever to deploy your trolling motor and when it's time to move, it stows easily and securely.
 - Power Steering.
 - Spot-Lock: Just press a button, and Spot-Lock will hold you in place with unparalleled GPS accuracy. Available on i-Pilot GPS systems, Spot-Lock gives you the power to stay right on top of any productive fishing spot automatically, without touching your trolling motor.
 - AutoPilot: Automatically navigate your boat in any direction you choose. Just point the head of your trolling motor in the direction you want to travel, activate AutoPilot, and your trolling motor will keep you on that heading automatically, even correcting for wind, waves and current.
 - Mobile App Compatibility: Control i-Pilot directly from your Apple or Android device with our mobile app.
 - Wireless Remote
 - Push-to-Test Battery Meter: Press a button to get an instant "stage of charge" reading.
 - Digital Maximizer.
 - Weedless Wedge 2 Prop.
 - Indestructible Composite Shaft. Cool, Quiet Power.
 - Advanced Corrosion Protection. Fully Encapsulated Electronics.
 - Sacrificial Anode.
 - 2-year warranty.











COPILOT. DOES NOT INCLUDE AUTOPILOT AND SPOT-LOCK.

• CoPilot: The original wireless remote gives you push-button command of speed and steering of your trolling motor.

Order No. Mfg. No. / Description			List Price
4755908 (1363558) 48" Shaft	55# Thrust	12 volt	\$949.99 B0-9945800
4755910 (1363559) 54" Shaft	55# Thrust	12 volt	\$999.99 B0-9999800
4755912 (1363565) 54" Shaft	70# Thrust	24 volt	\$1,099.99 B0-9998900

• i-Pilot GPS Trolling System: The most-trusted GPS system in fishing. i-Pilot uses GPS to control your trolling motor with incredible features that keep you on the fish. Set Spot-Locks, record paths, control speed and steering, and more. i-Pilot makes boat positioning and control automatic, and you can take command from its easy-to-read large LCD screen.

Order No. Mfg. No. / Description			List Price
4755903 (1363556) 48" Shaft	55# Thrust	12 volt	\$1,536.89 D0-1592210
4755932 (1363548) 54" Shaft	55# Thrust	12 volt	\$1,695.89 D0-1765310
4755905 (1363564) 54" Shaft	70# Thrust	24 volt	\$1,695.89 D0-1765310







Minn Kota Riptide Terrova Series Trolling Motors - Bluetooth



COPILOT. DOES NOT INCLUDE AUTOPILOT AND SPOT-LOCK.

. CoPilot: The original wireless remote gives you push-button command of speed and steering of your trolling motor.

Order No. Mfg. No. / Description

4755915 (1363762) 54" Shaft 80# Thrust 24 volt **\$1,499.99** B0-9994310

i-PILOT GPS

• i-Pilot GPS Trolling System: The most-trusted GPS system in fishing. i-Pilot uses GPS to control your trolling motor with incredible features that keep you on the fish. Set Spot-Locks, record paths, control speed and steering, and more. i-Pilot makes boat positioning and control automatic, and you can take command from its easy-to-read large LCD screen.

Order No. Mfg. No. / Description			List Price
4755917 (1363706) 54" Shaft	55# Thrust	12 volt	\$1,549.99 Z0-6600310
4756097 (1363708) 60" Shaft	55# Thrust	12 volt	\$1,599.99 Z0-1624310
4755919 (1363740) 54" Shaft	80# Thrust	24 volt	\$1,799.99 Z0-4401510
4755921 (1363741) 60" Shaft	80# Thrust	24 volt	\$1,899.99 Z0-6349510
4755922 (1363742) 72" Shaft	80# Thrust	24 volt	\$2,049.99 Z0-2202710
4755924 (1363732) 60" Shaft	112# Thrust	36 volt	\$2,199.99 Z0-9064810
4755926 (1363735) 72" Shaft	112# Thrust	36 volt	\$2,349.99 Z0-7917910

i-PILOT LINK GPS

• i-Pilot Link Integrated GPS Trolling System: i-Pilot Link gives you unprecedented control over your boat by linking your trolling motor to your Humminbird fish finder. Control your trolling motor from Link's color touchscreen remote or the Humminbird. You can set Spot-Locks, record paths, follow depth contours, automatically navigate to your favorite spots, control speed and steering, and more.

Order No. Mfg. No. / Description			List Price
4755929 (1363707) 54" Shaft	55# Thrust	12 volt	\$1,999.99 Z0-6287610
4755933 (1363746) 60" Shaft	80# Thrust	24 volt	\$2,249.99 Z0-5088810
4755934 (1363747) 72" Shaft	80# Thrust	24 volt	\$2,399.99 Z0-2931020
4755936 (1363738) 60" Shaft	112# Thrust	36 volt	\$2,549.99 Z0-9793120
4755940 (1363739) 72" Shaft	112# Thrust	36 volt	\$2,699.99 Z0-7656220
4755942 (1363737) 87" Shaft	112# Thrust	36 volt	\$2,999.99 Z0-0471520



- Lift-Assist Design: A spring-loaded assembly on the Terrova mount makes stowing the trolling motor effortless, every time.
- Stow/Deploy Lever: Press this lever on the mount and fall away ramps will effortlessly slide your trolling motor into the water. And when you're ready to move, Lift-Assist helps the motor stow effortlessly.
- Power Steering.
- **Spot-Lock:** Just press a button, and Spot-Lock will hold you in place with unparalleled GPS accuracy. Available on i-Pilot GPS systems, Spot-Lock gives you the power to stay right on top of any productive fishing spot automatically, without touching your trolling motor.
- AutoPilot: Automatically navigate your boat in any direction you choose. Just point the head of your trolling motor in the direction you want to travel, activate AutoPilot, and your trolling motor will keep you on that heading automatically, even correcting for wind, waves and current.
- Mobile App Compatibility: Control i-Pilot directly from your Apple or Android device with our mobile app.
- Push-to-Test Battery Meter: Press a button to get an instant "stage of charge" reading.
- · Wireless Remote.
- Digital Maximizer.
- Weedless Wedge 2 Prop.
- Indestructible Composite Shaft. Cool, Quiet Power.
- Advanced Corrosion Protection. Fully Encapsulated Electronics.
- Sacrificial Anode.
- 2-year warranty.

Minn Kota Riptide Fortrex Series Trolling Motors

- Saltwater.
- · Bow mount, hand control.
- · Lift-Assist Mount.
- Removable Bowquard 360°.
- Mono-Arm Design.
- Counter-Tension Stabilizer.
- Push-to-Test Battery Meter.
- Tilt/Extend Tiller: Take command of your hand control trolling motor with this versatile tiller, which both tilts (up to 45°) and extends (up to 6"), and features a digital battery indicator on the head.
- Digital Maximizer.
- Weedless Wedge 2 Prop.
- Indestructible Composite Shaft. Cool, Quiet Power.
- Advanced Corrosion Protection.
- Fully Encapsulated Electronics. Sacrificial Anode.
- 2-year warranty.

Order No.	Mfg. No. / Description			List Price
475109	(1363640) 52" Shaft	80# Thrust	24 volt	\$1,299.99 Z0-2879010
475110	(1363641) 62" Shaft	80# Thrust	24 volt	\$1,349.99 Z0-5004110
475116	(1363660) 62" Shaft	112# Thrust	36 volt	\$1,449.99 Z0-9442210







Instruments

Electronics

Trolling

Electrical

Lighting

Anchor & Dock

Safety

Steering, Controls

Pumps

Fuel System

Seating & edestals

Trailering Tops &

Perform

Propellers

Engine

& Care Cleaning

& Care Paint &

Paint Acc Fun &

Flotation Topside

Cockpit & Deck

Hardware. Fasteners

Camouflage

Misc.

Comm

www.repuestoselnavegante.com





Minn Kota Riptide Maxxum Series Trolling Motors



Motors

Electronics

Instruments

Electrical

Lighting

Anchor

& Dock

Safety

Steering

Controls

Fuel

System

Seating & Pedestals

Trailering

Propellers

Engine

& Care

Cleaning

Paint Acc.

Fun &

Flotation

Topside

Cockpit

& Deck

Camouflage

Misc

Acc.

& Care Paint &

Trolling

• Tilt/Extend Tiller: Take command of your hand control trolling motor with this versatile tiller, which both tilts (up to 45°) and extends (up to 6"), and features a digital battery indicator on the head.

 Push-to-Test Battery Meter: Press a button on the trolling motor head to get an instant status of battery life you have left.

Quick-Lock Cam Depth Adjuster.

Weedless Wedge 2 Prop.

• Bow mount, hand control.

• Indestructible Composite Shaft.

Cool, Quiet Power.

Advanced Corrosion Protection.

Fully Encapsulated Electronics.

· Sacrificial Anode.

Pumps • 2-year warranty.

5 FWD/3 REV SPEED SETTINGS. LATCH & DOOR BRACKET

 Latch & Door Bracket: This bracket gives you a rock-solid hold while stowing your trolling motor and makes for easy removal at the end of the

 5 Fwd/3 Rev Speed Settings: Five speed settings for forward and three speed settings for reverse.

Order No. Mfg. No. / Description List Price Tops & 475041 (1363420) 42" Shaft 55# Thrust 12 volt **\$784.29** D0-3472600 **475043** (1363421) 52" Shaft 55# Thrust 12 volt **\$840.29** D0-3227600 Perform **475071** (1363425) 52" Shaft 70# Thrust \$856.09 D0-7848600 24 volt

VARIABLE SPEED CONTROL. LATCH & DOOR BRACKET

 Latch & Door Bracket: This bracket gives you a rock-solid hold while stowing your trolling motor and makes for easy removal at the end of the day

• Variable Speed Control.

• Digital Maximizer.

Order No. Mfg. No. / Description List Price **475118** (1363447) 52" Shaft 80# Thrust 24 volt **\$1,149.99** B0-9943010

VARIABLE SPEED CONTROL. BOWGUARD 360° BREAKAWAY MOUNT

 Bowguard 360° Breakaway Mount: Breaks away on impact, then automatically resets itself, giving you uninterrupted fishing and an extra safeguard from damaging your trolling motor or boat. It even detaches for added convenience.

Variable Speed Control.

Hardware, Digital Maximizer. Fasteners

Order No. Mfg. No. / Description List Price **\$856.09** D0-7848600 475031 (1363422) 52" Shaft 12 volt 55# Thrust 475119 (1363445) 52" Shaft 80# Thrust 24 volt **\$1,199.99** B0-9997010 24 volt **\$1,249.99** B0-9942110 475120 (1363446) 62" Shaft 80# Thrust

Minn Kota Riptide Edge Series Trolling Motor



MINN KOTA

Saltwater.

• Bow mount, hand control.

• Latch & Door Bracket: This bracket gives you a rock-solid hold while stowing your trolling motor and makes for easy removal at the end of the day.

 Tilt/Extend Tiller: Take command of your hand control trolling motor with this versatile tiller, which both tilts (up to 45°) and extends (up to 6"), and features a digital battery indicator on the head.

Digital Maximizer.

• Push-to-Test Battery Meter.

• Quick-lock Cam Depth Adjuster.

Weedless Wedge 2 Prop.

• Indestructible Composite Shaft. Cool, Quiet Power.

• Advanced Corrosion Protection.

Fully Encapsulated Electronics. Sacrificial Anode.

• 2-year warranty.

Order No. Mfg. No. / Description List Price **475033** (1355920) 52" Shaft 70# Thrust 24 volt **\$956.59** D0-7256700

Minn Kota Riptide Transom Series Trolling Motors



Saltwater.

Transom mount, hand control.

Lever Lock Bracket.

MINN KOTA

Push-to-Test Battery Meter.

Advanced Corrosion Protection.

Full Encapsulated Electronics.

· Sacrificial Anode.

Indestructible Composite Shaft.

Cool, Quiet Power.

2-year warranty.

VARIABLE SPEED CONTROL. DIGITAL MAXIMIZER

• Tilt/Extend Tiller: Take command of your hand control trolling motor with this versatile tiller, which both tilts (up to 45°) and extends (up to 6"), and features a digital battery indicator on the head.

Digital Maximizer.

Weedless Wedge 2 Prop.

Order No. Mfg. No. / Description List Price 475112 (1363845) 36" Shaft \$350.19 C0-6679200 45# Thrust 12 volt 475117 (1363856) 42" Shaft 55# Thrust \$500.19 C0-6152400 12 volt 475108 (1363831) 42" Shaft 80# Thrust **\$799.99** B0-9991700 24 volt

5 FORWARD/3 REVERSE SPEED SETTINGS

 Telescoping Tiller: Get easy, comfortable, intuitive operation of your trolling motor with the six-inch telescoping tiller.

• 5 Fwd/3 Rev Speed Settings: Five speed settings for forward and three speed settings for reverse.

Power Prop.

Order No. Mfg. No. / Description List Price 475114 (1363844) 36" Shaft 45# Thrust 12 volt **\$337.99** D0-9307200 (1363854) 42" Shaft 475115 55# Thrust 12 volt \$484.39 D0-1578300

Minn Kota E-Drive Electric Outboard Motor

- The 2 HP E-Drive delivers clean, long-lasting power and simple, intuitive
- Clamp-on Transom Mount.
- Electronic Throttle Control.
- Dash-mounted tilt gauge provides an instant readout of motor position.
- Realtime Battery Gauge.
- Digital Maximizer.
- Remote Speed Control.
- E-Drive models incorporate an ultra-tough actuator that smoothly, quietly, dependably tilt the motor.
- · Stainless Steel Prop.
- · Cool, Quiet Power.
- 48 volt.
- · 2-year warranty.

Order No. Mfg. No. / Description 7000952 (1371010) 20" Shaft

\$3,352.99 D0-9328620

MINN KOTA

Electronics

Trolling

Instruments

Flectrical

Lighting

Anchor

& Dock

Safety

Steering

Controls

Pumps

Minn Kota i-Pilot Link Remote - Bluetooth

过 MINN KOTA



- The i-Pilot Link GPS system can be paired with multiple wireless remotes.
- Add extra remotes to your setup for added flexibility.
- The remote's customizable, touchscreen display shows your current function, user menus, GPS signal strength, prop status and battery state.
- Powered by a rechargeable battery and the remote is waterproof.
- Controls Auto Stow/Deploy and Power Trim with Ulterra models.
- Compatible only with Bluetooth-enabled i-Pilot Link systems.

Order No. Mfg. No. / Description

477029 (1866650)

\$326.59 D0-7216200

Minn Kota i-Pilot Remote - Bluetooth





- The i-Pilot GPS system can be paired with multiple wireless remotes.
- · Add extra remotes to your setup for increased flexibility.
- Compact and waterproof, this new remote features a larger LCD screen, ergonomic buttons and an easy-access battery compartment.
- Provides instant feedback on active functions, speed, prop on/off status, battery power and GPS signal strength.
- Controls Auto Stow/Deploy and Power Trim with Ulterra models.
- Compatible only with Bluetooth-enabled i-Pilot systems.

Order No. Mfg. No. / Description

List Price

477040 (1866550)

\$180.49 D0-9344100

Minn Kota i-Pilot Remote - Legacy

Minn Kota i-Pilot Link Charging Cable

过 MINN KOTA



cable features a USB adapter that lets you choose between AC and DC power (AC and DC adapters not included).

Minn Kota Micro Remote - Bluetooth

Bluetooth

Cable length: 5'.

· Compatible with all i-Pilot Link systems.

• This spare or replacement charging

Order No. Mfg. No. / Description

477027 (1866460)

过 MINN KOTA

List Price

\$30.09 D0-7042000

Fuel System Seating &

Pedestals

Trailering

Tops &

Perform.

Propellers

Engine

& Care

Cleaning

& Care

Paint &

• i-Pilot and i-Pilot Link give you full command of your trolling motor. But when you want simplified, compact control,

- grab the new waterproof Bluetooth Micro Remote accessory for quick command of Spot-Lock, speed, steering and Advanced AutoPilot.
- i-Pilot and i-Pilot Link systems can learn multiple remotes for increased
- Compatible only with Bluetooth-enabled i-Pilot and i-Pilot Link systems.

Order No. Mfg. No. / Description

477045 (1866560)

List Price

\$105.39 D0-1348000

Paint Acc Fun & Flotation

Topside

Cockpit & Deck


> Hardware. Fasteners

Camouflage

Misc

Comm

MINN KOTA Features an LCD screen and ergonomic buttons to control active functions,



- Compatible with non-Bluetooth i-Pilot systems that have been manufactured in 2016 or earlier.


Order No. Mfg. No. / Description **477038** (1866350)


\$159.39 D0-1572100




Minn Kota CoPilot Remote









Order No. Mfg. No. / Description **476721** (1866120)

List Price

\$50.19 D0-5104000

Minn Kota CoPilot Accessory for PowerDrive V2 Series - Legacy

MINN KOTA Electronics

Trolling Motors

Instruments

Electrical

Lighting Anchor

& Dock Safety

Steering Controls

Pumps Fuel

System Seating & Pedestals

Trailering

Tops & Perform

Propellers

Engine & Care

Paint &

Paint Acc. Fun &

Flotation

Topside Acc.

Cockpit & Deck Hardware

Fasteners Camouflage

Misc

Order No. Mfg. No. / Description **477000** (1866075)

MINN KOTA

- · For Terrova and Riptide ST motors with the CoPilot system (sold separately) installed.
- · This replacement wireless remote gives you control of speed, steering and prop on/off as well as giving you instant access to maximum speed (high-speed) bypass) and AutoPilot feature (on AutoPilot-equipped
- System is programmable to allow multiple CoPilot remotes to be "learned" (up to 10 total, sold separately).

Order No. Mfg. No. / Description

7000990 (1866170)

Minn Kota CoPilot Accessory for PowerDrive Series

Minn Kota CoPilot Remote



- It installs easily with plug-n-play design located inside the side plate of the trolling motor mount.
- A plug is also included, allowing a corded foot pedal to be used in conjunction with CoPilot.
- Compatible with PowerDrive trolling motors model year 2017 and after.

Order No. Mfg. No. / Description

4740053 (1866155)

476721 (1866120) CoPilot Remote

\$161.99 D0-9592100 **\$50.19** D0-5104000

Minn Kota Corded Foot Pedal for Ulterra/Riptide Ulterra Series

🤨 MINN KOTA



- Includes 18' cord with waterproof connector.
- Compatible with Ulterra and Riptide Ulterra trolling motors model year 2017 and after.

Order No. Mfg. No. / Description


7000985 (1866080)

List Price

\$176.99 D0-9514100

Minn Kota Corded Foot Pedal for PowerDrive/Riptide PowerDrive Series

🛂 MINN KOTA




- precise adjustments. • Compatible with CoPilot.
- Compatible with PowerDrive, PowerDrive V2, Riptide PowerDrive and Riptide SP trolling motors manufactured in 2007 and after.

Order No. Mfg. No. / Description **476998** (1866070)

\$100.29 D0-3208000

El Navegante







- Wireless system allows you to control speed, steering and prop on/off on your PowerDrive V2 trolling motor.
- It installs easily with plug-n-play design and a receiver that attaches to the right side plate of the trolling motor mount.
- A plug is also included, allowing a corded foot pedal to be used in conjunction with CoPilot.
- Compatible with legacy PowerDrive V2 bow mount trolling motors manufactured in 2016 or earlier.

Order No. Mfg. No. / Description

4740051 (1866150)

\$161.39 D0-1192100 476721 (1866120) CoPilot Remote **\$50.19** D0-5104000

Minn Kota Corded Foot Pedal for Terrova/Riptide Terrova Series



- · Low-profile design offers two steering options: heel/toe pedal and left/right steering buttons.
- Includes Spot-Lock activation, rotary speed control dial, momentary/constant on toggle, AutoPilot on/off toggle and 18' cable with waterproof connector plug.
- Compatible with Terrova and Riptide Terrova trolling motors model year 2017 and after.

Order No. Mfg. No. / Description **477005** (1866076)

List Price \$200.49 D0-9306100

Minn Kota Corded Foot Pedal for Terrova/Riptide ST Series - Legacy





· Includes rotary speed control dial, momentary/constant on toggle, AutoPilot on/off toggle and an 18' cable with waterproof connector plug.

Compatible with legacy Terrova and legacy Riptide Terrova bow-mount trolling motor models that have been manufactured in 2016 or earlier.

\$149.89 D0-1991100

Electronics

Instruments

Electrical

Lighting

Anchor

& Dock Safety Steering,

Controls

Pumps

Fuel

System

Seating &

Pedestals

Trailering

Tops &

Perform.

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc Fun & Flotation Topside

Cockpit & Deck Hardware, Fasteners

Camouflage

Misc.

Comm

Trolling



- Delivers advanced water temperature sensing for the best view of the waters below.
- Adapter connects your fishfinder with a Universal Sonar 2 transducer on your trolling motor.
- Shielded, IP68-rated waterproof connectors are metal tipped to prevent sonar interference.

Order No.	Mfg. No. / D	escription		List Price	
7000979	(1852061)	MKR-US2-1	Garmin 6-pin	\$30.09	D0-7042000
476566	(1852068)	MKR-US2-8	Humminbird 7-pin	\$29.89	D0-1932000
476567	(1852069)	MKR-US2-9	Lowrance 6-pin	\$30.09	D0-7042000
476568	(1852060)	MKR-US2-10	Lowrance/Eagle Blue	\$29.99	D0-9932000
7000981	(1852072)	MKR-US2-12	Garmin Echo	\$30.09	D0-7042000
7000976	(1852073)	MKR-US2-13	Humminbird ONIX	\$57.89	D0-1364000
7000977	(1852074)	MKR-US2-14	Garmin 8-pin	\$30.09	D0-7042000
477007	(1852075)	MKR-US2-15	Lowrance Hook ²	\$30.09	D0-7042000
477009	(1852076)	MKR-US2-16	Lowrance Elite Ti ² /HDS	\$30.09	D0-7042000



www.repuestoselnavegante.com





· Connects your Humminbird HELIX fish finder to a Minn Kota Motor equipped with Built-In MEGA Down Imaging.

• Shielded cable for crystal-clear MEGA Down Imaging sonar performance.

Minn Kota Built-in MEGA Down Imaging Adapter Cable

- · Adapter not required for SOLIX models.
- For HELIX 7 Models.

Order No. Mfg. No. / Description 402997 (1852086) MKR-MDI-2 List Price

\$29.99 D0-9932000

Minn Kota MI Adapter Cable





- MEGA Imaging uses high-frequency sonar so you can easily distinguish fish from structure, see the direction fish are facing and even target individual species.
- And now with MEGA Imaging+, you'll be able to scan deeper and wider without sacrificing clarity.
- Adapter connects your Humminbird HELIX 8, 9, 10 or 12 fish finder with a built-in MEGA Side or Down Imaging transducer on your trolling motor.
- Shielded cable for crystal-clear MEGA Down Imaging sonar performance.
- Compatible with HELIX.
- · Adapter not required for SOLIX models.

Order No. Mfg. No. / Description

476570 (1852088) MKR-MI-1 - HB HELIX 8-12

List Price

\$29.99 D0-9932000

Minn Kota Universal Sonar 2 Extension Cable

MINN KOTA



- Extension cable allows for an additional 14-1/2' of length to your US2 adapter cables that connect your fishfinder with a US2 transducer on your trolling motor.
- Waterproof construction.

Order No. Mfg. No. / Description 477011 (1852080) MKR-US2-11

\$40.09 D0-7023000

El Navegante

Electronics

Instrument

Electrical

Lighting

Anchor

& Dock

Safety

Steering

Controls Pumps Fuel System Seating 8 Pedestal Trailering Tops &

Perform

Propeller

Engine & Care

& Care

Paint &

Paint Acc Fun &

Flotation

Topside

Cockpit

& Deck

Hardware,

Fasteners

Camouflage

Misc

Acc.

Trolling Motors

Saltwater Exclusive



Humminbird 360 Imaging

If the front of your boat is your prime fishing turf, mount up. This 360 Imaging bow-mount accessory gives you a 360-degree, detail-rich view of the waterwith you standing literally in the middle of your sonar return as you troll.

Humminbird MEGA 360 Imaging - Universal



- Compatible with Minn Kota's HELIX and SOLIX trolling motors
- The high-frequency beam of MEGA Imaging CHIRPs across the megahertz range to reveal the world below in picture-like detail all the way around your boat.
- Use MEGA 360 Imaging without sacrificing boat control. Whether trolling or using Spot-Lock, MEGA 360 Imaging is independently mounted, so your sonar picture remains unchanged as the trolling motor turns.
- Pick from two operation modes for this transducer; MEGA 360 Imaging or Side Imaging.
- View MEGA 360 Imaging alongside your choice of multiple sonar and map technologies for a complete understanding of your surroundings.
- Transducer shaft length: 50".
- Mounting bracket material: CNC-machined billet aluminum.
- Once connected to a compatible HELIX G3N unit with MEGA Imagingor SOLIX G2 unit, MEGA 360 Imaging view can be shared with All SOLIX models, and all HELIX G2N and G3N models when connected via an Ethernet network.
- Includes: MEGA 360 Imaging transducer with attached power cable and transducer cable, 10° SOLIX transducer extension cable, 10' HELIX transducer adapter cable, 10' MEGA 360 power cable and adjustable, aluminum MEGA 360 Imaging mounting bracket with depth retaining ring

Order No. Mfg. No. / Description **404039** (411390-1)

\$1,499.99 B0-9994310

List Price

Humminbird MEGA 360 Imaging - Ultrex



trolling motors

trolling motor. The high-frequency beam of MEGA Imaging CHIRPs across the megahertz range to reveal the world below

in picture-like detail all the way around your boat. Use MEGA 360 Imaging without sacrificing boat control.
Whether trolling or using Spot-Lock, MEGA 360 Imaging is independently mounted, so your sonar picture remains unchanged as the trolling motor

- Pick from two operation modes for this transducer; MEGA 360 Imaging or
- View MEGA 360 Imaging alongside your choice of multiple sonar and map technologies for a complete understanding of your surroundings.
- Transducer shaft length: 39"

• Mounting bracket material: Anodized aluminum.

 Includes: Ultrex bow mount MEGA 360 Imaging transducer with attached power cable and transducer cable, with 10' SOLIX transducer cable, 10' HELIX transducer adapter cable, 10' MEGA 360 power cable and an easy to mount MEGA 360 Imaging - Ultrex mounting bracket. (Minn Kota Ultrex trolling motor sold separately).

Order No. Mfg. No. / Description **404037** (411250-1)

\$1.199.99 C0-9991010

Humminbird MEGA 360 Imaging - Fortrex



- For use only on Minn Kota's Fortrex bow mount trolling motors.
- The high-frequency beam of MEGA Imaging CHIRPs across the megahertz range to reveal the world below in picture-like detail all the way around your boat.
- Use MEGA 360 Imaging without sacrificing boat control.
 Whether trolling or using Spot-Lock, MEGA 360 Imaging is independently mounted, so your sonar picture remains unchanged as the trolling motor
- Pick from two operation modes for this transducer; MEGA 360 Imaging or Side Imaging.
- View MEGA 360 Imaging alongside your choice of multiple sonar and map technologies for a complete understanding of your surroundings.
- Transducer shaft length: 27".
- Mounting bracket material: Anodized aluminum.
- Includes: Fortrex bow-mount MEGA 360 Imaging transducer with attached power cable and transducer cable, with 10' SOLIX transducer cable, 10' HELIX transducer adapter cable, 10' MEGA 360 power cable and an easy to mount MEGA 360 Imaging - Fortrex mounting bracket. (Minn Kota Fortrex trolling motor sold separately).

Order No. Mfg. No. / Description 404034 (411260-1)

\$1,199.99 CO-9991010

www.repuestoselnavegante.com



List Price

\$80.19 D0-5146000

\$74.09 CO-8926000

List Price

List Price

\$99.59 D0-7697000

\$192.99 D0-9345100

\$199.49 C0-7596100

Electronics Trolling

Instruments

Flectrical

Lighting Anchor & Dock Safety Steering

Controls

Pumps

Fuel System

Seating & Pedestals

Trailering

Tops &

Perform.

Propellers Engine & Care Cleaning & Care

Paint & Paint Acc.

Fun & Flotation

Topside

Cockpit & Deck Hardware. Fasteners Camouflage

Misc.

Comm

Composite Quick Release Brackets

- Made with high-yield composite material, these brackets are impervious to corrosion and feature a low-profile design that leaves the deck clear when the motor is removed.
- Super tough and super secure.

Mfg. No. / Description

Order No. Mfg. No. / Description

476630 (1854019) RTA-19

Order No. Mfg. No. / Description

476632 (1854054) RTA-54 (Sold Each)

476625 (1854052) RTA-54 (Sold 6 Per Bulk)

RIPTIDE ULTERRA, RIPTIDE TER

476667 (1854017) RTA-17 (Sold Each)

476665 (1854012) RTA-17 (Sold 12 Per Bulk)

RIPTIDE FORTREX, RIPTIDE MAXXUM, RIPTIDE EDGI

Order No.

• Plus, a locking handle with stainless steel pins can be secured with padlock (padlock not included).



Order No. Mfg. No. / Description 477012 (1854021) MKA-21 \$79.69 D0-5736000

ULTREX, FORTREX, MAXXUM, MAXXUM PRO, ALL TERRAIN, EDGE



Order No. Mfg. No. / Description 476635 (1854023) MKA-23 List Price \$99.59 D0-7697000



476639 (1854053) MKA-53

\$192.99 D0-9345100

• The upper and lower plates can be secured with a padlock (padlock not included).

Electric Steer Quick Release Brackets

- A cam-lock design and ultra-tight tolerances eliminate bracket movement
- The locking lever includes a pin and lanyard.

ULTERRA, TERROVA, POWERDRIVE V2, POWER DRIVE, POWERDRIVE

• Includes a composite cover to keep the deck clean when the motor is removed.



Order No. Mfg. No. / Description 7000982 (1854060) MKA-32

ULTERRA, TERROVA, POWERDRIVE V2, POWER DRIVE, POWERDRIVE

• Can slide back 6" for easy storage and security.



Order No. Mfg. No. / Description 476637 (1854051) MKA-51

List Price **\$241.29** B0-6171200

Aluminum Quick Release Brackets

These extruded aluminum brackets pack plenty of toughness and feature a side screw for quiet, secure locking.

ULTERRA, TERROVA, POWERDRIVE V2, POWER DRIVE, POWERDRIVE **PONTOON** Order No. Mfg. No. / Description \$59.79 D0-3874000 **476595** (1854035) MKA-16-03



476627 (1862016) MKA-52/62 **\$150.39** D0-1302100

El Navegante





Minn Kota Weedless Wedge 2 Propellers





Swept-back and flared blades push weeds away.

 Delivers improved efficiency through the heaviest vegetation, at any speed.

Trolling Motors

Electronics

Instruments

Electrical

Lighting

Anchor

& Dock

Safety

Steering

Controls

Pumps

Fuel

System

Seating & Pedestals

Trailering

Perform

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc.
Fun & Flotation
Topside Acc.
Cockpit & Deck

Hardware.

Fasteners

Camouflage

Misc

MKP-32 - FITS 3-5/8" MOTOR DIAMETERS.

Motor Models with Serial Number Prefix "WW" or "J" through "Q".

For use with: All Terrain 46, 47, 50, 55, 65, 70; Camo 55; Edge 45, 50, 55, 70; Endura 46, 50, 55; Endura C2 50, 55; Endura Max 50, 55; Engine Mount 55; Maxxum 55, 65, 70; Maxxum Transom 40, 50, 55, 70; Pontoon Hand Control 55, 70; Pontoon PowerDrive V2 54, 68; PowerDrive 50, 55, 65, 70; PowerDrive V2 55, 65, 70; Riptide 50, 55, 65, 70; Riptide PowerDrive V2 55, 70; Riptide Terrova 55; Terrova 55; Traxxis 46, 50, 55, 70; Vector 46, 55, 70; Vector 46, 55, 70;

• Prop nut kit: "A" (MKP-9).

Order No. Mfg. No. / Description

476286 (1865017) MKP-32

List Price

\$29.89 D0-1932000

MKP-33 - FITS 4" MOTOR DIAMETERS.

• Motor Models with Serial Number Prefix "WW" or "J" through "Q".

For use with: Engine Mount 80, 101, 160, 202; Fortrex 80, 101; Maxxum 80, 101; Maxxum Transom 80, 101; PowerDrive V2 80; Riptide 80, 101; Riptide Pro 80, 101; Riptide Fortrex 80, 101; Riptide Maxxum 80, 101; Riptide Terrova 80, 101; Riptide Ulterra 80; Terrova 80, 101; Traxxis 80, 101; Ulterra 80; Vantage 80, 101; Vector 3X 80, 101.

• Prop nut kit: "E" (MKP-34).

Order No. Mfg. No. / Description

List Price

476287 (1865018) MKP-33

\$44.99 D0-9953000

Tops &

MKP-38 - FITS 4-1/2" MOTOR DIAMETERS.

Motor Models with Serial Number Prefix "0" through "0".

• For use with: Fortrex 112, Terrova 112, Riptide Terrova 112, Riptide Fortrex 112; Riptide Transom 112; Riptide Ulterra 112; Ulterra 112.

• Prop nut kit: "E" (MKP-34).

Order No. Mfg. No. / Description

List Price

476427 (1865023) MKP-38

\$44.99 D0-9953000

Minn Kota Power Propeller





• Fits 3-1/4" diameter.

Motor Models with Serial Number Prefix "MKJ", "MKA" or "J" through "Q".

For use with: All Terrain 30, 33, 36, 42; Camo 44, 45; Classic 28; Edge 40, 45; Endura 30, 34, 38, 40, 45; Endura C2 30, 34, 38, 40, 45; Endura Max 40, 45; Endura Pro 32, 38; Maxxum Transom 33, 40; PowerDrive 40; PowerDrive V2 40, 42, 45; Riptide 40, 45; Traxxis 33, 40, 45.

Prop nut kit: "A" (MKP-9).
 Order No. Mfg. No. / Description

476223 (1865002) MKP-2

\$15.09 D0-7021000

Minn Kota Weedless Wedge Propellers

S MINN KOTA



• 100% weedless.

• Unique, patented design pushes weeds away and conserve battery power.

MKP-6 - FITS 3-1/4" MOTOR DIAMETERS.

• Motor Models with Serial Number Prefix "MKJ", "MKA" or "J" through "Q".

For use with: All Terrain 30, 33, 36, 42, 44; Camo 55; Edge 40, 45; Endura 46, 50, 55; Endura C2 50, 55; Endura Max 40, 45; Endura Pro 32, 38; Maxxum Transom 33, 40; PowerDrive 36, 40; PowerDrive V2 40, 42, 45; Traxxi 40, 45.

Prop nut kit: "A" (MKP-9).

Order No. Mfg. No. / Description

List Price

476261 (1865003) MKP-6

\$20.09 D0-7061000

MKP-7 - FITS 3-5/8" MOTOR DIAMETERS.

Motor Models with Serial Number Prefix "MKJ", "MKA" or "J" through "Q".

For use with: All Terrain 46, 47, 50, 55, 65, 70; Camo 55; Edge 45, 50, 55, 70; Endura 46, 50, 55; Endura Pro 46; Maxxum 55, 65, 70; Maxxum Transom 46, 50, 55, 70; Pontoon 54, 64; PowerDrive 50, 55, 65, 70; PowerDrive V2 55, 65, 70; Riptide 50, 55; Terrova 55; Traxxis 46, 50, 55, 70; Vector 46, 55; Vector 3X 45, 55, 70.

Prop nut kit: "A" (MKP-9).

Order No. Mfg. No. / Description

List Price

476273 (1865006) MKP-7

\$30.09 D0-7042000

MKP-7 - FITS 4" MOTOR DIAMETERS

Motor Models with Serial Number Prefix "MKJ" or "MKA".

• For use with: Maxxum 65, 74, 80; Maxxum Transom 74; PowerDrive 74; Vantage 74; Vector 3X 74.

Prop nut kit: "B" (MKP-10).

Order No. Mfg. No. / Description 476285 (1865007) MKP-8

List Price

1865007) MKP-8 **\$40.09** D0-7023000

MKP-24 - FITS 4" MOTOR DIAMETERS.

• Motor Models with Serial Number Prefix "MKA".

• For use with: Maxxum 101; Riptide 101; Vantage 101; Vector 3X 101.

• Prop nut kit: "D" (MKP-23).

Order No. Mfg. No. / Description

List Price

476425 (1865013) MKP-24

\$40.09 D0-7023000

Minn Kota Prop Nut Kits





Each kit includes a prop nut and washer.

A crescent wrench is required for installation.

Order No.	Mfg. No. / Description		List Price
476297	(1865010) MKP-9	"A"	\$7.09 D0-7650000
477016	(1865011) MKP-10	"B"	\$7.09 D0-7650000
477017	(1865014) MKP-23	"D"	\$7.09 D0-7650000
476292	(1865019) MKP-34	"E"	\$7.09 D0-7650000



Electronics

Trolling

nstruments

Flectrical

Lighting

Anchor

& Dock

Safety

Steering

Controls

Pumps

Fuel System

Seating &

Pedestals

Trailering

Tops &

Perform.



Saltwater Exclusive

T-H Marine G-Force® Eliminator™ Trolling Motor Prop Nuts



• Standard on new cable steer models starting in 2020 or easily repower any existing MotorGuide trolling motor with a 3.5" hub.

Motorguide Katana Propeller

• The Katana two-blade weedless prop combines NASA's hydrofoil design and Mercury Outboard Propeller's industry-leading technology for the most powerful and efficient trolling motor prop on the market.

Minn Kota Bow Mount Stabilizer Kit

- 10.25" diameter, constructed of engineered polymer.
- Prop kit includes: Prop pin, nut and washer.

MotorGuide

过 MINN KOTA

Order No. Mfg. No. / Description 502048 (8M4004173) 2 Blade, 3.5" Hub List Price

\$55.19 F0-3683000

- Anodized protected.
- No tools needed.
- Made to fit most Minn Kota and Motorguide trolling motors.
- Comes in an assortment of colors to provide a sleek, matching aesthetic.
- 0-ring dampens noise/vibration and secures nut.
- Designed and made in the U.S.A. Patent pending
- Please Note: Will not work with Kipawa and Hydrilla Hacker Props.

causing it to bounce up and down, pick up a Bow Mount Stabilizer Kit. • It pivots into a vertical position when the motor is stowed, locking it into place to reduce bounce and

If heavy chop and wake damage your motor by

protect your motor. For Ulterra, Terrova, PowerDrive, PowerDrive V2 and PowerDrive Pontoon Trolling Motors.

Order No. Mfg. No. / Description

476433 (1862051) MKA-55

List Price \$64.39 D0-1515000

Minn Kota Bow Mount Stabilizer Kit



- Reduces motor bouncing when in stowed position.
- · Attaches to the left or right side of bowguard.
- Pivots into vertical position and rests on the boat deck when motor is stowed.
- Rotates in the horizontal position with bowguard when the motor is deployed.
- Includes rubber bumper to protect deck finish.
- · Stainless steel hardware tested for saltwater use.
- For Fortrex and Riptide Fortrex Trolling Motors.

Order No. Mfg. No. / Description 476431 (1862050) MKA-50 List Price

\$45.19 D0-5163000

RAM Trolling Motor Stabilizer Mount



- · Consists of a double socket arm, 2.5" diameter round base that contains the universal AMPs hole pattern and single strap base.
- The strap will accommodate rails from 0.5" to 2" in diameter.
- The trolling motor stabilizer will take every bit of the vibration out of your trolling motor while all the time protecting the head, shaft and mount from damage.
- The maximum allowable distance between the mounting surface on the boat and the lowest point of the trolling motor shaft is 8.75".
- Distances shorter than this are compatible.

Order No. Mfg. No. / Description **672010** (RAM-108)

\$51.99 Z0-7663000



Machined from 6061 Billet Aluminum.

FITS MOTORGUIDE

- Wider contact area for a more stable prop.
- It acts as a heat sink and has built-in cooling ports that reduce the operating temperature for longer battery and trolling motor life.

	Mfg. No. / Descriptio (GFELMGBKDP) (GFELMGRDP)	n Black Red	1	E0-4034000 E0-7714000
FITS MI	NN KOTA 80, 10	1, 112		
Order No.	Mfg. No. / Descriptio	n	List Price	
642668	(GFELMKBKDP)	Black	\$57.39	E0-4034000
642670	(GFELMKBUDP)	Blue	\$57.39	E0-4034000
642672	(GFELMKCDP)	Clear Silver	\$57.39	E0-4034000
642674	(GFELMKRDP)	Red	\$57.39	E0-4034000
FITS MI	NN KOTA 35-70			
Order No.	Mfa. No. / Descriptio	n	List Price	


T-H Marine Troll-Tamer™ Trolling Motor Stabilizer Locks



and boat.

642676

642682



Locking pin with quick release toe kick base.

place to prevent damage to the trolling motor

(GFELMKSBKDP) Black

(GFELMKSRDP) Red

 Models, RMC-108-DP and RMC-109-DP, feature a clamp on shaft bracket to work with the latest in digital, wireless bow mount trolling motors,

6/1972	(RMC-108-DP)	Spacing: 5" to 8"	¢172 //Q	HU-013U1U
Order No.	Mfg. No. / Description		List Price	
FITS MI	NN KOTA TERRO	VA, AUTO PILOT	AND MOTORGUID	E Xi5
includi	ng Minn Kota Terr	ova, Auto Pilot, Rip	otide models & Mot	orGuide Xi5.

	(RMC-109-DP)	Spacing: 8" to 12"	\$182.99 H0-9790100			
FITS MINN KOTA FORTEX, ULTREX						
Order No	Mfa No / Description		List Prine			

6400262 (RMC101FMK-DP) Spacing: 5" to 8' \$146.39 HO-3878000

FITS MINN KOTA MAXXUM Order No. Mfg. No. / Description

6400263 (RMC105FMK-DP) Spacing: 2-3/4" to 4-1/2"

\$146.39 H0-3878000

El Navegante



\$57.39 E0-4034000

\$57.39 E0-4034000

Propellers

Engine & Care Cleaning

& Care Paint & Paint Acc

Fun &

Flotation Topside

Cockpit & Deck

Hardware. Fasteners



Misc

Comm

www.repuestoselnavegante.com

Boater Sports Trolling Motor Mounting Isolators





- For mounting bow mount motors.
- · Set consists of bolts and isolators.

Order No. Mfg. No. / Description

• Heavy duty aluminum construction.

Keep the trolling motor secured from

Hook and loop design.

· Heavy duty webbing.

Adjustable.

Order No. Description

bouncing when traveling in rough waters or trailering to and from locations.

Adapts to fit on both bow and stern applications.

• 6" wide by 16" long and adjusts from 3-1/8" to 4" in height.

2000595 (RL8374) Set of 4 "T-Type" Isolators \$20.19 F0-3141000 2000596 (RL8374SP) Bulk Kit of 24 Isolators \$105.19 H0-1136000

JIF Marine Trolling Motor Bracket

Universal mounting bracket is designed to accommodate all bow mount

Marpac Trolling Motor Tie Down Strap

Electronics



trolling motors.

2100060 (EBG)

Order No. Mfg. No. / Description

Instruments

Electrical

Lighting

Anchor & Dock

Safety Steering Controls

Pumps Fuel System

Seating & Pedestals

Trailering

Tops & Perform

Propellers

Engine & Care Cleaning

Paint & Paint Acc

Fun & Flotation

Topside Acc.

Cockpit & Deck

Hardware. Fasteners














List Price

7-52640 Trolling Motor Tie Down Strap

\$5.99 H0-9530000

\$39.29 F0-0572000

Rod Saver Trolling Motor Tie Down



- A must for every trolling motor.
- Keeps motor firmly mounted to the boat and not the bottom of the lake.
- · Most importantly, it keeps the trolling motor secure with less bouncing while traveling down the lake.

\$15.49 F0-4801000

T-H Marine Bounce Buster Coaster





- Fits Minn Kota Bow Mount Stabilizer Rods.
- Protects decks from Bounce Buster damage.
- Protects carpeted decks from damage

Order No. Mfg. No. / Description

641874 (BBC-1-DP)

List Price

\$8.39 H0-3050000

T-H Marine Trolling Motor Mount



- · Designed for clamp-on type electric trolling motors.
- · Made of cast aluminum with seasoned marine wood mounting block. Maximum trolling motor thrust of 36 pounds.
- Motor must be removed and stowed before
- operating boat or trailering. Not designed for outboards of any horsepower.

Order No. Mfg. No. / Description

641109 (TMM-1-DP)

List Price **\$73.09** H0-5834000

T-H Marine G-Force® Equalizer™ Trolling Motor Lift Assist





- Reduce the lifting weight of your trolling motor by as much as 50%.
- Consists of two air pistons that attach to almost any MotorGuide Gator Mount to provide effortless lifting in-and-out of the water.
- A great way to offset the added weight of StructureScans and Hydrowaves, so your time on the water is as comfortable as possible.
- Includes: 2x Equalizer Trolling Motor Assist Air Pistons, drilling template, marine-grade stainless steel hardware, instructions, picture of the mount and basic guidelines and Equalizer decal.
- Spacer set available for certain boats that need a riser spacer on gunnel.

Order No. Mfg. No. / Description 642684 (GFEQMGBKDP) MotorGuide, Black List Price

\$164.69 H0-1889000

Minn Kota Extension Handles



- Provides easier steering and speed control for hand controlled motors.
- These extension handles let you fish more comfortably and attach easily to your trolling motor's tiller handle.

Order No. Mfg. No. / Description

476615 (1854101) MKA-18 476603 (1854100) MKA-7

Length 18" Length 30" **\$20.09** D0-7061000 \$29.69 D0-5732000







Minn Kota Cable and Handle



 For Minn Kota cable steer bow mount motors, this replacement handle features an ergonomic soft-grip design with an ultra-strong, abrasion-resistant, coated stainless steel braided cable.

 Compatible with cable steer bow mount motors: Fortrex, Maxxum, Edge, Riptide SF, Riptide SM and Riptide SE.

Order No. Mfg. No. / Description 476430 (1854125) MKA-49 List Price

\$50.19 D0-5104000

Marpac Trolling Motor Lift Cord



- Great for backup.
- High impact nylon 3/16" double braid cord.
- UV inhibitor.
- · Length 36".

Order No. Description List Price

\$6.49 G0-5340000 **7-52245** Trolling Motor Lift Cord

Minn Kota Replacement Rope and Handle





- · Features an ergonomic soft-grip design and durable, abrasion-resistant 48" nylon rope.
- Compatible with Maxxum and Edge bow mount trolling motors.

Order No. Mfg. No. / Description

477013 (1854120) MKA-45

List Price

\$10.09 D0-7080000

R & R Designs Foot Pedal Recess



- High quality trolling motor foot pedal recess.
- Mount lip dimensions: 19-3/8" L x 11-15/16" W.
- Dimensions: 4-1/8" D x 17-1/4" L x 8-7/8" W.

Order No. Mfg. No. / Description

2003680 (RR-TMP) **\$76.09** F0-6235000

T-H Marine Sure Foot® Trolling Motor Foot Switches

- Foot control switch for electric trolling motors.
- · Rated up to 50 amps.
- Features a 15° tilt angle for easy operation.

Order No. Mfg. No. / Description

640257 (FCS-1-DP) \$33.99 H0-9302000 **640258** (FCS-2-DP) With Flip Lever for Continuous "On" **\$33.49** H0-9002000

T-H Marine G-Force® Trolling Motor Replacement Handle and Cable



• This trolling motor replacement release and lift system is a rugged, nylon jacketed stainless steel cable with a large comfortable cushioned grip handle.

- Fits most models and makes.
- Comes complete with a hook-n-loop strap to secure to the motor shaft while underway.

CLAMP ON FOR WIRELESS MOTOR

- A G-Force handle for the latest in digital/wireless trolling motors that attaches with a clamp on the shaft of the trolling motor.
- This clamp on model is designed to fit Minn Kota Terrova and Riptide, as well as the MotorGuide Xi5.

Order No. Mfg. No. / Description List Price

642690 (GFHCA1RDP) **\$71.69** H0-1034000

REPLACEMENT TROLLING MOTOR COI

Order No. Mfg. No. / Description List Price 642647 (GFH-1R-DP) Red \$57.09 H0-5243000

642650 (GFH-1G-DP) Black \$57.09 H0-5243000

Rod Saver Trolling Motor Replacement Cable for Trolling Motor Rope



- Never worry about that trolling motor pull rope breaking again.
- This steel braided cable is used to replace the manufacturer's pull rope on your trolling motor.
- · Will not rust, break or rot.

Order No. Mfg. No. / Description \$15.19 F0-3601000 **2003835** (TR)

Aronda Foot Pedal Recesses

 Finally an economical aftermarket foot pedal recess for the deck of your Bass Boat!

• This recess allows more even weight distribution while fishing for less stress on the knees and back.

One size fits most trolling motor foot pedals.

• Fiberglass construction with 1/2" plywood bottom reinforcing for strength and durability.

Order No. Mfg. No. / Description List Price 2000025 (RFP-B) Black **\$63.29** F0-0344000 2000026 (RFP-G) Gray \$63.29 F0-0344000 2000027 (RFP-W) White **\$63.29** F0-0344000





Electronics

Trolling

Instruments

Electrical

Lighting

Anchor

& Dock Safety

Steering Controls

Pumps

Fuel System

Pedestals

Trailering

Tops &

Perform.

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc

Fun & Flotation

Topside

Cockpit

& Deck

Hardware. Fasteners



Misc





El Navegante

List Price

Rigid Trolling Motor Mount Light Kit









- It measures 60" long and includes a velcro closure.
- While wrapped, the diameter is about 1-1/2".
- For maximum compatibility for your setup, you can cut and trim the sides where your cables need to come out.

T-H Marine G-Force Troll Jacket Trolling Motor Cable Organizer Sleeve

Order No. Mfg. No. / Description

🛂 MINN KOTA







- This mounting kit replaces the original diversion plate mounted on the nose of the trolling motor mount.
- Compatible with Minn Kota Fortrex 80, 101, 101H and 112.
- Constructed of PA66 glass filled nylon and shock absorbing silicone
- · Kit includes: Trolling motor mount and SRM2 Driving LED Light, amber lens cover included for use in the fog or rain and 25' plug and play harness with waterproof switch.

Order No. Mfg. No. / Description

7001176 (400033)

List Price

\$249.99 E0-9478100

过 MINN KOTA

640954 (GFTJ-1-DP)

\$34.89 H0-3902000

Minn Kota Battery Power Center



- For small boat, transom applications, these easy access external battery terminals allow trolling motor leads and charger leads to be connected without opening the box.
- Built-in battery meter displays current "state of charge".
- Includes two 12 volt accessory plugs, and two manual reset circuit breakers (10 amp for the accessory plugs and 60 amp breaker for the trolling motor).
- Fits group 24 and 27 size batteries.

Order No. Mfg. No. / Description

List Price

476718 (1820175) **\$65.19** D0-5125000

Conductor Gauge and Circuit Breaker Sizing Table

This conductor and circuit breaker sizing table is only valid for the following assumptions:

Courtesy of:

- 1. No more than 2 conductors are bundled together inside of a sheath or conduit outside of engine spaces.
- 2. Each conductor has 105° C temp rated insulation.
- 3. No more than 5% voltage drop allowed at full motor power based on published product power requirements.

Motor Thrust/Model	Max Amp Draw	Circuit Breaker	Wire Extension Length				
			5 feet	10 feet	15 feet	20 feet	25 feet
30 lb.	30	50 Amp @ 12 VDC	10 AWG	10 AWG	8 AWG	6 AWG	4 AWG
40 lb., 45 lb.	42	50 Amp @ 12 VDC	10 AWG	8 AWG	6 AWG	4 AWG	4 AWG
50 lb., 55 lb.	50	60 Amp @ 12 VDC	8 AWG	6 AWG	4 AWG	4 AWG	2 AWG
70 lb.	42	50 Amp @ 24 VDC	10 AWG	10 AWG	8 AWG	8 AWG	6 AWG
80 lb.	56	60 Amp @ 24 VDC	8 AWG	8 AWG	8 AWG	6 AWG	6 AWG
101 lb.	46	50 Amp @ 36 VDC	8 AWG	8 AWG	8 AWG	8 AWG	8 AWG
Engine Mount 101	50	60 Amp @ 36 VDC	8 AWG	6 AWG	4 AWG	4 AWG	2 AWG
112 lb.	52	60 Amp @ 36 VDC	8 AWG	8 AWG	8 AWG	8 AWG	8 AWG
Engine Mount 160	116	(2) x 60 Amp @ 24 VDC	2 AWG	2 AWG	2 AWG	2 AWG	2 AWG
E-Drive	40	50 Amp @ 48 VDC	10 AWG	10 AWG	10 AWG	10 AWG	10 AWG

NOTE: Wire Extension Length refers to the distance from the batteries to the trolling motor leads. Consult website for available thrust options. Maximum Amp Draw values only occur intermittently during select conditions and should not be used as continuous amp load ratings

Electronics

Motors Instruments

Electrical

Lighting

Anchor & Dock

Safety Steering Controls

Pumps Fuel

System Seating &

Pedestals Trailering

Tops &

Perform Propellers

Engine & Care

Paint & Paint Acc

Fun & Flotatio Topside

Acc. Cockpit & Deck

Hardware, Fasteners

Camouflage

Misc

Comm.

Freshwater Exclusive Saltwater Exclusive

Marpac Micro Switch Assembly





- · Replacement foot pedal micro switch.
- · Works with most Motorguide trolling motors.
- · Boot included.
- · Sold per package.

Order No. Description 7-0018 Micro Switch

List Price \$19.09 G0-9721000

Marpac Breaker Bracket and Boot



- · Simplify the mounting of a trolling motor circuit breaker.
- Can be used with most either manual or automatic two prong circuit breakers.
- Included cover protects breaker terminals from the elements, reducing corrosion.

Order No. Description List Price

7-1170 Bracket and Boot

\$2.99 G0-0020000

Marpac Breaker Kit



- Includes: 50 amp in-line circuit breaker, bracket and boot.
- Manual reset button.
- For use with higher amperage accessories.
- For use with 12V or 24V systems.

Order No. Description

7-1169 Breaker Kit \$7.39 G0-5940000

T-H Marine Trolling Motor Circuit Breaker Kit





- 3' of 8 gauge wire to battery.
- Works with 12 or 24 volt motors.
- Kit includes: Mounting box, fasteners and second ring terminal for attaching trolling motor wire

Order No. Mfg. No. / Description

640075 (CBBK-1-DP) 50 amp

\$65.69 H0-1493000

Marpac Trolling Motor Male Sockets - Boat Side Connector





- 8 gauge wire with attached butt connectors.
- Mounting screws included.

Order No. Description Connects to: List Price 7-1304 12 volt, 2 Wires 7-1306 \$12.09 GO-0180000 **7-1308** 24 volt, 3 Wires 7-1310 \$14.99 G0-4001000

Sierra Male Boat Side Trolling Motor Plugs





- Length 6", 8 gauge.
- Includes: Butt connectors.

Order No. Mfg. No. / Description List Price 181052 (WH10520-1) 12 volt, 2 Wires \$23.39 Z0-1790000 **181054** (WH10540-1) 24 volt, 3 Wires **\$26.99** Z0-8411000

Sierra V-Groove Male Boat Side Trolling Motor Plug



- Length 6", 8 gauge.
- Includes: Butt connectors.

Order No. Mfg. No. / Description 772230 (WH10610-1) 12 volt, 2 Wires



Minn Kota Circuit Breaker

过 MINN KOTA

- Protects boat trolling motor wiring from electrical damage.
- · Features a 60 amp rating with manual reset.
- Fully waterproof.
- Compatible with all 12-, 24- and 36-volt systems.

Order No. Mfg. No. / Description 4771712 (1865106) Sold Each

4771714 (1865103) Sold 12 Per Bulk

List Price

List Price

\$9.69 G0-9460000


\$11.29 G0-6570000

\$40.09 D0-7023000 \$39.89 CO-1933000

Anchor & Dock

Marpac Trolling Motor Female Plugs - Motor Side Connector





Order No. Description Connects to:

7-1306 12 volt, 2 Wires 7-1304 7-1310 24 volt, 3 Wires 7-1308

Sierra Female Motor Side Trolling Motor Sockets





Length 6", 8 gauge.

 Includes: Butt connectors. Order No. Mfg. No. / Description

181053 (WH10530-1) 12 volt. 2 Wires 181055 (WH10550-1) 24 volt. 3 Wires

181055

List Price

\$21.39 Z0-6880000 \$24.99 Z0-6301000

Sierra V-Groove Female Motor Side Trolling Motor Socket



- · Length 6", 8 gauge.
- Includes: Butt connectors.


Order No. Mfg. No. / Description 772229 (WH10600-1) 12 volt, 2 Wires



\$21.49 Z0-6980000

Misc Comm

El Navegante



Electronics

Trolling

Instruments

Flectrical

Lighting

Safety Steering Controls Pumps

Fuel

System

Seating &

Pedestals

Trailering

Tops &

Perform.

Propellers Engine & Care

Cleaning

& Care

Paint & Paint Acc

Fun &

Flotation

Topside

Cockpit & Deck

Hardware. Fasteners Camouflage

Marpac Trolling Motor Male Plugs - Motor Side Connector





• 10 gauge wire with attached butt connectors.

Order No.	Description	Connects to:	List Price
7-1298	12 volt, 2 Wires	7-1296	\$9.09 G0-9060000
7-1302	24 volt, 3 Wires	7-1300	\$9.69 G0-9460000

Sierra Male Trolling Motor Plugs





10 Gauge wire with butt connector

las No. - Mfs. No. / Depositation

 Ready-wired. Anchor

Electronics Trolling Motors

Electrical

Lighting

& Dock

Safety

Steering

Controls

Seating & Pedestals

Tops &

Perform.

Propellers

Engine

& Care

& Care Paint &

Paint Acc

order No.	ivilg. No. / Description	LIST PIICE
181048	(WH10480-1) 12 volt, 2 Wires	\$19.59 Z0-7180000
181050	(WH10500-1) 24 volt. 3 Wires	\$22.49 Z0-8390000

Minn Kota Trolling Motor Plug and Receptacle

MINN KOTA Pumps





Sealed waterproof design.

Secure threaded electrical connection.

Adjustable mounting orientations.

Continuous power rated to 60 amps up to 48 volts.

8 AWG wire leads.

Compatible with 6-10 AWG wire sizes.

Order No. Mfg. No. / Description

List Price 476592 (1865128) MKR-26 \$120.09 D0-7069000

Marpac Trolling Motor Plug or Receptacle - 3 Prong

Fun &

Flotation

Topside Acc.

Cockpit & Deck

Hardware, Fasteners

Camouflage

Misc

 Replaces: Marinco 305CRRB and 305BP. Order No. Description

> 7-51558 Male Motor Side

7-51558

7-51557

3 prong locking plug or receptacle for trolling motors.

• 30 amp, 125 volt.

List Price **7-51557** Female **Boat Side**

\$22.39 G0-0051000 **\$22.99** G0-0451000

Marpac Trolling Motor Female Sockets - Boat Side Connector



10 gauge wire with attached butt connectors.

Mounting screws included.

Order No. Description List Price Connects to: **7-1296** 12 volt. 2 Wires 7-1298 **\$10.59** GO-0170000 7-1300 24 volt. 3 Wires 7-1302 \$12.99 G0-0780000

Sierra Female Trolling Motor Sockets





10 Gauge wire with butt connector.

Ready-wired.

Order No. Mfg. No. / Description List Price 181047 (WH10470-1) 12 volt, 2 Wires **\$22.69** Z0-3490000 181049 (WH10490-1) 24 volt, 3 Wires \$25.99 Z0-8701000

Minn Kota Motor Quick Connect Plug



- Heavy duty trolling motor connector has a positive snap-lock design for 6- to 12-gauge wire.
- The kit includes two plug halves, four contacts and four solder plugs for securing wire leads into contacts (wire not included).

Order No. Mfg. No. / Description

List Price

4771710 (1865107)

\$20.09 D0-7061000

Pro Charging Systems Onboard Charger Inlet

PRO Charging Systems



- Makes connecting to your charger safer and more efficient.
- Installs into console with 3 screws.
- The hollow housing holds the power cord inserted through the back.
- Just lift the front lid, pull out the cord and plug into an extension cord.
- When finished, unplug and push the plug back into the housing.
- 2.5" diameter x 1.943" deep. Requires a 1-7/8" diameter hole.
- Includes mounting screws.

Order No. Mfg. No. / Description 284610 (90032KIT)

\$11.49 E0-2680000





Marinco ConnectCharger™ Inlet - Universal Mount

MARINCO



• A receptacle designed to accept plug-in Guest ConnectCharger on-board battery chargers.

- This model features universal mounting: Use three screws through the faceplate to mount it from the front or use a threaded locking ring to mount it to the dash from the rear.
- The watertight lid snaps closed to protect the AC plug.

Order No. Mfg. No. / Description 217910 (150CCI) Black

List Price

\$23.39 F0-7361000

Marinco 3-Wire 70A Charging/Trolling System

- 70A continuous rating.
- Universal design for 2 or 3-wire configuration 12V, 24V, 12/24V, 24/36V, 36V or 48V systems.
- Floating pin design for maximum connectivity and durability.
- · Corrosion resistant, plated brass electrical components.
- · Receptacle contains watertight sealing cap.
- Plug contains Integrated strain relief and keyed design with thumbprint locator.
- Accepts up to 6 AWG wire.

Order No. Mfg. No. / Description

List Price

700825 (12VCPS3)

\$58.99 G0-2593000

Marinco On-Board Charger Inlets - Front Mount



• 15 amp, 125 volt straight blade.

- Marinco on-board charger inlets make battery charging through an on-board battery charger safer and more convenient.
- Inlets mount on the boat exterior and are hard-wired directly to the
- To use, just open the flip lid cover and plug an extension cord into the
- All hatches remain closed and locked throughout the charging cycle for added security.
- · Mounts easily to fiberglass and aluminum hulls.
- Perma-Lock terminals and color coded wire entrance holes make wiring a snap.
- UV resistant housing/cap.

Order No. Mfg. No. / Description List Price **217908** (150BBI) \$24.39 F0-7071000 Black 218640 (150BBIW) White \$28.49 F0-4991000

Marinco 3-Wire ConnectPro® Charging/Trolling System

Marinco ConnectPro® Receptacle

MARINCO



- Universal design for 2 or 3-wire configuration 12V, 24V, 12/24V, 24/36V or 36V systems.
- · Watertight sealing cap.
- Corrosion resistant, plated brass electrical components.
- Drain holes in receptacle keep water away from electrical components.
- Perma-Lock screw terminals will not loosen under extreme hull vibration.
- Standard 1-1/8" diameter mounting hole.
- Easy to install, with supplied mounting plate for front panel installation, or locking ring for rear access installation.
- Accepts 10 and 8 AWG wire.
- Easily replaces other trolling motor plugs and receptacles.
- Max rating is 40 amps.

Order No. Mfg. No. / Description

217941 (12VBR) \$29.39 F0-7502000

Marinco ConnectPro® Plug

MARINCO

- O-ring seal for waterproof connections.
- · Weather resistant plug cover.
- Corrosion resistant, plated brass electrical components.
- · Accepts 16 to 8 AWG wire.
- · Ergonomic contoured grip for easy hook-up and ground blade alignment.
- Max rating is 40 amps.

Order No. Mfg. No. / Description

217940 (12VBP)

List Price

\$22.59 F0-1851000

Marinco ConnectPro® Receptacle and Plug

MARINCO





217941 (12VBR) and 217940 (12VBP) packaged together.

Order No. Mfg. No. / Description

List Price **\$50.79** F0-5553000

217942 (12VCP)

Marinco 6 Gauge ConnectPro® Wire Receptacle Adapter

MARINCO

- Allows 6 gauge wire connection to ConnectPro Receptacle.
- Corrosion resistant, plated brass electrical components.

Order No. Mfg. No. / Description 217617 (12VBRAD) 12 volt

\$25.19 F0-3671000







Electronics Trolling

Instruments

Flectrical Lighting

Anchor & Dock

Safety

Steering Controls

> Pumps Fuel

System Seating & Pedestals

Trailering Tops &

Perform.

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc

Fun &

Flotation

Topside

Cockpit & Deck

Hardware. Fasteners

Camouflage

Comm

The 4-wire trolling/charging system eliminates the need for a charge/run switch. Install the receptacle on the boat, mount the black trolling motor plug on the trolling motor, and the red charger plug on the leads of the battery charger. Simply plug in the black plug to troll, or plug in the red plug to charge.

Marinco Charger Plug (Male)

MARINCO



· Accepts up to 10 AWG wire.

Red.

Order No. Mfg. No. / Description

217972 (2018BP-12)

List Price

\$31.79 F0-5222000

\$91.99 F0-9346000

Marinco Trolling/Charging System Package

- Jumpered internally to supply 12V and 24V power to the trolling motor when plugged into the receptacle.
- Accepts up to 8 AWG wire.
- Black.

Order No. Mfg. No. / Description

217984 (2018BP-24)

List Price

\$30.29 F0-0212000

Electronics **Marinco Receptacle and Bracket**

· Spring loaded flip lid cover and receptacle,

Trolling **Motors**

MARINCO

pre-assembled. Order No. Mfg. No. / Description

MARINCO

217996 (2018BR-MB)

Instruments

Electrical

Lighting

Anchor & Dock

Safety

Steering Controls

Pumps Fuel

System Seating & Pedestals

Trailering Tops &

Covers Perform

Propeller Engine & Care

Cleaning & Care

Paint & Paint Acc.

Fun & Flotation

Topside Acc.

Cockpit & Deck Hardware,

Fasteners Camouflage

Misc



MARINCO

- · Connects to trolling motor.

- Max rating is 60 amps.

Marinco Receptacle

MARINCO

- Glass reinforced corrosion resistant nylon.
- Accepts 8 AWG stranded wire or up to 6 AWG with spade terminals.

Order No. Mfg. No. / Description

217960 (2018BR)

\$63.49 F0-4444000

Marpac Trolling Motor Plugs - 4 Prong







- 4 prong locking plug or socket for trolling motors.
- Replaces: Marinco 2018BR and 2018BP-24.

Order No. Description **7-51555** Female

7-51556 Male

Boat Side

Motor Side

List Price

\$23.29 G0-0651000 \$22.09 G0-0841000

T-H Marine Trolling Motor Plugs and Receptacle



218001 (2018PKG)

Order No. Mfg. No. / Description



641882

 Package includes: 217972 (2018BP-12), 217984 (2018BP-24) and 217996 (2018BR-MB).

Enclosed in one package and economically priced.

- · Handles high amps.
- · Water tight seal.
- · Gold contacts.
- Original equipment on Ranger Boats.
- Easily handles 12 or 24 volt systems.



List Price

\$126.29 F0-0488000

Order No. Mfg. No. / Description **641870** (TMBMP-1-DP) Trolling Motor Male Plug, Black **\$42.49** H0-9452000

641882 (TMFR-1-DP) Female Base Receptacle, Black **\$59.89** H0-3953000