

Catálogo de accesorios Náuticos



Trolling
Motors



Instruments



Electrical



Lighting



Anchor
& Dock



Safety



Steering,
Controls



Pumps



Fuel
System



Seating &
Pedestals



Trailerling



Tops &
Covers



2021

Parte 1

El Navegante

www.repuestoselnavegante.com




- Trolling Motors
- Instruments
- Electrical
- Lighting
- Anchor & Dock
- Safety
- Steering, Controls
- Pumps
- Fuel System
- Seating & Pedestals
- Trailer
- Tops & Covers
- Perform.
- Propellers
- Engine & Care
- Cleaning & Care
- Paint & Paint Acc.
- Fun & Flotation
- Topside Acc.
- Cockpit & Deck
- Hardware, Fasteners
- Camouflage
- Misc.
- Comm.

Bienvenidos a Repuestos El Navegante.

Aquí podrás encontrar mas de **35.000** productos de diferentes fabricantes, con una gran variedad de accesorios y componentes para tu embarcación, contamos con mas de 20 años de experiencia en el sector náutico, no dudes en contactarnos para aclarar cualquier duda que tengas, prestamos asesoría técnica lo que es un valor agregado, y te dará tranquilidad a la hora de tomar una decisión de compra.

Nota Importante:

Debido a las restricciones causadas por el Covid 19, y otros problemas a nivel Mundial muchas empresas se vieron afectadas debido a la falta de materia prima, por este motivo tanto los precios como las fechas de entrega sufrieron cambios en gran cantidad de productos, comuníquese con nosotros a través del correo: repuestoselnavegante@gmail.com y solicite su presupuesto sin compromiso, también puede comunicarse vía Telegram o WhatsApp escaneando los códigos QR.



Los productos aquí publicados se encuentran en varias partes del mundo, pero la mayoría se encuentran en Estados Unidos y Europa, por lo que estos precios no incluyen gastos de envío.

También puede consultar en nuestra pagina www.repuestoselnavegante.com nuestros términos y condiciones antes de efectuar la compra, ahí podrá ver también nuestra política de devoluciones.

Los productos pueden ser entregados en un currier de su confianza.

En nuestra pagina podrá encontrar mas de **3.500** productos para entrega inmediata.

Nos especializamos en repuestos Volvo Penta, Cummings, Yanmar, Caterpillar, Mercruiser.

Ofrecemos repuestos para Generadores Onan, Kohler, Westerbeke, Fisher Panda y Northern Lights.

Marpac Premier Elite Domed Gauges with Stainless Bezel



- Made in USA.
- CE Certified.
- All gauges perimeter lighted.
- Stylish graphics.
- Contoured pointers.
- Domed glass lens.
- Fully sealed construction with Fog-resistant lens, built to military specifications.
- Easy installation.
- Fit standard 2-1/16" and 3-3/8" gauge mounting holes.
- OEM replacements are also available.



Order No.	Gauge Type	Description	Size	List Price	
7-1986	Fuel Gauge	E - 1/2 - F	2-1/16"	\$33.99	GO-7722000
7-1988	Hourmeter	100K Hours	2-1/16"	\$73.99	GO-7594000
7-1990	Oil Pressure Gauge	80 PSI	2-1/16"	\$33.79	GO-4622000
7-1982	Speedometer	10 - 65 MPH	3-3/8"	\$80.19	GO-3735000
7-1980	Tachometer	0 - 7,000 RPM	3-3/8"	\$114.49	GO-1767000
7-1998	Trim Gauge	Johnson/Evinrude	2-1/16"	\$32.98	GO-01222000
7-1996	Trim Gauge	Mercury/Yamaha - 2001 to Current	2-1/16"	\$36.99	GO-8742000
7-1984	Voltmeter	10 - 16 Volts	2-1/16"	\$33.79	GO-4622000
7-1994	O/B Water Pressure Gauge Kit	30 PSI	2-1/16"	\$105.89	GO-5907000
7-1992	Water Temperature	I/O	2-1/16"	\$33.39	GO-7322000

Marpac Premier Elite Domed Gauges



- Made in USA.
- CE Certified.
- All gauges perimeter lighted.
- Stylish graphics.
- Contoured pointers.
- Domed glass lens.
- Fully sealed construction with Fog-resistant lens, built to military specifications.
- Easy installation.
- Fit standard 2-1/16" and 3-3/8" gauge mounting holes.
- OEM replacements are also available.



Order No.	Gauge Type	Description	Size	List Price	
7-2025	Fuel Gauge	E - 1/2 - F	2-1/16"	\$32.09	GO-0512000
7-2035	Hourmeter	100K Hours	2-1/16"	\$67.99	GO-5554000
7-2066	Oil Pressure Gauge	80 PSI	2-1/16"	\$28.79	GO-9291000
7-2015	Speedometer	10 - 65 MPH	3-3/8"	\$60.79	GO-3704000
7-2010	Tachometer	0 - 7,000 RPM	3-3/8"	\$95.89	GO-5246000
7-2044	Trim Gauge	Johnson/Evinrude	2-1/16"	\$29.19	GO-6591000
7-2042	Trim Gauge	Mercury/Yamaha - 2001 to Current	2-1/16"	\$31.59	GO-7112000
7-2020	Voltmeter	10 - 16 Volts	2-1/16"	\$29.49	GO-6791000
7-2040	O/B Water Pressure Gauge Kit	30 PSI	2-1/16"	\$97.98	GO-5656000
7-2067	Water Temperature	I/O	2-1/16"	\$31.89	GO-7312000

- Electronics
- Trolling Motors
- Instruments
- Electrical
- Lighting
- Anchor & Dock
- Safety
- Steering, Controls
- Pumps
- Fuel System
- Seating & Pedestals
- Trailering
- Tops & Covers
- Perform.
- Propellers
- Engine & Care
- Cleaning & Care
- Paint & Paint Acc.
- Fun & Flotation
- Topside Acc.
- Cockpit & Deck
- Hardware, Fasteners
- Camouflage
- Misc.
- Comm.

Marpac Premier Performance Domed Gauges

- Made in USA.
- CE Certified.
- All gauges perimeter lighted.
- Stylish graphics.
- Contoured pointers.
- Domed glass lens.
- Easy installation.
- Fully sealed construction with Fog-resistant lens, built to military specifications.
- Fit standard 2-1/16" and 3-3/8" gauge mounting holes.
- OEM replacements are also available.



- Electronics
- Trolling Motors
- Instruments

Order No.	Gauge Type	Description	Size	List Price	
7-2065	Fuel Gauge	E - 1/2 - F	2-1/16"	\$29.79	GO-6991000
7-2075	Hourmeter	100K Hours	2-1/16"	\$64.59	GO-8234000
7-2036	Oil Pressure Gauge	80 PSI	2-1/16"	\$32.69	GO-0912000
7-2055	Speedometer	10 - 65 MPH	3-3/8"	\$66.69	GO-8644000
7-2050	Tachometer	0 - 7,000 RPM	3-3/8"	\$92.79	GO-7126000
7-2084	Trim Gauge	Johnson/Evinrude	2-1/16"	\$29.79	GO-6991000
7-2082	Trim Gauge	Mercury/Yamaha - 2001 to Current	2-1/16"	\$29.79	GO-6991000
7-2060	Voltmeter	10 - 16 Volts	2-1/16"	\$29.39	GO-9691000
7-2080	O/B Water Pressure Gauge Kit	30 PSI	2-1/16"	\$95.29	GO-4836000
7-2037	Water Temperature	I/O	2-1/16"	\$32.39	GO-0712000

- Fuel System
- Seating & Pedestals
- Trailer
- Tops & Covers
- Perform.
- Propellers
- Engine & Care
- Cleaning & Care
- Paint & Paint Acc.
- Fun & Flotation
- Topside Acc.
- Cockpit & Deck
- Hardware, Fasteners
- Camouflage
- Misc.
- Comm.

Marpac Premier Red Series Gauges

- Made in USA.
- CE Certified.
- All gauges perimeter lighted.
- Stylish graphics.
- Contoured pointers.
- Domed glass lens.
- Easy installation.
- Fully sealed construction with Fog-Resistant Lens, built to military specifications.
- Fit standard 2-1/16" and 3-3/8" gauge mounting holes.
- OEM replacements are also available.



Order No.	Gauge Type	Description	Size	List Price	
7-2092	Water Temperature	I/O	2-1/16"	\$25.98	GO-1471000

Faria Chesapeake Black Stainless Steel Gauges



- Perimeter-lighted black dial with stylish blue and white graphics, polished stainless steel bezel, contoured white pointer and domed glass lens.
- CE Certified. Made in USA.



Order No.	Mfg. No. / Description	Size	List Price	
3511440	(13736) Ammeter (60-0-60)	2-1/16"	\$46.89	G0-2413000
3511410	(13706) Cylinder Head Temperature with Sender, 60° - 220° F	2-1/16"	\$64.49	G0-1234000
3511385	(13701) Fuel Level Gauge (E - 1/2 - F)	2-1/16"	\$48.19	G0-9223000
3511435	(13715) Hourmeter - Digital (99,999 hrs., 12 - 32 VDC)	2-1/16"	\$76.99	G0-8515000
3511390	(13702) Oil Pressure Gauge (80 PSI)	2-1/16"	\$50.59	G0-0933000
3512000	(33704) Speedometer (60 MPH) Pitot	3-3/8"	\$89.99	G0-9206000
3512005	(33705) Speedometer (80 MPH) Pitot	3-3/8"	\$98.89	G0-6266000
3512010	(33710) Tachometer (Gas, Inboard and I/O, 6,000 RPM)	3-3/8"	\$134.89	G0-8309000
3512015	(33718) Tachometer (All Outboard, 7,000 RPM)	3-3/8"	\$139.09	G0-9139000
3512035	(33750) Tachometer with SystemCheck Indicator (J/E, 7,000 RPM)	3-3/8"	\$279.49	G0-6278100
3511425	(13709) Trim Gauge (J/E and Suzuki Outboard)	2-1/16"	\$50.59	G0-0933000
3511415	(13707) Trim Gauge (OMC Cobra - 1993-94, Volvo SX - MD Models Only)	2-1/16"	\$50.59	G0-0933000
3511405	(13705) Voltmeter (10 - 16 VDC)	2-1/16"	\$51.09	G0-3243000
3511430	(13712) Water Pressure Gauge Kit (30 PSI)	2-1/16"	\$99.69	G0-9766000
3511400	(13704) Water Temperature Gauge (100° - 250° F)	2-1/16"	\$51.09	G0-3243000



INBOARD BOXED SET INCLUDES:

- Inboard Speedometer (60 MPH) Pitot
- Tachometer (6,000 RPM)
- Fuel Level Gauge
- Voltmeter (10 - 16 VDC)
- Water Temperature Gauge (100° - 250° F)
- Oil Pressure Gauge (80 PSI)

Order No.	Mfg. No. / Description	List Price	
351003	(KTF003)	\$356.09	G0-8583200

OUTBOARD BOXED SET INCLUDES:

- Outboard Speedometer (60 MPH) Pitot
- Tachometer (7,000 RPM)
- Fuel Level Gauge
- Voltmeter (10 - 16 VDC)

Order No.	Mfg. No. / Description	List Price	
351004	(KTF004)	\$257.89	G0-9727100

Faria Chesapeake White Stainless Steel Gauges



- Perimeter-lighted white dial with stylish blue and black graphics, polished stainless steel bezel, contoured black pointer and domed glass lens.
- CE Certified. Made in USA.



Order No.	Mfg. No. / Description	Size	List Price	
3511540	(13831) Ammeter (60-0-60)	2-1/16"	\$41.69	G0-3972000
3511575	(13891) Clock (Quartz, Analog)	2-1/16"	\$166.09	G0-8211100
3511510	(13806) Cylinder Head Temperature with Sender (60° - 220° F)	2-1/16"	\$72.49	G0-7584000
3511485	(13801) Fuel Level Gauge (E - 1/2 - F)	2-1/16"	\$47.09	G0-5513000
3511535	(13815) Hourmeter - Digital (99,999 hrs., 12 - 32 VDC)	2-1/16"	\$76.99	G0-8515000
3511490	(13802) Oil Pressure Gauge (80 PSI)	2-1/16"	\$51.09	G0-3243000
3511495	(13803) Oil Pressure Gauge (100 PSI)	2-1/16"	\$46.09	G0-8803000
3512055	(33811) Speedometer (60 MPH) Pitot	3-3/8"	\$87.39	G0-5585000
3512065	(33819) Speedometer (80 MPH) Pitot	3-3/8"	\$90.79	G0-3806000
3512045	(33807) Tachometer (Gas, Inboard and I/O, 6,000 RPM)	3-3/8"	\$134.89	G0-8309000
3512060	(33817) Tachometer (All Outboard, 7,000 RPM)	3-3/8"	\$134.89	G0-8309000
3512085	(33850) Tachometer with SystemCheck Indicator (J/E, 7,000 RPM)	3-3/8"	\$257.99	G0-5827100
3511565	(13889) Trim Gauge (Honda)	2-1/16"	\$123.79	G0-4928000
3511525	(13809) Trim Gauge (J/E and Suzuki Outboard)	2-1/16"	\$51.49	G0-0543000
3511515	(13807) Trim Gauge (Mer/Mar/Merc, Vol DP, Yam, 2001 & Newer)	2-1/16"	\$49.09	G0-9823000
3511520	(13808) Trim Gauge (OMC Cobra - 1993-94, Volvo SX - MD Models Only)	2-1/16"	\$51.89	G0-7743000
3511505	(13805) Voltmeter (10 - 16 VDC)	2-1/16"	\$49.09	G0-9823000
3511530	(13812) Water Pressure Gauge Kit (30 PSI)	2-1/16"	\$99.69	G0-9766000
3511555	(13875) Water Pressure Gauge Kit (60 PSI)	2-1/16"	\$90.09	G0-6306000
3511500	(13804) Water Temperature Gauge (100° - 250° F)	2-1/16"	\$51.09	G0-3243000



INBOARD BOXED SET INCLUDES:

- Inboard Speedometer (60 MPH) Pitot
- Tachometer (6,000 RPM)
- Fuel Level Gauge
- Voltmeter (10 - 16 VDC)
- Water Temperature Gauge (100° - 250° F)
- Oil Pressure Gauge (80 PSI)

Order No.	Mfg. No. / Description	List Price	
351001	(KTF001)	\$322.69	G0-0261200

OUTBOARD BOXED SET INCLUDES:

- Outboard Speedometer (60 MPH) Pitot
- Tachometer (7,000 RPM)
- Fuel Level Gauge
- Voltmeter (10 - 16 VDC)

Order No.	Mfg. No. / Description	List Price	
351002	(KTF002)	\$257.89	G0-9727100

- Electronics
- Trolling Motors
- Instruments
- Electrical
- Lighting
- Anchor & Dock
- Safety
- Steering, Controls
- Pumps
- Fuel System
- Seating & Pedestals
- Trailering
- Tops & Covers
- Perform.
- Propellers
- Engine & Care
- Cleaning & Care
- Paint & Paint Acc.
- Fun & Flotation
- Topside Acc.
- Cockpit & Deck
- Hardware, Fasteners
- Camouflage
- Misc.
- Comm.



Faria Coral Gauges




- █ Electronics
- █ Trolling Motors
- █ Instruments
- █ Electrical
- █ Lighting
- █ Anchor & Dock
- █ Safety
- █ Steering, Controls
- █ Pumps
- █ Fuel System
- █ Seating & Pedestals
- █ Trailering
- █ Tops & Covers
- █ Perform.
- █ Propellers
- █ Engine & Care
- █ Cleaning & Care
- █ Paint & Paint Acc.
- █ Fun & Flotation
- █ Topside Acc.
- █ Cockpit & Deck
- █ Hardware, Fasteners
- █ Camouflage
- █ Misc.
- █ Comm.

Order No.	Mfg. No. / Description	Size	List Price
3511220	(13009) Cylinder Head Temperature with Sender (60° - 220° F)	2-1/16"	\$64.89 G0-8434000
3511200	(13001) Fuel Level Gauge (E - 1/2 - F)	2-1/16"	\$37.79 G0-2352000
3511235	(13013) Hourmeter (10,000 hrs., 12 - 32 VDC)	2-1/16"	\$102.09 G0-0486000
3511205	(13002) Oil Pressure Gauge (80 PSI)	2-1/16"	\$40.89 G0-0472000
3511905	(33009) Speedometer (55 MPH) Pitot	3-3/8"	\$77.39 G0-5815000
3511895	(33004) Tachometer (Gas, Inboard and I/O, 6,000 RPM)	3-3/8"	\$121.99 G0-3718000
3511900	(33005) Tachometer (All Outboard, 7,000 RPM)	3-3/8"	\$106.79 G0-5517000
3511925	(33032) Tachometer with Hourmeter (Gas, Inboard, 6,000 RPM)	3-3/8"	\$171.59 G0-7941100
3511245	(13016) Trim Gauge (J/E and Suzuki Outboard)	2-1/16"	\$40.89 G0-0472000
3511250	(13017) Trim Gauge (Mer/Mar/Merc, Vol DP, Yam, 2001 & Newer)	2-1/16"	\$40.89 G0-0472000
3511225	(13010) Voltmeter (10 - 16 VDC)	2-1/16"	\$40.89 G0-0472000
3511210	(13003) Water Pressure Gauge Kit (30 PSI)	2-1/16"	\$91.49 G0-0316000
3511215	(13004) Water Temperature Gauge (100° - 250° F)	2-1/16"	\$42.29 G0-3382000

- Perimeter-lighted black dial with stylish white and blue graphics, black aluminum bezel with burnished leading edge, contoured white pointer and flat glass lens.
- CE Certified.
- Made in USA.

Faria Dress White Gauges



- Perimeter-lighted white dial with bold black graphics, white aluminum bezel, contoured black pointer and flat glass lens.
- CE Certified.
- Made in USA.

INBOARD BOXED SET INCLUDES:

- Inboard Speedometer (55 MPH) (Mech)
- Tachometer (6,000 RPM)
- Fuel Level Gauge
- Voltmeter (10 - 16 VDC)
- Water Temperature Gauge (100° - 250° F)
- Oil Pressure Gauge (80 PSI)

Order No.	Mfg. No. / Description	List Price
351009	(KT9797)	\$298.69 G0-2100200

OUTBOARD BOXED SET INCLUDES:

- Outboard Speedometer (55 MPH) (Mech)
- Tachometer (7,000 RPM)
- Fuel Level Gauge
- Voltmeter (10 - 16 VDC)

Order No.	Mfg. No. / Description	List Price
351005	(KT9794)	\$270.19 G0-3018100

Order No.	Mfg. No. / Description	Size	List Price
3511340	(13149) Ammeter (60-0-60)	2-1/16"	\$36.29 G0-1342000
3511305	(13113) Cylinder Head Temperature with Sender (60° - 220° F)	2-1/16"	\$65.49 G0-8834000
3511285	(13101) Fuel Level Gauge (E - 1/2 - F)	2-1/16"	\$38.59 G0-6852000
3511315	(13130) Hourmeter (10,000 hrs., 12 - 32 VDC)	2-1/16"	\$71.69 G0-3084000
3511290	(13102) Oil Pressure Gauge (80 PSI)	2-1/16"	\$40.49 G0-3172000
3511945	(33112) Speedometer (55 MPH) Pitot	3-3/8"	\$76.59 G0-2315000
3511950	(33113) Speedometer (80 MPH) Pitot	3-3/8"	\$76.59 G0-2315000
3511935	(33103) Tachometer (Gas, Inboard and I/O, 6,000 RPM)	3-3/8"	\$117.59 G0-9787000
3511940	(33104) Tachometer (All Outboard, 7,000 RPM)	3-3/8"	\$108.59 G0-6727000
3511975	(33150) Tachometer with SystemCheck Indicator (J/E, 7,000 RPM)	3-3/8"	\$235.69 G0-1975100
3511325	(13123) Trim Gauge (J/E and Suzuki Outboard)	2-1/16"	\$41.59 G0-7872000
3511320	(13122) Trim Gauge (Mer/Mar/Merc, Vol DP, Yam, 2001 & Newer)	2-1/16"	\$40.49 G0-3172000
3511310	(13120) Voltmeter (10 - 16 VDC)	2-1/16"	\$40.49 G0-3172000
3511295	(13108) Water Pressure Gauge Kit (30 PSI)	2-1/16"	\$95.69 G0-1146000
3511300	(13110) Water Temperature Gauge (100° - 250° F)	2-1/16"	\$40.49 G0-3172000

Faria Euro Gauges



- Perimeter-lighted black dial with bold white graphics, black aluminum bezel, contoured white pointer and flat glass lens.
- CE Certified. Made in USA.

Order No.	Mfg. No. / Description	Size	List Price	
3511035	(12822) Ammeter (60-0-60)	2-1/16"	\$36.39	G0-8342000
3511050	(12825) Clock (Quartz, Analog)	2-1/16"	\$150.89	G0-0110100
3511025	(12819) Cylinder Head Temperature with Sender (60° - 220° F)	2-1/16"	\$58.79	G0-9393000
3511000	(12801) Fuel Level Gauge (E - 1/2 - F)	2-1/16"	\$34.99	G0-4432000
3511045	(12835) Hourmeter (10,000 hrs., 12 - 32 VDC)	2-1/16"	\$68.29	G0-5754000
3511005	(12803) Oil Pressure Gauge (80 PSI)	2-1/16"	\$37.99	G0-5452000
3511815	(32808) Speedometer (35 MPH) Pitot	3-3/8"	\$54.09	G0-4263000
3511820	(32810) Speedometer (55 MPH) Pitot	3-3/8"	\$70.19	G0-3074000
3511825	(32812) Speedometer (80 MPH) Pitot	3-3/8"	\$73.69	G0-7394000
3511805	(32804) Tachometer (Gas, Inboard and I/O, 6,000 RPM)	3-3/8"	\$110.19	G0-3837000
3511810	(32805) Tachometer (All Outboard, 7,000 RPM)	3-3/8"	\$106.79	G0-5517000
3511845	(32850) Tachometer with SystemCheck Indicator (J/E, 7,000 RPM)	3-3/8"	\$197.29	G0-8123100
3511835	(32832) Tachometer with Hourmeter (Gas, Inboard, 6,000 RPM)	3-3/8"	\$193.89	G0-1992100
3511055	(12827) Trim Gauge (J/E and Suzuki Outboard)	2-1/16"	\$38.69	G0-2952000
3511060	(12828) Trim Gauge (Mer/Mar/Merc, Vol DP, Yam, 2001 & Newer)	2-1/16"	\$37.99	G0-5452000
3511030	(12821) Voltmeter (10 - 16 VDC)	2-1/16"	\$36.19	G0-5242000
3511010	(12810) Water Pressure Gauge Kit (30 PSI)	2-1/16"	\$82.69	G0-0455000
3511085	(12875) Water Pressure Gauge Kit (60 PSI)	2-1/16"	\$93.49	G0-4626000
3511015	(12812) Water Temperature Gauge (100° - 250° F)	2-1/16"	\$35.09	G0-1532000



INBOARD BOXED SET INCLUDES:

- Inboard Speedometer (55 MPH) Pitot
- Tachometer (6,000 RPM)
- Fuel Level Gauge
- Voltmeter (10 - 16 VDC)
- Water Temperature Gauge (100° - 250° F)
- Oil Pressure Gauge (80 PSI)

Order No.	Mfg. No. / Description	List Price	
351012	(KT9799)	\$298.29	G0-5899100

OUTBOARD BOXED SET INCLUDES:

- Outboard Speedometer (55 MPH) Pitot
- Tachometer (7,000 RPM)
- Fuel Level Gauge
- Voltmeter (10 - 16 VDC)

Order No.	Mfg. No. / Description	List Price	
351008	(KT9796)	\$270.39	G0-6118100

Faria Euro White Gauges



- Perimeter-lighted white dial with bold black graphics, black aluminum bezel, contoured black pointer and flat glass lens.
- CE Certified. Made in USA.

Order No.	Mfg. No. / Description	Size	List Price	
3511160	(12923) Clock (Quartz, Analog)	2-1/16"	\$94.69	G0-4436000
3511125	(12910) Cylinder Head Temperature with Sender (60° - 220° F)	2-1/16"	\$58.79	G0-9393000
3511105	(12901) Fuel Level Gauge (E - 1/2 - F)	2-1/16"	\$36.79	G0-5642000
3511140	(12913) Hourmeter (10,000 hrs., 12 - 32 VDC)	2-1/16"	\$84.59	G0-8665000
3511110	(12902) Oil Pressure Gauge (80 PSI)	2-1/16"	\$38.69	G0-2952000
3511870	(32909) Speedometer (55 MPH) Pitot	3-3/8"	\$73.69	G0-7394000
3511875	(32910) Speedometer (80 MPH) Pitot	3-3/8"	\$85.29	G0-4175000
3511855	(32904) Tachometer (Gas, Inboard and I/O, 6,000 RPM)	3-3/8"	\$116.19	G0-5877000
3511860	(32905) Tachometer (All Outboard, 7,000 RPM)	3-3/8"	\$106.79	G0-5517000
3511890	(32950) Tachometer with SystemCheck Indicator (J/E, 7,000 RPM)	3-3/8"	\$235.69	G0-1975100
3511885	(32932) Tachometer with Hourmeter (Gas, Inboard, 6,000 RPM)	3-3/8"	\$151.89	G0-7710100
3511145	(12915) Trim Gauge (J/E and Suzuki Outboard)	2-1/16"	\$38.69	G0-2952000
3511150	(12916) Trim Gauge (Mer/Mar/Merc, Vol DP, Yam, 2001 & Newer)	2-1/16"	\$38.69	G0-2952000
3511130	(12911) Voltmeter (10 - 16 VDC)	2-1/16"	\$38.69	G0-2952000
3511115	(12903) Water Pressure Gauge Kit (30 PSI)	2-1/16"	\$85.29	G0-4175000
3511120	(12904) Water Temperature Gauge (100° - 250° F)	2-1/16"	\$37.59	G0-9152000



INBOARD BOXED SET INCLUDES:

- Inboard Speedometer (55 MPH) (Mech)
- Tachometer (6,000 RPM)
- Fuel Level Gauge
- Voltmeter (10 - 16 VDC)
- Water Temperature Gauge (100° - 250° F)
- Oil Pressure Gauge (80 PSI)

Order No.	Mfg. No. / Description	List Price	
351010	(KT9798)	\$306.99	G0-8650200

OUTBOARD BOXED SET INCLUDES:

- Outboard Speedometer (55 MPH) (Mech)
- Tachometer (7,000 RPM)
- Fuel Level Gauge
- Voltmeter (10 - 16 VDC)

Order No.	Mfg. No. / Description	List Price	
351006	(KT9795)	\$270.39	G0-6118100

Faria Euro Beige Stainless Steel Gauge

- Perimeter-lighted beige dial with bold black graphics, polished stainless steel bezel, contoured black pointer and domed glass lens.
- CE Certified. Made in USA.

Order No.	Mfg. No. / Description	Size	List Price	
3511755	(15121) Voltmeter (10 - 16 VDC)	2-1/16"	\$44.89	G0-8003000



- Electronics
- Trolling Motors
- Instruments
- Electrical
- Lighting
- Anchor & Dock
- Safety
- Steering, Controls
- Pumps
- Fuel System
- Seating & Pedestals
- Trailering
- Tops & Covers
- Perform.
- Propellers
- Engine & Care
- Cleaning & Care
- Paint & Paint Acc.
- Fun & Flotation
- Topside Acc.
- Cockpit & Deck
- Hardware, Fasteners
- Camouflage
- Misc.
- Comm.



Faria Kronos Gauges



INBOARD BOXED SET INCLUDES:

- Inboard Speedometer (60 MPH) (Mech)
- Tachometer (6,000 RPM)
- Fuel Level Gauge
- Voltmeter (10 - 16 VDC)
- Water Temperature Gauge (100° - 250° F)
- Oil Pressure Gauge (80 PSI)

Order No.	Mfg. No. / Description	List Price	
351014	(KTF024)	\$331.99	GO-3422200



- Polished stainless steel bezel, flat lens, perimeter lighted spun aluminum dial with gold and black graphics. Gold increments and logo on dial are embossed. All instruments include two piece Newport Pointer with black hub.
- CE Certified. Made in USA.

Order No.	Mfg. No. / Description	Size	List Price	
351065	(19001) Fuel Level Gauge (E - 1/2 - F)	2-1/16"	\$49.79	GO-6333000
351090	(19020) Hourmeter (10,000 hrs., 12 - 32 VDC)	2-1/16"	\$100.99	GO-6676000
351070	(19002) Oil Pressure Gauge (80 PSI)	2-1/16"	\$54.99	GO-4863000
351060	(39009) Speedometer (60 MPH) Pitot	3-3/8"	\$95.19	GO-8736000
351050	(39005) Tachometer (All Outboard, 7,000 RPM)	3-3/8"	\$154.69	GO-4630100
351055	(39040) Tachometer with Hourmeter (Gas, Outboard, 7,000 RPM)	3-3/8"	\$215.69	GO-1544100
351085	(19005) Trim Gauge (Mer/Mar/Merc, Vol DP, Yam, 2001 & Newer)	2-1/16"	\$57.99	GO-5883000
351095	(19004) Voltmeter (10 - 16 VDC)	2-1/16"	\$49.99	GO-9433000
351075	(19007) Water Pressure Gauge Kit (30 PSI)	2-1/16"	\$94.99	GO-4636000
351080	(19003) Water Temperature Gauge (100° - 250° F)	2-1/16"	\$54.99	GO-4863000

Faria Professional Red Gauges



- Perimeter-lighted black dial with stylish red and white graphics, black aluminum bezel, teardrop white pointer and flat glass lens.
- CE Certified. Made in USA.

Order No.	Mfg. No. / Description	Size	List Price	
3511675	(14606) Cylinder Head Temperature with Sender (60° - 220° F)	2-1/16"	\$59.09	GO-9593000
3511655	(14601) Fuel Level Gauge (E - 1/2 - F)	2-1/16"	\$43.19	GO-4982000
3511700	(14613) Hourmeter (10,000 hrs., 12 - 32 VDC)	2-1/16"	\$84.59	GO-8665000
3511660	(14602) Oil Pressure Gauge (80 PSI)	2-1/16"	\$46.79	GO-5313000
3512150	(34611) Speedometer (60 MPH) Pitot	3-3/8"	\$88.39	GO-2295000
3512140	(34607) Tachometer (Gas, Inboard and I/O, 6,000 RPM)	3-3/8"	\$117.59	GO-9787000
3512155	(34617) Tachometer (All Outboard, 7,000 RPM)	3-3/8"	\$111.69	GO-3847000
3512175	(34650) Tachometer with SystemCheck Indicator (J/E, 7,000 RPM)	3-3/8"	\$228.49	GO-9035100
3511690	(14609) Trim Gauge (J/E and Suzuki Outboard)	2-1/16"	\$35.49	GO-8732000
3511680	(14607) Trim Gauge (Mer/Mar/Merc, Vol DP, Yam, 2001 & Newer)	2-1/16"	\$46.79	GO-5313000
3511670	(14605) Voltmeter (10 - 16 VDC)	2-1/16"	\$46.79	GO-5313000
3511695	(14612) Water Pressure Gauge Kit (30 PSI)	2-1/16"	\$82.29	GO-3155000
3511715	(14675) Water Pressure Gauge Kit (60 PSI)	2-1/16"	\$80.69	GO-6045000
3511665	(14604) Water Temperature Gauge (100° - 250° F)	2-1/16"	\$46.79	GO-5313000

Sierra Amega Gauges



- Black dial, red graduations, white numerals, vivid white pointer staff.
- Scratch resistant curved glass lenses with black, near-flush bezels.
- U.S. and metric scales, with ISO symbols, where appropriate.
- Perimeter and thru-dial lighting.
- A comprehensive array of outboard water pressure instrument kits.

Order No.	Mfg. No. / Description	Size	List Price	
8020314	(68361P) Battery Condition Indicator	12 volt	\$40.29	FO-0282000
8020249	(57929P) Oil Pressure Gauge	0 - 100 PSI	\$34.29	FO-0042000
8020251	(58342P) Speedometer (Pitot Type)	5 - 35 MPH	\$67.49	FO-4274000
8020241	(57898P) Speedometer (Pitot Type)	10 - 50 MPH	\$67.49	FO-4274000
8020289	(65205P) System Check, Evinrude/Johnson		\$121.99	FO-9358000
7001436	(69044P) Tachometer, Force	0-7000 RPM	\$109.99	Z0-2816000
8020254	(58935P) Tachometer (BRP Systems Check)	0-7000 RPM	\$221.59	FO-1155100
8020313	(68359P) Trim Gauge, Honda Outboards		\$86.29	FO-0406000
8020265	(61748P) Trim Gauge, Yamaha Outboards, pre 2001		\$32.19	FO-3522000
8020264	(61238P) Water Pressure Kit (Outboard)	0 - 30 PSI	\$67.49	FO-4274000
8020312	(68357P) Water Pressure Kit (Outboard)	0 - 40 PSI	\$67.99	FO-9574000

- Electronics
- Trolling Motors
- Instruments
- Electrical
- Lighting
- Anchor & Dock
- Safety
- Steering, Controls
- Pumps
- Fuel System
- Seating & Pedestals
- Trailer
- Tops & Covers
- Perform.
- Propellers
- Engine & Care
- Cleaning & Care
- Paint & Paint Acc.
- Fun & Flotation
- Topside Acc.
- Cockpit & Deck
- Hardware, Fasteners
- Camouflage
- Misc.
- Comm.



Sierra Premier Pro Black Gauges

- Full automotive type lighting, no "halo" around dial edges. When lit, white dial grads become red, pointer lights white.
- Black dial, white graduations/numerals (metrics in blue), white pointer staff.
- Scratch resistant curved glass lenses with black, near-flush bezels.
- U.S. and metric scales, with ISO symbols, where appropriate.
- Fog-resistant design. Complies with SAE J-1810.



Order No.	Mfg. No. / Description	Size	List Price	
8020274	(62720P) Oil Pressure Gauge	0 - 80 PSI	2" \$44.29	FO-0013000
8020277	(62723P) Speedometer (Pitot Type)	20 - 80 MPH	3" \$84.59	FO-1295000
8020278	(62724P) Tachometer, O/B and 4-Stroke Gas Engines	0-6,000 RPM	3" \$104.59	FO-1237000
8020280	(62726P) Trim Gauge, Suzuki 4-Stroke, 2002 to Date	2"	\$44.29	FO-0013000
8020281	(62727P) Trim Gauge, Yamaha, 2001 and On	2"	\$44.29	FO-0013000
8020282	(62728P) Trim Gauge, Yamaha Outboards, pre 2001	2"	\$44.29	FO-0013000
8020285	(62748P) Water Temperature Kit, For All Electric-Start Outboards	2"	\$68.49	FO-4974000
8020283	(62729P) Water Temperature Gauge (I/O, I/B)	120-240° F	2" \$44.29	FO-0013000

Sierra Eclipse Gauges

- Smart white and blue graphics on a black dial background, these very low profile bezels follow the curve of the lens to eliminate water trapping. Design with domed glass sheds water and resists scratching.
- Instruments available for most outboards, stern drives and gasoline-powered inboards.
- Scratch-resistant domed glass lenses.
- Enhanced illumination: Through-dial and perimeter lighting for excellent readability at night.
- U.S. and metric scales, with ISO symbols, where appropriate.



Order No.	Mfg. No. / Description	Size	List Price	
8020316	(68389P) Ammeter	60-0-60	2" \$34.29	FO-0042000
8020333	(68409P) Battery Condition Indicator	12 volt	2" \$50.39	FO-7253000
8020318	(68391P) Hourmeter	10,000 hrs.	2" \$55.99	FO-9193000
8020320	(68393P) Oil Pressure Gauge	0 - 100 PSI	2" \$34.39	FO-7042000
8020334	(68410P) Systems Check, Evinrude/Johnson	2"	\$121.99	FO-9358000
8020335	(68411P) Systems Check, Suzuki	2"	\$85.89	FO-2106000
8020329	(68404P) Trim Gauge, Honda Outboards	2"	\$84.99	FO-9495000
8020331	(68406P) Trim Gauge, Yamaha Outboards, pre 2001	2"	\$30.19	FO-3112000
8020327	(68402P) Water Temperature Kit (Outboard)	100-220° F	2" \$65.49	FO-4854000

Sierra Sahara Gauges

- Tan dial and retainer, black graduations and numerals, black pointer with fire-orange tip.
- Scratch resistant curved glass lenses with black matte, near-flush bezels.
- White perimeter and red thru-dial lighting.
- U.S. and metric scales with ISO symbols, where appropriate.



Order No.	Mfg. No. / Description	Size	List Price	
8020260	(59707P) Fuel Gauge	E - 1/2 - F	2" \$32.79	FO-5922000
8020258	(59705P) Oil Pressure Gauge	0 - 80 PSI	2" \$32.79	FO-5922000
8020267	(61826P) Speedometer (Pitot Type)	5 - 35 MPH	3" \$80.49	FO-4365000
8020263	(61163P) Speedometer (Pitot Type)	10 - 50 MPH	3" \$80.49	FO-4365000
8020257	(59704P) Speedometer (Pitot Type)	10 - 65 MPH	3" \$80.49	FO-4365000
8020286	(63076P) Speedometer (Pitot Type)	20 - 80 MPH	3" \$84.49	FO-4195000
8020300	(66956P) Systems Check, E/J	2"	\$115.29	FO-0708000
8020269	(61901P) Tachometer (E/J Systems Check)	0-7,000 RPM	3" \$261.79	FO-5238100
8020256	(59703P) Tachometer, O/B & 4-Stroke Gas Engines	0-7,000 RPM	3" \$106.49	ZO-9995000
8020271	(62369P) Trim Gauge, Honda Outboards	2"	\$85.59	FO-1995000
8020270	(61908P) Trim Gauge, Suzuki 4-Stroke, 2002 to Date	2"	\$32.79	FO-5922000
8020262	(59709P) Trim Gauge, Yamaha, 2001 and On	2"	\$32.79	FO-5922000
8020261	(59708P) Voltmeter (12 volt)	8 - 18 VDC	2" \$32.79	FO-5922000
7001438	(69870P) Water Pressure Kit (Outboard)	0 - 30 PSI	2" \$93.99	ZO-9725000
8020259	(59706P) Water Temperature Gauge (I/O, I/B)	120-240° F	2" \$32.79	FO-5922000



Sierra Black Sterling Gauges



- White graphics and black background on spun aluminum dial.
- Black pointer with fire orange tip.
- Elite stainless steel bezel.
- Perimeter lit dial.
- Scratch-resistant domed glass lenses.
- U.S. and metric scales, with ISO symbols, where appropriate.
- Fits most sterndrive and outboard applications.

Order No.	Mfg. No. / Description	Size	List Price
8020303	(67021P) Fuel Gauge	E - 1/2 - F 2"	\$33.19
8020304	(67022P) Oil Pressure Gauge	0 - 80 PSI 2"	\$33.19
8020306	(67283P) Speedometer (Pitot Type)	5 - 35 MPH 3"	\$66.49
8020336	(68960P) Speedometer (Pitot Type)	15 - 50 MPH 3"	\$72.49
8020307	(67285P) Speedometer (Pitot Type)	20 - 70 MPH 3"	\$81.59
8020308	(67363P) Tachometer, O/B and 4-Stroke Gas Engines	0-7,000 RPM 3"	\$85.69
8020309	(67365P) Trim Gauge, E/J & Suz 4-Stroke (2002 to Date)	2"	\$32.79
8020305	(67023P) Trim Gauge, Mar/Mer and Yam (2001 to Date)	2"	\$33.19
8020301	(67019P) Voltmeter	8 - 18 VDC 2"	\$33.19
8020310	(67382P) Water Pressure Kit (Outboard)	0 - 40 PSI 2"	\$75.09
8020302	(67020P) Water Temperature Gauge (Electric)	100-240° F 2"	\$33.19

- Electronics
- Trolling Motors
- Instruments
- Electrical
- Lighting
- Anchor & Dock
- Safety
- Steering, Controls
- Pumps
- Fuel System
- Seating & Pedestals
- Trailering
- Tops & Covers
- Perform.
- Propellers
- Engine & Care
- Cleaning & Care
- Paint & Paint Acc.
- Fun & Flotation
- Topside Acc.
- Cockpit & Deck
- Hardware, Fasteners
- Camouflage
- Misc.
- Comm.

Sierra Lido Gauges



- White dial, black numerals, black pointer with fire-orange tip.
- Scratch resistant curved glass lenses with polished stainless steel, near-flush bezels.
- White perimeter and red thru-dial lighting.
- U.S. and metric scales, with ISO symbols, where appropriate.
- Comprehensive line includes tachometers for diesel alternator and magnetic pickup PLUS synchronizer gauge (Suitable for gas or diesel engines with appropriate module. Module required, not included with gauge).

Order No.	Mfg. No. / Description	Size	List Price
818825	(65496P) Fuel Gauge	E - 1/2 - F 2"	\$33.29
818837	(65497P) Hourmeter	10,000 hrs. 2"	\$56.29
8020292	(65501P) Oil Pressure Gauge	0 - 80 PSI 2"	\$33.29
8020298	(65510P) Speedometer (Pitot Type)	10 - 65 MPH 3"	\$80.49
818801	(61752P) Speedometer (Pitot type)	10 - 50 MPH 3"	\$80.49
816642	(64477FP) Tachometer - Systems Check (E/J)	0-7,000 RPM 3"	\$241.69
818813	(65693P) Tachometer, O/B and 4-Stroke Gas Engines	0-7,000 RPM 3"	\$86.59
818814	(65129P) Tach/Hour, O/B and 4 Stroke Gas Engines	0-7,000 RPM 3"	\$138.79
818875	(65503P) Trim Gauge, Honda Outboards	2"	\$85.79
818887	(65504P) Trim Gauge, Mar/Merc/Cobra/Vol DP, SX, Yam (2001 & On)	2"	\$33.29
818863	(65502P) Trim Gauge, E/J and Suzuki 4-Stroke (2002 to Date)	2"	\$33.29
818849	(65506P) Voltmeter (12 volt)	8 - 18 VDC 2"	\$33.29
818851	(65507P) Water Pressure Kit (Outboard), w/20' Tubing	0 - 30 PSI 2"	\$74.49
8020296	(65508P) Water Temperature Kit, For All Electric-Start Outboards	2"	\$66.39
8020297	(65509P) Water Temperature Gauge (I/O, I/B)	120-240° F 2"	\$33.29

Sierra Lido Gauge Kit



- Lido gauge kit includes: Instrument display box, 818813 (65693P) Tachometer, 818801 (61752P) Speedometer, 818849 (65506P) Voltmeter and 818825 (65496P) Fuel Gauge.

Order No.	Description	List Price
818768	Lido Gauge Kit	\$233.49

Leading manufacturer of high-quality analog and NMEA2000 certified gauges, displays, sensors and modules

Veratron Flex Gauge

- 2 1/8" gauge with 1.4" TFT, Single and Dual layout pages
- 1 Gauge SKU fits a variety of gauge functions
- Easy programming via "Veratron Configurator" mobile app



Veratron LinkUp

- Single Function NMEA2000 Gateway
- Converts sensor and engine signals to NMEA2000
- Easy programming via "Veratron Configurator" mobile app
- 2020 IBEX Innovation Award Winner



Veratron GO

- NMEA2000 Certified GPS receiver
- Compact GPS, measuring 60 mm in diameter
- Available with Bluetooth LE 5.1 interface for wireless connection to NMEA bus





VDO ViewLine Gauges



- Fully sealed dual lens, lifetime LED lighting and warning indicators assure that Viewline can easily withstand even open cab environments.
- VDO patented stepper motors and resistive movements ensure accuracy, while testing to 25 G continuous vibration and 100 G shock assure long life reliability.
- IP67 water resistance means, that no matter how wet it gets, our gauges keep on working.
- Anti-corrosion materials mean no oxidation or rust will develop.

- Choose between two dial face colors of Ivory or Onyx.
- Next choose a rounded bezel profile - available in white, black or chrome finish.
- Speedometer - the pitot tubes are sold separately.
- Programmable tachometers accept signal inputs from 2,4,6,8,10,12 & 16 cylinder standard coil ignition. ViewLine programming software (available separately) allows use with alternator and 12V square signals, as well as activate the user defined rev. limit warning .



VIEWLINE IVORY SERIES - WHITE FACE

Order No.	Mfg. No.	Gauge Type	Description	Volts	Size	List Price
155170	(A2C53210958S)	Ammeter	60-0-60	12/24	2-1/16"	\$101.92 ZO-3056000
155080	(A2C53412993S)	Fuel Gauge	240-33 Ohm	12/24	2-1/16"	\$44.19 FO-3903000
155130	(A2C59510877S)	Hourmeter	100K Hours	12/24	2-1/16"	\$48.29 FO-0833000
155035	(A2C53413288S)	Oil Pressure Gauge	80 PSI	12/24	2-1/16"	\$49.39 ZO-1513000
155050	(A2C53413310S)	Oil Pressure Gauge	100 PSI	12/24	2-1/16"	\$49.39 ZO-1513000
155060	(A2C53413311S)	Oil Pressure Gauge	150 PSI	12/24	2-1/16"	\$49.39 ZO-1513000
155110	(A2C53194715S)	Rudder Angle Indicator	+45°	12/24	3-3/8"	\$98.80 ZO-3036000
155090	(A2C53191768S)	Voltmeter	8 - 16 VDC	12	2-1/16"	\$51.98 ZO-7133000
155100	(A2C53191769S)	Voltmeter	18 - 32 VDC	24	2-1/16"	\$52.48 ZO-7433000
155120	(A2C53418382S)	Water Level Gauge	Freshwater	12/24	2-1/16"	\$48.93 ZO-2213000



VIEWLINE ONYX SERIES - BLACK FACE

Order No.	Mfg. No.	Gauge Type	Description	Volts	Size	List Price
155165	(A2C53210959S)	Ammeter	60-0-60	12/24	2-1/16"	\$100.97 ZO-3446000
155075	(A2C53412988S)	Fuel Gauge	240-33 Ohm	12/24	2-1/16"	\$47.60 ZO-6303000
155125	(A2C59510876S)	Hourmeter	100K Hours	12/24	2-1/16"	\$44.63 ZO-7482000
155030	(A2C53413006S)	Oil Pressure Gauge	80 PSI	12/24	2-1/16"	\$49.39 ZO-1513000
155045	(A2C53413154S)	Oil Pressure Gauge	100 PSI	12/24	2-1/16"	\$48.93 ZO-2213000
155055	(A2C53413156S)	Oil Pressure Gauge	150 PSI	12/24	2-1/16"	\$49.39 ZO-1513000
155105	(A2C53194714S)	Rudder Angle Indicator	+45°	12/24	3-3/8"	\$95.18 ZO-4706000
155020	(A2C59513645S)	Speedometer (Pitot Type)	80 MPH	12	3-3/8"	\$72.59 ZO-1364000
155000	(A2C53218716S)	Programmable Tachometer	3,000 RPM	12/24	3-3/8"	\$143.77 ZO-4719000
155005	(A2C53218722S)	Programmable Tachometer	4,000 RPM	12/24	3-3/8"	\$141.16 ZO-6009000
155010	(A2C53218726S)	Programmable Tachometer	6,000 RPM	12/24	3-3/8"	\$142.48 ZO-0909000
155015	(A2C53194863S)	Programmable Tachometer with (2) Hourmeters, Clock and Voltmeter	4,000 RPM	12/24	3-3/8"	\$178.29 ZO-0003100
155085	(A2C53191766S)	Voltmeter	8 - 16 VDC	12	2-1/16"	\$51.03 ZO-6523000
155095	(A2C53191767S)	Voltmeter	18 - 32 VDC	24	2-1/16"	\$50.57 ZO-6223000
155115	(A2C53418137S)	Water Level Gauge	Freshwater	12/24	2-1/16"	\$48.06 ZO-5603000
155065	(A2C53413351S)	Water Temperature Gauge	240° F	12/24	2-1/16"	\$49.39 ZO-1513000

- Electronics
- Trolling Motors
- Instruments
- Electrical
- Lighting
- Anchor & Dock
- Safety
- Steering, Controls
- Pumps
- Fuel System
- Seating & Pedestals
- Trailering
- Tops & Covers
- Perform.
- Propellers
- Engine & Care
- Cleaning & Care
- Paint & Paint Acc.
- Fun & Flotation
- Topside Acc.
- Cockpit & Deck
- Hardware, Fasteners
- Camouflage
- Misc.
- Comm.

VDO ViewLine Rounded Bezels




• Available in white, black or chrome finish.

2-1/16" ROUND BEZELS

Order No.	Mfg. No.	Color	List Price
155135	(A2C53186027S)	Black	\$1.98 Z0-6210000
155140	(A2C53186028S)	White	\$2.00 Z0-8210000
155145	(A2C53186029S)	Chrome	\$5.03 Z0-1230000

3-3/8" ROUND BEZELS

Order No.	Mfg. No.	Color	List Price
155150	(A2C53192913S)	Black	\$2.44 Z0-6510000
155155	(A2C53192916S)	White	\$2.44 Z0-6510000
155160	(A2C53192914S)	Chrome	\$7.18 Z0-8540000



VDO Instrument Panel Hole Cover



• Diameter 2-1/16".

Order No.	Mfg. No. / Description	List Price
155180	(240-864)	\$5.71 Z0-5630000

VDO Drive Key



155220

Order No.	Mfg. No. / Description	List Price
155215	(340-060) .152", Tang	\$17.28 Z0-1011000
155220	(340-061) .187", Tang	\$17.12 Z0-2901000

VDO Dropping Resistor



• Without connector.
• 24 volt.

Order No.	Mfg. No. / Description	List Price
155175	(A2C59510221S)	\$8.46 Z0-0450000

VDO Position Indicator Senders



3512325

Order No.	Mfg. No. / Description	List Price
155190	(A2C110295000) 10-180 Ohm, Single Station	\$110.71 Z0-5357000
155195	(A2C110296000) 0-90 Ohm, Dual Station	\$110.71 Z0-5357000

- Electronics
- Trolling Motors
- Instruments
- Electrical
- Lighting
- Anchor & Dock
- Safety
- Steering, Controls
- Pumps
- Fuel System
- Seating & Pedestals
- Trailer
- Tops & Covers
- Perform.
- Propellers
- Engine & Care
- Cleaning & Care
- Paint & Paint Acc.
- Fun & Flotation
- Topside Acc.
- Cockpit & Deck
- Hardware, Fasteners
- Camouflage
- Misc.
- Comm.

Sierra Small Engine Tachometer/Hourmeter



- Small Engine Tach/Hourmeter.
- Fits 2 or 4 stroke, 2 cylinders or less.
- No power or ground required.
- With 5' sensor wire.

Order No.	Mfg. No. / Description	List Price
816334	(56969P)	\$40.29 FO-0282000

Sierra Small Engine Hourmeter



- Small Engine Hourmeter.
- Replaces: Yamaha ENG-METER-2C-01.
- Fits 2 or 4 stroke gasoline.
- No power or ground required.
- With 5' sensor wire.

Order No.	Mfg. No. / Description	List Price
816330	(56968P)	\$38.09 FO-6662000

Marpac Universal Pitot Tube



- Calibrated for standard marine speedometers like Sierra, Faria, Marpac and others.
- Consistent pressure for accurate readings.
- Stable, yet flexible design prevents impact damage.
- Resists barnacle growth.
- Works from 5 - 80 mph.

Order No.	Description	List Price
7-0893	Universal Pitot Tube	\$8.19 GO-9450000

Sierra Pitots



- Universal speedometer pick-ups.
- For speeds 30 - 80 MPH.
- Unique slotted design replaces most brands without drilling.
- Automatic kick-up feature.

Order No.	Mfg. No. / Description	List Price
815362	(56973P) Sold each	\$7.29 FO-0150000
8020255	(59677P) Package of 12	\$66.49 FO-4564000

Faria Pitot Tube Assembly Kits



- Complete transom mount speedometer pick-up with escutcheon plate and mounting hardware for use with all marine speedometers.

Order No.	Mfg. No. / Description	List Price
3512325	(91106) With 20' Tubing	\$35.89 GO-5042000
3512330	(91109)	\$17.39 GO-5611000

MPI Products Speedometer Pitot Tubing



- Black PVC tubing for connection between speedometer pickup and gauge.
- Temperature range is -40° F to 150° F.
- Size ID: 4 mm.
- Size OD: 6.2 mm.

Order No.	Mfg. No. / Description	List Price
7680033	(151-0405) Length 25'	\$10.29 HO-7160000
772207	(151-0407) Length 100'	\$36.29 HO-7712000

Gauge Hole Plugs



- Snap-in design installs easily.
- Black plastic with attractive textured finish.

Order No.	Mfg. No. / Description	List Price
2000069	(9656-B) Fits Standard 2-1/16" Gauge Hole	\$3.19 HO-1910000
2000070	(9703-B) Fits Standard 3-3/8" Gauge Hole	\$9.89 HO-3950000

Sierra Gauge Light Kit



- Fits all Sierra gauges, except Heavy Duty and 2" Mechanical Units.
- Includes: 12 volt clear 2-CP bulb with wedge base socket.
- OEM #6299573.

Order No.	Mfg. No. / Description	List Price
815209	(IA62995) Gauge Light Kit	\$6.89 F0-2840000

Wedge Base Bulb



- Pack of 10.

Order No.	Mfg. No. / Description	List Price
219483	(181135)	\$1.19 H0-1700000

EMP Temperature Switch



- 3/8"-18. Replaces: MC 806490T, 4-5897, 18-5897.

Order No.	Mfg. No. / Description	List Price
4-5897	(75-01942)	\$21.59 G0-7441000

Cole Hersee Temperature Switch



- Self-grounding, normally Off.
- On at 184° to 216° F.
- Switches close a ground circuit to indicator lights or other warning devices that warn of a 'hot' or 'cold' condition.
- 1/2"-14 dry seal thread mounting stem. Mounting hex flat 15/16".

Order No.	Mfg. No. / Description	List Price
300828	(84218-BX)	\$19.59 G0-3131000


Sierra Z Bracket



- Outboard temperature sender.

Order No.	Mfg. No. / Description	List Price
8020461	(IA55009)	\$11.49 Z0-4160000

Marpac Wedge Base Bulb



- Sold 2 per card, box of 5 cards only.

Order No.	Mfg. No. / Description	List Price
7-3951	Spare Wedge Base Bulb	\$2.79 H0-7610000

Sierra Temperature Senders



- Terminal type: 10-32 stud.
- Temperature: 240°

SINGLE STATION

Order No.	Mfg. No. / Description	List Price
185896	(18-5896) 1/8" - 27 NPT	\$24.99 Z0-5941000
367525	(TS26611) 1/4" - 18 NPT	\$16.25 Z0-0701000
367549	(TS26621) 3/8" - 18 NPT	\$21.24 Z0-3811000
367587	(TS26631) 1/2" - 14 NPT	\$20.99 Z0-8611000

DUAL STATION

Order No.	Mfg. No. / Description	List Price
367626	(TS26651) 1/4" - 18 NPT	\$22.99 Z0-1821000
185897	(18-5897) 3/8" - 18 NPT	\$26.99 Z0-3061000
185898	(18-5898) 1/2" - 14 NPT	\$21.49 Z0-9821000

Faria Temperature Sender



- Single station, 10-32 stud. 1/8" NPT thread.
- American resistance. Ground: Standard.

Order No.	Mfg. No. / Description	List Price
3512265	(90401)	\$15.89 G0-5601000

Electronics

Trolling Motors

Instruments

Electrical

Lighting

Anchor & Dock

Safety

Steering, Controls

Pumps

Fuel System

Seating & Pedestals

Trailering

Tops & Covers

Perform.

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc.

Fun & Flotation

Topside Acc.

Cockpit & Deck

Hardware, Fasteners

Camouflage

Misc.

Comm.

Faria Oil Pressure Senders



- 1/8" NPTF thread.
- American resistance.
- Single station.
- Ground: Standard.

Order No.	Mfg. No. / Description	List Price
3512290	(90512) 80 PSI	\$48.79 GO-9623000
3512295	(90519) 100 PSI	\$56.69 GO-8973000

Barksdale Econ-O-Trol Pressure Switch



- Superior resolution.
- Long life.
- Easy setpoint adjustment.
- Ideal for pressure or vacuum applications.
- NEMA 1, 3 and 4.
- 10 amps @ 125/250 VAC; 3 amps @ 480 VAC (standard).
- Maximum PSI 90.

Order No.	Mfg. No. / Description	List Price
645759	(E1H-H90)	\$148.98 B0-8043100

Barksdale Remote Mount Temperature Switch



- Reliable and accurate.
- Ambient temperature compensated.
- NEMA 4, 13.
- UL, CSA and CE approved.
- Hermetically sealed; 5 amps @ 125/250 VAC.

Order No.	Mfg. No. / Description	List Price
645777	(MT1HH35112A)	\$513.98 CO-8863400

Sierra Oil Pressure Senders



- For 80 PSI gauge.
- 1/8"-27 NPT thread.
- Terminal type: 10-32 stud.

SINGLE STATION

Order No.	Mfg. No. / Description	List Price
185899	(18-5899) Replaces: 700425, OE No. 90806	\$37.49 ZO-9322000

DUAL STATION

Order No.	Mfg. No. / Description	List Price
815160	(OP24891)	\$33.09 FO-6132000

Sierra Adapter for Water Pressure/Temperature Sender



- For Yamaha. I.D. 1/8" NPT.

Order No.	Mfg. No. / Description	List Price
815108	(61886P)	\$45.29 FO-0713000

Sierra Outboard Tachometer Harness



- Mercury/Mariner, 5-wire plug.
- Permits fast installation of tachometers.
- Eliminates field wiring problems.
- BIA color-coded harness.

Order No.	Mfg. No. / Description	List Price
815499	(IH15105)	\$91.69 FO-8146000

World-Class Instrumentation for Modern Electronic Engines

The PowerView

- For modern electronic engines and equipment applications using the SAW J1939 Controller Area Network.
- Displays over 30 standard SAW J1939 parameters broadcast by engine and transmission Electronic Control Units (ECU's).
- Graphical display features wide operating temperature range for viewing (-40 to 167° F/75° C).
- Displays active and ECU-Stored faults with text description for diagnosing equipment malfunctions.
- Simple connection to optional components.

The PowerView Gauges

- Display SAE J1939 parameters broadcast by the PowerView System.
- Feature cutting-edge, stepper motor technology and robust functionality.
- Microprocessor-driven for high accuracy.
- Simple installation and wiring design.



High-Resolution Display

A large display provides immediate viewing of critical engine data.

Enhanced Gauge Readout

A quick glance and you have all the details.

Call for Prices and Availability



Frank W. Murphy EG21 Series Electric Gauges



- Case: Polyester (PBT), impact and weather resistant with screw-on mounting clamp.
- Lens: Clear polycarbonate and UV stabilized.
- Bezel: Polished 316 stainless steel.
- Dial: Black with white markings; back-lite; dual scale with mirror band to reduce parallax reading errors.
- Air core movement: Silicon dampened pointer.
- Fits standard 2-1/16" opening.

Order No.	Mfg. No. / Description	List Price
772330	(05702381) Oil Pressure, 0-80 psi 12 volt	\$63.99 HO-9383000
772332	(05702397) Oil Pressure, 0-100 psi 12 volt	\$39.69 HO-1832000
772334	(05702429) Oil Pressure, 0-300 psi 12 volt	\$63.99 HO-9383000
772336	(05702445) Oil Pressure, 0-400 psi 12 volt	\$39.69 HO-1832000
772338	(10701286) Temperature, 100-250° F 12 volt	\$39.69 HO-1832000
772344	(65700106) Ammeter, 0-60 12 volt	\$41.99 HO-9152000
772346	(65700112) Ammeter, 0-100 12 volt	\$67.59 HO-5504000
777415	(65700259) Ammeter, 0-60 12 volt	\$51.59 HO-5903000
772348	(65700118) Voltmeter 12 volt	\$40.99 HO-9542000
772350	(65700124) Voltmeter 24 volt	\$41.79 HO-7052000
772351	(05006166) Wire/Connector Assembly 24 volt	\$51.09 HO-5603000

INDICATING ONLY

Order No.	Mfg. No. / Description	List Price
772342	(10701290) Temperature, 100-250° F	\$46.89 HO-3182000
772343	(05702421) Oil Pressure, 0-200 psi	\$66.98 HO-9104000

Frank W. Murphy EG Series Temperature Senders



- 250/300° F.

1-WIRE-TO-GROUND SENDER

Order No.	Mfg. No. / Description	List Price
772497	(10702009) EST-250/300-1/2 1/2-14 NPT	\$24.19 HO-1541000
772500	(10702010) EST-250/300-1/8 1/8-27 NPT	\$24.19 HO-1541000

2-WIRE UNGROUNDED SENDER

Order No.	Mfg. No. / Description	List Price
772512	(10702013) ES2T-250/300-1/2 1/2-14 NPT	\$32.29 HO-7391000

Frank W. Murphy EGS21 Series Electric Gauges



- The EGS21 Series Switchgauge instrument has all of the features of the EG21 Series Gauge plus an adjustable set point Power Hall Effect switch output for operating alarms or equipment shutdown.
- The trip point is adjustable over 90% of the scale and has a set point indicator visible from the gauge face.
- Pressure, fuel, volts set on decreasing scale.
- Temperature and amps set on increasing scale.
- Fits standard 2-1/16" opening.

Order No.	Mfg. No. / Description	List Price
772352	(05702389) Oil Pressure, 0-80 psi 12 volt	\$84.09 HO-5405000
772354	(05702405) Oil Pressure, 0-100 psi 12 volt	\$79.39 HO-3674000
772356	(05702437) Oil Pressure, 0-300 psi 12 volt	\$115.49 HO-9296000
772358	(05702451) Oil Pressure, 0-400 psi 12 volt	\$79.39 HO-3674000
772360	(10701292) Temperature, 100-250° F 12 volt	\$79.39 HO-3674000
772370	(65700121) Voltmeter 12 volt	\$79.39 HO-3674000

Frank W. Murphy EG Series Pressure Senders



- The ESPM Series recommends mounting off-equipment.

1-WIRE-TO-GROUND SENDER

Order No.	Mfg. No. / Description	List Price
772396	(05701860) ESP-80 0-80 psi	\$41.49 HO-9842000
772411	(05701857) ESP-100 0-100 psi	\$41.49 HO-9842000
772428	(05701751) ESPM-300 0-300 psi	\$152.29 HO-7319000
772435	(05702566) ESPMK-400 0-400 psi	\$228.89 HO-3373100

2-WIRE UNGROUNDED SENDER

Order No.	Mfg. No. / Description	List Price
772409	(05701867) ES2P-80 0-80 psi	\$48.29 HO-7982000
772423	(05701858) ES2P-100 0-100 psi	\$45.19 HO-1172000
772432	(05701750) ES2PM-300 0-300 psi	\$176.89 HO-3160100
772447	(05702565) ES2PMK-400 0-400 psi	\$272.29 HO-7336100

Frank W. Murphy 2" Temperature Swichgages®



- Diaphragm-actuated, temperature-indicating gages, with built-in electrical switches for tripping alarms and/or shutdown devices.
- These vapor actuated gages feature a sealed capillary tube and a sensing bulb. When subjected to heat, the liquid in the sensing bulb changes to vapor creating pressure against the diaphragm mechanism. The diaphragm translates this vapor pressure into a mechanical gage reading.
- The gage pointer acts as a temperature indicator and as one switch pole which completes a circuit when it touches the adjustable limit contact. Contact(s) are grounded through the Swichgage case.
- Dial: Black with white markings.
- Case: Plated steel with polycarbonate, high-impact lens.
- Bezel: Polished stainless steel.
- 1/2" N.P.T.

TEMPERATURE: 130-250° F - FITS STANDARD 2-1/16" OPENING

Order No.	Mfg. No. / Description	List Price
772302	(10702524) 20BTG-250-6 Indicating Only 6'	\$86.79 HO-7025000
772303	(10702525) 20BTG-250-8 Indicating Only 8'	\$89.09 HO-5435000
772304	(10702527) 20BTG-250-12 Indicating Only 12'	\$92.59 HO-5555000
772306	(10702571) 20BTG-250-20 Indicating Only 20'	\$107.79 HO-7646000
772308	(10702581) 20BTG-250-30 Indicating Only 30'	\$119.29 HO-7517000
772310	(10702569) 20BTG-250-50 Indicating Only 50'	\$153.09 HO-5819000
772325	(10702042) 20T-250-4 Swichgage 4'	\$91.79 HO-7055000
772316	(10702043) 20T-250-6 Swichgage 6'	\$93.99 HO-9365000
772318	(10702046) 20T-250-12 Swichgage 12'	\$102.49 HO-9416000
772320	(10702050) 20T-250-20 Swichgage 20'	\$110.49 HO-9266000
772322	(10702055) 20T-250-30 Swichgage 30'	\$123.39 HO-3047000
772323	(10702056) 20T-250-35 Swichgage 35'	\$143.99 HO-9368000
772324	(10702058) 20T-250-50 Swichgage 50'	\$157.49 HO-9449000

TEMPERATURE: 130-220° F - FITS STANDARD 2-1/16" OPENING

Order No.	Mfg. No. / Description	List Price
772311	(10702501) 20BTG-220-4 Indicating Only 4'	\$85.39 HO-3215000
772312	(10702502) 20BTG-220-6 Indicating Only 6'	\$86.79 HO-7025000
772340	(10702504) 20BTG-220-10 Indicating Only 10'	\$94.09 HO-5465000
772720	(10702383) 20TG-OS-220 w/o Contacts 4'	\$94.09 HO-5465000
772726	(10702384) 20TG-OS-220 w/o Contacts 6'	\$188.19 HO-1921100
772724	(10702387) 20TG-OS-220 w/o Contacts 12'	\$165.79 HO-7499000

Frank W. Murphy 2" Pressure Swichgages®

- Diaphragm-actuated, pressure-indicating gages, with built-in electrical switches for tripping alarms and/or shutdown devices.
- The gage pointer acts as a pressure indicator and as one switch pole which completes a circuit when it touches the adjustable limit contact. Contacts are grounded through the Swichgage case and have self-cleaning motion to ensure electrical continuity.
- Dial: Black with white markings.
- Case: Plated steel with polycarbonate, high-impact lens.
- Bezel: Polished stainless steel.
- Fits standard 2-1/16" opening.

Order No.	Mfg. No. / Description	List Price
772677	(05703160) 20BPG-75 Indicating Only 0-75 psi	\$57.59 HO-5543000
772684	(05703161) 20BPG-100 Indicating Only 0-100 psi	\$57.59 HO-5543000
772687	(05703164) 20BPG-300 Indicating Only 0-300 psi	\$64.09 HO-5483000
772679	(05702501) 20BPG-400 Indicating Only 0-400 psi	\$142.29 HO-7358000
772650	(05703110) 20P-75 Swichgage 0-75 psi	\$68.19 HO-1904000
772651	(05703115) 20P-100 Swichgage 0-100 psi	\$66.19 HO-1793000
772663	(05703122) 20P-200 Swichgage 0-200 psi	\$74.99 HO-9944000
772675	(05703124) 20P-300 Swichgage 0-300 psi	\$74.99 HO-9944000
772722	(05702508) 20PG-OS-400 w/o Contacts 0-400 psi	\$158.89 HO-3359000

Frank W. Murphy Temperature Swichgages®



- Diaphragm-actuated, temperature-indicating gages, with built-in electrical switches for tripping alarms and/or shutdown devices.
- These vapor actuated gages feature a sealed capillary tube and a sensing bulb. When subjected to heat, the liquid in the sensing bulb changes to vapor creating pressure against the diaphragm mechanism. The diaphragm translates this vapor pressure into a mechanical gage reading.
- The gage pointer acts as a temperature indicator and as one switch pole which completes a circuit when it touches the adjustable limit contact. Contact(s) are isolated from ground.
- Dial: Black with white markings.
- Case: Glass filled/Polycarbonate, corrosion-resistant with polycarbonate, high-impact lens.
- Bezel: Polished stainless steel.
- Temperature: 130-250° F.
- 1/2" N.P.T.

A20T - FITS STANDARD 2-1/16" OPENING

Order No.	Mfg. No. / Description	List Price
772313	(10703160) A20T-250-6 6'	\$167.19 HO-1300100
772314	(10703163) A20T-250-12 12'	\$174.89 HO-3940100
772315	(10703167) A20T-250-20 20'	\$186.09 HO-5611100
772321	(10703221) A20T-OS-250-25 25', Oil Sealed	\$249.09 HO-5494100

Frank W. Murphy 2" Temperature Swichgage® with Snap-Switch

- Same as 20/25T with internal SPDT snap-switch for pre-alarm.
- Temperature: 130-250° F.



Order No.	Mfg. No. / Description	List Price
772714	(10702113) 20TABS-250-6 6'	\$105.98 HO-9536000



20P7 - LOCKOUT SWICHGAGES

- Same as 20P and 25P Series.
- They also include a front, semi-automatic lockout for startup override.
- This built-in device holds the pointer away from the contact on startup.
- When pressure exceeds the set point, the lockout is automatically disengaged.

Order No.	Mfg. No. / Description	List Price
772652	(05090101) 20P7-75 0-75 psi	\$135.19 HO-1118000

Frank W. Murphy 2" Pressure Swichgages®



- Diaphragm-actuated, pressure-indicating gages, with built-in electrical switches for tripping alarms and/or shutdown devices.
- The gage pointer acts as a pressure indicator and as one switch pole which completes a circuit when it touches the adjustable limit contact. Contacts have self-cleaning motion to ensure electrical continuity.
- Dial: Black with white markings.
- Case: Glass filled/Polycarbonate, corrosion-resistant with polycarbonate, high-impact lens.
- Bezel: Polished stainless steel.
- Fits standard 2-1/16" opening.

Order No.	Mfg. No. / Description		List Price	
772337	(05704254) A20P-75	0-75 psi	\$136.79	H0-7028000
772335	(05704255) A20P-100	0-100 psi	\$117.69	H0-1607000
772331	(05702525) A20P-400	0-400 psi	\$209.99	H0-9952100

Frank W. Murphy Model PSB Direct Mount Pressure Switches



- For critical pressure points.
- It has one limit contact that can be used to activate an alarm, actuate indicator lights or shut down equipment.
- The single-pole, double-throw (SPDT) snap switch is operated directly from the diaphragm, for quick acting and positive switching.
- Housing is weather sealed to prevent entry of moisture, dust, etc.
- Pressure connection: 1/8-27 NPT, brass.

Order No.	Mfg. No. / Description		List Price	
772388	(05704427) 0-75 psi	Set To Trip: 15 psi	\$117.39	H0-3407000
772345	(05704428) 0-100 psi	Set To Trip: 20 psi	\$117.39	H0-3407000

Frank W. Murphy Electronic Speed Switch



- A single set point speed switch with SPDT relay dry contact output.
- The trip point is set by a potentiometer.
- An LED indicates when the signal source is present. A second LED turns on when the trip point is reached.
- For installation within a weatherproof enclosure to protect it from rain, dust, etc.
- 12 volt.

Order No.	Mfg. No. / Description	List Price	
777396	(20700166) SS300-12	\$236.99	H0-9124100

Frank W. Murphy Direct Mount Temperature Swichgages®



- The SDB Series are direct-mounting Temperature Swichgage devices.
- They provide an accurate direct-reading gauge with an adjustable limit switch to activate alarms and/or shutdown.
- A knob on front of the Swichgage allows you to adjust the limit switch trip point.
- Pointer movement is actuated by a bi-metallic sensing element.
- When the indicating pointer on the SDB touches the adjustable contact, a one-wire-to-ground circuit is completed to shut down the equipment and/or actuate audible or visual alarms.
- When the temperature rises to the preset trip point, the pointer engages an internal SPDT snap-switch to close/open circuits.
- The most common use of the SDB Series is to monitor gas compressor temperatures.
- Engine exhaust temperature can also be monitored to indicate overloading or lean fuel mixtures; or use the SDB to help coordinate loads on twin-engine installations.

Order No.	Mfg. No. / Description		List Price	
772634	(10701038) 100-500° F	Without Thermowell	\$488.19	H0-1929200
772648	(10050025) Thermowell for 1/2" NPT		\$327.39	H0-3469100

SDB500EX

- Enclosure is explosion-proof and CSA listed for Class I, Group C and D hazardous locations.

Order No.	Mfg. No. / Description		List Price	
772636	(10701071) 100-500° F	3/4" NPT Thermowell	\$1,107.59	H0-5546600
772635	(10701040) 100-500° F	Without Thermowell	\$784.29	H0-7507400

Frank W. Murphy Clamp Lite Assembly



- A20 Series Clamp Lite Assembly.
- 12 volt.

Order No.	Mfg. No. / Description	List Price	
772301	(05702176)	\$33.69	H0-1202000

Newmar Temperature Gauge with Sensor



- Provides an accurate digital display of temperature for up to three different areas such as mobile air fill stations/ medical supply compartments.
- Degrees F or C can be displayed.
- Operating temperature: 32° to 122° F.
- You can set Low and High temperature alarms for each sensor independently and the TG-3 continuously monitors the temperature of each sensor at all times.
- Diameter 2-1/2".

Order No.	Mfg. No. / Description	List Price	
700206	(TG-3)	\$545.19	E0-9880400
700212	(TGS-25) Temp. Sender with 25' Cable	\$134.29	E0-2700100

- Electronics
- Trolling Motors
- Instruments
- Electrical
- Lighting
- Anchor & Dock
- Safety
- Steering, Controls
- Pumps
- Fuel System
- Seating & Pedestals
- Trailer
- Tops & Covers
- Perform.
- Propellers
- Engine & Care
- Cleaning & Care
- Paint & Paint Acc.
- Fun & Flotation
- Topside Acc.
- Cockpit & Deck
- Hardware, Fasteners
- Camouflage
- Misc.
- Comm.

Frank W. Murphy EL150 Series Liquid Level Switchgag^e



772386



772380

- A combination liquid level gauge and low limit switch; each unit includes a chamber with pivotal float, an indicating dial with pointer and a low level contact.
- When properly installed and maintained, the float operates the pointer which, in turn, both indicates level during normal operation, and closes a switching circuit if the level falls to the low-limit set point.
- Built for low pressure systems with maximum of 25 psi.
- Snap-switch: SPDT rated 10 amps @ 125V AC.

Electronics
Trolling Motors

Instruments EL150K1 - LEVEL SWITCHGAGE

- Case: Die cast aluminum, poly-urethane coated.
- Float: Brass. Lens: Polycarbonate.

Electrical

Order No.	Mfg. No. / Description	List Price
772380	(15700116)	\$168.19 HO-1900100

Lighting

EL150EX - LEVEL SWITCHGAGE, EXPLOSION-PROOF MODEL

- Case: Sand cast aluminum, painted.
- Float: 304 stainless steel. Lens: Tempered glass.

Anchor & Dock

Safety



Order No.	Mfg. No. / Description	List Price
772386	(15700121)	\$711.98 HO-9172400

Steering, Controls

Frank W. Murphy Level Control for Scrubbers



- BUOYGLAS float operates to 0.5 specific gravity.
- Stainless steel models meet NACE Requirements and carry Canadian registration numbers.
- Models rated for 2,000 psi (13.8 MPa) [138 bar] vessels.
- Models listed for Class I, Division 1 Locations.

Pumps

Fuel System

Seating & Pedestals

Trailering

Tops & Covers

Perform.

Order No.	Mfg. No. / Description	List Price
772382	(15700060) Model L1200	\$296.98 HO-9187100

Propellers

Frank W. Murphy DF Series Hydrostatic Head Level Switch



- The DF Series are diaphragm-operated hydrostatic head pressure level switches.
- A pressure sensitive diaphragm operates a snap-switch that can be wired directly to electric pilot circuits to control pumps at predetermined levels.
- Typical application is to start and stop electric driven pump(s) to maintain tank levels.
- It is also applicable to engine driven pumps.
- Suitable for atmospheric tanks in a non-hazardous area.
- Aluminum case.
- Maximum pressure rating: 25 psi.
- Dimensions: 5-1/2" x 6-5/32".
- Process connection: 1" NPT.

Cleaning & Care

Paint & Paint Acc.

Fun & Flotation

Topside Acc.

Cockpit & Deck

Hardware, Fasteners

Camouflage

Misc.

Order No.	Mfg. No. / Description	List Price
772384	(15700001) Model DF755	\$449.39 HO-3696200

Comm.

Frank W. Murphy L129 Series Lube Level Switchgag^e



772381



772379

- A combination lube level indicating gauge and adjustable low and high limit switches.
- It provides protection against low oil level or high level caused by overflow or fuel or water seepage into the crankcase.
- A 6-3/4" deep sight gauge allows you check the condition and level of your oil without shutting down the equipment.
- Fingertip adjustable limit contacts, thru 4-7/8" range, make it simple to set high and low limit contacts.
- If the float touches the high or low limit contact, a normally open circuit will be completed which can activate alarms and/or shutdown the equipment.

L129 - LUBE LEVEL SWITCHGAGE

- Designed for grounded, low voltage electrical systems.
- It features a one-wire-to-ground electrical circuit.

Order No.	Mfg. No. / Description	List Price
772379	(15700104)	\$206.59 HO-5932100

L129CK1 - LUBE LEVEL SWITCHGAGE

- Designed for applications requiring a three-wire, above ground electrical circuit.
- It features ungrounded contacts and a conduit hub to protect electrical wiring.

Order No.	Mfg. No. / Description	List Price
772381	(15700107)	\$246.39 HO-3874100

Frank W. Murphy BLSK1 Series Bilge Level Switch System



- Operates bilge pumps or alarms.
- Uses proven "air cell" actuated system.
- Remote switch and moving parts kept unaffected by corrosion.
- Aluminum body and cover.
- Includes 3 assemblies: Bilge level switch, 4' tube kit (sensor line and fittings) and "air cell" (volume cell).

Order No.	Mfg. No. / Description	List Price
772378	(15700193) BLSK1	\$575.29 HO-7154300



Frank W. Murphy LM300 Series Level Maintainer

- Maintains proper oil level.
- Manual float switch test.
- Low level alarm before shutdown.
- High visibility "Frog Eye" lens.
- Shutdown on low level, or high and low level.
- Optional inlet orifices for low to high pressure applications.
- Explosion-Proof Model.
- Low switch contacts for low level shutdown or alarm. Four wires, SPDT.

Order No.	Mfg. No. / Description	List Price
772383	(15700172) LM301-EX	\$560.98 H0-9563300



Frank W. Murphy Tattletale® Annunciators and Magnetic Switch



- The nerve centers that translate Swichgag contact operations into decisions and operate the alarm or shutdown device.
- They are the electrical load carrying devices for the alarm or shutdown device.
- Tattletale annunciators indicate which monitored function failed leading to the alarm or shutdown whereas magnetic switches do not.
- Magnetic switches operate basically as a latching relay.

MODEL 518APH

- Allows for Swichgag and/or N.C. contacts to be wired "Closed Loop".
- Any contact open or Swichgag contact close in the circuit shunt trips the 518APH.
- 12 volt.

Order No.	Mfg. No. / Description	List Price
772395	(25700147)	\$86.59 H0-5915000

MODEL 760A/761APH

- Use for distributor ignition or diesel.
- Time delay lockout of Swichgag contacts on start-up only; customer wired for delayed or immediate trip on shutdown.
- Breaks and makes circuits when tripped.
- 12 volt. 14 amp fuse.

Order No.	Mfg. No. / Description	Time Delay	List Price
777409	(25700169) Resets Automatically	30 Seconds	\$176.49 H0-9850100

MODEL 117

- Use to shutdown 12 volt thru 32 volt distributor ignition or diesel engines.
- Breaks circuit when tripped.
- Opens distributor coil circuit or power circuit to diesel run device.
- Automatically disconnects from battery after trip.
- 12 volt. 14 amp fuse.

Order No.	Mfg. No. / Description	Time Delay	List Price
772300	(25700071) Manual Non-Indicating	No	\$66.69 H0-1004000

MODEL MS2100

- Multi purpose Tattletale with dry contacts that can be used to make two circuits and break another when tripped.
- Operates from 120 VAC or Capacitor Discharge Ignition.
- The operating coil is intermittent duty and must be disconnected by an external circuit when tripped.
- 120 VAC.

Order No.	Mfg. No. / Description	Time Delay	List Price
772560	(25700415) Manual Indicating	No	\$97.69 H0-1685000

Frank W. Murphy Selectronic® Tattletale® Remote Alarm Annunciators



- A simple and inexpensive answer to your remote alarm annunciator needs.
- General purpose alarms suitable for a variety of applications.
- These compact Tattletale annunciators tell you by a flashing LED which variable malfunctioned.
- Many feature a pulsating Mini-Siren to audibly alert you to the malfunction.
- The audible alarm is silenced by depressing the Alarm Silence push button, but the visual signal remains in operation until the fault is corrected and the contacts are cleared.
- Use individually or gang for multiple applications.
- Flange mount.
- Accepts N.O. and/or N.C. contacts.
- Input voltage 8-32V AC or 8-40V DC.

Order No.	Mfg. No. / Description	List Price
772374	(25700001) ST5AS-F 5 Alarm Points	\$650.09 H0-5009300
772376	(25700009) ST10AS-F 10 Alarm Points	\$827.29 H0-7369400

SINGLE POINT ITEM DELAYS

- Inhibit sensor input to ST Series annunciators.
- Compensators for momentary contact operation due to vessel movement, etc.

Order No.	Mfg. No. / Description	Time Delay	List Price
772375	(20700002) TDST8-10	8 - 10 Second	\$270.49 H0-9226100

Frank W. Murphy VS2 Series Shock and Vibration Switch



- Designed to detect shock/vibration in three planes of motion.
- These fully adjustable switches use a magnetic latch to ensure reliable operation.
- Housed in an explosion-proof enclosure with threaded cover.
- In place of the leaf type contacts, 2-SPDT snap switches are used in this model.

Order No.	Mfg. No. / Description	List Price
772385	(20700049)	\$540.98 H0-9542300

- Electronics
- Trolling Motors
- Instruments
- Electrical
- Lighting
- Anchor & Dock
- Safety
- Steering, Controls
- Pumps
- Fuel System
- Seating & Pedestals
- Trailering
- Tops & Covers
- Perform.
- Propellers
- Engine & Care
- Cleaning & Care
- Paint & Paint Acc.
- Fun & Flotation
- Topside Acc.
- Cockpit & Deck
- Hardware, Fasteners
- Camouflage
- Misc.
- Comm.

Frank W. Murphy Tachometers and Tach/Hourmeters - AT and ATH Series



- A rugged instrument with solid-state circuitry for indication of engine RPM.
- It is equipped with a ring nut for mounting into a standard 3-3/8" dash mounting hole.
- A full 240° sweep of the pointer gives an accurate indication on a large easy-to-read scale and the dial can be illuminated for night reading.
- The ATH Series model is also equipped with hourmeter to record the elapsed running time of an engine.
- These instruments are designed to function with Alternator, Magnetic Pickup or Ignition signals from:

pulses generated by an alternator with 4, 8, 12, 14 or 16 poles on the rotor.
 pulses obtained from the ring gear of an engine by means of an electromagnetic sensor (magnetic pickup). The instrument is designed to function with flywheels having anywhere from 50 to 300 teeth.
 2 - 10 cylinder, 4 cycle spark-ignited engines.

- Power input: 10-32 VDC.
- Backlight: LED, red.

TACHOMETER WITH BRIGHT STAINLESS STEEL BEZEL

Order No.	Mfg. No. / Description	Range	List Price	Part No.
772586	(20700245) AT-30	0 - 3,000 RPM	\$155.69	HO-1439000

TACHOMETER/HOURMETER WITH BRIGHT STAINLESS STEEL BEZEL

Order No.	Mfg. No. / Description	Range	List Price	Part No.
772594	(20700249) ATH-30	0 - 3,000 RPM	\$200.09	HO-5002100

TACHOMETER/HOURMETER WITH BLACK STAINLESS STEEL BEZEL

Order No.	Mfg. No. / Description	Range	List Price	Part No.
772596	(20700254) ATH-40-A	0 - 4,000 RPM	\$200.09	HO-5002100

Jastram Rudder Angle Indicator System

- The Jastram Rudder Angle Indicator System provides continuous, accurate indication of your rudder's position.
- Every Jastram RAI system requires a feedback unit and at least one rudder angle indicator.
- The 2 main components in a Jastram RAI system are: Rudder Angle Indicator and Rudder Feedback Unit.



RUDDER ANGLE INDICATORS

- 3" face diameter.
- Indicator readings are not affected by low or fluctuating supply voltage.
- Reverse polarity protected.
- Backlight for increased visibility of the scale.
- Each indicator has a gain adjustment for easy synchronization.
- Indication up to 50° port and starboard.
- A high quality construction, anodized housings.

Order No.	Mfg. No. / Description	List Price	Part No.
677623	(JA-950166-1) RAI 301 Indicator, Master Meter	\$779.19	E0-9348500
677635	(JB-801061) RAI 300 Indicator	\$682.79	E0-9021500

Frank W. Murphy MT90 Selectronic® Digital Tachometer



- Offers high accuracy and dependability resulting from use of a quartz crystal time based and digital, solid-state electronics.
- Back light for night viewing.
- Easy calibration.
- Power supplied by magnetic pickup or 12, 24 or 32V DC battery system.
- Input source can be a magnetic pickup or engine alternator.
- Dial diameter: 3-5/8". Mounting hole: 3-7/16".

Order No.	Mfg. No. / Description	List Price	Part No.
772562	(20700019)	\$540.29	HO-7142300

Frank W. Murphy Magnetic Pickups



- A magnetic pickup is an AC generator.
- It is normally installed into the flywheel housing of an internal combustion engine, so that the starter ring ear acts upon it to generate a voltage pulse each time a gear tooth passes the end of the sensor.
- Output leads: Two insulated leads, 20AWG, STR/TEF insulated per MIL-W-16878D Type E, 1 White and 1 Black.
- Output voltage: 200 V.P.P. TYP.

Order No.	Mfg. No.	Threaded Length	Thread Size	List Price	Part No.
772601	(20700162) MP3298	3"	5/8-18	\$109.19	HO-1556000
772613	(20700160) MP7905	4-1/2"	3/4-16	\$118.49	HO-9017000



RUDDER FEEDBACK UNIT

- The RFU 300 is built to resist water and damage caused by vibrations from rough seas and mechanical systems.
- Features a high quality, long life potentiometer with heavy duty gears.
- Designed to be used only with the RAI Panoramic 3300 and RAI 301/RAI 300.
- Up to three indicators can operate at the same time.
- Unit operates on any voltage between 10-32 VDC.
- Comes with 50' cable.

Order No.	Mfg. No. / Description	List Price	Part No.
677672	(JA701065-1) RFU 300 Rudder Feedback Unit	\$662.89	E0-7179400

Telcor Instruments 7200 Position Sender

Telcor Instruments, Inc.



- Complete with two 1K POT.
- Available in 2K and 5K.
- Completely watertight construction with o-ring seals throughout.
- Mechanically linked to Rudder Tiller Arms or Full Follow-Up/Drop Shafts.
- Feedback Linkage moves with Rudders or Full Follow-Up Sticks.
- Sends Rudder Position Electronically to Indicators.
- Compatible with Telcor Meters/Controls as well as all others.
- Interchangeable housing and POT with Telcor 8200 Full Follow Up Jog Lever.
- Zero epoxy construction.
- Black anodized finish for superior corrosion resistance.
- Mounting dimensions match old Telcor models.

Order No. Mfg. No. / Description

679526	(131451)	Assembly and Link	Price on Request
679509	(131450)	Assembly Only	Price on Request
679514	(130205)	Link Only	Price on Request

Telcor Instruments 2944G Watertight Light Dimmer

Telcor Instruments, Inc.



Order No. Mfg. No. / Description

679641	(130219)	Watertight Light Dimmer	Price on Request
---------------	----------	-------------------------	-------------------------

SPECIAL ORDER

Telcor Instruments 7300 Feedback/Repeatback Rudder Position Sender

Telcor Instruments, Inc.



- 4 limit switches for steering and flanking rudders.
- Completely watertight construction with o-ring seals throughout.
- 3 POT built-in for designated Non-Follow-Up, Full Follow-Up and Rudder Angle Indicator.
- Sold with or without mechanical linkage for rudder tiller arms.
- Compatible with Telcor Meters/Controls as well as all others.
- Housing is threaded to allow easy access to internal components.
- Zero epoxy construction.
- Black anodized finish for superior corrosion resistance.
- Mounting dimensions match old Telcor models.
- Custom adapter plates available.

Order No. Mfg. No. / Description

679540	(131401)	Assembly and Link	Price on Request
679552	(131400)	Assembly Only	Price on Request
679538	(130207)	Link Only	Price on Request
679564	(131312)	Standard Adapter Plate f/Bolt Pattern	Price on Request

Telcor Instruments 7003 Rudder Angle Indicator

Telcor Instruments, Inc.



- Stand Alone Meter the does not require Meter Module.
- Slave Meter can be used in Series and requires Module.

Order No. Mfg. No. / Description

679627	(130100)	Stand Alone	Price on Request
679639	(130105)	Slave	Price on Request

Telcor Digital Alarm and RAI Package

Telcor Instruments, Inc.



SPECIAL ORDER

- Electronics
- Trolling Motors
- Instruments
- Electrical
- Lighting
- Anchor & Dock
- Safety
- Steering, Controls
- Pumps
- Fuel System
- Seating & Pedestals
- Trailer
- Tops & Covers
- Perform.
- Propellers
- Engine & Care
- Cleaning & Care
- Paint & Paint Acc.
- Fun & Flotation
- Topside Acc.
- Cockpit & Deck
- Hardware, Fasteners
- Camouflage
- Misc.
- Comm.

- Electronics
- Trolling Motors
- Instruments
- Electrical
- Lighting
- Anchor & Dock
- Safety
- Steering, Controls
- Pumps
- Fuel System
- Seating & Pedestals
- Trailering
- Tops & Covers
- Perform.
- Propellers
- Engine & Care
- Cleaning & Care
- Paint & Paint Acc.
- Fun & Flotation
- Topside Acc.
- Cockpit & Deck
- Hardware, Fasteners
- Camouflage
- Misc.
- Comm.

Cole Hersee Flashing Buzzer Alarm



Order No. Mfg. No. / Description
630992 (4112-RC-BP)

List Price
\$31.99 GO-3412000

- Red light and buzzer operate simultaneously to give warning.
- Can be operated by any type of manual (e.g. push button) or automatic (door, tailgate, temperature, oil, air) switch.
- Many uses; can be used as an in-cab back-up monitor or warning that a truck hoist, dump body, winch or pump is in operation.
- Rugged, bright LED light never needs replacing.
- Mounting stem 11/16" diameter, 17/32" long.
- Body size: 1-7/8" L x 1" W x 1-11/32" H.
- 12 volt.

Aqualarm Bilge Water Level Warning System



- The Bilge Water Level Detector, included in the kit, monitors bilge water level and sends a signal to the loud Bell and Bilge Alarm Warning Panel, activating Red Light and Loud Buzzer, when water reaches a predetermined level.....indicating Bilge High Water.
- Green "ON" light to indicates power to the system.
- This Bilge Alarm is very easy to install and maintain.
- Panel (3" x 2"), Detector (2-3/8" x 1-1/2" diameter) and Bell (6" diameter).
- 12 volt.

Order No. Mfg. No. / Description
228658 (20131)

List Price
\$124.79 GO-1638000

Aqualarm Standard Bell Alarm



- The boat alarm bell makes a loud clanging noise that can be heard over the loudest boat diesel and ship's noise.
- It is enamel coated and has stainless hardware which makes it ideal for Marine alarm use.
- The bell has an efficient motor driven mechanism that draws an amazingly low current of 0.029 amps.
- Dimension: 6" diameter that mounts on a 4-1/2" base.
- 12 volt.

Order No. Mfg. No. / Description
228665 (20100)

List Price
\$88.19 GO-9095000

Aqualarm Cooling Water Flow Detector



- Monitors raw water flow to prevent engine damage due to overheating.
- It is normally closed two wire, non-polarity switch that opens with flow and closes if you loose flow.
- Activates an immediate and audible or visual boat alarm to prevent engine damage due to overheating.

Order No. Mfg. No. / Description
228696 (10271) 1-1/2" FPT

List Price
\$141.49 GO-0849000

Aqualarm Bilge Water Level Detector



- A two lead, non-polarity, normally open detector that closes when water rises and activates a visual and/or audible device.
- It makes an excellent Boat Alarm Detector for bilge high water alarms.
- Dimensions: 2-3/8" height x 1-1/2" diameter.

Order No. Mfg. No. / Description
228709 (20120)

List Price
\$55.69 GO-1373000

Aqualarm Low Oil Pressure Detector



- This Marine Boat Detector is a two terminal normally closed switch that opens at 10 psi and closes and when pressure falls below 10 psi.
- The base is 1/8" FPT.
- Multi-voltage - 12, 24 and 32 volts.

Order No. Mfg. No. / Description
228672 (20111)

List Price
\$36.39 GO-8342000

Aqualarm Engine Overheat Detector



- A two terminal, non-polarity, normally open detector that closes when engine temperature reaches 200° F and activates a visual and/or audible device.
- Multi-voltage, works with 12, 24 and 32 volts.
- It is 1/2" MPT that installs into a 1/2" FPT plugged hole in the engine.

Order No. Mfg. No. / Description
228723 (20118)

List Price
\$42.19 GO-7282000



Davis Illuminated Hand Bearing Compass - Illuminated

DAVIS



- Made of high impact, grey plastic housing.
- Simply align front and rear sights on an object and read off bearing.
- Use to take a quick bearing or position set, determine angular gain or loss on the competition while racing, check distance offshore, establish lee-bow set while cruising or racing in currents, determine drift vector, and plot a line of position.
- The stable, liquid-damped compass card is graduated in 5° segments.
- Bold graduations every 15° for easy reading.
- Large, contoured handle designed for sure, steady grip and angled forward for added control.
- Lanyard and instructions included.
- Solid-state LED illumination system floods the compass capsule and sight vane with soft light.
- The LED will last for the lifetime of the compass.
- Batteries, which are included, will last up to 10 times longer than with regular bulbs.
- Average LED "half-life" is approximately 10 years if operated continuously.
- Positive "push-on" switching action, with vinyl boot water protection.
- Battery housing has high watertight integrity.

Order No. Mfg. No. / Description
322611 (215)

List Price
\$62.49 F0-4734000



Ritchie V-527 Explorer™ Dash Mount Compass



- 2-3/4" Direct Reading Dial.
- Easily installed, fits 3" installation hole.
- Bezels styled to match popular gauge packages.
- 12V night illumination.
- Viewing is adjustable to 30°.
- Scientifically matched sapphire jewel and hardened steel pivot dial movement.
- Built-in compensators to easily adjust for deviation.
- Hi-Temperature construction.
- 100% reparability.
- Exclusive 5-year Ritchie warranty.

Order No. Mfg. No. / Description

574168 (V-57.2) Traditional Black **\$86.69** F0-8606000
574942 (EX-0005-2) Replacement Light Bulb - 12 volt **\$11.79** F0-5280000

List Price

RitchieSport® X-21WW and X21BU Dash Mount Compasses



574055



574043

- 2" Direct Reading Dial.
- Easily installed, fits standard 2-1/16" instrument hole.
- View adjusts up to 30°.
- Scientifically matched sapphire jewel and hardened steel pivot dial movement.
- Exclusive built-in green NiteVu lighting.
- High temperature composite construction for extended operating range.
- DirectiveForce magnets.
- Exclusive 5-year Ritchie warranty.
- Note: Does not have built-in compensators.

Order No. Mfg. No. / Description

574043 (X-21WW) Designer White with White Dial **\$57.49** F0-4204000
574055 (X-21BU) Traditional Black w/High-Visibility Blue Dial **\$57.49** F0-4204000

List Price

RitchieSport® X-10-M Bracket Mount Compasses

- 2" Direct Reading, High-Visibility Dials.
- Two-sided, self-adhesive mounting pads included.
- Reversible bracket allows a mounting range of over 300° from overhead, through angled and vertical mounts to horizontal surfaces.
- These mounting position options and your choice of mounting hardware permit mounting on everything from windshield or supporting frame structures, to slanted dashboards and consoles, to almost any flat, angled or vertical surface.
- Internal green night lighting.
- High temp composite construction for extended operating range.
- Built-in compensators.
- Hardened steel pivot and sapphire jewel movement.
- Exclusive 5-year Ritchie warranty.

Order No. Mfg. No. / Description

574005 (X-10-M) No-Glare Gray w/High-Visibility Blue Dial **\$45.19** F0-3613000
574017 (X-10B-M) Traditional Black **\$45.19** F0-3613000
574029 (X-10W-M) Designer White **\$45.19** F0-3613000

List Price



574017



574005



574029

Electronics

Trolling Motors

Instruments

Electrical

Lighting

Anchor & Dock

Safety

Steering, Controls

Pumps

Fuel System

Seating & Pedestals

Trailering

Tops & Covers

Perform.

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc.

Fun & Flotation

Topside Acc.

Cockpit & Deck

Hardware, Fasteners

Camouflage

Misc.

Comm.

RitchieAngler Surface Mount Compass



- 2-3/4" Direct Reading Dial.
- Surface mount with push-button removal for quick storage and security.
- No-Glare Gray Finish with High-Visibility Blue Dial.
- Distinctive RitchieAngler Graphics.
- Scientifically matched sapphire jewel and hardened steel pivot dial movement.
- Internal green night lighting.
- Built-in compensators to easily adjust for deviation.
- DirectiveForce magnets.
- Movable sun shield.
- 100% reparability.
- Exclusive 5-year Ritchie warranty.

Order No.	Mfg. No. / Description	List Price	
574093	(RA-93) No-Glare Gray	\$88.19	FO-3716000
574942	(EX-0005-2) Replacement Light Bulb - 12 volt	\$11.79	FO-5280000

Ritchie Helmsman™ Compasses - Traditional Black



- 3-3/4" Dial.
- Designed for power or sailboats 25' to 35'.
- Exclusive built-in green NiteVu night illumination.
- Built-in compensators to easily adjust for deviation.
- Scientifically matched sapphire jewel and hardened steel pivot dial movement.
- Powerful DirectiveForce magnets for fast heading lock-on.
- Movable sun shield.
- 45 Degree lubber lines.
- High temperature composite construction for extended operating range.
- Custom fitted protective covers available.
- 100% reparability.
- Exclusive 5-year Ritchie warranty.

Order No.	Mfg. No.	Dial Type	Mount Type	List Price	
574308	(HB-741)	CombiDial	Bracket Mount	\$277.89	FO-2549100
574346	(HF-742)	Flat-Card Dial	Flush Mount	\$271.99	FO-9309100
574360	(HF-743)	CombiDial	Flush Mount	\$271.99	FO-9309100
574904	(SH-0029XSP)	Red LED and Wire Assembly		\$21.19	FO-3841000

RitchieAngler Bracket Mount Compass



- 2-3/4" Direct Reading Dial.
- Easily adjustable bracket mount with thumbscrews.
- No-Glare Gray Finish with High-Visibility Blue Dial.
- Distinctive RitchieAngler Graphics.
- Scientifically matched sapphire jewel and hardened steel pivot dial movement.
- Internal green night lighting.
- Built-in compensators to easily adjust for deviation.
- DirectiveForce magnets.
- Movable sun shield.
- 100% reparability.
- Exclusive 5-year Ritchie warranty.

Order No.	Mfg. No. / Description	List Price	
574081	(RA-91) No-Glare Gray	\$92.89	FO-2056000
574942	(EX-0005-2) Replacement Light Bulb - 12 volt	\$11.79	FO-5280000

Ritchie Explorer™ Compasses



- Designed for powerboats up to 24'.
- 2-3/4" Direct Reading Dial.
- Internal green night illumination.
- Built-in compensators to easily adjust for deviation.
- Scientifically matched sapphire jewel and hardened steel pivot dial movement.
- Powerful DirectiveForce magnets for fast heading lock-on.
- Movable sun shield.
- High temperature construction.
- Bezels styled to match popular gauge packages.
- 574144 (F-50) and 574132 (F-50W) fits 3-3/4" hole.
- 100% reparability.
- Exclusive 5-year Ritchie warranty.

Order No.	Mfg. No.	Mount Type	Color/Finish	List Price	
574106	(B-51)	Bracket Mount	Traditional Black	\$92.89	FO-2056000
574110	(B-51-W)	Bracket Mount	Designer White	\$92.89	FO-2056000
574118	(S-53)	Surface Mount	Traditional Black	\$88.19	FO-3716000
574119	(S-53W)	Surface Mount	Designer White	\$88.19	FO-3716000
574144	(F-50)	Flush Mount	Traditional Black	\$94.39	FO-7066000
574132	(F-50W)	Flush Mount	Designer White	\$94.39	FO-7066000
574942	(EX-0005-2)	Replacement Light Bulb - 12 volt		\$11.79	FO-5280000

- Electronics
- Trolling Motors
- Instruments
- Electrical
- Lighting
- Anchor & Dock
- Safety
- Steering, Controls
- Pumps
- Fuel System
- Seating & Pedestals
- Trailer
- Tops & Covers
- Perform.
- Propellers
- Engine & Care
- Cleaning & Care
- Paint & Paint Acc.
- Fun & Flotation
- Topside Acc.
- Cockpit & Deck
- Hardware, Fasteners
- Camouflage
- Misc.
- Comm.



Ritchie Voyager® Compasses



- Designed for powerboats up to 28'.
- Exclusive built-in green NiteVu night illumination.
- Built-in compensators to easily adjust for deviation.
- Scientifically matched sapphire jewel and hardened steel pivot dial movement.
- Powerful DirectiveForce magnets for fast heading lock-on.
- Movable sun shield.
- High temperature composite construction for extended operating range.
- 45 Degree lubber lines.
- 100% repairability.
- Exclusive 5-year Ritchie warranty.

VOYAGER COMPASSES WITH 3" COMBIDAMP DIAL

Order No.	Mfg. No.	Mount Type	Color/Finish	List Price	
574170	(S-87)	Surface Mount	Traditional Black	\$181.99	F0-9372100
574208	(B-81)	Bracket Mount	Traditional Black	\$190.19	F0-3133100
574257	(F-83)	Flush Mount	Traditional Black	\$181.99	F0-9372100
574233	(F-83W)	Flush Mount	Designer White	\$181.99	F0-9372100

VOYAGER COMPASS WITH 3" POWERDAMP FLAT DIAL

Order No.	Mfg. No. / Description	List Price	
574245	(F-82) Flush Mount	Traditional Black	\$181.99 F0-9372100

WHEELMARK COMPASS

- The Wheelmark approval is for Lifeboat and Rescue boat compasses. These compasses are also suitable for sailboats, power boats and motor sailing vessels.

Order No.	Mfg. No. / Description	List Price	
574209	(B-81-WM) Bracket Mount	Traditional Black	\$172.99 F0-9012100

RED LED AND WIRE ASSEMBLY

Order No.	Mfg. No. / Description	List Price	
574904	(SH-0029XSP) Red LED and Wire Assembly	\$21.19	F0-3841000



Ritchie SuperSports® Flush Mount Compasses



- PowerDamp Plus, High-Visibility Blue Dial with extra large white numerals.
- Exclusive built-in green NiteVu night illumination.
- Built-in compensators to easily adjust for deviation.
- Scientifically matched sapphire jewel and hardened steel pivot dial movement.
- Internal gimbals systems for maximum stability during adverse pitch and roll conditions.
- Powerful DirectiveForce magnets for fast heading lock-on.
- Movable sun shield.
- 45 Degree lubber lines.
- High temperature composite construction for extended operating range.
- Custom fitted protective covers available.
- Easily installed.
- 100% repairability.
- Exclusive 5-year Ritchie warranty.

3-3/4" DIAL

Order No.	Mfg. No. / Description	List Price	
574562	(SS-1002) Mounting Hole 4"	\$324.19	F0-3962200
574563	(SS-1002W) Mounting Hole 4"	White \$324.19	F0-3962200

4-1/2" DIAL

Order No.	Mfg. No. / Description	List Price	
574574	(SS-2000) Mounting Hole 4-3/4"	\$562.39	F0-7639300
574577	(SS-2000W) Mounting Hole 4-3/4"	White \$562.39	F0-7639300

5" DIAL

Order No.	Mfg. No. / Description	List Price	
574586	(SS-5000) Mounting Hole 6-1/4"	\$842.79	F0-5998500



Electronics

Trolling Motors

Instruments

Electrical

Lighting

Anchor & Dock

Safety

Steering, Controls

Pumps

Fuel System

Seating & Pedestals

Trailer

Tops & Covers

Perform.

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc.

Fun & Flotation

Topside Acc.

Cockpit & Deck

Hardware, Fasteners

Camouflage

Misc.

Comm.

Ritchie Navigator Compasses



- 4-1/2" CombiDamp dial with large numerals.
- Ideal for both power or sailboats.
- Fits all popular sailboats steering pedestals.
- 12V green LED lighting standard.
- Built-in compensators to easily adjust for deviation.
- Movable sun shield.
- 45 Degree lubber lines.
- High temperature construction for extended operating range.
- 100% repairability.
- Exclusive 5-year Ritchie warranty.

Order No. Mfg. No. / Description List Price
574548 (FNW-203) Flush Mount Designer White **\$469.39** FO-7582300

Ritchie HB-845 Helmsman™ Steel Boat Compass



- 3-3/4" PowerDamp Dial.
- Exclusive built-in green NiteVu lighting.
- Special reinforced bracket with quadrantal correctors.
- Hardened steel pivot and sapphire jewel movement.
- 45 Degree lubber lines.
- Full internal gimbals.
- Built-in standard compensators and booster magnets on base.
- Movable sun shield.
- 100% repairability.
- Exclusive 5-year Ritchie warranty.

Order No. Mfg. No. / Description List Price
574396 (HB-845) Traditional Black **\$630.79** FO-5514400
574904 (SH-0029XSP) Red LED and Wire Assembly **\$21.19** FO-3841000

Ritchie Bulbs and Assemblies



CLEAR BULB - 12 VOLT

- For Explorer and RitchieAngler (except Model V-57).

Order No. Mfg. No. / Description List Price
574942 (EX-0005-2) Package of 2 **\$11.79** FO-5280000

RED L.E.D. AND WIRE ASSEMBLY

- For Voyager and Helmsman sunshade lights and top lights.

Order No. Mfg. No. / Description List Price
574904 (SH-0029XSP) **\$21.19** FO-3841000

Ritchie Globemaster® Shock-Mounted Binnacle Compasses



- PowerDamp Performance Dial.
- A practical combination of compass and special mounting bracket is offered in this model.
- Special one piece cast bronze bracket mount model with black finish.
- Includes quadrantal correction spheres.
- Bracket mount steel boat. 5" dial has 2° with points.
- Built-in semi-circular compensators.
- Full internal gimbals.
- Night lighting - 12 volt.
- High capacity roller diaphragm for extended temperature operating ranges.
- Hardened steel pivot and sapphire jewel movement.
- 90° lubber lines for easy reading of reciprocal headings.
- 100% repairability.
- Exclusive 5-year Ritchie warranty.

5" DIAL

- Base diameter: 6-7/8" x 19" x 8-1/4".

Order No. Mfg. No. / Description List Price
574601 (YB-500) 5" Dial, Base Dia. 6-7/8" x 19" x 8-1/4" **\$1,479.29** FO-0553010

6" DIAL

- Base diameter: 8" x 20-1/2" x 9-5/8".

Order No. Mfg. No. / Description List Price
574613 (YB-600) 6" Dial, Base Dia. 8" x 20-1/2" x 9-5/8" **\$1,766.79** FO-5763210

- Electronics
- Trolling Motors
- Instruments
- Electrical
- Lighting
- Anchor & Dock
- Safety
- Steering, Controls
- Pumps
- Fuel System
- Seating & Pedestals
- Trailing
- Tops & Covers
- Perform.
- Propellers
- Engine & Care
- Cleaning & Care
- Paint & Paint Acc.
- Fun & Flotation
- Topside Acc.
- Cockpit & Deck
- Hardware, Fasteners
- Camouflage
- Misc.
- Comm.