Catálogo de accesorios Náuticos

Trolling Motors

Instruments

Electrical

Lighting

Anchor & Dock

Safety

Steering, Controls

Pumps

Fuel System

Seating & Pedestals

Trailering

Tops & Covers





Parte 1

El Navegante

www.repuestoselnavegante.com



Información importante



Trolling Motors

Bienvenidos a Repuestos El Navegante.

Instruments

Aquí podrás encontrar mas de **35.000** productos de diferentes fabricantes, con una gran variedad de accesorios y componentes para tu embarcación, contamos con mas de 20 años de experiencia en el sector náutico, no dudes en contactarnos para aclarar cualquier duda que tengas, prestamos asesoría técnica lo que es un valor agregado, y te dará tranquilidad a la hora de tomar una decisión de compra.

Electrical

Lighting

Anchor & Dock

Nota Importante:

Safety

Steering, Controls muchas empresas se vieron afectadas debido a la falta de materia prima, por este motivo tanto los precios como las fechas de entrega sufrieron cambios en gran cantidad de productos, comuníquese con nosotros a través del correo: repuestoselnavegante@gmail.com y solicite su presupuesto sin compromiso, también

Pumps

Fuel System

Seating & Pedestals

Trailering

Tops & Covers

Perform.

Propellers

& Care Cleaning & Care

Engine

Paint & Paint Acc.

Fun & Flotation

Topside Acc.

Cockpit & Deck

Hardware, **Fasteners**

Camouflage

Comm

Misc.

Debido a las restricciones causadas por el Covid 19, y otros problemas a nivel Mundial puede comunicase vía Telegram o WhatsApp escaneando los códigos QR.





Los productos aquí publicados se encuentran en varias partes del mundo, pero la mayoría se encuentran en Estados Unidos y Europa, por lo que estos precios no incluyen gastos de envío.

También puede consultar en nuestra pagina <u>www.repuestoselnavegante.com</u> nuestros términos y condiciones antes de efectuar la compra, ahí podrá ver también nuestra política de devoluciones.

Los productos pueden ser entregados en un currier de su confianza.

En nuestra pagina podrá encontrar mas de 3.500 productos para entrega inmediata.

Nos especializamos en repuestos Volvo Penta, Cummings, Yanmar, Caterpillar, Mercruiser.

Ofrecemos repuestos para Generadores Onan, Kholer, Westerbeke, Fisher Panda y Northern Lights.



Wire & Cable

We offer a complete line of marine wire and cable products. All wire and cable is RoHS compliant and built to meet SAE, UL, and/or CSA specifications. All wire is made in the USA

105° C Tinned Wire

UL-Listed, tinned wire is ideal for use in the highly corrosive environment of marine applications. Special electro-tinned, copper strands also increase protection against corrosion for recreational vehicles, automotive, trucks, and trailers. Tinned copper stranding is extremely flexible for easy routing through marine applications and easier to solder than bare copper. Flame retardant, PVC insulation is highly resistant to water, oil, grease, gasoline and other damaging solvents. High voltage tolerance of up to 600 volts adds versatility to its use in multiple marine and other sustainable applications.

- Voltage: Rated at 600 volts.
- Temperature: Rated at 105° C (221° F) dry and 75° C (167° F) wet.
- Specifications: Meets DOT and Coast Guard specs for electrical systems.

105° C Tinned Single-Conductor UL Listed 1426 Wire









80° C Bonded Parallel Wire

Multiple primary wire parallel bonded with color-coding for identification purposes. Especially ideal for use in RVs, marine, and utility trailer applications. Built to stay together under the toughest operating conditions yet easy to separate at the end of a run for final terminal connection. All-copper stranded core is highly conductive maximizing current transfer while remaining flexible for easy installation.

- Voltage: Rated at 600 volts or less.
- Temperature: Rated at -30° C (-22° F) to 80° C (176° F).
- Specifications: SAE J1128



105° C Tinned Multi-Conductor UL Listed 1426 Cable

Electronics Trolling Motors

Instruments

Lighting

Anchor & Dock

Safety

Steering, Controls

Pumps

Fuel System Seating &

Pedestals Trailering

Tops &

Perform.

Propellers

Engine & Care

> Cleaning & Care

Paint & Paint Acc

Fun & Flotation

Topside

Cockpit

& Deck Hardware,


Fasteners

Camouflage

Misc

Comm





Wiring Color Code - Direct Current Systems - Under 50 Volts

Color	Item	Use
Dark Green	Bonding System	Bonding Wires (if insulated)
Black	Ground	Return Wires (if insulated)
Red	Main Power Feeds	Positive Mains, Particularly Unfused
Yellow with a Red Stripe	Starting Circuit	Starting Switch to Solenoid
Yellow	Generator or Alternator Field	Generator to Alternator Field to Regulate Field Terminal
	Bilge Blowers	Fuse or Switch to Bilge Blowers
Dark Gray	Navigation Lights	Fuse or Switch to Lights
	Tachometer	Tachometer to Gauge
Brown	Generator Armature	Generator Armature to Regulator
	Alternator Charge Light	Generator Terminal/Alternator Auxiliary Terminal to Light to Regulator
	Pumps	Fuse or Switch to Pumps
Orange	Accessory Feed	Ammeter to Alternator or Generator Output & Accessory Fuses or Generator Switches Distribution Panel to Accessory Switch
Purple	Ignition	Ignition Switch to Coil and Electrical Instruments
	Instrument Feed	
Dark Blue	Oil Pressure	Oil Pressure Sender to Gauge
Tan	Water Temperature	Water Temperature Sender to Gauge
Pink	Fuel Gauge	Fuel Gauge Sender to Gauge





Marpac Primary Marine Wire - Single Conductor









- Electro-tinned, copper strands increase corrosion protection.
- Rating 221° F (105° C) dry and 167° F (75° C) wet.
- Rated 600 volts.
- · RoHS complaint.
 - Meets USCG, DOT, ABYC, NMMA and UL 1426 Specifications.

Instruments

Electronics

Trolling

Motors

II	u	ui	U	П	D		
						٩	

Electrical















Propellers



7-4330

7-4310

7-4331

7-4318

7-4320

7-4322

7-4328

7-4308

7-4306

7-4293

7-4290

7-4304

7-4302

7-4300

7-4288

7-4294

7-4296

7-4292

7-4298

14 Gauge

16 Gauge

16 Gauge

Orange

Pink

Red

Purple



Topside











- Flame retardant PVC insulation.

Order No.	Description			List Price
7-4358	8 Gauge	Green	100' Spools	\$138.99 H0-9338000
7-4357	8 Gauge	White	100' Spools	\$138.99 H0-9338000
7-4356	8 Gauge	Red	100' Spools	\$138.99 H0-9338000
7-4354	8 Gauge	Black	100' Spools	\$138.99 Hn-9338000

7-4354	8 Gauge	Black	100' Spools	\$138.99 H0-9338000
7-4350	10 Gauge	Green	100' Spools	\$74.79 H0-7844000
7-4349	10 Gauge	Dark Blue	100' Spools	\$74.79 H0-7844000
7-4348	10 Gauge	White	100' Spools	\$74.79 H0-7844000
7-4346	10 Gauge	Red	100' Spools	\$74.79 H0-7844000
7-4352	10 Gauge	Red	250' Spools	\$187.19 H0-1321100
7-4344	10 Gauge	Black	100' Spools	\$74.79 H0-7844000
7-4353	10 Gauge	Black	250' Spools	\$187.19 H0-1321100

7-4353	10 Gauge	Black	250' Spools	\$187.19	H0-1321100
7-4351	10 Gauge	Yellow	100' Spools	\$74.79	H0-7844000
7-4347	10 Gauge	Brown	100' Spools	\$74.79	H0-7844000
7-4345	12 Gauge	Orange	100' Spools	\$51.89	H0-3113000
7-4340	12 Gauge	Green	100' Spools	\$51.89	H0-3113000
7-4342	12 Gauge	Dark Blue	100' Spools	\$51.89	H0-3113000
7-4338	12 Gauge	White	100' Spools	\$51.89	H0-3113000
7-4336	12 Gauge	Red	100' Spools	\$51.89	H0-3113000
7-4332	12 Gauge	Red	500' Spools	\$228.19	H0-1963100
7-4334	12 Gauge	Black	100' Spools	\$51.89	H0-3113000

7-4333	12 Gauge	Black	500' Spools	\$228.19 H0-1963100
7-4341	12 Gauge	Yellow	100' Spools	\$51.89 H0-3113000
7-4343	12 Gauge	Brown	100' Spools	\$51.89 H0-3113000
7-4316	14 Gauge	Green	100' Spools	\$33.09 H0-5891000
7-4326	14 Gauge	Dark Blue	100' Spools	\$33.09 H0-5891000
7-4324	14 Gauge	Light Blue	100' Spools	\$33.09 H0-5891000
7-4314	14 Gauge	White	100' Spools	\$33.09 H0-5891000
7-4312	14 Gauge	Red	100' Spools	\$33.09 H0-5891000

Red 100' Spools \$33.09 H0-5891000 Red 500' Spools **\$154.59** H0-5729000 Black 100' Spools \$33.09 H0-5891000 500' Spools \$154.59 H0-5729000 Black Yellow 100' Spools \$33.09 H0-5891000 Brown 100' Spools \$33.09 H0-5891000

\$33.09 H0-5891000

\$33.09 H0-5891000

\$24.19 H0-1541000

\$24.19 H0-1541000

14 Gauge 100' Spools \$33.09 H0-5891000 Gray 16 Gauge Green 100' Spools **\$24.19** H0-1541000 16 Gauge Dark Blue 100' Spools \$24.19 H0-1541000 100' Spools 16 Gauge Blue **\$24.19** H0-1541000 100' Spools 16 Gauge White **\$24.19** H0-1541000

100' Spools

100' Spools

100' Spools

100' Spools

16 Gauge Black 100' Spools \$24.19 H0-1541000 16 Gauge 100' Spools \$24.19 H0-1541000 Brown 16 Gauge Orange 100' Spools \$24.19 H0-1541000 16 Gauge Pink 100' Spools **\$24.19** H0-1541000 16 Gauge Gray 100' Spools \$24.19 H0-1541000

Marpac Bonded Parallel Plastic Primary Wire - 2-Conductor




- Electro-tinned, copper strands increase corrosion protection.
- Rating -22° F (-30° C) to 176° F (80° C).
- Rated 60 volts.
- RoHS compliant. Meet SAE J1128 specifications.

Order No.	Description		Length	List Price
7-4369	10 Gauge	Red/Black	100'	\$166.29 H0-7799000

Marpac Bonded Parallel Wire







- All copper strand core.
- Heavy duty PVC jacket with color-coded conductors.
- Rating 176° F (80° C), nominal cold temperature rating of -22° F (-30° C).
- · Rated 60 volts or less.
- RoHS compliant.
- Conductors meet SAE J1128 specifications.

7-4396 18 Gauge White/Brown/Yellow/Green 100'

2-COND	UCTOR					
Order No.	Description		Length	List Price		
7-4386	14 Gauge	Red/Black	100'	\$62.29	H0-7373000	
7-4384	16 Gauge	Red/Black	500'	\$185.89	H0-3511100	
7-4382	16 Gauge	Red/Black	100'	\$48.69	H0-1292000	
7-4380	18 Gauge	Red/Black	100'	\$43.69	H0-1262000	
3-COND	UCTOR					
Order No.	Description		Length	List Price		
7-4394	14 Gauge	Brown/Yellow/Green	100'	\$86.89	H0-3125000	
7-4392	16 Gauge	Brown/Yellow/Green	100'	\$66.69	H0-1004000	
4-CONDUCTOR						
Order No.	Description		Length	List Price		
7-4400	14 Gauge	White/Brown/Yellow/Gree	en 100'	\$108.19	H0-1946000	
7-4398	16 Gauge	White/Brown/Yellow/Gree	en 100'	\$84.69	H0-1805000	

\$73.39 H0-3044000

Electronics Trolling Motors Instruments

Lighting Anchor & Dock Safety Steering, Controls Pumps

Fuel System

Seating & Pedestals

Trailering Tops &

Perform.

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc Fun & Flotation Topside

Cockpit

& Deck

Hardware, Fasteners

Camouflage

Comm

Marpac Multi-Conductor Marine Wire - Duplex





105°C DRY 75°C WET (UL)

- Electro-tinned, copper strands increase corrosion protection.
- Rating 221° F (105° C) dry and 167° F (75° C) wet.
- Flame retardant PVC insulation.
- Rated 600 volts.
- RoHS complaint.
- Meets USCG, DOT, ABYC, NMMA and UL 1426 Specifications.
- Made in USA.

Order No.	Description			List Price
7-4470	10/2 Gauge	Red/Black	Length 100'	\$172.79 H0-7630100
7-4472	10/2 Gauge	Red/Black	Length 250'	\$432.29 H0-7395200
7-4474	12/2 Gauge	Red/Black	Length 100'	\$124.19 H0-1547000
7-4476	12/2 Gauge	Red/Black	Length 250'	\$310.79 H0-7468100
7-4478	14/2 Gauge	Red/Black	Length 100'	\$87.89 H0-3725000
7-4480	14/2 Gauge	Red/Black	Length 250'	\$220.09 H0-5023100
7-4482	16/2 Gauge	Red/Black	Length 100'	\$66.39 H0-3893000
7-4484	16/2 Gauge	Red/Black	Length 250'	\$166.19 H0-1799000
7-4370	10 Gauge	Black/White	Length 100'	\$172.79 H0-7630100
7-4371	10 Gauge	Yellow/Red	Length 100'	\$172.79 H0-7630100
7-4368	12 Gauge	Black/White	Length 100'	\$124.19 H0-1547000
7-4366	14 Gauge	Black/White	Length 100'	\$87.89 H0-3725000
7-4367	14 Gauge	Yellow/Red	Length 100'	\$87.89 H0-3725000
7-4364	16 Gauge	Black/White	Length 100'	\$66.39 H0-3893000
7-4365	16 Gauge	Yellow/Red	Length 100'	\$66.39 H0-3893000

Marpac Multi-Conductor Marine Wire - Triplex







- Electro-tinned, copper strands increase corrosion protection.
- Rating 221° F (105° C) dry and 167° F (75° C) wet.
- Flame retardant PVC insulation.
- Rated 600 volts.
- RoHS complaint.
- Meets USCG, DOT, ABYC, NMMA and UL 1426 Specifications.
- Made in USA.

Order No.	Description		List Price
7-4376	10 Gauge	Length 100'	\$263.99 H0-9385100
7-4374	12 Gauge	Length 100'	\$177.39 H0-3460100
7-4372	14 Gauge	Length 100'	\$130.89 H0-3587000
7-4378	16 Gauge	Length 100'	\$82.59 H0-5594000

Newmar Intercom Wiring - Sold by the Foot

NEWMAR

Order No.	Mfg. No. / Description		List Price	
694926	(22-15) 22 AWG	15 Conductors	\$3.79	D0-3030000
695923	(22-10) 22 AWG	10 Conductors	\$3.79	D0-3030000

Marpac Bulk Spool Marine Tinned Copper Primary Wire Display with Rack







• This display includes each of the following:

•	This display includes each of the following.							
	DMI No.	Description	Gauge	Color	Length			
	7-4300	Plastic Primary Wire - Single Conductor	16	Black	100'			
	7-4302	Plastic Primary Wire - Single Conductor	16	Red	100′			
	7-4310	Plastic Primary Wire - Single Conductor	14	Black	100′			
	7-4312	Plastic Primary Wire - Single Conductor	14 14	Red	100′			
	7-4318 7-4320	Plastic Primary Wire - Single Conductor Plastic Primary Wire - Single Conductor	14	Yellow Brown	100′ 100′			
	7-4320	Plastic Primary Wire - Single Conductor	12	Black	100'			
	7-4336	Plastic Primary Wire - Single Conductor	12	Red	100'			
	7-4344	Plastic Primary Wire - Single Conductor	10	Black	100'			
	7-4346	Plastic Primary Wire - Single Conductor	10	Red	100'			
	7-4354	Plastic Primary Wire - Single Conductor	8	Black	100′			
	7-4356	Plastic Primary Wire - Single Conductor	8	Red	100'			
	7-4380	Bonded Parallel Plastic Primary Wire	18	Red/Black	100'			
	7-4382	Bonded Parallel Plastic Primary Wire	16	Yel/Brown	100'			
	7-4386	Bonded Parallel Plastic Primary Wire	14	Red/Black	100'			
	7-4364	Boat Cable - Duplex	16	Black/White	100'			
	7-4366	Boat Cable - Duplex	14	Black/White	100'			
	7-4368	Boat Cable - Duplex	12	Black/White	100'			
	7-4370	Boat Cable - Duplex	10	Black/White	100′			
	7-4372	Boat Cable - Triplex	14		100'			
	7-4374	Boat Cable - Triplex	12		100'			
	7-4999B	Wire Rack						

Order No.	Description
7-4999	Marine Primary Wire Display with Rack
7-4999B	Display Rack Only

\$1,446.29 F0-0421010 **Price On Request**

List Price

Misc.







Marpac Starter Cable







- Electro-tinned, copper strands increase corrosion protection.
- Rating 221° F (105° C) dry and 167° F (75° C) wet.
- Flame retardant PVC insulation.
- Rated 600 volts.
- RoHS complaint.
- Meets USCG, DOT, ABYC, NMMA and UL 1426 Specifications.

Trolling	Meets	USCG, DOT,	ABYC, NMM	A and UL 1426 S	Specifications	
Motors	Order No.	Description			List Price	
Instruments	7-4467	4/0 Gauge	Yellow	Length 50'	\$751.39	H0-3805400
IIISUUITIETIIS	7-4465	4/0 Gauge	Black	Length 50'	\$751.39	H0-3805400
EL ALLE	7-4463	4/0 Gauge	Red	Length 50'	\$751.39	H0-3805400
Electrical	7-4459	3/0 Gauge	Yellow	Length 50'	\$619.29	H0-7517300
	7-4457	3/0 Gauge	Black	Length 50'	\$619.29	H0-7517300
Lighting	7-4455	3/0 Gauge	Red	Length 50'	\$619.29	H0-7517300
Anchor	7-4436	2/0 Gauge	Black	Length 100'	\$773.29	H0-7936400
& Dock	7-4432	2/0 Gauge	Black	Length 25'	\$208.99	H0-9352100
	7-4434	2/0 Gauge	Red	Length 100'	\$773.29	H0-7936400
Safety	7-4430	2/0 Gauge	Red	Length 25'	\$208.99	H0-9352100
Steering,	7-4442	1/0 Gauge	Yellow	Length 50'	\$419.59	H0-5715200
Controls	7-4440	1/0 Gauge	Black	Length 50'		H0-5715200
	7-4438	1/0 Gauge	Red	Length 50'		H0-5715200
Pumps	7-4431	1 Gauge	Yellow	Length 50'	\$329.39	H0-3679100
	7-4429	1 Gauge	Black	Length 50'		H0-3679100
Fuel System	7-4428	1 Gauge	Black	Length 25'		H0-7208000
	7-4427	1 Gauge	Red	Length 50'		H0-3679100
Seating &	7-4426	1 Gauge	Red	Length 25'		H0-7208000
Pedestals Pedestals	7-4425	2 Gauge	Yellow	Length 50'		H0-5245100
Trailering	7-4424	2 Gauge	Black	Length 100'		H0-3477200
	7-4423	2 Gauge	Black	Length 50'		H0-5245100
Tops &	7-4420	2 Gauge	Black	Length 25'		H0-9686000
Covers	7-4422	2 Gauge	Red	Length 100'		H0-3477200
Perform.	7-4421	2 Gauge	Red	Length 50'		H0-5245100
i Grionii.	7-4418	2 Gauge	Red	Length 25'	•	H0-9686000
Duncellana	7-4417	4 Gauge	Yellow	Length 100'		H0-9628100
Propellers	7-4415	4 Gauge	Yellow	Length 50'		H0-5650100
Engine	7-4416	4 Gauge	Black	Length 100'		H0-9628100
& Care	7-4413	4 Gauge	Black	Length 50'	7	H0-5650100
Cleaning	7-4412	4 Gauge	Black	Length 25'	\$76.69	H0-1064000

Red

Red

Red

Yellow

Black

Red

Green

Length 100'

Length 50'

Length 25'

Length 100'

Length 100'

Length 100'

Length 100'

\$304.49 H0-9628100

\$176.09 H0-5650100

\$202.09 H0-5212100

\$202.09 H0-5212100


\$202.09 H0-5212100

\$202.09 H0-5212100

\$76.69 H0-1064000

EASTPENN





- Full-gauge copper conductor wire ideal for connecting a battery to switch, starter and ground.
- Tough, high temperature resistant PVC insulation is durable enough to handle heavy duty automotive demands.
- Copper stranding is highly conductive maximizing current transfer while remaining flexible for easy installation.
- Voltage: Rated at 60 volts or less.
- Temperature: Rated -50° C (-58° F) to 105° C (221° F).

PRICED BY THE FOOT AN	ND CUT TO ORDER	
Order No. Mfg. No. / Description		List Price
2000584 (04617) 2 Gauge	Black	\$3.49 H0-9020000
2000585 (04616) 2 Gauge	Red	\$3.49 H0-9020000
2000586 (04611) 4 Gauge	Black	\$2.29 H0-7310000
2000587 (04610) 4 Gauge	Red	\$2.29 H0-7310000
2000588 (04605) 6 Gauge	Black	\$1.59 H0-5900000
2000589 (04604) 6 Gauge	Red	\$1.59 H0-5900000

Marpac Tinned Copper Lugs







Sold by box of 5 Packages only! Priced per Package.

• Sold 2 per display package.

Order No.	Description		List Price	
7-3450	8 AWG	#1/4	\$3.79	H0-7220000
7-3455	8 AWG	#5/16	\$3.59	H0-5120000
7-3460	8 AWG	#3/8	\$3.59	H0-5120000
7-3465	6 AWG	#1/8	\$4.69	H0-1820000
7-3470	6 AWG	#1/4	\$4.39	H0-3620000
7-3475	6 AWG	#5/16	\$3.89	H0-3320000
7-3480	6 AWG	#3/8	\$3.89	H0-3320000
7-3490	4 AWG	#5/16	\$4.19	H0-1520000
7-3500	4 AWG	#3/8	\$4.19	H0-1520000
7-3510	2 AWG	#5/16	\$ 5.49	H0-9230000
7-3520	2 AWG	#3/8	\$6.19	H0-1730000
7-3525	1 AWG	#5/16	\$7.09	H0-5240000
7-3530	1 AWG	#3/8	\$7.09	H0-5240000
7-3535	1/0 AWG	#5/16	\$9.09	H0-5450000
7-3540	1/0 AWG	#3/8	\$10.19	H0-1160000
7-3545	1/0 AWG	#1/2	\$10.19	H0-1160000
7-3550	2/0 AWG	#1/4	\$13.39	H0-3080000
7-3555	2/0 AWG	#5/16	\$12.79	H0-7670000
7-3560	2/0 AWG	#3/8	\$11.09	H0-5660000
7-3565	2/0 AWG	#1/2	\$13.39	H0-3080000
7-3570	4/0 AWG	#3/8	\$18.49	H0-9011000
7-3575	4/0 AWG	#1/2	\$18.49	H0-9011000



7-4414 4 Gauge

7-4410 4 Gauge

7-4404 6 Gauge

7-4408 6 Gauge

7-4406 6 Gauge

7-4402 6 Gauge

4 Gauge

7-4411

Paint &

Fun &

Flotation

Topside

Acc. Cockpit & Deck Hardware, Fasteners Camouflage

Misc

Paint Acc.





Extra Heavy Duty Tin-Plated Copper Lugs



- Thicker walls for greater strength and conductivity.
- Used for severe-duty applications.
- Gauge stamped on lug for easy identification.
- · Lugs can be crimped or soldered and are stackable.
- Sold each.

Order No.	Mfg. No. / Description		List Price
277877	(05491) 6 Gauge	Stud Hole 5/16"	\$2.29 H0-7310000
277885	(05490) 6 Gauge	Stud Hole 3/8"	\$2.29 H0-7310000
277879	(05486) 4 Gauge	Stud Hole 5/16"	\$3.09 H0-5810000
277887	(05342) 4 Gauge	Stud Hole 3/8"	\$3.09 H0-5810000
277881	(05480) 1-2 Gauge	Stud Hole 5/16"	\$3.99 H0-9320000
277889	(05343) 1-2 Gauge	Stud Hole 3/8"	\$3.99 H0-9320000
277899	(05344) 1-2 Gauge	Stud Hole 1/2"	\$3.99 H0-9320000
277891	(05345) 1/0 Gauge	Stud Hole 3/8"	\$4.89 H0-3920000
277883	(05482) 2/0 Gauge	Stud Hole 5/16"	\$5.09 H0-5030000
277893	(05347) 2/0 Gauge	Stud Hole 3/8"	\$5.09 H0-5030000
277901	(05349) 2/0 Gauge	Stud Hole 1/2"	\$5.09 H0-5030000
277895	(05352) 4/0 Gauge	Stud Hole 3/8"	\$6.69 H0-1040000
277897	(05353) 4/0 Gauge	Stud Hole 1/2"	\$6.69 H0-1040000

Marpac Tinned Copper Battery Cable



- Pre-assembled battery cable.
- Made of 100% copper conductor for maximum current flow.
- Full gauge stranded copper core is flexible for easy installation and allows maximum current for quick starting.
- Copper core extends to the end of the plated lug to give a one piece solid connection.
- Recommended for engine to ground connections.
- Fits up to 3/8" stud.
- Wire meets SAE standards.

Order No.	Size	Length	Color	List Price
7-4055	4 Gauge	24"	Black	\$13.39 H0-3080000
7-4060	4 Gauge	24"	Red	\$13.39 H0-3080000
7-4065	4 Gauge	36"	Black	\$16.49 H0-9890000
7-4070	4 Gauge	36"	Red	\$16.49 H0-9890000
7-4085	2 Gauge	48"	Black	\$28.09 H0-5861000
7-4090	2 Gauge	48"	Red	\$28.09 H0-5861000
7-4095	2 Gauge	60"	Black	\$30.09 H0-5081000
7-4100	2 Gauge	60"	Red	\$30.09 H0-5081000
7-4105	2 Gauge	72"	Black	\$40.19 H0-1142000
7-4110	2 Gauge	72"	Red	\$40.19 H0-1142000

Copper Lugs



- · Lugs can be crimped or soldered and are stackable.
- Gauge stamped on lug for easy identification.
- · Flared ends for easy entry.

• Sold each.			1000000
Order No.	Mfg. No. / Description		List Price
277684	(05468) 6 Gauge	Stud Hole 5/16"	\$1.09 H0-5600000
277699	(05326) 6 Gauge	Stud Hole 3/8"	\$1.09 H0-5600000
277687	(05328) 4 Gauge	Stud Hole 5/16"	\$1.09 H0-5600000
277702	(05327) 4 Gauge	Stud Hole 3/8"	\$1.09 H0-5600000
277689	(05462) 2 Gauge	Stud Hole 5/16"	\$1.49 H0-9800000
277714	(05329) 2 Gauge	Stud Hole 3/8"	\$1.49 H0-9800000
277779	(05330) 2 Gauge	Stud Hole 1/2"	\$1.79 H0-7010000
277691	(05459) 1 Gauge	Stud Hole 5/16"	\$1.49 H0-9800000
277726	(05331) 1 Gauge	Stud Hole 3/8"	\$1.49 H0-9800000
277790	(05332) 1 Gauge	Stud Hole 1/2"	\$1.99 H0-9110000
277693	(05460) 1/0 Gauge	Stud Hole 5/16"	\$1.79 H0-7010000
277738	(05333) 1/0 Gauge	Stud Hole 3/8"	\$1.79 H0-7010000
277780	(05334) 1/0 Gauge	Stud Hole 1/2"	\$1.79 H0-7010000
277695	(05463) 2/0 Gauge	Stud Hole 5/16"	\$2.09 H0-5210000
277773	(05335) 2/0 Gauge	Stud Hole 3/8"	\$1.89 H0-3110000
277815	(05336) 2/0 Gauge	Stud Hole 1/2"	\$1.99 H0-9110000

Sierra Battery Cable

Stud Hole 1/2"

Stud Hole 3/8"

Stud Hole 1/2"



(05338) 3/0 Gauge

(05339) 4/0 Gauge

277775 (05340) 4/0 Gauge



- 1 gauge cable with soldered lug terminals on each end to accept a 3/8" stud.
- Length 8'.

Order No. Mfg. No. / Description 8020348 (BC88583) Red

List Price

\$63.49 Z0-7153000

\$2.79 H0-7610000

\$3.19 H0-1910000

\$3.19 H0-1910000

Marpac Color-Coded Booster Cable





Color-coded.

• No tangle, dual construction.

• 12' x 8 gauge.

Order No. Mfg. No. / Description 7-4450 Booster Cable

\$23.98 H0-9341000

Trolling Motors

Electronics

Instruments

Lighting

Anchor & Dock

Safety

Steering, Controls

Pumps

Fuel System

Pedestals

Trailering Tops &

Perform.

Propellers

Engine & Care

Cleaning

& Care Paint &

Paint Acc

Fun & Flotation

Topside

Cockpit

& Deck

Hardware, Fasteners

Camouflage

Misc.

Comm.



Motors

Electrical

Lighting

Anchor

& Dock

Steering Controls

Pumps

System

Battery Terminals





T-H Marine Hydra Multi-Connection Marine Battery Terminals











Color-coded insulated wing nuts.

• Zinc terminal provides improved conductivity.

• Lead-free, marine-grade zinc construction with stainless steel connections.

Seating & Pedestals Order No. Mfg. No. / Description

 Order No.
 Mfg. No. / Description
 List Price

 840895
 (HYBT-3-DP) 3-Way
 \$32.39
 F0-7622000

 840897
 (HYBT-5-DP) 5-Way
 \$36.19
 G0-5242000

Tops & Covers

Engine & Care

Cleaning & Care

Paint &

Fun &

Flotation

Hardware, Fasteners Camouflage

Misc

Paint Acc.

Trailering

Moeller Battery Terminal Covers






• The flexible PVC covers will accept up to 1/2" OD cable.

• One black cover and one red cover.

• Meets USCG and BIA safety regulations for anti-short protection.

Topside	Order No.	Mfg. No. / Description	List Price	
Acc.	487505	(099078-10) Per Pair	\$7.89	H0-3740000
	487507	(099078-02) Red Only	\$2.99	H0-9710000
Cockpit & Deck	487509	(099079-02) Black Only	\$2.99	H0-9710000





• Provides protection for Hydra Battery Terminal Multiplier.

• Prevents battery arching.

- PVC material made for wet/harsh environments.
- Hydra battery terminal NOT included.
- Fits 3 Post Hydra.

 Order No.
 Mfg. No. / Description
 List Price

 840890
 (HYBT-3C-DP)
 \$6.29
 H0-7730000

Wing Nut Terminals

 Clamp type wing nut terminals convert standard post to marine or other special uses.

Brass plated wing nut.

• Positive terminal stud size is 3/8".

• Negative terminal stud size is 5/16".

 Sold per pair per display pack: 1 positive and 1 negative.

Order No. Mfg. No. / Description

277875 (00354)

List Price

\$5.99 H0-9530000

Marpac Battery Terminal Guards







Sold by box of 5 Packages only! Priced per Package.

• Sold per pair per package.

Order No.	Description	List Price	
7-4195	For 2 AWG Cable	\$8.69	H0-1250000
7-4200	For 4 AWG Cable	\$8.69	H0-1250000



Electronics Trolling Motors

Instruments

Lighting Anchor & Dock Safety

Steering Controls

Pumps Fuel

System

Seating &

Pedestals

Trailering

Tops &

Perform.

Propellers

Engine

& Care Cleaning & Care Paint & Paint Acc Fun & Flotation Topside

Cockpit & Deck

Hardware,

Fasteners

Camouflage

Misc

Comm





- Electro-tin-plated brass ensures excellent conductivity and resistance to corrosion.
- UL rated for 75° C (167° F), 600 volts.

7000448 (423005) 12-10 AWG

1	2			
-				
	9	500	٠.	

• UL rated for 75° C (167° F), 600 volts.	100			
Order No. Mfg. No. / Description	Color	Per Pack	List Price	
7000444 (421005) 22-18 AWG	Red	100	\$7.59 H0-5540000)
7000446 (422005) 16-14 AWG	Blue	100	\$8.19 HO-1940000)

100

Vinyl Insulated Butt Connectors

Yellow

Greenlite Cable Vinyl Insulated Butt Splice Connectors



\$11.49 H0-9860000

- Vinyl insulated butt connectors are designed for the marine environment.
- · Sold bulk.

Order No.	Mfg. No.	Wire Size	Color	Per Box	List Price
479320	(110018)	22-18	Red	100	\$14.09 H0-5480000
479508	(110028)	16-14	Blue	100	\$15.49 H0-9290000
479700	(110038)	12-10	Yellow	100	\$25.89 H0-3551000
479801	(110045)	8	Red	25	\$20.59 H0-5321000
479899	(110055)	6	Blue	25	\$50.29 H0-7103000

Greenlite Cable Vinyl Insulated Non-Flanged Block Spades



- Electro-tin-plated copper ensures maximum conductivity and resistance to corrosion.
- UL rated for 75° C (167° F), 600 volts.

• 100 per bag.						
Order No.	Mfg. No. / Description	Color	List Price			
2000759	(461105) 22-16 AWG - #10	Red	\$8.69 H0-1250000			
2000761	(462085) 16-14 AWG - #8	Blue	\$8.49 H0-9050000			
2000762	(462105) 16-14 AWG - #10	Blue	\$8.79 H0-7250000			

Greenlite Cable Vinyl Insulated Flanged Block Spade





- Right-angled flanged teeth help fix the terminals to binding posts before screw-down.
- Electro-tin-plated copper ensures maximum conductivity and resistance to corrosion.
- UL rated for 75° C (167° F), 600 volts.
- 100 per bag.

Order No. Mfg. No. / Description List Price **2000726** (402105) 16-14 AWG - #10 Blue \$8.69 H0-1250000

Marpac Vinyl Butt Connectors





Sold by box of 5 Packages only! Priced per Package.

Order No.	Description	Color	Per Package	List Price	
7-3110	22-18 AWG	Red	6	\$2.99	H0-9710000
7-3115	16-14 AWG	Blue	6	\$2.99	H0-9710000
7-3120	12-10 AWG	Yellow	6	\$3.09	H0-5810000

Marpac Vinyl Spade Fork Connectors





Sold by box of 5 Packages only! Priced per Package.

Order No.	Description	Color	Per Package	List Price	
7-3190	22-18 AWG - #10	Red	7	\$2.99	H0-9710000
7-3195	16-14 AWG - #10	Blue	7	\$2.99	H0-9710000
7-3200	12-10 AWG - #10	Yellow	6	\$3.09	H0-5810000

Vinyl Insulated Spade Fork Connectors



- Terminals are designed for the harsh marine environment, are easy to crimp and designed to tightly grip the wire.
- Sold bulk.

Order No.	Mfg. No.	Wire Size	Stud Size	Color	Per Box	List Price	
479419	(110428)	16-14	#8	Blue	100	\$17.49	H0-9401000
479421	(110438)	16-14	#10	Blue	100	\$17.09	H0-5201000
479623	(110478)	12-10	#10	Yellow	100	\$22.69	H0-1631000

Greenlite Cable Vinyl Insulated Snap Spades





- Contoured termination cut-outs "click" and secure spades to studs.
- Electro-tin-plated copper ensures maximum conductivity and resistance to corrosion.
- UL rated for 75° C (167° F), 600 volts.
- 100 per bag.

Order No. Mfg. No. / Description	Color	List Price
2000767 (482065) 16-14 AWG - #6	Blue	\$7.89 H0-3740000
2000768 (482085) 16-14 AWG - #8	Blue	\$7.89 H0-3740000
2000769 (482105) 16-14 AWG - #10	Blue	\$7.89 H0-3740000



El Navegante

www.repuestoselnavegante.com

Electronics Trolling Motors Instruments

Pedestals

Perform.

& Care

Paint & Paint Acc.

Fun & Flotation Topside Acc. Cockpit & Deck Hardware, Fasteners Camouflage

Misc





Greenlite Cable Vinyl Insulated Piggy-Backs





- These terminals feature both a female .25" quick-slide with a piggybacked male .25" tab.
- Electro-tin-plated brass ensures excellent conductivity and resistance to
- UL rated for 75° C (167° F), 600 volts.
- 100 per bag.


Order No. Mfg. No.	/ Description		Color	List Price
2000720 (40066	5) 22-16 AWG	Tab Size: .250	Red	\$10.89 H0-3560000
2000721 (40067	5) 16-14 AWG	Tab Size: .250	Blue	\$10.89 H0-3560000

Marpac Vinyl Ring Tongue Terminals





• Designed for the marine environment.





Order No.	Mfg. No.	Wire Size	Stud Size	Color	Per Box	List Price	
479217	(110088)	22-18	#8	Red	100	\$14.89	H0-3980000
479229	(110098)	22-18	#10	Red	100	\$14.59	H0-5780000
479243	(110118)	22-18	5/16	Red	100	\$18.99	H0-9311000
479368	(110148)	16-14	#8	Blue	100	\$16.79	H0-7001000
479370	(110158)	16-14	#10	Blue	100	\$16.79	H0-7001000
479382	(110168)	16-14	1/4	Blue	100	\$20.49	H0-9221000
479394	(110178)	16-14	5/16	Blue	100	\$20.09	H0-5021000
479407	(110188)	16-14	3/8	Blue	100	\$21.99	H0-9131000
479560	(110218)	12-10	#10	Yellow	100	\$22.69	H0-1631000
479572	(110228)	12-10	1/4	Yellow	100	\$30.79	H0-7481000
479584	(110238)	12-10	5/16	Yellow	100	\$30.09	H0-5081000
479596	(110248)	12-10	3/8	Yellow	100	\$27.99	H0-9761000
479609	(110258)	12-10	1/2	Yellow	100	\$33.29	H0-7991000
479750	(112255)	8	#10	Red	25	\$14.89	H0-3980000
479762	(110265)	8	1/4	Red	25	\$15.29	H0-7190000
479774	(110275)	8	5/16	Red	25	\$17.89	H0-3701000
479786	(110285)	8	3/8	Red	25	\$17.89	H0-3701000
479851	(110305)	6	1/4	Blue	25	\$21.99	H0-9131000
479863	(110315)	6	5/16	Blue	25	\$23.39	H0-3041000
479875	(110325)	6	3/8	Blue	25	\$23.09	H0-5831000

Sold by box of 5 Packages only! Priced per Package.

	Order No.	Description	Color	Per Package	List Price	
Lighting	7-3125	22-18 AWG - #6	Red	7	\$2.89	H0-3710000
Anchor	7-3130	22-18 AWG - #8	Red	7	\$2.99	H0-9710000
& Dock	7-3135	22-18 AWG - #10	Red	7	\$2.99	H0-9710000
	7-3140	16-14 AWG - #6	Blue	7	\$2.99	H0-9710000
Safety	7-3145	16-14 AWG - #8	Blue	7	\$2.99	H0-9710000
	7-3150	16-14 AWG - #10	Blue	7	\$2.99	H0-9710000
Steering, Controls	7-3155	16-14 AWG - #1/4	Blue	6	\$2.99	H0-9710000
	7-3165	16-14 AWG - #3/8	Blue	5	\$2.99	H0-9710000
Pumps	7-3170	12-10 AWG - #10	Yellow	6	\$3.09	H0-5810000
	7-3175	12-10 AWG - #1/4	Yellow	5	\$3.09	H0-5810000
Fuel	7-3180	12-10 AWG - #5/16	Yellow	5	\$3.09	H0-5810000
System	7-3185	12-10 AWG - #3/8	Yellow	5	\$3.09	H0-5810000
Coating 0.						

Greenlite Cable Vinyl Insulated Ring Terminals





- ensures maximum conductivity and resistance to corrosion.
- UL rated for 75° C (167° F), 600 volts.

• 100 per bag.		
Order No. Mfg. No. / Description	Color	List Price
2000740 (451065) 22-16 AWG - #6	Red	\$6.89 H0-3140000
2000741 (451085) 22-16 AWG - #8	Red	\$7.19 H0-1340000
7000450 (451105) 22-16 AWG - #10	Red	\$7.19 H0-1340000
7000452 (451145) 22-16 AWG - 1/4"	Red	\$10.19 H0-1160000
2000744 (452065) 16-14 AWG - #6	Blue	\$7.19 H0-1340000
7000454 (452085) 16-14 AWG - #8	Blue	\$7.99 H0-9740000
7000456 (452145) 16-14 AWG - 1/4"	Blue	\$10.19 H0-1160000
7000460 (452565) 16-14 AWG - 5/16"	Blue	\$10.99 H0-9560000
7000458 (452385) 16-14 AWG - 3/8"	Blue	\$15.59 H0-5390000
2000750 (453065) 12-10 AWG - #6	Yellow	\$12.09 H0-5270000
2000751 (453085) 12-10 AWG - #8	Yellow	\$12.09 H0-5270000
7000462 (453105) 12-10 AWG - #10	Yellow	\$12.09 H0-5270000
7000466 (453565) 12-10 AWG - 5/16"	Yellow	\$18.39 H0-3011000
7000464 (453385) 12-10 AWG - 3/8"	Yellow	\$24.39 H0-3641000
2000753 (453125) 12-10 AWG - 1/2"	Yellow	\$24.89 H0-3941000

Greenlite Cable Nylon Insulation Ring Terminals





- Electro-tin-plated copper ensures maximum conductivity and resistance to
- UL rated for 105° C (221° F), 600 volts.
- 100 per bag.

Order No. Mfg. No. / Desc	cription	Color	List Price
2000794 (GR-R8N)	22-16 AWG - #8	Red	\$10.49 H0-9260000
2000793 (GR-R10N)	22-16 AWG - #10	Red	\$10.49 H0-9260000
2000792 (GR-B8N)	16-14 AWG - #8	Blue	\$11.69 H0-1070000
2000788 (GR-B10N)	16-14 AWG - #10	Blue	\$11.69 H0-1070000
2000789 (GR-B14N)	16-14 AWG - 1/4"	Blue	\$15.09 H0-5090000
2000791 (GR-B516N)	16-14 AWG - 5/16"	Blue	\$15.49 H0-9290000
2000790 (GR-B38N)	16-14 AWG - 3/8"	Blue	\$16.59 H0-5990000





Freshwater Exclusive Saltwater Exclusive

Vinyl Insulated Bullet Connectors





Sold by box of 5 Packages only! Priced per Package.

Order No.	Description			List Price
7-3245	16-14 AWG	Plug	Oty. Per Package 7	\$3.09 H0-5810000
7-3250	16-14 AWG	Receptacle	Oty. Per Package 4	\$2.99 H0-9710000

Marpac Vinyl Bullet Connectors

Greenlite Cable Vinyl Insulated Bullet-End Connectors







- Electro-tin-plated brass ensures excellent conductivity and resistance to corrosion.
- Precision engineering means that connections will never come apart unless you want them to come apart.
- UL rated for 175° C (167° F), 300 volts.
- 100 per bag.

Order No. Mfg. No. / Description	Color		List Price
2000738 (449105) 22-16 AWG	Red	Female	\$11.29 H0-7760000
2000737 (441205) 22-16 AWG	Red	Male	\$8.39 H0-3050000
2000739 (449205) 16-14 AWG	Blue	Female	\$11.29 H0-7760000
2000736 (440205) 16-14 AWG	Blue	Male	\$8.39 H0-3050000

Vinyl Insulated Quick Disconnects





· Sold bulk.

Urder No.	ivitg. ivo.	vvire Size	Color	Stua Type	Let Rox	LIST Price
479445	(110798)	16-14	Blue	Male	100	\$16.39 H0-3890000
479457	(110808)	16-14	Blue	Female	100	\$17.39 H0-3401000
479647	(110818)	12-10	Yellow	Male	100	\$23.39 H0-3041000
479659	(110828)	12-10	Yellow	Female	100	\$18.99 H0-9311000

Greenlite Cable Fully Insulated Quick Slides







- Electro-tin-plated brass ensures excellent conductivity and resistance to
- GFQF quick slides also feature funnel entries for easier wire insertion.
- UL rated for 105° C (221° F), 300 volts.
- 100 per bag.

Order No. Mfg. No. / Description	Color		List Price
2000779 (690005) 22-18 AWG	Red	Female	\$14.99 H0-9980000
2000776 (630005) 22-18 AWG	Red	Male	\$14.99 H0-9980000
2000780 (694005) 16-14 AWG	Blue	Female	\$14.99 H0-9980000
2000777 (634005) 16-14 AWG	Blue	Male	\$14.99 H0-9980000
2000781 (695005) 12-10 AWG	Yellow	Female	\$18.29 H0-7901000
2000778 (635005) 12-10 AWG	Yellow	Male	\$18.29 H0-7901000



- Bullet connectors are used to make a simple connection that snaps together easily and holds tight.
- Sold bulk.

order No.	iviig. ivo.	vviie 2176	COIOI	2100	Per bux	LIST PITCE
479469	(110728)	16-14	Blue	Male	100	\$20.89 H0-3521000
479471	(110738)	16-14	Blue	Female	100	\$28.29 H0-7961000

Greenlite Cable Vinyl Insulated Quick Slides

Color

Red

Red

Red

Red

Blue

Blue

Blue

Blue

Yellow

Yellow

Marpac Vinyl Quick Disconnects - Fully Insulated

Sold by box of 5 Packages only! Priced per Package.

Color

Red

Red

Blue

Blue

Yellow

Yellow 4

4

4

4

4

Male

Male

Male

Female

Female

Female

Female

Male

Male

Per Package List Price





• UL rated for 75° C (167° F), 600 volts.

2000771 (491705) 22-16 AWG - .187

2000731 (431705) 22-16 AWG - .187

2000770 (491005) 22-16 AWG - .250

2000730 (431005) 22-16 AWG - .250

2000773 (492115) 16-14 AWG - .110

2000734 (432705) 16-14 AWG - .187

2000774 (492705) 16-14 AWG - .187

2000772 (492005) 16-14 AWG - .250

2000732 (432005) 16-14 AWG - .250

2000775 (493005) 12-10 AWG - .250

2000735 (433005) 12-10 AWG - .250

Order No. Description

7-3205 22-18 AWG - Male

7-3210 22-18 AWG - Female

7-3220 16-14 AWG - Female

7-3230 12-10 AWG - Female

7-3215 16-14 AWG - Male

7-3225 12-10 AWG - Male

• 100 per bag.

Order No. Mfg. No. / Description



List Price

Female **\$7.89** H0-3740000

Female \$10.49 H0-9260000

\$7.89 H0-3740000

\$7.89 H0-3740000

\$9.59 H0-5750000

\$2.99 H0-9710000

\$2.99 H0-9710000

\$2.99 H0-9710000

\$2.99 H0-9710000

\$2.99 H0-9710000

\$2.99 H0-9710000

Electronics Trolling Motors

Instruments

Lighting

Anchor & Dock

Safety

Steering Controls

Pumps Fuel System

Pedestals

Trailering

Tops &

Perform.

Propellers Engine

& Care Cleaning & Care

Paint &

Paint Acc Fun &

Flotation Topside Acc.

Cockpit & Deck

Hardware. Fasteners

Camouflage

Misc.

Comm

Marpac Vinyl Closed End Connectors





Sold by box of 5 Packages only! Priced per Package.

Order No.	Description	Per Package	List Price
7-3255	22-14 AWG	9	\$2.99 H0-9710000
7-3260	18-10 AWG	8	\$2.99 H0-9710000

Marpac Vinyl Scotch Locks





List Price

\$15.29 H0-7190000

\$16.09 H0-5690000

Sold by box of 5 Packages only! Priced per Package.

Connectors used to join wires making a

clean, insulated electrical connection.

Wire Size

• Sold bulk. 100 per box.

479964 (110648) 18-14

479976 (112648) 18-14

This kit includes 81 pieces

in a closable plastic case:

22-18 AWG Butt Connectors

16-14 AWG Butt Connectors

12-10 AWG Butt Connectors

22-18 AWG #10 Ring Tongue Terminals

16-14 AWG #10 Ring Tongue Terminals

12-10 AWG #10 Ring Tongue Terminals

12-10 AWG 3/8" Ring Tongue Terminals

8 AWG 3/8" Ring Tongue Terminals

16-14 AWG Male Quick Disconnects

16-14 AWG Bullet Connector Plugs

14-16 Scotch Locks

16-14 AWG Female Quick Disconnects

16-14 AWG Bullet Connector Receptacles

16-14 AWG 5/16" Ring Tongue Terminals

Order No. Mfg. No.

Order N	lo. Description	Color	Per Package	List Price
7-323	5 14-18 AWG	Blue	3	\$2.99 H0-9710000
7-324	0 12-10 AWG	Yellow	3	\$4.09 H0-5420000

Vinyl Insulated Quick Splices

Color

Blue

White

Marpac 81 Piece Vinyl Electrical Terminal Kit

Electrical

Electronics Trolling Motors

Lighting

Anchor & Dock

Safety

Steering Controls

Pumps Fuel System

> Seating & Pedestals Trailering

Tops &

Perform

Propeller Engine & Care

& Care Paint & Paint Acc.

Fun & Flotation

Topside Acc.

Cockpit & Deck

Hardware, Fasteners

Camouflage

Misc

(3)

Description

(15)

(6)

(6)

(8)

(5)

(5)

(6)

(2)

(3)

(3)

(2)

(2)

7-4205 81 Piece Vinyl Electrical Terminal Kit

\$48.09 H0-5882000

Dual Tab Adapter



List Price

- Converts one .250 x .032 male tab to two male tabs.
- Sold bulk. 100 per box.

Order No. Mfg. No. / Description

479510 (112301)

\$20.79 H0-7421000

Greenlite Cable Vinyl Insulated Quick Splices



- No wire-stripping required.
- The electro-tin-plated brass contacts will penetrate wire insulation when you squeeze down the cover in place.
- 50 per pack.

Order No. Mfg. No.	/ Description	Color	List Price	
2000783 (904485	5) 22-16 AWG	Red	\$6.29	H0-7730000
2000782 (904445	5) 16-14 AWG	Blue	\$6.29	H0-7730000
2000784 (904625	5) 12-10 AWG	Yellow	\$3.89	H0-3320000

Handi-Man Electrical Connector Kit





- Includes: 326 pieces, packed in a durable plastic case.
- Kit contains:

(20) 12-10 AWG #8 Fork Connector

(20) 22-18 AWG #6 Terminal Ring

(20) 22-18 AWG #8 Terminal Ring

(20) 16-14 AWG #10 Terminal Ring

(20) 22-18 AWG #6 Fork Terminal

(20) 16-14 AWG #8 Fork Terminal

(20) 22-18 AWG #10 Fork Terminal

(20) 16-14 AWG Vinyl Butt Connector

(20) 12-10 AWG Vinyl Butt Connector

(20) 22-18 AWG Quick Disconnect - Male

(20) 22-18 AWG Quick Disconnect - Female

(20) 16-14 AWG Quick Disconnect - Male

(20) 16-14 AWG Quick Disconnect - Female

(20) 12-10 AWG Quick Disconnect - Male

(20) 12-10 AWG Quick Disconnect - Female

(10) 18-10 AWG Wire Connector - Yellow

(10) 18-10 AWG Wire Connector - Red

(6) 18-14 AWG Trailer-to-Car

Order No. Mfg. No. / Description

731545 (WMMK5) El Navegante

\$87.89 H0-3725000

Trolling

Motors

Instruments

Lighting

Anchor & Dock Safety Steering, Controls

Pumps

Fuel System

Seating & Pedestals Trailering Tops &

Perform.

Propellers Engine & Care Cleaning & Care Paint & Paint Acc

Fun &

Flotation

Topside

Cockpit

& Deck

Hardware,

Fasteners

Camouflage

Misc

Comm

Acc.



Marpac Heat Shrink Crimp Terminal Display



Marpac Heat Shrink Ring Tongues

Sold by box of 5 Packages only! Priced per Package. • Sold 2 per package, except for 7-3325 (Sold 4 per package)

Color

Red

Red Blue

Blue

Blue

Blue

Blue

Yellow

Yellow

Yellow

Yellow

Yellow



Mini-Blister - 5 per box.

22-18 AWG - #10

22-18 AWG - #1/4

16-14 AWG - #10

16-14 AWG - #1/4

16-14 AWG - #5/16

16-14 AWG - #3/8

12-10 AWG - #10

12-10 AWG - #1/4

12-10 AWG - #3/8

12-10 AWG - #1/2

12-10 AWG - #5/16

16-14 AWG - #8

Order No. Description

7-3320

7-3325

7-3335

7-3345

7-3350

7-3355

7-3365

7-3370

7-3375

7-3385

7-3390

7-3425



\$3.89 H0-3320000

\$3.89 H0-3320000

\$3.89 H0-3320000

\$3.89 H0-3320000

\$3.89 H0-3320000

\$3.89 H0-3320000

\$3.89 H0-3320000

\$4.59 H0-5720000

\$4.59 H0-5720000

\$4.59 H0-5720000

\$4.99 H0-9920000

\$4.99 H0-9920000

 This display includes 5 display packs of the following:



List Price

Order No. Description

7-3004 Heat Shrink Crimp Terminal Display \$347.49 H0-9480200


Marpac Heat Shrink Quick Disconnects - Insulated





Marpac Heat Shrink Butt Connectors





• Sold 2 per package. Mini-Blister - 5 per box.

Order No.	Description	Color	List Price
7-3290	22-18 AWG	Red	\$3.59 H0-5120000
7-3300	16-14 AWG	Blue	\$3.69 H0-1220000
7-3310	12-10 AWG	Yellow	\$3.69 H0-1220000

Heat Shrink Connectors



- These connectors provide a rugged connection that will insulate, seal and protect joints from abrasion, water, salt and other corrosive compounds.
- No special tools are required.
- Simply heat the insulation and the adhesive will melt and flow filling any existing voids and creating an all-weather seal.
- 25 per box.

Order No.	Mfg. No.	Wire Size	Color	Stud Type	List Price	
479990	(120065)	22-18	Red	#10 Ring	\$19.09	H0-5411000
480018	(120015)	22-18	Red	Butt Connector	\$16.89	H0-3101000
480020	(120105)	16-14	Blue	#10 Ring	\$17.39	H0-3401000
480032	(122305)	16-14	Blue	#10 Spade Fork	\$20.09	H0-5021000
480044	(120025)	16-14	Blue	Butt Connector	\$16.89	H0-3101000
480056	(120155)	12-10	Yellow	#10 Ring	\$23.09	H0-5831000
480068	(122315)	12-10	Yellow	#10 Spade Fork	\$23.09	H0-5831000
480070	(120035)	12-10	Yellow	Butt Connector	\$23.89	H0-3341000

Sold by box of 5 Packages only! Priced per Package.

• Sold 2 per package. Mini-Blister - 5 per box.

Order No.	Description	Color	List Price	
7-3395	22-18 AWG - Male	Red	\$4.39 H0-3620000	
7-3400	22-18 AWG - Female	Red	\$4.39 H0-3620000	
7-3405	16-14 AWG - Male	Blue	\$4.39 H0-3620000	
7-3410	16-14 AWG - Female	Blue	\$3.79 H0-7220000	
7-3415	12-10 AWG - Male	Yellow	\$4.89 H0-3920000	
7-3420	12-10 AWG - Female	Yellow	\$4.59 H0-5720000	

Ancor Heat Shrink Step-Down Multi-Wire Connectors



- These butt connectors can be used as a step-down from one gauge size to another or as a multi-wire connector for one gauge size wire.
- Offer a sealed alternative for products such as a guick-tap or 3-way connector in areas where corrosion is a concern.
- Flared barrel with uniform copper wall ensures an easy and proper mechanical crimp.
- · Colored stripes on the barrel indicate which crimp die to use, regardless of application.

Order No. Mfg. No. / Description	List Price
7000846 (320025) 24-22 AWG	\$35.09 G0-1532000
7000848 (320125) 22-18 AWG	\$42.79 G0-7682000
7000850 (320225) 16-14 AWG	\$47.09 G0-5513000



www.repuestoselnavegante.com

Trolling

Motors

Electrical

Lighting

Anchor

& Dock

Safety

Steering

Controls

Pumps

Fuel

System

Seating &

Pedestals

Trailering

Tops &

Perform

Propellers

Engine & Care

Cleaning

& Care

Paint &

Fun &

Flotation

Topside

Cockpit

& Deck

Hardware,

Fasteners

Misc

Acc.

Paint Acc

Saltwater Exclusive



Marpac 80 Item Electrical Display





This display includes the following:

(5) 7-3110 - Butt Connectors - 22-18 AWG

7-3115 - Butt Connectors - 16-14 AWG

7-3120 - Butt Connectors - 12-10 AWG

7-3125 - Ring Tongue - 22-18 AWG #6

7-3130 - Ring Tongue - 22-18 AWG #8

7-3135 - Ring Tongue - 22-18 AWG #10

7-3140 - Ring Tongue - 16-14 AWG #6

7-3145 - Ring Tongue - 16-14 AWG #8 (5)

7-3150 - Ring Tongue - 16-14 AWG #10 (5)(5)7-3155 - Ring Tongue - 16-14 AWG #1/4

(5)7-3165 - Ring Tongue - 16-14 AWG #3/8

7-3170 - Ring Tongue - 12-10 AWG #10 (5)

(5)7-3175 - Ring Tongue - 12-10 AWG #1/4 (5)7-3180 - Ring Tongue - 12-10 AWG #5/16

(5)7-3185 - Ring Tongue - 12-10 AWG #3/8

(5)7-3190 - Spade Fork - 22-18 AWG #10 (5)7-3195 - Spade Fork - 16-14 AWG #10

7-3200 - Spade Fork - 12-10 AWG #10

(5)7-3205 - Quick Disconnect - 22-18 AWG Male

(5)7-3210 - Quick Disconnect - 22-18 AWG Female

(5)7-3215 - Quick Disconnect - 16-14 AWG Male

(5)7-3220 - Quick Disconnect - 16-14 AWG Female (5)7-3225 - Quick Disconnect - 12-10 AWG Male

7-3230 - Quick Disconnect - 12-10 AWG Female

(5) 7-3235 - Scotch Lock - 14-18 AWG

(5)7-3240 - Scotch Lock - 12-10 AWG

7-3245 - Bullet Conn. - 16-14 AWG - Plug (5)

(5)7-3250 - Bullet Conn. - 16-14 AWG - Receptacle

(5)7-3255 - Closed End Conn. - 22-14 AWG

7-3260 - Closed End Conn. - 18-10 AWG

(5) 7-3290 - Heat Shrink Butt Conn. - 22-18 AWG

7-3300 - Heat Shrink Butt Conn. - 16-14 AWG (5)

7-3310 - Heat Shrink Butt Conn. - 12-10 AWG (5)

(5)7-3320 - Heat Shrink Ring - 22-18 AWG #10

(5)7-3335 - Heat Shrink Ring - 16-14 AWG #8

(5)7-3345 - Heat Shrink Ring - 16-14 AWG #10

(5)7-3365 - Heat Shrink Ring - 16-14 AWG #3/8

(5)7-3385 - Heat Shrink Ring - 12-10 AWG #3/8

(5)7-3450 - Tinned Copper Lugs - 8 AWG #1/4

7-3455 - Tinned Copper Lugs - 8 AWG #5/16

Description

7-3007 Electrical Display

(5) 7-3460 - Tinned Copper Lugs - 8 AWG #3/8

7-3465 - Tinned Copper Lugs - 6 AWG #10

7-3470 - Tinned Copper Lugs - 6 AWG #1/4

7-3475 - Tinned Copper Lugs - 6 AWG #5/16

7-3480 - Tinned Copper Lugs - 6 AWG #3/8

7-3490 - Tinned Copper Lugs - 4 AWG #5/16 7-3500 - Tinned Copper Lugs - 4 AWG #3/8

7-3510 - Tinned Copper Lugs - 2 AWG #5/16

(5)7-3520 - Tinned Copper Lugs - 2 AWG #3/8

(5)7-3525 - Tinned Copper Lugs - 1 AWG #5/16

(5)7-3530 - Tinned Copper Lugs - 1 AWG #3/8

7-3535 - Tinned Copper Lugs - 1/0 AWG #5/16

7-3540 - Tinned Copper Lugs - 1/0 AWG #3/8

(5)7-3545 - Tinned Copper Lugs - 1/0 AWG #1/2

(5)7-3550 - Tinned Copper Lugs - 2/0 AWG #1/4

(5)7-3555 - Tinned Copper Lugs - 2/0 AWG #5/16

7-3560 - Tinned Copper Lugs - 2/0 AWG #3/8

7-3565 - Tinned Copper Lugs - 2/0 AWG #1/2

7-3570 - Tinned Copper Lugs - 4/0 AWG #3/8 (5)7-3575 - Tinned Copper Lugs - 4/0 AWG #1/2

7-3665 - Vinyl Hole Grommets - 1/4

7-3670 - Vinyl Hole Grommets - 1/2

(10) 7-3785 - Waterproof Fuse Holder

7-3800 - ATO Fuse - 3 amp

7-3805 - ATO Fuse - 4 amp

7-3810 - ATO Fuse - 5 amp

7-3815 - ATO Fuse - 7.5 amp

(5)7-3820 - ATO Fuse - 10 amp

7-3825 - ATO Fuse - 15 amp

7-3830 - ATO Fuse - 20 amp

7-3835 - ATO Fuse - 25 amp

7-3936 (90) Double Contact Bayonet Base

(5)7-3946 (94) Double Contact Bayonet Base

(5)7-3951 (194) Wedge

(5)7-3966 (1004) Double Contact Bayonet Base

7-3980 (1142) Double Contact Bayonet Base

7-3986 (1156) Single Contact Bayonet Base

7-3991 (1157) Double Contact Bayonet Base

7-4010 (70 DP1 CLR) Festoon

7-4020 (71 DP CLR) Festoon

List Price

\$2,338.89 H0-3330410

Black Polyethylene Heli-Tube® Spiral Cable Wrap

- Ultraviolet-resistant black polyethylene.
- Bundles wires, cables, hoses and tubing firmly, but allows flexibility.
- Ideal for outdoor use in direct sunlight and is resistant to saltwater, oils, fuels and detergents.
- RoHS-compliant, offer complete organization of cables, while still permitting breakouts in any direction.
- Removable and reusable.
- Available in 100' rolls.

Order No. Mfg. No. / Description 772916 (HT 1/4 UR) 1/4" 772928

Camouflage 772933 (HT 1/2 UR) 1/2" 772942 (HT 3/4 UR) 3/4"

List Price \$45.69 H0-1472000 (HT 3/8 UR) 3/8' **\$65.29** H0-7193000 \$93.09 H0-5855000 \$151.29 H0-7709000





- This black flex tubing provides protection for various wiring situations.
- Sold in 3' lengths per poly bag. Standard pack 10.

Order No. Mfg. No. / Description 363426 (EC01620) Diameter 3/8'

\$10.89 Z0-3560000







Trolling Motors Instruments

Lighting

Anchor

& Dock

Safety Steering Controls Pumps Fuel System

Pedestals

Trailering Tops &

Perform

Propellers



MPI Products Series 123 Split Conduit Tubing

T-H Marine Zippered Rigging Sleeve



- Protects your cables and hoses with this easy to remove rigging sleeve.
- Made of rugged Sunbrella fabric, this sleeve will withstand the elements and resist fading.




- Easily zips on and off to access cables or hoses when needed.
- Ends are secured by cable ties sewn into pockets.
- Black.

Order No. Mfg. No. / Description List Price 640950 (ZRS-1DP) Length 48" \$65.09 H0-5093000

T-H Marine Flex™ Expandable Braided Sleeving





- · Chemical resistant.
- The sleeving cuts easily and cleanly with a hot knife.

Order No.	Mfg. No. / Descri	ption		List Price
642344	(FLX-25-DP)	Diameter 1/4"	Length 100'	\$51.69 H0-1013000
642352	(FLX-50-DP)	Diameter 1/2"	Length 100'	\$99.09 H0-5495000
642365	(FLX-75-DP)	Diameter 3/4"	Length 100'	\$133.49 H0-9008000
642377	(FLX-125-DP)	Diameter 1-1/4"	Length 50'	\$103.49 H0-9026000
642389	(FLX-150-DP)	Diameter 1-1/2"	Length 50'	\$134.49 H0-9608000

MPI Products Series 122 Cable Guard







- · Our premium light-weight wire, cable and hose conduit features a corrugated exterior for maximum flexibility.
- · Ultra smooth interior surface provides easy installation of hose, cables or wire harnesses.

Order No.	Mfg. No.	Size	Length	List Price
768804	(122-1120)	1-1/2" ID	100'	\$77.49 H0-9464000
768828	(122-3000)	3" ID	50'	\$125.99 H0-9557000

Handi-Man Marine Heat Shrink Tubing





- Double walled. Adhesive-lined inner wall.
- Shrink ratio 2:1. Heat resistant to over 1,000° F.
- Use for insulating terminals and rope whip ends.

Order No.	Mfg. No.	Diameter	Length		List Price
7270141	(190011)	1/8"	3"	Sold 6 Per Pack	\$6.39 H0-3830000
7270142	(190021)	3/16"	3"	Sold 5 Per Pack	\$6.09 H0-5630000
7270143	(190031)	1/4"	3"	Sold 4 Per Pack	\$6.39 H0-3830000
7270144	(190041)	3/8"	3"	Sold 3 Per Pack	\$6.39 H0-3830000
480082	(190058)	1/2"	48"	Sold Each	\$12.69 H0-1670000
480094	(190078)	3/4"	48"	Sold Each	\$30.39 H0-3281000
480107	(190098)	1"	48"	Sold Each	\$53.79 H0-7223000

OMPI



- Corrugated, slit polyethylene provides excellent conduit for multiple wire or cable routing.
- An ideal product for hose abrasion protection.
- Flexible and specially formulated in accordance with UL94 V-2 tests for flammability.
- Meets tough ABYC standards.
- Is formulated for maximum resistance to UV and ozone.
- Temperature range is -40° F to 200° F.

LENGIF	1 50				
Order No.	Mfg. No.	Size	Color	List Price	
543323	(123-0146)	1/4" ID	Black	\$20.29	H0-7121000
543320	(123-0126)	1/2" ID	Black	\$25.49	H0-9251000
543321	(123-0386)	3/8" ID	Black	\$21.59	H0-5921000
543329	(123-0386W) 3/8" ID	White	\$38.19	H0-1922000
768892	(123-0586)	5/8" ID	Black	\$26.39	H0-3851000
543319	(123-0346)	3/4" ID	Black	\$32.09	H0-5291000
768917	(123-1006)	1" ID	Black	\$41.59	H0-5942000
768943	(123-1126)	1-1/2" ID	Black	\$85.19	H0-1115000
768575	(123-2006)	2" ID	Black	\$198.79	H0-7291100

LENGT	1 100′				
Order No.	Mfg. No.	Size	Color	List Price	
768501	(123-0147)	1/4" ID	Black	\$33.99	H0-9302000
768525	(123-0127)	1/2" ID	Black	\$45.89	H0-3572000
768513	(123-0387)	3/8" ID	Black	\$34.99	H0-9902000
768537	(123-0587)	5/8" ID	Black	\$49.19	H0-1592000
768549	(123-0347)	3/4" ID	Black	\$53.09	H0-5813000
768551	(123-1007)	1" ID	Black	\$71.89	H0-3134000

Marpac Heat Shrink Tubing





- Diameter 1/2". Length 3".
- Double wall 8 AWG to 4 AWG.
- Includes: 2 pieces red and 1 piece black per card.
- Sold 5 bags per box.

Sierra

Order No.	Description	List Price	
7-4040	Heat Shrink Tubing	\$5.59	H0-5330000

Sierra Shrink Tubing



- Ideal for electrical insulation, abrasion protection and covering unsightly joints.
- Apply heat and material shrinks tight.
- Sold 7 assorted size pieces per zip-top reclosable bag.

Order No. Mfg. No. / Description 363402 (EC01750) **\$5.49** Z0-8030000





Engine & Care Cleaning & Care Paint &

Paint Acc Fun & Flotation

Topside

Cockpit

& Deck Hardware. Fasteners

Camouflage

Misc.

Comm

www.repuestoselnavegante.com

CDI Electronics Dielectric Grease





- Silicone-based grease that's designed to seal out moisture and prevent corrosion on electrical connectors.
- It also disrupts the flow of electrical current, which makes it good for lubricating and sealing the rubber parts of electrical connectors.
- Commonly used for spark plug wires.

On a 1-1/2" core, this black, 7-mil vinyl tape

UL Listed and is flame-retardant.

Order No. Mfg. No. / Description

512168 (93604) 3/4" x 60°

Order No. Mfg. No. / Description

7000198 (991-9706)

List Price

\$56.39 F0-7493000

3M Tartan General Use Vinyl Electrical Tape



\$1.79 F0-5210000

Electrical

Electronics

Trolling Motors

Instruments

Lighting

Anchor & Dock

Safety

Steering Controls

Pumps

Fuel System

Seating & Pedestals

Trailering

Tops &

Perform

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc. Fun &

Flotation


Topside Acc.

Cockpit & Deck

Hardware Fasteners

Camouflage

Misc





- An unique, non-curing compound used for sealing, protecting and electrical insulating. Improves electrical performance by reducing arcing and voltage drop.
- Also ideal for lubricating plastic and rubber.
- Improves electrical performance in adverse weather conditions.
- Patented finger-actuated delivery system for smooth, continuous coverage.

CRC Marine Premium Dielectric Grease

Order No. Mfg. No. / Description 290267 (06113) 3.3 oz.

List Price

\$15.29 G0-4201000

3M Scotch Super 33+ Premium Vinyl Electrical Tape



- A 7-mil thick, all-weather vinyl insulating tape.
- It has excellent resistance to abrasion, moisture, alkalis, acids, corrosion and varying weather conditions.
- The combination of elastic backing and aggressive adhesive provides moisture-tight electrical and mechanical protection with minimum bulk.

Order No. Mfg. No. / Description

857435 (06133) 3/4" x 52"

\$6.19 F0-3340000

3M Highland™ Vinyl Plastic Electrical Tape

Its elastic backing ensures easy, moisture-tight conformation to irregular

is a good quality, economical general purpose insulating tape.

surfaces.



- A flame retardant, conformable, general purpose, 7-mil thick vinyl insulation tape.
- Moisture proof, abrasion resistant.

Order No. Mfg. No. / Description

857423 (16720) 3/4" x 66'

List Price **\$3.89** F0-2720000

3M Scotch Vinyl Color Coding Electrical Tape 35

- 3/4" x 66'
- A 7-mil thick polyvinyl chloride (PVC) color-coding tape.
- Outstanding electrical and mechanical properties make this tape excellent for use in phase identification, color coding of motor leads and piping systems.
- Abrasion and weather resistant.
- Flame-retardant; resists UV rays, abrasion, moisture, alkalies, solvents, many acids.
- UL Listed and CSA Certified.

Order No. Mfg. No. / Description

857447 (10810) Red 857450 (10828) White List Price **\$7.29** F0-0150000

\$7.09 F0-6940000

Star Brite Liquid Electrical Tape







- Forms a protective, waterproof, UV resistant, dielectric coating.
- Prevents corrosion on wires and terminals.
- · Patented, UL tested, fast drying formula.
- · Cap has convenient brush applicator

Mfg. No. / Description 628202 (084104B) Black **\$10.39** G0-6960000 628214 (084105B) Red \$10.39 G0-6960000

Electronics Trolling Motors Instruments

Lighting Anchor & Dock

Safety

Steering

Controls

Pumps

Fuel

System

Seating & Pedestals

Trailering Tops &

Perform

Propellers

Engine

& Care

Cleaning

& Care

Paint &

Paint Acc Fun &

Flotation Topside Acc.

Cockpit & Deck

Hardware. Fasteners

Camouflage

Misc

Comm



ANCOR

Ancor Nylon Cable Clamps

Ancor Stainless Steel Cushion Clamps

ANCOR

- Prevents corrosion.
- · Resistant to oils, acids and saltwater.
- · Reduces unwanted noise.
- Temperatures range from -50° to 300° F.
- Absorbs shock and vibration.
- Sold 10 per display pack.

Order No.	Mfg. No. / Description		List Price
211639	(403182) 3/16" ID	Screw Width 3/8"	\$11.19 G0-0570000
211641	(403252) 1/4" ID	Screw Width 3/8"	\$11.19 G0-0570000
211653	(403312) 5/16" ID	Screw Width 3/8"	\$11.79 G0-0970000
211665	(403372) 3/8" ID	Screw Width 3/8"	\$11.79 G0-0970000
211677	(403502) 1/2" ID	Screw Width 1/2"	\$12.49 G0-7380000
211689	(403622) 5/8" ID	Screw Width 1/2"	\$13.59 G0-1190000
211691	(403752) 3/4" ID	Screw Width 1/2"	\$15.99 G0-1701000
211704	(403892) 1" ID	Screw Width 1/2"	\$17.79 G0-2911000
211716	(403902) 1-1/4" ID	Screw Width 1/2"	\$19.49 G0-6031000
211728	(404152) 1-1/2" ID	Screw Width 1/2"	\$20.09 G0-6431000

Handi-Man Marine Black Nylon Cable Clamps





Order No. Mfg. No. / Description		List Price
7270115 (162021) 3/16"	12 Per Bag	\$4.99 H0-9920000
7270116 (162031) 1/4"	12 Per Bag	\$4.99 H0-9920000
7270117 (162041) 5/16"	12 Per Bag	\$4.99 H0-9920000
7270118 (162051) 3/8"	14 Per Bag	\$4.99 H0-9920000
7270120 (162111) 3/4"	8 Per Bag	\$5.19 H0-1130000

Greenlite Cable Black Tie Wraps



Boater Sports Black Tie Wraps - UV Resistant



1-51052

- Heavy duty nylon wire ties.
- Super strong and durable. Useful in almost any situation.
- Sold 100 per pack.

Order No. Mfg. No. / Description	List Price
7-51048 (51048) Length 4"	\$5.09 G0-1430000
	\$7.79 G0-2250000
7-51049 (51049) Length 8"	
1-51050 (51050) Length 11"	\$10.79 H0-7460000
1-51051 (51051) Length 14"	\$13.09 H0-5870000
1-51052 (51052) Length 7", with Mount Hole	\$15.59 H0-5390000

- Made from UV black nylon for maximum strength.
- Resistant to solvents, oils, acids and moisture.
- Unique screw hole alignment feature to speed installation.
- Absorbs shock and vibration; reduces unwanted noise.

Order No.	Mfg. No. / Description		List Price
211576	(402252) 1/4" ID	25 Per Display Pack	\$4.29 G0-7820000
211588	(402312) 5/16" ID	25 Per Display Pack	\$4.29 G0-7820000
211590	(402372) 3/8" ID	25 Per Display Pack	\$4.29 G0-7820000
211603	(402502) 1/2" ID	25 Per Display Pack	\$4.79 G0-1230000
211615	(402622) 5/8" ID	25 Per Display Pack	\$5.89 G0-5930000
211627	(402752) 3/4" ID	25 Per Display Pack	\$6.99 G0-8640000

T-H Marine Radiused Cable Ties - Black



6400060 (075B-RAD-CDP) Length 7-1/2" \$26.59 H0-5951000

Ancor Self-Cutting Cable Ties



- Save time and frustration using the latest innovation from Ancor, a self-cutting cable tie.
- Simply lock and twist to finish the job, with no need for additional tools!
- Integrated stainless steel blade leaves a clean flush cut, which improves appearance and eliminates the sharp tail while maintaining a tensile strength above industry standards.
- UV resistant black

ANCOR

- 07 163	OV 16313talit black.						
TENSIL	E STRENGTH: 35 LBS.						
Order No.	Mfg. No. / Description		List Price				
200790	(199336) Length 4"	50 Per Bag	\$3.59 G0-1420000				
200795	(199337) Length 4"	500 Per Bag	\$33.29 G0-0322000				
200800	(199342) Length 6"	50 Per Bag	\$4.19 G0-1820000				
200805	(199343) Length 6"	500 Per Bag	\$36.79 G0-5642000				
TENSIL	E STRENGTH: 50 LBS.						
Order No.	Mfg. No. / Description		List Price				
200813	(199277) Length 8"	50 Per Bag	\$4.79 G0-1230000				

TENSILE STRENGTH: 50 LBS.						
Order No.	Mfg. No. / Description		List Price			
200813	(199277) Length 8"	50 Per Bag	\$4.79 G0-1230000			
200815	(199264) Length 8"	500 Per Bag	\$43.89 G0-1492000			
200820	(199281) Length 11"	50 Per Bag	\$7.19 G0-2840000			
200825	(199265) Length 11"	500 Per Bag	\$65.89 G0-5144000			
200830	(199285) Length 14"	50 Per Bag	\$8.89 G0-6950000			
200835	(199266) Length 14"	500 Per Bag	\$83.09 G0-7655000			

El Navegante





Sperry Digital Multimeter





- · Impact resistant housing with protective rubber over-mold.
- 7 Function, 19 Range.
- Auto ranging capabilities that allow the meter to automatically determine the resolution based on the application.
- AC 500V/DC 600V capable with temperature measurement functionality.
- Measures resistance, diode test, continuity (audible), temperature (probe type) and battery testing.
- Operates from (2) AAA batteries.

Order No. Mfg. No. / Description

378683 (DM6250)

\$45.39 F0-7713000

List Price

List Price

List Price

Marpac Heavy Duty Battery Clips

Lighting

Electronics

Trolling Motors

Instruments

Anchor & Dock

Safety

Trailering

Perform.

Engine & Care

& Care

Paint & Paint Acc. Fun & Flotation Topside

Acc.

Cockpit

& Deck

Hardware, Fasteners

Camouflage

Misc

Electrical

 Spring loaded copper plated 3" battery clips. Color coded coated handles.

• Fits up to 6 gauge wire.

Steering Sold per pair. Controls

Order No. Description

7-51011 20 amp **\$5.59** G0-5730000 Pumps

Marpac Battery Clips Fuel System

Seating & Pedestals

Tops &

 Spring loaded copper plated 3" battery clips. Color coded coated handles.

• Sold per pair.

BLUE SEA

Propellers Order No. Description

> \$2.79 G0-7810000 **7-51008** 15 amp

Blue Sea CableClams Cleaning

· Perfect for antenna installation.

- · Waterproof coaxial installation without removing connectors.
- · Avoid poor connections from removing factory connectors.
- Acetal body. UV-Stabilized Buna-N Rubber.
- · Stainless steel screws.
- For use above the waterline only.

Order No. Mfg. No. Maximum Connector Diameter: List Price 379998 (1001-BSS) 0.68" **\$21.89** F0-2351000 (1002-BSS) 0.83' \$22.69 F0-8851000 380016 (1003-BSS) 1.40" **\$25.09** F0-6571000

Marpac Alligator Clips - Insulated





· Sold 2 per display card.

Order No. Description

7-0133 Length 1-1/4"

7-0135 Length 2"

List Price

\$1.49 G0-0010000 \$2.09 G0-0410000

Marpac Gator Battery Clips



• Sold per pair.

Order No. Description

7-51010 30 amp

\$2.99 G0-0020000

Sierra Charging Clips







- 30 amp.
- Sold 2 per display card.

Order No. Mfg. No. / Description

364492 (EC06230)

\$7.99 Z0-2940000

Marpac Corrosion Resistant Deluxe Socket with Alligator Clips



• This portable socket extends over 6' with

its heavy duty coiled wire.

Order No. Description

List Price

7-0869 Deluxe Socket

\$17.19 G0-2511000

Blue Sea CableClams with Stainless Steel Dress Cap

BĻŲĘ SEA






- A polished stainless steel dress cap conceals mounting hardware, matches other deck hardware and offers protection from UV.
- UV-Stabilized Buna-N Rubber.
- · Stainless steel fasteners included.
- For use above the waterline only.

Mfg. No. Order No. Maximum Connector Diameter: 379995 (1001100BSS) 0.68"





Blue Sea Side Entry CableClams

Electronics

Trolling

Motors

Instruments

Lighting

Anchor & Dock Safety Steering Controls

Pumps

Fuel

System

Pedestals Trailering

Tops &

Perform.

Propellers Engine

& Care

Cleaning

Paint & Paint Acc

Fun &

Flotation

Topside

Cockpit

& Deck Hardware. Fasteners

Camouflage

& Care

BLUE SEA



 Provides a waterproof side entry for antenna cables without requiring removal of the factory installed connector.

- Simple one-piece design for easy side mount installations.
- Low profile, contoured edge reduces the risk of tangling lines
- UV-Stabilized Buna-N Rubber.
- Includes all fasteners.
- For use above the waterline only

Order No.	Mfg. No. / Description	List Price	
379990	(1007-BSS) Maximum Connector Diameter: 1"	\$6.89	F0-2840000
WITH 6	TAINLECC CTEEL DDECC CAD		

WITH STAIN	LESS STEEL	DRESS CAP

Order No. Mfg. No. / Description List Price

380010 (1007100BSS) Maximum Connector Diameter: 1" **\$14.29** F0-0001000

- The entry hole is pre-drilled in seal with slit edge allowing feed through of cable with factory installed connector attached; multiple glands cover a wide range of cable sizes.
- One CCX fitting is required for each cable.
- Entry hole predrilled in seal with slit to edge.
- · Allowing installation/removal with connector still attached.
- Rugged weatherproof nylon housing with neoprene seal

Order No.	Mfg. No. Cable Dia. Range	Max. Conn. Diameter	List Price
699824	(CCX-R) .4759"	1.57"	\$67.19 D0-5735000
699828	(CCX-S) .3555"	.83"	\$55.69 D0-5544000
699832	(CCX-T) .1835"	.83"	\$55.69 D0-5544000

DX SERIES

- Similar to CCX Series except installer drills holes in seal to accommodate
- Multiple cables may be routed through a single fitting.

Order No.	Mtg. No.	Drill Thru Aperture	Max. Conn. Diameter	List Price
699820	(DX-2)	1.2"	1.2"	\$55.29 E0-7414000
699840	(DX-3)	1.65"	1.65"	\$61.49 D0-9194000
699844	(DX-5)	2.0"	2.0"	\$161.29 D0-3092100

Marpac Watertight Cable Outlets





- Chrome plated brass.
- · Gasketed to assure water tightness.
- Diameter 1-1/2". Uses #6 fasteners.

Uraer No.	Description	LIST Price
7-0451	5/16"	\$3.49 G0-4320000
7-0452	3/8"	\$4.59 G0-8030000

Marpac Vinyl Hole Grommets





Sold by box of 5 Packages only! Priced per Package.

• Mini-Blister - 5 per box.

Urder No.	Descrip	tion		List Price
7-3665	1/4"	6 Per Package	\$3.49	H0-9020000
7-3670	1/2"	4 Per Package	\$4.29	H0-7520000

Marpac Clam Shell Vents



• Made of 18-8 stainless steel and polished, this streamlined midget ventilator has many uses, including shielding gas tank vents.

Urder IVO.	Description	LIST Price
7-0089	1-3/4" x 1-5/8"	\$2.19 G0-7410000
7-0090	2" x 2"	\$2.39 G0-0610000

Perko Fig. 315 Midget Clam Shell Vents



- · Chrome plated brass.
- .040 thickness.

DIMENSIONS BASE: 1-5/8" x 1-1/2"

- Height opening 7/16", width opening 7/8".
- Uses #4 fasteners.

Order No.	Mfg. No. / Description	List Price	
537247	(0315 DP1 CHR)	\$6.99	G0-8640000

DIMENSIONS BASE: 2" x 2"

- Height opening 9/16", width opening 1-7/8".
- · Uses #6 fasteners.

Order No. Mfg. No. / Description **\$9.09** G0-9060000 **537261** (0315 DP2 CHR)

Perko Fig. 339 Clam Shell Vent





- · Chrome plated brass.
- Width opening 2-1/2", height opening 1-5/8".
- Base dimension 4" x 3-3/4".
- Uses #6 fasteners.

Order No.	Mfg. No. / Description	List Price
537487	(0339 DP0 CHR)	\$38.59 G0-6852000

T-H Marine Plastic Clam Shell Vent





- UV and weather resistant.
- Opening 9/16" H x 1-7/8" W.
- Base 2" x 2".

Order No. Mfg. No. / Description **640806** (CS-1-DP) Black \$8.89 H0-3350000

T-H Marine Decorative Wire Cover







- Gives boat that finished look, covers unsightly wire pass-thru holes.
- Covers holes up to 1-1/4" in diameter.
- Comes complete with mounting screws.
- · Black.


Mfg. No. / Description (DWC-1-DP)

\$7.09 H0-5240000

Comm.

Misc.





Marpac Polarized Power Outlet





- Polarized double contact connector.
- Watertight snap-on cover.
- Chrome plated brass base.
- Diameter 1-1/2".
- Uses #8 fasteners.
- 12 volt.

Order No. Description

7-0448 Polarized Power Outlet **\$7.09** G0-5740000

Sea-Dog Polarized Electrical Connector

Electronics <u>SENDOGLINE</u>



Instruments

Lighting

Anchor & Dock

Safety

Pumps

Fuel

System

Seating &

Pedestals

Trailering

Tops &

Perform

Cleaning & Care Paint &

Paint Acc.

Flotation

Topside

Cockpit


& Deck

Hardware,

Acc.

Fun &

Machined brass/chrome plated.



- **Electrical** • 3 amps. 2 pin.
 - Uses #5 fasteners.

Order No. Mfg. No. / Description **214940** (426262-1)

List Price **\$18.19** GO-9121000

Sierra 2-Wire Flat Connector



 Constructed of rugged plastic with molded-in terminals for durability.

 These polarized connector sets plug together only one way to prevent cross connections.

- Length 12", 16 GA, 2 Plugs.
- Ready Wired #E301120.

Order No. Mfg. No. / Description

815500 (WH10300)

List Price \$7.69 F0-8350000

Marpac Deluxe Power Socket

Propeller





- Moisture resistant marine grade materials.
- Not for use with cigarette lighters.
- Mounts in a 1-1/8" hole from the front using the plate or from the rear using the locking ring.
- Includes: Mounting screws, electrical connectors and a boot for the wires.
- 12 volt.

Order No. Description Fasteners

7-0863 Deluxe Power Socket

Camouflage

Misc

List Price **\$8.19** G0-9450000

Perko Fig. 1190 Watertight Deck Connection



- Polarized double contact connector.
- Chrome plated zinc alloy.
- Flange gasket with integral waterproof cap for base when plug is removed.
- Rated for 15 amps at 12 volts.
- Diameter 1-5/8", height 1-3/16".
- Uses #6 fasteners.

Order No. Mfg. No. / Description

533124 (1190 DP0 CHR)

List Price

\$33.79 G0-4622000

Cole Hersee 2-Pole Electrical Connector

Cole Hersee





- Molded insulator bodies.
- Precision-machined brass contacts.
- Rubber caps protect connectors.
- · Brass terminal screws.

Order No. Mfg. No. / Description List Price

300549 (M-121-BP) **\$12.89** G0-4680000

Marpac Deluxe Accessory Plug



- Made from corrosion resistant marine grade materials.
- · With moisture resistant sealing ring.
- 12 volt.
- Sold 2 per display pack.

Order No. Description

7-0862 Deluxe Accessory Plug

\$8.19 G0-9450000

List Price

Marinco SeaLink® Deluxe 12 volt Receptacle and Plug





- Corrosion resistant marine grade construction.
- Exclusive SeaLink locking system.
- The SeaLink 12 volt receptacle features:
 - Watertight sealing plastic cap.
- Easy to install with supplied mounting plate for front panel installation or locking ring for rear access installation.
- Compatible with standard 12 volt plugs. • The SeaLink 12 volt plug features:
- LED power indicator light.
- Moisture proof sealing ring.
- Internal strain relief and cord seal.
- Interchangeable 10A fuse.
- Compatible with standard 12 volt receptacles.

Order No. Mfg. No. / Description


217946 (12VPK) SeaLink Deluxe Receptacle and Plug 217947 (12VRC) SeaLink Deluxe Receptacle Only 217948 (12VPG) SeaLink Deluxe Plug Only

El Navegante

\$21.99 F0-9351000

\$12.99 F0-9090000

\$11.99 F0-9380000



Marpac Marine Quality Power Socket





- Universal mate socket/plug.
- Nickel plated phosphor bronze metal parts help reduce corrosion.
- 0-ring and molded cap help reduce corrosion.
- Stainless steel installation screws are included.
- Not for use with cigarette lighters.
- 12 volt.

Uraer Ivo.	Description	LIST Price
7-0867	Plug and Power Socket	\$5.49 G0-8630000
7-0868	Power Socket Only	\$4.29 G0-7820000
	,	

Marpac Stainless Steel Chart Light and Combo Cigarette Lighter





List Price

List Price

\$11.49 G0-0770000

• Stainless steel mounting plate.

· Stainless steel mounting plate.

• Not for use with cigarette lighters.

· Corrosion-free molded cap. • Ideal for additional power outlets.

• Uses #8 fasteners.

Order No. Description

7-0866 Power Socket

• 12 volt.

- · Easily switch between chart light and cigarette lighter with the flick of a switch.
- Uses #8 fasteners.
- 12 volt.

Order No.	Description
7-0112	Chart Light and Combo Cigarette Lighter

379310 (1011200-BSS) **Marpac Stainless Steel Power Socket**

\$16.69 GO-8111000

Boater Sports Power Plug

Blue Sea 12 volt Dash Socket - White

• Designed to withstand the rigors of wet environments and constant

• Nickel plated copper alloy used for all current carrying components.







• Universal plug for many 12 volt applications.

• Features watertight cap, easy installation

• Front panel, rear panel or surface mount.

• Twist lock system - plug locks securely into socket.

and twist locks securely with plug.

• Internal strain relief and cord seal.

Order No. Mfg. No. / Description

• Push on wires.

BLŲĘ SEA

• Includes mounting hardware.

Order No. Mfg. No. / Description 1-51417 (51417) Power Plug Only List Price

List Price

El Navegante

\$11.29 F0-0970000

\$5.39 H0-3230000

Electronics

Trolling

Motors

Instruments

Lighting

Anchor & Dock

Safety

Steering,

Controls

Pumps Fuel

System Seating &

Pedestals

Trailering

Tops &

Perform.

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc

Fun & Flotation

Topside Acc.

Cockpit & Deck

Hardware, Fasteners Camouflage

Misc.

Comm





vibration.



www.repuestoselnavegante.com

Trolling

Motors

Instruments

Lighting

Anchor & Dock

Safety

Steering

Controls

Pumps

Pedestals

Trailering Tops &

Perform

Propellers Engine & Care

Paint &

Fun &

Flotation

Topside

Cockpit & Deck

Hardware, Fasteners

Camouflage

Misc

Acc

Paint Acc.

Electrical

Newmar Power Supplies - Heavy Duty Series



• Designed for powering 12 and 24 volt communication/navigation equipment aboard commercial vessels where reliability is the primary consideration.

- · Excellent regulation and ripple spec.
- Polyurethane conformal coated PC board and corrosion resistant heavy duty aluminum case with integral shock mounts assures survival in hostile environments.
- Heat generated by semi-conductors is extracted and dissipated by large heat sink fins that maximize air contact for cool operation and long life of components
- Input range: 105 125/210 250 VAC.

MFG #	Height	Width	Depth	Weight
115-12-8	6.0"	4.6"	8.5"	10 lbs.
115-12-20A	5.7"	4.8"	16.3"	20 lbs.
115-12-35CD	6.5"	9.5"	14.0"	32 lbs.
115-24-18CD	6.5"	9.5"	14.0"	32 lbs.
115-24-35CD	6.5"	13.0"	18.75"	60 lbs.

12 VOLT MODELS. OUTPUT VOLTAGE: 13.6V DC

Pumps	Order No.	Mfg. No.	Intermittent	Continuous	List Price	
Fuel	700561	(115-12-8)	8 amps	5 amps	\$547.69	E0-7701400
System	700585	(115-12-20A)	20 amps	8 amps	\$1,194.69	E0-2069800
Seating &	700600	(115-12-35CD)	35 amps	35 amps	\$1,745.79	E0-4390310
ocauilu X						

24 VOLT MODELS. OUTPUT VOLTAGE: 24.5V D

ı	Order No.	Mtg. No.	Intermittent	Continuous	List Price
J	700054	(115-24-18CD)	18 amps	18 amps	\$1,858.79 E0-9049310
ı	700066	(115-24-35CD)	35 amps	35 amps	\$2,742.69 E0-2075020

Newmar Panel Meters



- For replacement or addition to existing panel systems.
- Easy to read graphics with unit divisions give precise readouts at a glance.
- Stud mount with push-on terminals.
- Designed for easy front panel mounting.
- DC ammeters require external shunts which are provided.

Order No.	Mfg. No. / Description		List Price
700019	(023-1500-0) 0-150 AC Voltmeter	Size: 2-1/2"	\$156.89 H0-3149000
700022	(023-3002-0) 0-300 AC Voltmeter	Size: 2-1/2"	\$156.89 H0-3149000
700025	(023-1500-5) 0-150 AC Voltmeter	Size: 3-1/2"	\$168.09 H0-5800100
700027	(023-3002-5) 0-300 AC Voltmeter	Size: 3-1/2"	\$168.09 H0-5800100
700032	(023-0301-0) 0-50 AC Ammeter	Size: 2-1/2"	\$277.39 H0-3466100
700035	(023-1001-2) 0-100 AC Ammeter	Size: 2-1/2"	\$277.39 H0-3466100
700038	(023-0301-5) 0-50 AC Ammeter	Size: 3-1/2"	\$280.19 H0-1186100
700040	(023-1001-7) 0-100 ΔC Ammeter	Size: 3-1/2"	\$280 19 HO-1186100

Newmar Stabilizing Converters



- Feed sensitive electronics with proper voltage regardless of battery condition
- These stabilizing converters provide continuous, precisely regulated output over the entire range of a battery's usable voltage.
- This prevents subjecting loads to fluctuating input voltage which can cause shutdown, diminish performance and possibly damage sensitive
- Application Benefits Include:
- Operate electronics at optimal input voltage, even from nearly drained
- Boost voltage to compensate for voltage drops in long wire runs from batteries
- Eliminate voltage drops during momentary high current drain from batteries, as during engine start
- Eliminate voltage fluctuation from charge sources
- Eliminate voltage overshoot due to sudden removal of high current load

12 VOLT. INPUT VOLTAGE: 10-16. OUTPUT VOLTAGE: 13.6 Order No. Mfg. No. / Description List Price

699962 (12-12-3I) Output Amps Intermittent: 3 **\$233.39** E0-4057100 699965 (12-12-6I) Output Amps Intermittent: 6 \$362.29 E0-2717200

24 VOLT. INPUT VOLTAGE: 20-32. OUTPUT VOLTAGE: 27.2

Order No.	Mfg. No. / Description	List Price	
699968	(24-24-3I) Output Amps Intermittent: 3	\$267.49	E0-2600200
699971	(24-24-7I) Output Amps Intermittent: 7	\$591.89	E0-2934400

Marpac Power Inverter





- Converts 12 volt DC to 110 volt AC for power when needed.
- Charge most USB compatible devices.
- · Plugs into cigarette lighter.
- Fits in most cup holders.
- Great for charging mobile phones, laptops, MP3 players.
- Automatic shut off if voltage drops below 10V or exceeds 15V DC.
- CE and E-Certified.

Order No Description 7-1279 Power Inverter List Price \$29.49 G0-6791000





ECIAL HANDLIN

188 **USB** Chargers





Marpac PD (Power Delivery) USB Type-C Charger





- Type A port 5V 2.4A compatible with most smartphones in market.
- Type C port PD 45W compatible with latest PD devices in market.
- Fast charges your iPhone / Android phones from 0% to 50% within 30
- Also charges ultrabooks, MacBooks and MacBook Air (after 2018) in 20V mode.

Order No. Description

• Dual port USB charger.

• LED power indicator.

Order No. Description

BLUE SEA

on the go.

environment.

Short circuit/overheat protected.

• Easy to install, just snaps in.

· Charge two mobile devices

· Made with corrosion resistant

materials which ensure a solid

Compatible with most mobile devices

Protective dust cap with tether keeps dust

and spray from shortening the life of the charger.

Conformal coated circuit board to stand up to the harsh marine

• Fits in same mounting hole as a traditional 12 volt outlet.

contact and low voltage drop.

2A Supply fuse is not included.

for charging mobile devices.

Cut out dimensions: 1-1/8".

including Apple products.

• Enhanced uni-body water resistant design.

7-0822 Switch Mount USB Charger Socket

• Compatible with iPad, iPhone and Android devices.

7-0823 Dual Port USB Charger

List Price

\$16.29 G0-1901000

\$31.95 G0-1412000

Marpac Switch Mount USB Charger Socket

Unique water-proof cap splash resistant to IP66 standards (when sealed).

• 1.45" x 0.83" cut-out replaces contura style switches in existing panels.

Blue Sea Dual USB 2.1A Charger - White





Safety Steering

Electronics

Trolling Motors

Electrical

Controls

Pumps Fuel

System Seating & Pedestals

Trailering

Tops &

Perform. Propellers

Engine & Care

Paint &

Paint Acc Fun & Flotation

Topside Acc

Cockpit & Deck Hardware.

Fasteners

Camouflage

Misc

• 12/24V input.

Order No. Mfg. No. / Description **379314** (1016200-BSS)

\$28.79 F0-5102000

· Easy to install in existing 12V DC socket hole providing convenient access

Marpac Dual Port USB Charger



- Corrosion resistant.
- Weatherproof cover.
- Charge two items at the same time.
- Compatible with iPad, iPhone and Android devices.
- Rated at 4.8 amps.
- 12 volt input.

Order No. Description

7-0821 Dual Port USB Charger

List Price

\$19.09 G0-9721000

Blue Sea Dual USB 4.8A Charger - Socket Mount

BLŲĘ SEĄ



- Intelligent device recognition allows rapid charging of phones, tablets, or other mobile devices.
- Charges at the speed required by specific devices.
- Internal filtering for reduced electronic interference.
- Over temperature protection.
- Protective dust cap keeps debris and moisture out.
- Conformal coated circuit board for the harsh marine environment.
- Mounts in a common 1-1/8" hole.
- 12/24V input.

Order No. Mfg. No. / Description 379000 (1045-BSS)


List Price

\$49.79 F0-5843000

Davis SoliCharger-SP™ Solar Phone Charger with Speakers

Davise






- Recharge your cell phone or portable device on the go.
- 3 watt stereo speakers.
- Output rate is 300-500 mA, and you can use your phone or device while it is charging.
- The LED charge indicator tells you how much charge is available.
- You can recharge the SoliCharger-SP's 2000 mAh internal battery using the sun or by plugging into your PC or any type of USB port.
- Includes adapters for 32 pin Apple, USB, USB Mini, USB Micro and USB Female (for iPhone 5 and beyond).

Order No. Mfg. No. / Description

323470 (3480)

\$46.89 F0-2823000





Trolling

Motors

Instruments

Lighting

Anchor & Dock

Safety

Fuel

System

Seating &

Pedestals

Trailering

Tops &

Perform.

Propellers

Engine

& Care

Cleaning

& Care

Paint &

Paint Acc

Fun &

Flotation Topside

Cockpit & Deck

Hardware.

Fasteners

Camouflage

Misc

Comm

Freshwater Exclusive Saltwater Exclusive Blue Sea WeatherDeck™ Waterproof Switch Panels

BLŲĘ SEA







 Waterproof and rated IP67 (for temporary immersion in water) and use materials that won't deteriorate in the harsh sun, salt, and water.

379612

379617

- Panels can be mounted in four different orientations.
- Panel front rated IP67 when properly mounted with watertight mounting gasket.
- Integrated switch guards reduce the risk of accidental switching.
- UV stabilized weather-resistant faceplate snaps on and off providing access to components and concealing mounting screws.
- Panel cumulative rating: 45 amp.
- Gray.
- 12 volt.

Urder No.	IVITG. INO.	Positions	Dimensions	List Price	
379612	(4305-BSS)	4	4.3" H x 3.88" W x 2.5" D	\$56.09	F0-6293000
379617	(4307-BSS)	6	6" H x 3.88" W x 2.5" D	\$73.99	F0-9715000
379622	(4309-BSS)	8	7.7" H x 3.88" W x 2.5" D	\$92.19	F0-3546000

Marpac Water Resistant Aluminum Switch Panels







 Compact, modern design can be mounted vertically or horizontally.

- Corrosion resistant 0.1" (2.54mm) thick
- coated aluminum alloy faceplate. • Splash resistant to IP66 standards.
- · Push-to-reset circuit breakers with rubber boots.
- Illuminated contura style rocker switches.
- Replaceable on-off rocker switches rated at 20 amps.
- Easy to read labels with included backlight module.

7-1258 Label Kit for Lighted Panels

AUTUON ANCHON AUTO ROLL BUILD
CABING COMMON DEPTH SUC. FASIANT SIGNAL PASIANT
TAN DOOR COOK GAY SCHA
LIGHTS MICHIGAN CARRY NAMES EXPEN-
N. Anne SALENS SALES SPEED DECKED SERVE
CONTROL STRANG STRANG VALUE AND STREET, AN

7-1258

\$4.19 GO-1820000

 Watertight mounting gasket 	t included.
--	-------------

Order No.	Description	Dimensions	LIST PIICE
7-1245	6 Switches	4-31/64" x 7-33/64"	\$85.59 G0-5375000

SWITCH	1 PANELS	WITH USB CHARGER	
Order No.	Description	Dimensions	List Price
- 4040	F 0 '. I	4 04 /04// 7 00 /04//	

7-1246	5 Switches	4-31/64" x 7-33/64"	\$93.19 G0-4426000
7-1247	7 Switches	4-31/64" x 9-3/8"	\$123.39 G0-7628000

ACCESS	ORIES		
Order No.	Description	List Price	
7-1145	Contura Style Illuminated Rocker S	witch - On-Off \$6.69	G0-8440000
7-1146	Contura Style Illuminated Rocker S	witch - On-Off-On \$8.49	G0-9650000
7-0822	Dual Port USB Charger Socket	\$16.29	G0-1901000

Blue Sea WeatherDeck™ Waterproof Circuit Breaker Panels

BLUE SEA





- Rated IP67 temporary immersion for 30 minutes.
- Designed for flybridge and open cockpit applications.
- Independent label backlighting allows switching and dimming.
- Compatible with all Blue Sea Systems Digital Dimmers.
- Each panel can be mounted in four different orientations.
- Green LEDs aid low-light readability. All labels will be lit when the panel is powered, regardless of individual switch position.
- Panel cumulative rating: 45 amp.
- 12 volt.

Order No.	Mfg. No.	Positions	Dimensions		List Price	
379608	(4374-BSS)	4	4.3" H x 4.25"	W x 3.5" D	\$114.29	F0-0008000
379609	(4376-BSS)	6	6" H x 4.25" V	V x 3.5" D	\$141.69	F0-8199000
379610	(4378-BSS)	8	7.7" H x 4.25"	W x 3.5" D	\$197.89	F0-2583100

Blue Sea Contura Switch Water Resistant Fuse Panels

BLUE SEA





379633

Steering Controls **Pumps**

• Two-part polyurethane slate gray finish.

- ON-OFF water resistant Contura Switches.
- On indicating LEDs embedded in switch.
- Switch rating 20 amp maximum.
- Panel cumulative rating: 45 amps.
- Comes with set of 30 common DC labels.
- Fuse holders accept commonly available AGC and MDL glass fuses.
- 12 volt.

VERTICAL	M:	RU	ICA	Ш

Order No.	Mfg. No.	Positions	Dimensions	List Price	
379645	(8054-BSS)	3	3.75" H x 5.25" W x 3" D	\$109.09	F0-6367000
379633	(8053-BSS)	6	7.5" H x 5.25" W x 3" D	\$176.49	F0-4532100
HORIZO	NTAL				
0 1 11		B 111	B: :	11 - 5 -	

Order No.	Mfg. No.	Positions	Dimensions	List Price	
379669	(8262-BSS)	4	3.75" H x 5.25" W x 3" D	\$133.09	F0-6139000
379657	(8261-BSS)	8	3.75" H x 9.37" W x 3" D	\$223.19	F0-3265100

Blue Sea Waterproof Contura Switches

BLŲĘ SEĄ





- salt spray resistant. • Current rating: 20A @ 12 volt.
- Meets UP1500 and IS08846 ignition protection requirements.

Order No.	Mfg. No. / Description	List Price
379760	(8232-BSS) SPDT, ON-OFF-ON	\$14.09 F0-6890000
379772	(8231-BSS) SPST, OFF-MOM. ON	\$11.19 F0-3870000
379780	(8230-BSS) SPST, OFF-ON	\$11.19 F0-3870000





- Two-part polyurethane black finish.
- Panel front is rated IP66.
- Ignition protected.
- ON-OFF water resistant Contura Switches.
- ON indicating LEDs embedded in switch.
- Push button reset only circuit breakers with waterproof boots.
- Switch rating 20 amp maximum.
- Panel cumulative rating: 45 amps.
- Comes with set of 60 common DC labels.
- 12 volt.

HORIZONTAL

FI	00	tri	'n	ы
	U	· UII	ь	ш
	•••		•	-

Electronics

Trolling

Motors

Instruments

Light

Anchor

& Dock

Safety

Steering

Controls Pumps

	 order No.	iviig. ivo.	POSITIONS	Diffiensions	LIST FIICE
	379668	(8372-BSS)	4	4.25" H x 5.25" W x 3.25" D	\$151.79 F0-5260100
nting	379667	(8371-BSS)	8	4.25" H x 9.37" W x 3.25" D	\$259.49 F0-4618100

Blue Sea Panel Mount AGC/MDL Fuse Holder

BLUE SEA



List Price

Fuel System Seating &

Tops &

- Replaces fuse holder found in Contura Waterproof Fuse Panels. Pedestals
- Trailering
 - Will withstand the water exposures normally encountered in above deck applications: salt spray, rain, hose washdowns, and momentary immersions.
 - Maximum amperage: 20 amp.

Perform. Order No. Mfg. No. / Description

379467 (5021-BSS) \$4.49 F0-4130000

Marpac Marine Grade Power Panels

7-0514

Propellers

Engine & Care

Cleaning & Care






Topside Acc.

Cockpit & Deck

Hardware, Fasteners

Camouflage

Misc



• Modern style illuminated rocker switches glow white when ON - easy to see day or night.

Includes weatherproof breaker boots.

See page 204 for replacement breakers.

• For extra flexibility, add Marpac 7-1144 - On-Off-On Rocker Switches.

	Order No.	Description	Dimensions	List Price
	7-0514	3 Gang	5-1/4" W x 3-3/4" H	\$46.69 G0-8213000
ı	7-0513	6 Gang	5-1/4" W x 7-1/2" H	\$81.39 G0-3545000
J	7-1134	Spare Weath	nerproof Breaker Boots - 3 per package	\$5.59 G0-5730000

Marpac Water Resistant Curved Aluminum Switch Panels









- Panel made from corrosion proof ABS plastic with reinforced corners.
- Compact, modern design can be mounted vertically or horizontally.
- Splash resistant to IP66 standards.
- Push-to-reset circuit breakers with rubber boots.
- Illuminated contura style rockers glow blue when activated.
- Replaceable on-off rocker switches rated at 20 amps.
- Easy to read labels with included backlight module.
- Watertight mounting gasket included.

Order No.	Description	Dimensions	List Price
7-1250	4 Switches	4-31/64" x 5-15/64"	\$ 54.39

G0-4463000 **7-1251** 6 Switches 4-31/64" x 7-33/64" **\$78.49** G0-9525000

SWITCH PANEL WITH USB CHARGER

Order No.	Description	Dimensions	List Price
7-1252	5 Switches	4-31/64" x 7-33/64"	\$86.09 G0-8675000

ACCESSORIES

Order No.	Description	List Price	
7-1145	Contura Style Illuminated Rocker	Switch - On-Off \$6.69	G0-8440000
7-1146	Contura Style Illuminated Rocker	Switch - On-Off-On \$8.49	G0-9650000
7-0822	Dual Port USB Charger Socket	\$16.29	G0-1901000
7-1258	Label Kit for Lighted Panels	\$4.19	G0-1820000

Boater Sports L.E.D. Switch Panels







1-51319

- Water resistant switch panel.
- Customizable labels, integrated circuit breaker protection.
- Includes stainless steel mounting hardware.
- Features blue LEDs to indicate position.

Order No.	Mfg. No.	Description	Dimensions	List Price
1-51318	(51318)	4 Gang	5.2" W x 4.8" H	\$121.29 H0-7727000
1-51319	(51319)	6 Gang	5.2" W x 6.8" H	\$148.29 H0-7988000



Electronics Trolling Motors Instruments

Lighting Anchor & Dock Safety

> Steering, Controls

Pumps Fuel System

Seating &

Pedestals

Trailering

Tops &

Perform.

Propellers

Engine

& Care

Cleaning

& Care Paint & Paint Acc Fun & Flotation





Marpac Switch Panels





7-1240

- Corrosion proof black bakelite panel.
- Chrome plated toggle switches and screw cap fuse holders.
- Rated: 15 amps at 12V DC.
- Includes #6 fasteners and easy to read (8) labels.

Order No.	Description	Dimensions	List Price
7-0516	3 Gang	4-1/2" W x 3-5/8" H	\$17.79 G0-2911000
7-0518	6 Gang	4-1/2" W x 6-1/4" H	\$31.19 G0-0902000
7-0534	Spare Toggl	e Switch	\$3.39 G0-7220000
7-0519	Spare Toggl	e Boot Seal	\$2.79 G0-7810000

Marpac Toggle Switch Panel with Dual Port USB Charger

7-1241



- Compact, modern design.
- Panel made from corrosion proof ABS plastic with reinforced corners.
- Splash resistant to IP66 standards.
- · Watertight design includes toggle switch boots and panel mounting
- Includes inline, spray-proof ATP/ATC fuse holders.
- Dual port USB charger rated at 4.8 amps and is compatible with iPad, iPhone and Android devices.
- Illuminated toggle switches glow when activated.
- Replaceable on-off toggle switches rated at 16 amps.
- Includes 28 pieces assorted label stickers.
- Panel dimensions: 4-7/32" x 3-3/4".
- Panel cutout: 3-7/16" x 3-1/16".

Order No.	Description	List Price
7-1240	5 Switches	\$51.59 G0-7543000
7-1241	Spare Toggle Switch	\$6.09 G0-8040000
7-1242	Spare Toggle Switch Boot	\$2.79 G0-7810000
7-0821	Spare 2 Port USB Charger	\$19.09 G0-9721000

Marpac Switch Panel with Toggle Boot Seals







0

7-0517

Corrosion proof black bakelite panel.

- Chrome plated toggle switches with boots and screw cap fuse holders.
- Corrosion resistant tinned wires.
- Rated: 15 amps at 12V DC.
- Includes #6 fasteners and easy to read (8) labels.
- Dimensions: 4-1/2" W x 6-1/4" H.

Order No.	Description	List Price
7-0517	6 Gang with Toggle Boot Seals	\$37.39 G0-5052000
7-0534	Spare Toggle Switch	\$3.39 G0-7220000
7-0519	Spare Toggle Boot Seal	\$2.79 G0-7810000

Marinco - BEP Products Waterproof Series Sprayproof Switch Panels

BEP PRODUCTS





702110

702125

· Compact panel size.

- Sprayproof inline fuse holders with fuses included.
- · Waterproof power receptacles (16A) in five and three way models.
- Waterproof to IP56.
- Switches rated at 20A DC.
- Dimensions: 3.75" H x 4.25" W x 2.9" H.
- Panel supplied with label LBL-WP.

Order No.	Mfg. No. / Descrip	tion		List Price	
702110	(900-3WPS)	3 Switches	Black	\$67.89	F0-2574000
702115	(900-4WP)	4 Switches	Black	\$47.69	F0-8333000
702120	(900-4WPW)	4 Switches	White	\$47.69	F0-8333000
702125	(900-5WPS)	5 Switches	Black	\$88.29	F0-0816000
702135	(900-6WP)	6 Switches	Black	\$66.29	F0-0464000
702140	(900-6WPW)	6 Switches	White	\$66.29	F0-0464000

Marinco - BEP Products Micro Series Sprayproof Switch Panel

- Green LED backlit labels: red when on.
- Full range of text or graphic labels available; mix n match labels and panels to suit.
- Switches rated at 20A DC.
- Dimensions: 3.4" x 2.3" x 1.2".
- Waterproof to IP56.
- 2 x 2 way switches.
- Panel supplied with Label LBL-MIC.

Order No. Mfg. No. / Description List Price **702105** (900-2WP) \$52.19 F0-3563000









Topside

Hardware. Fasteners Camouflage



Comm









Marpac Lighted Panel Label Kit





Electronics

Trolling

Motors

Instruments

Lighting

Safety

Steering

Controls

Pumps

Fuel

System

Seating &

Pedestals

Trailering

Tops &

Perform

Engine & Care

Cleaning & Care

Paint &

Comm.

Paint Acc

 Replacement labels for Marpac backlight panels 7-1245, 7-1246, 7-1247, 7-1250, 7-1251 and 7-1252.

- Labels can be used for horizontal or vertical applications.
- 30 waterproof stickers.

Electrical


Order No. Description List Price

7-1258 Label Kit

\$4.19 G0-1820000

Marpac Switch Panel Label Kit





- Fits all Marpac switch panels.
- Includes: Accessory, Aerator, Anchor Light, Bait Pump, Baitwell, Bilge Pump, Bilge Pump Aft, Bilge Pump Fwd, Cabin Lights, Deck Lights, Fish Finder, Flood Lights, GPS, Nav Lights, Running Lights, Spreader Lights, VHF, Wash Down, Water Pressure, Wipers.

Propellers Description

7-0509 Switch Panel Label Kit

List Price **\$2.19** G0-7410000

Blue Sea Weatherproof Panel Label Kits

BLŲĘ SEĄ



- · Reinforced, weatherproof material.
- Square format labels.
- Used on WeatherDeck waterproof panels and battery management panels.
- · Black.

30 LABEL SET

Accessory Aerator Anchor Light Autopilot Bait Pump Bilge Pump

Blower Cabin Lights Depth Sounder Electronics **GPS** Horn

Instruments Knotmeter Nav Lights Radar Refrigerator Running Lights

Search Light Spare Spreader Lights Streaming Light Stereo Trim Tabs

Wash Down Water Pressure Water Pump Windlass Winers

Order No. Mfg. No. / Description **379671** (4215-BSS)

List Price

\$15.99 F0-9111000

60 LABEL SET

(Blank) 12 Volt DC 12 Volt DC Outlets Anchor Wash Down Baitwell Battery Battery Parallel Bilge Bilge Pump 2 Bilae Pump

On-Off-Auto

Bow Light

Cabin

Cellular Phone Chart Light Chart Plotter Cockpit Lights Compass Light Courtesy Lights Davit DC Outlets DC Sub Panel Deck Lights Docking Lights Down Rigger Electric Hatch Engine Room

CB Radio

Engine Room Lights Fan Fish Finder Fishing Light Fishwell Pump Flood Lights Fresh Water Pump Fuel Pump Galley Outlets Gas Alarm GPS/Plotter Head

Blower

Ignition Instrument Lights Lights Livewell Macerator Pump Nav Light Anchor-Off-Nav Outlets Pumpout Radio Seawater Wash Shower Sump Pump SSB Stern Light Strobe Light Tricolor Light Trolling Motor Washdown Water Maker Winches Wiper Port Wiper Stbd

Order No. Mfg. No. / Description **379672** (4216-BSS)

List Price

Down

\$17.69 F0-8321000

120 LABEL SET

• Includes 379672 (4216) 60 Label Set, plus 60 additional labels.

Order No. Mfg. No. / Description **379673** (4217-BSS)

List Price

List Price

\$23.09 F0-6161000

Bernard Identi-Plates™







254108 (ACTUAL SIZE)

(IP-20) Running Lights

(IP-21) Search Light

(IP-23) Stern Light

254069 (ACTUAL SIZE)

Cockpit & Deck 254069 (IP-01) Anchor Light Hardware, 254071 (IP-02) Bilge Pump Fasteners 254083 (IP-03) Blower 254108 (IP-05) Compass Camouflage 254110 (IP-06) Deck Lights 254122 (IP-07) Depth Sounder Misc 254146 (IP-09) Horn

(IP-11) Light

254184 (IP-13) Masthead Light

254160

- White lettering and beveled edge on black plastic plates.
- Comes with two screws/nail holes on 1-3/16" centers.
- Can be glued mounted or mounted with brads or screws.
- Dimensions: 1/2" x 1-1/2".
- Priced each, standard pack 5.

Order No Description

Ordor 140.	Bootiption		LIUCTITOO
ALL	Identi-Plates		\$4.59 H0-5720000
254401	(IP-35) Baitwell	254677	(IP-62) Manual
254425	(IP-37) Bow Light	254691	(IP-64) Navigation
254437	(IP-38) Cabin Light	254716	(IP-66) Oil Pressure
254487	(IP-43) Courtesy Lights	254766	(IP-71) Port
254538	(IP-48) Engine Shutoff	254893	(IP-84) Spreader Lights
254540	(IP-49) Fan	254982	(IP-93) Trim
054504	(ID E4) EL . LL'. L.		

254564 (IP-51) Flood Light 254588 (IP-53) Fuel 254590 (IP-54) Fuel Pump

El Navegante

www.repuestoselnavegante.com

254209 (IP-15) Off

(IP-18) Radio

(IP-26) Wiper

(IP-28) 12 Volt

(IP-31) Aerator

254398 (IP-34) Bait Pump

254235

254259

254261

254285

254312

254336

254362

Electronics Trolling Motors Instruments

Lighting

Anchor & Dock

Safety Steering, Controls Pumps Fuel System Seating & Pedestals Trailering

Tops & Covers

Perform.

Propellers

Engine & Care

Cleaning & Care Paint & Paint Acc. Fun & Flotation Topside

Cockpit & Deck Hardware, Fasteners

Camouflage

Misc.

Comm.

Custom Electrical Panel Easy Quote Form			
Project:			
Contact Number/E-mail for Questions:			
<u>DC</u>	<u>AC</u>		
1) DC Voltage: 12, 24, 32	1) AC Voltage: 120, 240		
2) DC Master Breaker: Yes or No If Yes: Amps, Poles	2) AC Master Breaker: Yes or No If Yes: Amps, Poles		
3) # of DC Branch: Breakers, Poles List of Breakers: 5A, 10A, 15A, 20A, 30A 40A, 50A, 75A, 100A	3) # of AC Branch: Breakers, Poles, List of Breakers: 5A, 10A, 15A, 20A, 30A 40A, 50A		
4) Meters: Yes or No If Yes: Digital or Analog Type of Meters: Volts, Amps, Other	4) Meters: Yes or No If Yes: Digital or Analog Type of Meters: Volts, Amps, Other		
Tes	5) Gen-Shore Power Selector Switch: Yes or No		
	If Yes: # of Poles, # of Switch Positions, Amps		
Other Desired Fuction Not Listed Above:	9		
Options 1) Power "ON" Indication Lights: Yes or No	2) Backlit Circuit ID Labels: Yes or No		
3) Specific Panel Size Requirement:	_ 4) Sketch Panel Below (Optional):		
Customer Contact Information: Name E-mail:	Phone #		
Email this sheet to Kap@newmarpower.com or fax attention Kap to 714-957-1621			
DC Power www.newmo	Conboard Carpower.com		

El Navegante

Newmar AC or DC Accessory Panels

NEWMAR





existing system capacity. • LS-I Label Set included.

 8 breaker capacity, 5 installed standard; (2) 5 amp, (1) 10 amp, (1) 15 amp,
 20 amp or specify. 8 DC circuit "ON" indicator lights installed standard. AC lights optional. Dimensions: 5-1/4" W x 7-1/2" H.

Order No. Mfg. No. / Description

\$298.69 H0-1297100

List Price

699782 (ACCY-IX)

699782

ACCY-IBX - AC OR DC ACCESSORY PANEL

• Ideal for smaller vessels with only a limited number of electrical circuits, or for larger systems where their modular design makes

for an easy and attractive expansion of

ACCY-IX - AC OR DC ACCESSORY PANEL

 Blank version of 699782 (ACCY-IX). No breakers provided. Label set, light and breaker mounting hardware provided.

Order No. Mfg. No. / Description Lighting 699747 (ACCY-IBX)

List Price

\$130.89 E0-7189000

Anchor & Dock

Safety

Steering

Fuel

System

Electronics

Trolling

Motors

Instruments

Electrical

ACCY-IIX - AC OR DC ACCESSORY PANEL

• 3 breaker capacity, 3 installed standard; 3 DC "ON" indicator lights installed standard. AC optional. (1) 5 amp, (1) 10 amp, (1) 15 amp or specify. Dimensions: 5-1/4" W x 3-3/4" H.

Order No. Mfg. No. / Description Controls

699750 (ACCY-IIX)

\$165.09 E0-2832100

Pumps **ACCY-IIBX - AC OR DC ACCESSORY PANEL**

• Blank version of 699750 (ACCY-IIX). No breakers or lights provided. Label set, light and breaker mounting hardware provided.

Newmar AC or DC Accessory Panels - Elite Series

Seating & Pedestals

Order No. Mfg. No. / Description 699753 (ACCY-IIBX)

List Price

\$77.39 E0-4085000

Trailering

Tops & VEW_{MAR}

Perform

Propellers

Cleaning & Care

Paint & Paint Acc

Fun &

Flotation

Topside Acc.

Cockpit

& Deck

Misc

Engine & Care

 AC (120/240V) or DC (12/24V) master breaker (double pole AC 50 amp* standard, 30 amp optional or DC 100 single pole amp standard; 50 or 75 amp optional).

- · LS-III label set included.
- Dimensions: 5-1/4" W x 15" H x 4" D.
- Weight: 7 lbs.
- Note: 50 amp master OK for use on 230 VAC line-to-line systems. For 230 VAC line-to-neutral systems 30 amp is maximum master breaker value.

ES-7A - AC OR DC ACCESSORY PANEL

• 16 branch circuit capacity, 12 installed standard: (2) 10 amp, (5) 15 amp and (5) 20 amp.

Hardware. Order No. Mfa. No. / Description Fasteners

List Price

699878 (ES-7A)

\$834.59 E0-4952600

Camouflage **ES-7D - AC OR DC ACCESSORY PANEL**

> 16 branch circuit capacity, 12 installed standard: (2) 5 amp, (3) 10 amp, (5) 15 amp and (2) 20 amp.

Order No. Mfg. No. / Description Comm. 699893 (ES-7D)

\$796.69 E0-2579500

Newmar AC Master Panels

NEWMAR



699756



699770

- Essential control/protection whenever AC from shorepower or generators is on board.
- A double pole master breaker with power on indicator light protects both hot and neutral legs of the AC circuit.
- A reverse polarity light provides clear warning when wiring is reversed and poses a shock hazard.

AC-II - AC MASTER PANEL

· 30 amp master breaker.

Order No. Mfg. No. / Description **699756** (AC-II) Dimensions: 5-1/4" W x 3-3/4" H

List Price

\$197.49 H0-9481100

AC-IX - AC MASTER PANEL

• 30 amp master breaker, 5 branch circuit capacity 4 installed standard (1) 10 amp, (2) 15 amp, (1) 20 amp or specify. LS-I Label Set included.

Order No. Mfg. No. / Description

699770 (AC-IX) Dimensions: 5-1/4" W x 7-1/2" H

List Price

\$375.09 H0-5052200

Newmar DC Master Panel - Elite Series

NEWMAR

- Analog DC volt and ammeter, back illuminated with dimmer.
- 4 battery bank test switch.
- DC master breaker.
- 22 branch circuit capacity, 20 installed standard: (3) 5 amp, (5) 10 amp, (6) 15 amp and (6) 20 amp.
- Red circuit ON indicator lights.
- LS-III Label Set included.
- Dimensions: 10" W x 15" H x 4" D.
- · Weight: 8 lbs.

Order No. Mfg. No. / Description

699790 (ES-1)

\$1,505.99 E0-9492110

Newmar DC Load Center - Elite Series

NEWMAR


- Accommodates one analog meter. DC 0-50A ammeter standard or 12 or 24 volts. • Master breaker, single pole, 75 amp standard;
- 50 or 100 amp optional, single pole.
- 10 branch circuit capacity, 8 installed standard: (1) 5 amp, (2) 10 amp, (4) 15 amp and (1) 20 amp.
- LS-III Label Set included.
- Dimensions: 5-1/4" W x 15" H x 4" D.

Order No. Mfg. No. / Description 699890 (ES-6D)





\$804.29 E0-2230600



Electronics Trolling Motors Instruments

Lighting

Anchor

& Dock

Safety

Steering

Controls

Pumps

Fuel

System

Seating & Pedestals

Newmar AC-DC Master Combined Control Panel - Elite Series

- Locating all AC and DC functions on one panel provides a vessel with a central load distribution and monitoring center.
- Complete metering of voltage and current on AC and DC systems.
- Back-lit analog meters.
- AC master breaker(s) with reverse polarity warning light.
- Power "on" indicator lights on all circuits.
- Four battery bank voltage test switch.
- Deluxe label set (LS-III) included, 206 functions.
- 115 VAC standard/230 VAC optional, 12 VDC standard/24 VDC optional.

Newmar Compact AC-DC Load Center





- DC circuits: 16 breaker capacity; 12 installed standard: (2) 5 amp, (3) 10 amp, (4) 15 amp and (3) 20 amp.
- AC circuits: Master (D.P.) 30 amp standard plus 6 S.P. branch capacity 5 installed standard: (1) 10 amp, (2) 15 amp and (2) 20 amp.
- Dimensions: 13.7" W x 10" H x 4" D.
- · Weight: 10 lbs.

Order No. Mfg. No. / Description **699794** (ES-3)

\$1,624.99 E0-4781210

Newmar Lamp Dimmer System



 Adjust DC lights to ease eye strain and enhance night vision.

 Light intensity is easily regulated by remote panel.



LD - DIMMER UNIT

- Rugged anodized aluminum heat sink case.
- 100 watt capacity, for 12, 24 and 32 VDC systems.
- Dimensions: 9" x 4.5" x 2.75".

Order No. Mfg. No. / Description **699953** (LD)

List Price \$259.19 D0-5370200

LDP - CONTROL PANEL

- Black anodized aluminum panel.
- 5,000 Ohm dimmer control panel adjusts brightness between off and 85% of full voltage.
- Dimensions: 3" x 3".

Order No. Mfg. No. / Description **699866** (LDP)

List Price

\$73.99 E0-9455000

Newmar AC-DC Master Control - Elite Series



- Large 3-1/2" scale meters and an ample circuit breaker capacity makes this the panel of choice for boats in the 35' - 45' range.
- DC Circuits: 20 breaker capacity, 16 installed standard; (2) 5 amp, (3) 10 amp, (4) 15 amp, (3) 20 amp or specify.
- AC Circuits: Master (D.P.) 50 amp standard plus 8 S.P. branch capacity, 6 installed standard; (1) 10 amp, (3) 15 amp, (2) 20 amp or specify.
- Dimensions: 17" W x 12" H x 4" D.
- Weight: 12 lbs.

Order No. Mfg. No. / Description

699881 (ES-4)

\$1,576.29 E0-2228110

INCLUDES AC SOURCE SELECTOR SWITCH

· For vessels with an onboard generator, the panel may be fitted with a 7.5 or 15 kW shipshore AC source selector switch.

Order No. Mfg. No. / Description **699884** (ES-4-SS)

List Price **\$1,735.59** E0-9610310

Newmar AC-DC Master Control - Elite Series

NEWMAR



• Has large DC circuit capacity and AC section including two load groups and a source selector switch for two shore power lines and a 15 kW generator.

- Pre-heat and start-stop controls are standard.
- DC circuits: Master plus 24 breaker capacity, 20 installed standard; (3) 5 amp, (4) 10 amp, (7) 15 amp, (6) 20 amp or specify.
- AC circuits: Two load groups each consisting of: Master breaker (D.P.) 50 amp standard plus 10 S.P. branch capacity, 8 installed standard; (2) 10 amp, (3) 15 amp, (3) 20 amp or specify.
- Dimensions: 20" W x 15" H x 6" D.
- · Weight: 20 lbs.

Order No. Mfg. No. / Description

List Price

\$3,767.09 E0-2352820

Trailering

Tops &

Perform.

Propellers

Engine & Care

Cleaning

& Care Paint &

Paint Acc Fun &

Flotation

Topside

Cockpit & Deck

Hardware. Fasteners

Camouflage

Misc



699887 (ES-5)

Newmar Panel Meters - Analog

- For replacement or addition to existing panel systems.
- Easy to read graphics with unit divisions give precise readouts at a glance.
- Stud mount with push-on terminals.
- · Designed for easy front panel mounting.
- DC ammeters require external shunts which are provided.

Order No. Mfg. No. / Description		tion	List Price		
700016	(023-9161-0)	8-16 DC Voltmeter	Panel Size: 2-1/2"	\$83.79	E0-4826000
700028	(DCVOLT 16-32) 16-32 DC Voltmeter	Panel Size: 2-1/2"	\$83.79	E0-4826000
700030	(023-0502-0)	0-50 DC Ammeter	Panel Size: 2-1/2"	\$168.09	H0-5800100
700658	(023-9161-5)	8-16 DC Voltmeter	Panel Size: 3-1/2"	\$94.89	E0-7117000
700660	(023-1632-5)	16-32 DC Voltmeter	Panel Size: 3-1/2"	\$94.89	E0-7117000
700045	(023-1001-5)	0-100 DC Ammeter	Panel Size: 3-1/2"	\$168.09	H0-5800100
700048	(023-0502-5)	0-50 DC Ammeter	Panel Size: 3-1/2"	\$168.09	H0-5800100

Newmar Deluxe Label Set

List Price

\$42.29 D0-3833000

- Ideal for custom labeling of switch or circuit breaker positions on any Newmar or similarly constructed electrical panel.
- White lettering on black peel-and-stick mylar.
- Label size: 1-3/4" W x 1/2" H.

Order No. Mfg. No. / Description 699947 (LS-II) Electronic Set - 55 Labels 699744 (LS-III) Deluxe Set - 182 Labels

\$194.89 H0-3961100 El Navegante

Newmar Digital Instruments for AC/DC Systems

- Provide comprehensive monitoring of onboard AC & DC electrical systems.
- They give guick and accurate information on all important aspects of electrical system status - voltage, current, power consumed, power available and AC frequency accuracy is +/- 1%.
- Programmable visual and audio alarms alert of abnormal system conditions: Low/high voltage and low/high frequency.

Newmar ACE: AC Energy Monitor

NEWMAR

- For 115/230 volt systems reads: 90-300 VAC, 0-150 amps, frequency from 40-70 Hz and power from 0-150 kW.
- Features alarm circuits for high/low voltage and high/low frequency.
- Current and voltage transformers are included.
- 12 or 24 volt source required to power meter.

Trolling Order No. Mfg. No. / Description Motors

Electronics

Instruments

& Dock

Safety

Steering

Seating &

Propellers

Engine & Care

Cleaning & Care

Paint &

Fun &

Flotation

Topside

Cockpit

& Deck

Hardware. Fasteners

Camouflage

Misc

Comm.

Acc.

Paint Acc

Electrical

699851 (023-4349-0) 2-1/2" Face

List Price **\$610.79** E0-9085400

Newmar DCV: DC Voltmeter

Lighting Monitors three battery banks, Anchor 12 and/or 24 volt systems.

- Reads to the nearest 1/10 volt.
- Features a programmable high/low voltage alarm circuit for each bank.

Order No. Mfg. No. / Description List Price Controls

700681 (DCV) 2-1/2" Face **\$351.39** E0-4536200

Pumps **Newmar Generator Power Monitor**

Fuel NEWMAR System

Pedestals This versatile and compact (4" x 4") color LED display Trailering instrument provides simultaneous read out of generator and shore power Tops & data: AC Voltage, Frequency, Amperage of two 120V legs Perform of 240V circuit.

> Programmable alarm settings on each function produces 85 db audio alert as well as visual red blinking display.

- Large 1/2" high LED digits in high visibility green.
- 4 functions, all display simultaneously on one screen: Volts, Amps, Frequency.
- Hour meter displays when generator is off.
- Easy function and alarm programming via 4 button key pad, with on screen menu settings.

NEWMAR

AC VOLTS FREQ (HZ)

- 4 level adjustable LCD brightness settings.
- Programmable alarms: HIGH/LOW for volts and frequency and HIGH alarm for amps (2 lines). Alarm modes: Red warning color visual indication, plus built in 85 db audible, with output signal for external alarm relay.
- User programmable service hour interval settings and notification (password protected).
- 150 amp current transformers (2 X) provided.
- Low power consumption sleep mode (<20 ma) to conserve batteries.
- Operating volts: 9-33V DC. Sense voltage: 120/240V AC.
- Maximum power: 36 kW.
- Panel mount: 2-1/8" hole.
- Waterproof instrument face

Order No. Mfg. No. / Description List Price 699908 (VAAHF) **\$1,249.99** E0-9473900

- All read-out modes and alarm programming of multiple functions are easily controlled via touch-pads on the instrument face.
- LCD displays are easily read in bright sunlight and feature five level adjustable back-lighting for conservation of night vision.
- All models are designed for through-bulkhead mounting.

Newmar DCE: DC Energy Monitor

NEWMAR

- Displays volts, amps, energy used and remaining for 12 or 24 volt systems up to 500 amps and up to 3,000 amp-hour capacity.
- Monitor voltage on up to three separate
- 500 amp shunt included.

Order No. Mfg. No. / Description 699854 (023-4346-0) 2-1/2" Face List Price

\$591.29 D0-3037400

Newmar Remote Alarm Relay for DCE and ACE Energy Monitors

NEWMAR



- All instruments shown have programmable alarms.
- A relay is available that activates remote indicators from the instrument alarm signal output terminal allowing remote activation and/or connection to the vessel's 12 or 24 volt alarm panel.
- Input signal: 5 VDC.
- Relay rating: 12/24 VDC, 10 amps.
- Dimensions: 2.4" x 1.4" x 1.5".

Order No. Mfg. No. / Description 699863 (DIR)

List Price

\$88.39 D0-1707000

Newmar DC Energy Monitor

NEWMAR



- Large LCD read-out design.
- Digits are easy-to-read 1-1/4" tall, allowing monitoring from a distance.
- Large button keypads make programming and function selection a breeze.
- All instrument ratings and functions are identical to the DCE.

Order No. Mfg. No. / Description 699857 (DCE-VAH) 4-1/4" Face

\$767.89 D0-1341600





Marpac Circuit Breakers with Switch Function - Bussmann 187 Series









- Type III manual reset circuit breaker with On/Off switch capability.
- Switch is capable of 3,000 On/Off cycles @ 48V DC.
- Easily mounted to any flat surface.
- External ignition protected to ABYC E-11 standards.
- 5/16-18 threaded copper studs are plated for corrosion resistance.

Order No.	Description		List Price	
7-1741	30 Amp	Surface Mount	\$61.19	G0-0014000
7-1742	40 Amp	Surface Mount	\$55.59	G0-5273000
7-1743	50 Amp	Surface Mount	\$55.59	G0-5273000
7-1744	70 Amp	Surface Mount	\$61.19	G0-0014000
7-1745	100 Amp	Surface Mount	\$55.59	G0-5273000

Blue Sea Thermal Circuit Breaker - Surface Mount





- Drop in replacement for 185-Series Circuit Breakers.
- Visible reset lever shows open condition.
- Ignition protected Safe for installation aboard gasoline powered boats.
- Meets SAE J1171 external ignition protection requirements.
- · Weather resistant.
- Combines switching and circuit breaker function into one unit.
- "Trip Free" cannot be held closed after trip.
- Maximum voltage: 48V DC.

Order No.	Mfg. No. / Description	List Price
379539	(7184-BSS) 60 Amp	\$53.29 F0-0373000

Marpac High Amp Circuit Breakers - Bussmann 285 Series







- Type III switchable with yellow manual reset lever.
- Waterproof.
- Stainless steel M6 threaded stud terminal, nuts and washers.
- Meets the stringent requirements for the SAE J1117 standard for ignition protection.

Order No.	Description		List Price	
7-1720	50 Amp	Panel Mount	\$50.99	G0-6143000
7-1725	80 Amp	Panel Mount	\$46.79	G0-5313000
7-1731	30 Amp	Surface Mount	\$40.79	G0-3372000
7-1732	40 Amp	Surface Mount	\$41.19	G0-0672000
7-1733	50 Amp	Surface Mount	\$41.19	G0-0672000
7-1736	60 Amp	Surface Mount	\$45.39	G0-1403000
7-1734	70 Amp	Surface Mount	\$41.19	G0-0672000
7-1735	100 Amp	Surface Mount	\$45.99	G0-1803000

Marpac High Amp Circuit Breakers

• Stainless steel 1/4-28 threaded stud terminal, nuts and washers.

Surface Mount

Surface Mount



• Type III manual reset.

Order No. Description

7-1713 50 Amp

7-1716 60 Amp

BĻŲĘ SEA

Waterproof to IP67 standards.

• Maximum voltage 42V DC.



List Price

\$29.99 G0-9002000

\$29.99 G0-9002000

Safety

Electronics

Trolling

Motors Instruments

Lighting

Anchor & Dock

Steering, Controls Pumps

> Fuel System Seating &

Trailering

Tops &

Perform.

Propellers

Engine & Care

Blue Sea Thermal Circuit Breaker - Surface Mount

Combines switching and circuit protection into a single device.

- Clear, single lever operation.
- Ignition protected Safe for installation aboard gasoline powered boats.
- Meets SAE J1171 external ignition protection requirements.
- · Waterproof.
- Maximum voltage: 48V DC.
- "Trip Free" cannot be held "ON" during fault current condition.
- Large clearance around terminal studs accept heavy gauge wire lugs.
- Robust 5/16 M8 terminals provide high torque connections.

Order No.	Mfg. No. / Description	List Price	
379533	(7135-BSS) 25 Amp	\$84.09	F0-6885000
379534	(7136-BSS) 30 Amp	\$84.09	F0-6885000
379535	(7138-BSS) 40 Amp	\$84.09	F0-6885000
379536	(7139-BSS) 50 Amp	\$84.09	F0-6885000







Camouflage

Hardware. Fasteners

Misc.

Comm

Marpac Mini Circuit Breakers







Manual push to reset operation.

- Optional waterproof boot available (7-1264).
- Voltage rated: DC 50V, AC 125V/250V.

Urder No.	Description	List Price	
7-1260	6 Amp	\$4.69	G0-4130000
7-1261	10 Amp	\$4.89	G0-8230000
7-1262	15 Amp	\$4.89	G0-8230000
7-1263	20 Amp	\$5.59	G0-5730000
7-1264	Waterproof Boot	\$3.29	G0-0220000

Blue Sea Push Button Reset Only Circuit Breakers

Branch circuit breakers (can also be used for 24-hour circuit protection).

Quick connect terminal style circuit breakers are incorporated into Blue

Sea Systems WeatherDeck Waterproof Circuit Breaker Panels, Dual

Battery Bank Main Distribution Panels, and 360 Distribution Panels. • Compact design enables high density circuit protection configurations.

• "Trip Free" design cannot be held ON during fault current condition.

• Ignition protected - Safe for installation aboard gasoline powered boats.

(4137-BSS) Push Button Reset Only Boot - Black \$4.19 F0-3920000

T-H Marine Trolling Motor Circuit Breaker Kit

List Price

\$5.49 F0-4830000

\$5.49 F0-4830000

\$5.49 F0-4830000

\$5.49 F0-4830000

\$5.49 F0-4830000

BĻŲĘ SEA

379404

Push-to-reset operation.

379458

379460

379461

379462

379464

379404

Mfg. No. / Description

(7052-BSS) 5 Amp

(7054-BSS) 10 Amp

(7056-BSS) 15 Amp

(7057-BSS) 20 Amp

(7059-BSS) 30 Amp



Electronics Trolling

Motors

Lighting

Anchor & Dock

Safety Steering

Controls Pumps

Fuel System Seating &

Pedestals Trailering

Tops & Covers

Perform Propellers

& Care Cleaning & Care

Engine

Paint & Paint Acc. Fun &

Flotation Topside

Acc.

Cockpit & Deck

Hardware, Fasteners

Camouflage

Misc





· Contains: 50 amp circuit breaker. 3' of 8 gauge wire to battery. Kit includes: Mounting box, fasteners and second ring terminal for

• Protects trolling motors from damage.

Order No. Mfg. No. / Description List Price 640075 (CBBK-1-DP) \$65.69 H0-1493000



Marpac Push Button Circuit Breakers



88	
rotect ilable (7-1134).	

 Optional waterproof boot to present the present of th against dirt and moisture avail

Urder No.	Description		List Price	
7-1124	6 Amp	2 Per Package	\$6.89	G0-2640000
7-1126	10 Amp	2 Per Package	\$6.49	G0-5340000
7-1128	15 Amp	2 Per Package	\$6.79	G0-5540000
7-1129	20 Amp	2 Per Package	\$7.09	G0-5740000
7-1130	30 Amp	2 Per Package	\$7.09	G0-5740000
7-1131	40 Amp	1 Per Package	\$6.59	G0-2440000
7-1132	50 Amp	1 Per Package	\$9.39	G0-9260000
7-1134	Waterproof	Boot - 3 Per Package	\$5.59	G0-5730000

Newmar Circuit Breakers - A Frame Size

NEWMAR







- Feature magnetic-hydraulic "trip-free" mechanism.
- Black toggle handles.
- #10 screw terminals on rear for wiring.
- 5-30 amp rated to 65 VDC or 277 VAC; 40 and 50 amp rated to 32 VDC or
- UL recognized and CSA listed for AC and DC systems and meet USCG requirements as a qualified circuit protection device.

Order No.	Mfg. No. / Descrip	otion		List Price	
698019	(088-0051-2)	5 Amp	Single Pole	\$21.49	H0-9821000
698021	(088-0101-2)	10 Amp	Single Pole	\$20.89	H0-3521000
698033	(088-0151-2)	15 Amp	Single Pole	\$20.89	H0-3521000
698046	(568-0201-2)	20 Amp	Single Pole	\$20.89	H0-3521000
698057	(088-0251-2)	25 Amp	Single Pole	\$21.49	H0-9821000
698069	(088-0301-2)	30 Amp	Single Pole	\$20.89	H0-3521000
698083	(088-0501-2)	50 Amp	Single Pole	\$20.89	H0-3521000
698108	(089-0151-2)	15 Amp	Double Pole	\$74.39	H0-3644000
698110	(089-0301-2)	30 Amp	Double Pole	\$67.19	H0-1304000
698123	(089-0501-2)	50 Amp	Double Pole	\$69.09	H0-5414000
698007	(SCREWS)	Black, Bre	aker Mounting Screw	\$0.39	H0-3200000

Boater Sports Breaker Boot







Waterproof, clear rubber boot for use with push button breakers.

Order No. Mfg. No. / Description 1-51384 (51384) Clear **\$3.79** H0-7220000







Marpac Resettable Circuit Breakers





- Inline circuit breaker.
- · Manual reset button.
- For use with higher amperage accessories.
- For use with 12V or 24V systems

• FUI US	Ful use with 12 v of 24 v systems.						
Order No.	Description	List Price					
7-1172	20 Amp	\$5.89 G0-5930000					
7-1173	30 Amp	\$6.49 G0-5340000					
7-1174	40 Amp	\$6.79 G0-5540000					
7-1175	50 Amp	\$6.79 G0-5540000					

Marpac Circuit Breaker Bracket and Boot

Marpac Circuit Breaker Kit



bracket and boot.

Order No. Description

Manual reset button.

7-1169 Circuit Breaker Kit

. Includes 50 amp inline circuit breaker,

• For use with 12V or 24V systems.

· For use with higher amperage accessories.



List Price

\$7.39 G0-5940000

- Simplify the mounting of a trolling motor circuit breaker.
- Can be used with most either manual or automatic two prong circuit breakers.
- Included cover protects breaker terminals from the elements, reducing corrosion.

Order No.	Description	List Price
7-1170	Bracket and Boot	\$2.99 G0-0020000

Boater Sports Breaker Cover







ERIE LI

• Covers breaker terminals protecting them from elements and prevents corrosion.

Order No.	Mfg. No. / Description	List Price
2000326	(BCV-1)	\$1.79 H0-7010000

Marpac Resettable Circuit Breakers with Cycling Automatic Reset



- Single pole thermal type breaker.
- Cycling automatic reset.
- SAE J553 & SAE J1171 compliant.
- · For inline use, no mounting bracket required.
- · For use with higher amperage accessories.
- For use with 12 volt systems.

Order No.	Description	List Price	
7-1183	30 Amp	\$6.99	G0-8640000
7-1184	40 Amp	\$7.19	G0-2840000
7-1185	50 Amp	\$7.19	G0-2840000

Cole Hersee Circuit Breakers with Mounting Bracket



- · High quality plated steel with heavy gauge steel mounting bracket.
- · Continuously resets until the overload is corrected.
- Protects electrical circuits and equipment.
- Dimensions: 2" L x .78" W x 1.38" H.
- Rated at 12V DC.
- Two #10-32 stud terminals with hex nuts and lock washers.

Order No.	Mfg. No. / Descript	ion	List Price	
330785	(30055-15BP)	15 Amp	\$7.19	G0-2840000
330794	(30055-20-BP)	20 Amp	\$7.29	G0-8840000
330807	(30055-30-BP)	30 Amp	\$7.09	G0-5740000
330819	(30055-40-BP)	40 Amp	\$6.99	G0-8640000
330821	(30055-50-BP)	50 Amp	\$7.79	G0-2250000

Boater Sports Breaker Mounting Bracket







- For convenient mounting of trolling motor breaker.
- Use with manual or automatic trolling motor breakers.

Order No. Witg. No. / Description	LIST Price
2000327 (BRK-1)	\$5.49 H0-9230000

Mar-Lan Circuit Breaker Bracket

· Insulated brass bracket allows for mounting breaker directly to battery post for easy access.



Order No. Description 205564 Red \$7.99 G0-5350000

Boater Sports Manual Circuit Breakers







• Manual circuit breaker for trolling motor.

Order No. Mfg. No. / Description	List Price
2000226 (BK/CB12320HB) 20 Amp	\$7.69 H0-1640000
2000227 (BK/CB12330HB) 30 Amp	\$7.69 H0-1640000
2000228 (BK/CB12340HB) 40 Amp	\$7.69 H0-1640000



www.repuestoselnavegante.com

Electronics Trolling

Motors

Instruments

Lighting

Anchor

& Dock

Safety Steering, Controls

Pumps Fuel System

Pedestals Trailering

Tops &

Perform.

Propellers Engine

& Care

Cleaning & Care

Paint &

Fun &

Flotation

Topside

Cockpit & Deck Hardware. Fasteners Camouflage

Misc.

Comm

Paint Acc

Trolling Motors Instruments

Lighting

Anchor

& Dock

Safety

Steering

Controls

Pumps

Fuel System

Seating & Pedestals Trailering

Covers

Perform.

Propellers

Engine

& Care

Cleaning

& Care

Paint &

Fun & Flotation

Topside

Cockpit

& Deck

Camouflage

Misc

Comm.

Acc.

Paint Acc.

Saltwater Exclusive



Marpac Mini Plug-In Fuses

Marpac ATC Plug-In Fuses



Sold by box of 5 Packages only! Priced per Package.

Sold 3 per package.

Order No.	Description	Color	List Price	
7-3800	3 Amp	Violet	\$3.59	H0-5120000
7-3805	4 Amp	Pink	\$3.59	H0-5120000
7-3810	5 Amp	Tan	\$3.59	H0-5120000
7-3815	7.5 Amp	Brown	\$3.59	H0-5120000
7-3820	10 Amp	Red	\$3.59	H0-5120000
7-3825	15 Amp	Blue	\$3.59	H0-5120000
7-3830	20 Amp	Yellow	\$3.59	H0-5120000
7-3835	25 Amp	Clear	\$3.69	H0-1220000
7-3840	30 Amp	Green	\$3.49	H0-9020000
7-3845	40 Amp	Orange	\$3.69	H0-1220000

Sold by box of 5 Packages only! Priced per Package.

· Sold 3 per package.

Order No.	Description	Color	List Price	
7-3855	2 Amp	Gray	\$4.29	H0-7520000
7-3860	3 Amp	Violet	\$4.29	H0-7520000
7-3865	4 Amp	Pink	\$4.29	H0-7520000
7-3870	5 Amp	Tan	\$4.29	H0-7520000
7-3875	7.5 Amp	Brown	\$4.29	H0-7520000
7-3880	10 Amp	Red	\$4.09	H0-5420000
7-3885	15 Amp	Blue	\$4.09	H0-5420000
7-3890	20 Amp	Yellow	\$3.69	H0-1220000
7-3895	25 Amp	Clear	\$4.29	H0-7520000
7-3900	30 Amp	Green	\$4.29	H0-7520000

Handi-Man Plug-In ATC Fuse Kit





- Contains an assortment of plug-in ATC fuses, including 10 amp (Qty. 6), 15 amp (Qty. 4), 20 amp (Qty. 4) and 30 amp (Qty. 3).
- 17 pieces.

Order No.	Mfg. No. / Description	List Price	
731580	(970223)	\$11.29	H0-7760000

Blue Sea MAXI Plug-In Fuse

Electrical BLUE SEA


• Tin-plated connector blades for corrosion resistance.

- Visible indication of blown condition.
- Maximum voltage rating: 32V DC.
- Interrupt capacity: 1,000 amp.
- Sold 2 per pack.

Order No. Mfg. No. / Description 379304 (5140-BSS) 50 Amp List Price

\$3.19 F0-3220000

Marpac Water Resistant Plug-In Fuse Holder



- 12 gauge wire loop.
- Fuse not included.

Order No. Description 7-3780 Plug-In Fuse Holder List Price

\$3.39 G0-7220000

Inline Fuse Holders for ATC Blade Fuses

COOPER Bussmann

- Splash resistant protective cover.
- · Length 4". Fuses not included. Tops &

16 GAUGE YELLOW LEAD WIRE

Fuse size: 3-20 amp.

Order No. Mfg. No. / Description

2000258 (BP/HHF-RP) \$3.59 H0-5120000

Order No. Mfg. No. / Description List Price

12 GAUGE YELLOW LEAD WIRE

• Fuse size: 3-30 amp.

2000259 (BP/HHG-RP)

\$3.69 H0-1220000

Inline Fuse Holders for MINI Fuses

List Price

COOPER Bussmann

- Protective cover has removable straps.
- Length 4".
- Hardware, • Fuses not included. Fasteners

16 GAUGE BLACK LEAD WIR

Order No. Mfg. No. / Description 2000261 (BP/HHL-RP) Fuse size: 2-20 Amp

12 GAUGE RED LEAD WIRE

Order No. Mfg. No. / Description 2000262 (BP/HHM-RP) Fuse size: 2-30 Amp List Price \$3.89 H0-3320000

\$4.19 H0-1520000

· This display includes the following:

(5) 7-3800 - ATC Plug-In Fuse - 3 amp

(5) 7-3805 - ATC Plug-In Fuse - 4 amp (5) 7-3810 - ATC Plug-In Fuse - 5 amp

(5) 7-3815 - ATC Plug-In Fuse - 7.5 amp

(5) 7-3820 - ATC Plug-In Fuse - 10 amp

(5) 7-3825 - ATC Plug-In Fuse - 15 amp

(5) 7-3830 - ATC Plug-In Fuse - 20 amp (5) 7-3835 - ATC Plug-In Fuse - 25 amp

(5) 7-3845 - ATC Plug-In Fuse - 40 amp

(5) 7-3855 - Mini Plug-In Fuse - 2 amp (5) 7-3860 - Mini Plug-In Fuse - 3 amp

(5) 7-3865 - Mini Plug-In Fuse - 4 amp (5) 7-3870 - Mini Plug-In Fuse - 5 amp

(5) 7-3875 - Mini Plug-In Fuse - 7.5 amp

(5) 7-3880 - Mini Plug-In Fuse - 10 amp (5) 7-3885 - Mini Plug-In Fuse - 15 amp

(5) 7-3890 - Mini Plug-In Fuse - 20 amp (5) 7-3895 - Mini Plug-In Fuse - 25 amp

(5) 7-3900 - Mini Plug-In Fuse - 30 amp

(10) 7-3780 - Plug-In Fuse Holder

Order No. Description 7-3010 Mini Fuse Display



List Price

Trolling

Motors

Instruments

Lighting Anchor & Dock

Safety

Steering

Controls

Pumps

Fuel

System Seating & Pedestals

Trailering

Tops &

Perform.

Propellers Engine & Care

Cleaning

& Care

Paint &

Paint Acc

Fun & Flotation

Topside

Cockpit & Deck Hardware, Fasteners

Camouflage





Marpac SFE Fuses





Sold by box of 5 Packages only! Priced per Package.

	Order No.	Descriptio	n		List Price	
	7-3675	AGA	20 Amp	Sold 5 Per Package	\$3.79	H0-7220000
	7-3680	AGA	30 Amp	Sold 5 Per Package	\$3.79	H0-7220000
	7-3685	AGC	1 Amp	Sold 5 Per Package	\$3.79	H0-7220000
	7-3690	AGC	1.5 Amp	Sold 5 Per Package	\$3.79	H0-7220000
	7-3695	AGC	2 Amp	Sold 5 Per Package	\$3.79	H0-7220000
	7-3700	AGC	2.5 Amp	Sold 5 Per Package	\$3.79	H0-7220000
	7-3705	AGC	3 Amp	Sold 5 Per Package	\$3.79	H0-7220000
	7-3710	AGC	4 Amp	Sold 5 Per Package	\$3.79	H0-7220000
	7-3715	AGC	5 Amp	Sold 5 Per Package	\$3.79	H0-7220000
	7-3720	AGC	7.5 Amp	Sold 5 Per Package	\$3.79	H0-7220000
	7-3725	AGC	10 Amp	Sold 5 Per Package	\$3.59	H0-5120000
	7-3730	AGC	15 Amp	Sold 5 Per Package	\$3.79	H0-7220000
	7-3735	AGC	20 Amp	Sold 5 Per Package	\$3.59	H0-5120000
	7-3740	AGC	25 Amp	Sold 5 Per Package	\$3.79	H0-7220000
	7-3745	AGC	30 Amp	Sold 5 Per Package	\$3.79	H0-7220000
	7-3795	AGC	40 Amp	Sold 5 Per Package	\$4.39	H0-3620000
	7-3750	AGC	50 Amp	Sold 5 Per Package	\$6.49	H0-9830000

Marpac AGA and AGC Fuses

Sold by box of 5 Packages only! Priced per Package.

Order No.	Description		List Price
7-3755	9 Amp	Sold 5 Per Package	\$3.99 H0-9320000
7-3760	14 Amp	Sold 5 Per Package	\$3.79 H0-7220000
7-3765	20 Amp	Sold 5 Per Package	\$3.79 H0-7220000
		_	

Marpac Waterproof Fuse Holder





- Waterproof enclosure for reliable electrical connection.
- For up to 30 amps and 12 gauge wire.
- Includes: 20 amp fuse.

order No.	Description	LIST PITCE
7-3785	Fuse Holder	\$3.29 G0-0220000

Marpac Plastic Inline Fuse Holders



Order No. Description

7-0157 Fuse Holder

 Accepts AGC glass type fuses 1/4" x 1-1/4".



List Price

\$2.29 G0-3510000

Mar-Lan Industries Watertight Inline Fuse Holders



- · A push together watertight inline fuse holder molded of heat resistance non-breakable plastic.
- Fits 1/4" x 1-1/4" fuses.

Order No.	Mfg. No. / Description	List Price	
205599	(2011-08-50C) 50 Amp	\$13.99	G0-7390000
205600	(2011-10-30C) 30 Amp	\$13.19	G0-4880000
205612	(2011-12-20C) 20 Amp	\$12.99	G0-0780000
205624	(2011-14-15C) 15 Amp	\$12.69	G0-0580000
205636	(2011-16-10C) 10 Amp	\$12.49	G0-7380000

INCLUDES 20 AMP FUSE. 14 GAUGE WIRE WITH 8" LOOP

INCLUDES 10 AMP FUSE. 16 GAUGE WIRE WITH 8" LOOP

Order No.	Description	List Price	
7-1122	Fuse Holder	\$3.09	G0-7020000

FUSE NOT INCLUDED. 8" WIRE LOOP Order No. Description

\$2.19 G0-7410000 **7-1120** Fuse Holder

Marpac Plastic Inline Fuse Holder





- Accepts glass type fuses 1/4" x 1-1/4".
- Includes 30 amp fuse. 12 gauge wire loop.
- · Positive screw cap.

Order No. Description

7-0158 Inline Fuse Holder \$3.49 G0-4320000

Marpac Square Face Panel Mount Fuse Holder







- Square face panel mount fuse holder.
- For use with glass type fuses 1/4" x 1-1/4" up to 10 amp.
- Sold 2 per card.

Order No. Description List Price 7-0154 Panel Fuse Holder **\$4.09** G0-4720000

Marpac Panel Mount Fuse Holder





- For use with glass type fuses 1/4" x 1-1/4" up to 15 amp.
- · Sold each per card.

Order No. Description List Price 7-0159 Fuse Holder \$3.99 G0-7620000 www.repuestoselnavegante.com

Blue Sea Panel Mount AGC/MDL Fuse Holder





Replaces fuse holder

found in Contura Waterproof Fuse Panels.

- Easy to open.
- Maximum amperage: 20 amp.

Order No. Mfg. No. / Description **379467** (5021-BSS) **\$4.49** F0-4130000

Marpac Fuse Puller



Sold by box of 5 Packages only! Priced per Package.

Order No. Description **\$8.69** H0-1250000 7-3790 Fuse Puller

Misc. Comm

El Navegante





Electronics Trolling Motors

Instruments

Electrical

Lighting

Anchor & Dock

Safety

Steering Controls

Pumps Fuel System

Seating & Pedestals

Trailering

Tops &

Perform Propellers

Engine & Care

Cleaning & Care Paint &

Paint Acc Fun & Flotation

Topside Acc.

Cockpit & Deck Hardware, Fasteners

Camouflage

Misc



This display includes the following:

(5) 7-3675 - AGA Fuse - 20 amp (5) 7-3680 - AGA Fuse - 30 amp

(5) 7-3685 - AGC Fuse - 1 amp (5) 7-3690 - AGC Fuse - 1.5 amp

(5) 7-3695 - AGC Fuse - 2 amp

(5) 7-3700 - AGC Fuse - 2.5 amp (5) 7-3705 - AGC Fuse - 3 amp

(5) 7-3710 - AGC Fuse - 4 amp (5) 7-3720 - AGC Fuse - 7.5 amp

(5) 7-3725 - AGC Fuse - 10 amp

(5) 7-3730 - AGC Fuse - 15 amp (5) 7-3735 - AGC Fuse - 20 amp

(5) 7-3740 - AGC Fuse - 25 amp

(5) 7-3745 - AGC Fuse - 30 amp (5) 7-3755 - SFE Fuse - 9 amp

(5) 7-3760 - SFE Fuse - 14 amp (5) 7-3765 - SFE Fuse - 20 amp

(5) 20 amp In-Line Fuse Holder (5) 30 amp In-Line Fuse Holder

(5) 7-3790 - Fuse Puller

7-3003 Glass Fuse Display

List Price

\$477.89 H0-3768200

BLUE SEA



- · Easy to install (4) ATO/ATC fused circuits to the terminal of a battery.
- Mounts on the battery terminal stud.
- Screw terminals for securing wires.
- Accepts small format circuit labels.
- Insulating cover meets ABYC/USCG insulation requirements.
- Includes: A 4-circuit negative busbar, write on labels and (4) 16-14 AWG & (4) 12-10 AWG nylon insulated ring terminals.

Order No. Mfg. No. / Description

379368 (5024-BSS)

\$35.89 F0-2152000

Newmar Battery Integrators

NEWMAR



- Enables charging of two separate banks without voltage drop, yet maintains 100% isolation at all other times. For systems of three banks or more, an additional unit must be installed for each additional bank.
- Heavy duty silver-plated contactor, continuous duty rated to 100 amps or 200 amps depending on model.
- Voltage sense circuit, epoxy encapsulated and heavy duty continuous rated solenoid are all designed for use in marine environments.
- Easy three-wire hook up for two bank systems.
- 12 volt, 100 amp model has ignition protection rating.

Order No. Mfg. No. / Description List Price **700164** (BI-100) 12 volt 100 Amp Continuos **\$212.49** E0-7395100 **700170** (BI-200) 12 volt 200 Amp Continuous **\$379.39** E0-4548200 **700167** (BI-24100) 24 volt 100 Amp Continuous \$233.39 E0-4057100

Newmar DC UPS: StartGuard

NEWMAR



- The abrupt DC system voltage drop that accompanies engine starting can cause communication and navigation electronics to dump programmed
- StartGuard solves this problem by providing supplemental voltage to sensitive electronics while the engine is cranked.
- It contains a sealed rechargeable battery which is switched on-line to electronics when the starter switch or solenoid is engaged.
- Input voltage: 13.8 14.8 VDC nominal, 15.5 VDC max. Output: 20 amps max.

Order No. Mfg. No. / Description

700203 (NS-12-20) Dimensions: 8.25" x 4.9" x 3.5"

\$273.19 E0-9840200

List Price

\$32.59 G0-4812000

Electronics

Trolling

Motors

Instruments

Lighting

Anchor

& Dock

Safety

Steering

Controls

Pumps

Fuel System

Seating & Pedestals Trailering

Tops &

Perform

Propellers

Engine

& Care

Cleaning

& Care

Paint &

Paint Acc

Fun &

Flotation

Topside

& Deck Hardware.

Fasteners

Camouflage

Acc. Cockpit

Newmar Battery Isolators

· Allow charging multiple batteries automatically from one or two

• Rated for up to 48 volts DC, negative ground.

· Stainless steel mounting hardware provided.

MAXIMUM AMPERAGE INPUT CAPACITY: 70 AMPS

MAXIMUM AMPERAGE INPUT CAPACITY: 120 AMPS

MAXIMUM AMPERAGE INPUT CAPACITY: 165 AMPS

· Protective covers provided for terminals.

· Heavy duty construction.

Order No. Mfg. No. / Description

Order No. Mfg. No. / Description

Order No. Mfg. No. / Description

Each battery is charged according to its need without overcharging.

alternators and prevent discharge or dumping of one battery into another.

Conservatively rated diodes and a rustproof anodized aluminum heat sink

378679 (1-2-70) 1 Alternator Source 2 Battery Banks **\$122.69** H0-1637000

378706 (1-3-70) 1 Alternator Source 3 Battery Banks **\$235.99** H0-9514100

378693 (2-3-70) 2 Alternator Sources 3 Battery Banks **\$333.39** H0-3000200

378681 (1-2-120) 1 Alternator Source 2 Battery Banks \$238.19 H0-1924100

700161 (1-3-1201) 1 Alternator Source 3 Battery Banks **\$246.59** E0-4948100

378700 (2-3-120) 2 Alternator Sources 3 Battery Banks **\$489.39** E0-4076300

NEWMAR



Cole Hersee Continuous Duty Solenoids



- Insulated.
- SPST normally open contacts.
- Copper contacts.
- Large (power circuit) battery studs; copper 5/16"-24 thread.
- Small (control circuit) coil studs; steel 10-32 thread.
- Bracket mounting holes 5/16" x 19/32" on 2-13/64" centers.
- · Hex nuts and lock washers included.

PLATED STEEL HOUSING

- Continuous rating: 65 amp.
- 12 volt.
- Copper terminals, 10-32 thread and 5/16" 24 thread.
- UL Marine and CE/ISO Listed.

Order No. Mfg. No. / Description

330780 (24059-08-BP)

· Hex nuts and lock washers included.

BLACK PVC COATED PLATED STEEL HOUSING

- Continuous rating: 85 amp.
- 24 volt.
- Copper terminals, 10-32 thread and 5/16" 24 thread.
- UL Marine and CE/ISO Listed.
- Hex nuts and lock washers included.

Order No. Mfg. No. / Description **330782** (24063-08)

List Price

\$34.99 G0-4432000

Marinco - BEP Products Battery Distribution Cluster



- For twin outboard engine with three battery banks.
- Designed for twin engine installations.
- It allows the port engine to charge both the port start battery and the house battery when the port VSR is engaged.
- It also allows the starboard engine to charge both the starboard start battery and the house battery when the starboard VSR is engaged.
- This gives you a combined charge from two engines into the house battery until the voltage regulators on both engines control the charge.
- It also allows you to charge the house battery if steaming on one engine.

Order No. Mfg. No. / Description List Price

702090 (717-140ADVSR)

\$417.19 F0-3029200

Marpac Battery Cutoff Switch with Key

- Don't drain the battery, cut it off completely!
- Removable key acts as theft deterrent.
- Weather resistant rubber cap.

702085 (716SQ140ADVS) Square

- 100 amp @ 12V continuous.
- 1/4" diameter mounting bolts.

Misc


Order No Description List Price 7-51030 Battery Cutoff Switch with Key \$18.79 G0-9521000

www.repuestoselnavegante.com El Navegante











BEP PRODUCTS




List Price

Marinco - BEP Products Battery Distribution Cluster







battery for the VSR.

· Battery two, which is in isolation, will be charged via the VSR when the engine is running ensuring it is always fully charged.

 When the switch is in position two, battery two becomes the sensing battery and battery one is charged via the VSR.

Order No. Mfg. No. / Description

List Price \$240.19 FO-3186100

Lighting

Anchor

& Dock

Safety

Steering

Controls

Pumps

Seating &

Perform

Propellers

Engine

& Care

Paint &

Paint Acc

Cockpit

& Deck

Misc





Marpac Battery Main Switch - On/Off







List Price

- Unique ergonomic and aesthetic knob design.
- Knobs removable for isolation/safety.
- Robust glass fiber reinforced nylon enclosure.
- Removable windows for unobstructed wiring.
- 3 mounting options: Surface mount, front panel mount and rear panel mount.
- Terminal studs: M10 (3/8").
- Cranking rating (30 seconds): 900 amps, intermittent rating (5 minutes): 500 amp, continuous rating: 300 amp.
- Voltage rating: 48V DC.

Order No. Description

7-0381 Sold Each Trolling Motors

7-0381B Sold Pack of 10

Marpac Battery Switch



- Select from battery bank 1, battery bank 2 or both for charging or emergency starting.
- Can be mounted on or behind a panel.
- · Rated at 300 amps.
- Copper studs for maximum conductivity.
- Nickel plated studs for maximum corrosion resistance.
- Longer studs for attaching more cable terminals.
- Uses up to 4/0 AWG battery cables.

Order No. Description

7-0380 Battery Selector Switch

Fuel System

Blue Sea m-Series Mini On/Off Battery Switch with Key

Pedestals BLUE SEA

Trailering Ignition protected.

Tops & Single circuit - ON-OFF.

> · Case design allows surface, front panel or rear panel mounting.

- Isolating cover with snap-on sections protects rear contacts.
- 300 amps continuous rating for outboards and small gasoline or diesel
- Voltage maximum operating: 48V DC.

Order No. Mfg. No. / Description

379758 (6005-BSS)

\$32.29 F0-0622000

Blue Sea m-Series Mini Selector Battery Switch

Fun & BLŲĘ SEĄ Flotation

- Topside · Ignition protected. Acc
 - Selector 4 position.
 - Battery combine: Yes.
 - Switches isolated battery banks to all loads or combines battery banks to all loads.

 - Isolating cover with snap-on sections protects rear contacts.

 - Voltage maximum operating: 32V DC.

379696 (6007-BSS)

Marpac Battery Selector Switch - 1-2-Both-Off





- Unique ergonomic and aesthetic knob design.
- Knobs removable for isolation/safety.
- Robust glass fiber reinforced nylon enclosure.
- Removable windows for unobstructed wiring.
- 3 mounting options: Surface mount, front panel mount and rear panel mount.
- Terminal studs: M10 (3/8").
- Cranking rating (30 seconds): 900 amps, intermittent rating (5 minutes): 500 amp, continuous rating: 300 amp.

Order No. Description List Price

\$39.99 G0-9762000 7-0382 Sold Each 7-0382B Sold Pack of 10 \$39.99 H0-9932000

Marpac Battery Selector Switch

- Allows separate and combined battery selection.
- Use as an emergency main disconnect switch in the event of an electrical problem.
- Make before break design.
- Ignition protected.
- Manufactured by PERKO, Inc.
- 250 amps continuous, 360 amps intermittent.
- For use with 6, 12, 24 or 32 volt alternator/generator systems.

Order No. Description

7-0378 Battery Selector Switch

\$49.59 G0-3233000

Blue Sea m-Series Mini On/Off Battery Switch with Knob

BLŲĘ SEĄ

- · Ignition protected.
- Single circuit ON-OFF.
- Case design allows surface, front panel or rear panel mounting.
- Isolating cover with snap-on sections protects rear contacts.
- 300 amps continuous rating for outboards and small gasoline or diesel
- Voltage maximum operating: 48V DC.

Order No. Mfg. No. / Description

379759 (6006-BSS)


\$32.29 F0-0622000


Blue Sea m-Series Mini Dual Circuit Plus™ Battery Switch


- Dual circuit plus.
- Battery combine: Yes.
- banks or combines battery banks to all loads.
- Isolating cover with snap-on sections protects rear contacts.
- 300 amps continuous rating for outboards and small gasoline or diesel
- Voltage maximum operating: 32V DC.


Order No. Mfg. No. / Description **379698** (6011-BSS)












www.repuestoselnavegante.com El Navegante




Case design allows surface, front panel or rear panel mounting.

• 300 amps continuous rating for outboards and small gasoline or diesel

Order No. Mfg. No. / Description **\$43.09** F0-6103000





























Trolling

Motors

nstruments

Lighting Anchor

& Dock

Safety





Blue Sea e-Series Battery Switches

- 350 amps continuous rating for inboard gasoline or diesel engines.
- · Ignition protected.
- Tin-plated copper studs for maximum conductivity and corrosion resistance.
- Accepts up to 4/0 AWG battery cables.
- Studs accept 3/8" ring terminals.
- 7/8" stud length accepts multiple cable terminals.
- One-piece stainless flange nuts ensure safe and secure connections.
- Tactile indicator conveys knob position by feel.
- Case design allows surface, front panel or rear panel mounting.
- Dimensions: 3.85" x 3.85".

Blue Sea e-Series Dual Circuit Plus™ Battery Switch

BLUE SEA

- Simultaneously switches two isolated battery banks or combines battery banks to all loads.
- Can not be used to switch positive and negative conductors because of the combine features.
- Battery combine: Yes.
- Continuous rating 350 amps (per circuit).
- Voltage maximum operating: 32V DC.

Order No. Mfg. No. / Description **379761** (5511E-BSS)

List Price

\$65.99 F0-9164000

Blue Sea e-Series Selector 4 Position

BLŲĘ SEĄ

- · Switches isolated battery banks to all loads or combines battery banks to all loads.
- · Battery combine: Yes.
- Continuous rating 350 amps.
- Voltage maximum operating: 32V DC.

Order No. Mfg. No. / Description

379771 (9001E-BSS)

List Price

\$51.79 F0-5263000

Blue Sea e-Series Selector 4 Position with AFD

BĻŲĘ SEA

- · Switches isolated battery banks to all loads or combines battery banks to all loads.
- Includes AFD (Alternator Field Disconnect).
- Battery combine: Yes.
- · Continuous rating 350 amps.
- Voltage maximum operating: 32V DC.

List Price

Order No. Mfg. No. / Description

379686 (9002E-BSS) \$57.19 F0-3004000

Blue Sea e-Series Single Circuit ON-OFF





- Switches a single battery to a single load group.
- Continuous rating 350 amps.
- Voltage maximum operating: 48V DC.

Order No. Mfg. No. / Description **379775** (9003E-BSS)

List Price \$48.39 F0-7833000

Blue Sea HD-Series Heavy Duty On/Off Battery Switch

BLUE SEA



- Up to 600 amps continuous rating for large diesel engines.
- Ignition protected.
- Tin-plated copper studs for maximum conductivity and corrosion resistance.
- Accepts up to 4/0 AWG battery cables.
- Studs accept 1/2" ring terminals.
- 7/8" stud length accepts multiple cable terminals.
- · Case design allows surface or rear mounting options.
- One-piece stainless flange nuts ensure safe and secure connections.
- Dimensions: 3.85" x 3.85".
- Tactile indicator conveys knob position by feel.
- · Switches a single battery to a single load group.
- Continuous rating 600 amps.
- Voltage maximum operating: 32V DC.

Order No. Mfg. No. / Description 379691 (3000-BSS)

List Price

\$94.89 F0-2466000

Blue Sea Add-A-Battery Kits

Blue Sea Add-A-Battery Kit - 120A

BLŲĘ SEA







Fuel System Seating & Pedestals

Trailering

 Simplifies switching and automates charging for a 120A, two battery bank Tops &

Perform.

Propellers

Engine & Care

> Cleaning & Care

> > Paint &

Paint Acc

Blue Sea Mini Add-A-Battery Kit - 65 Amps

• Includes: e-Series Dual Circuit Plus Battery Switch (5511E) and the

BLŲĘ SEĄ

· Ignition protected.

379773 (7650-BSS)

• For alternators up to 120A.

Automatic Charging Relay.

Order No. Mfg. No. / Description





List Price



\$171.49 F0-4002100



Cockpit & Deck Hardware.

Fasteners

Camouflage

• Simplifies switching and automates charging for a 65A, two battery bank solution for outboard powered boats.

Ignition protected.

solution for inboard and outboard powered boats.

- For alternators up to 65A.
- Includes: m-Series Dual Circuit Plus Battery Switch (6011) and the Automatic Charging Relay.

Order No. Mfg. No. / Description **379770** (7649-BSS)

\$125.39 F0-7778000

Misc

www.repuestoselnavegante.com El Navegante



Trolling Motors

Electrical

Lighting

Anchor

& Dock

Safety

Steering

Pumps

Seating & Pedestals

Tops &

Perform

Propellers

Engine

& Care

Cleaning

& Care

Paint &

Fun &

Paint Acc.

Guest Heavy Duty Diesel Power Battery Switches







List Price

\$239.69 F0-8776100

- For 6V, 12V, 24V or 36V systems.
- · Built with heavy duty copper sweep contacts to ensure positive circuit
- Rugged internal components are protected by a tough, impact resistant polycarbonate housing that is impervious to the elements.
- All feature Alternator Field Disconnect (AFD) allowing selection of any position, including "off", without damage to alternator or electrical system.
- Cable lug size: 1/2".

HEAVY DUTY ON/OFF SWITCH Instruments

Order No. Mfg. No. / Description

450A Continuous/800A Momentary.

378655 (2303A)

EXTRA-DUTY ON/OFF SWITCH

- 600A Continuous/1,000A Momentary
- Includes 3 studs.

Order No. Mfg. No. / Description List Price

\$246.79 F0-5727100 **378667** (2304A)

Controls **BATTERY SELECTOR SWITCH**

360A Continuous/600A Momentary.

Order No. Mfg. No. / Description List Price

Fuel **378643** (2300A) \$176.29 F0-0432100 System

Marinco - BEP Products Battery Selector Switch

Trailering **BEP**PRODUCTS

Ignition protected.

• Three removable side plates on sides for access of up to 1/0 cables plus a rear cover insulating the rear terminals against any short circuits.

Can be either surface or recess mounted by cutting a 2.1" hole.

- Operation: 1-2-Both-Off.
- 200A Continuous/300A Intermittent/1,000A Cranking
- Dimensions: 2.75" x 2.75" x 3".
- 48 volts DC maximum.

Order No. Mfg. No. / Description

702070 (701S) **\$44.79** F0-5313000

Guest Universal Mount Selector Switch without AFD

CUEST

- Rugged internal components protected by a tough, impact resistant polycarbonate
- Longer stud lengths for improved assembly and easier cable routing.
- Built with heavy duty copper sweep contacts
- Cable lug size: 3/8".
- 230A Continuous/345A Momentary.
- Dimensions: 5" D x 2-3/4" H.

Order No. Mfg. No. / Description

378668 (2111A)

\$39.09 F0-6372000

Marinco - BEP Products Pro Installer Battery Selector Switches

BEP PRODUCTS

- Meet global industry standards UL1107, CE and ABYC.
- Ignition protected.
- IP66 rated.
- Removable side plates.
- Ergonomic removable switch knob.
- Operation: 1-2-Both-Off.
- 400A Continuous/600A Intermittent/1,500A Cranking.
- Tinned copper 10mm (3/8") studs.
- Dimensions: 3.85" x 3.85" x 3.62".
- 48 volts DC maximum.

Order No. Mfg. No. / Description

378646 (771-S) Standard Mount \$60.49 F0-4324000 **378649** (771-S-EZ) EZ-Mount **\$76.09** F0-6235000

Marinco - BEP Products Contour Battery Master Switch

BEPPRODUCTS

- Ignition protected.
- Control knob can be removed by switching to an counter-clockwise 45° position.
- Three removable side plates on sides for access of up to 1/0 cables plus a rear cover insulating the rear terminals against any short circuits.
- Can be either surface or recess mounted by cutting a 2.1" hole.
- Operation: On/Off.
- 275A Continuous/455A Intermittent/1,250A Cranking.
- Dimensions: 2.75" x 2.75" x 3".
- 48 volts DC maximum.


Order No. Mfg. No. / Description

702050 (701)

List Price

\$34.39 F0-7042000

Marinco - BEP Products Easyfit™ Battery Switch





- · Ignition protected.
- Created for installations where switches need to be recessed through varying thicknesses of panels. Easily removable threaded ring allows for panel thicknesses up to 3/4".
- Same features as the 701 with the removable knob 45° past the off
- Includes removable back cover ensuring that it meets ABYC requirements.
- The switch can also be surface mounted.
- Operation: On/Off.
- 275A Continuous/455A Intermittent/1,250A Cranking.
- Dimensions: 2.7" x 2.7" x 4.3".
- 48 volts DC maximum.

www.repuestoselnavegante.com El Navegante

Flotation Topside Acc.

Cockpit & Deck

Hardware Fasteners

Camouflage


Misc


Order No. Mfg. No. / Description

List Price **\$39.89** F0-2972000

List Price







List Price



List Price



BEP PRODUCTS



- Ignition protected.
- · Well suited to larger vessels.
- Can be rear panel or surface mounted.
- Operation: On/Off.
- 600A Continuous/800A Intermittent/2,500A Cranking.
- Dimensions: 4" x 4" x 3.5".
- 48 volts DC maximum.

Order No. Mfg. No. / Description **702055** (720)

List Price

\$97.59 F0-1386000

Marinco - BEP Products Heavy Duty Battery Selector Switch

Marinco - BEP Products Heavy Duty Battery Switch

BEP PRODUCTS



 Housed in the same module as the 720. it includes the same removable plates and back cover.

- Can be rear panel or surface mounted.
- Operation: 1-2-Both-Off.
- 600A Continuous/800A Intermittent/2,500A Cranking.
- Dimensions: 4" x 4" x 3.5".
- 48 volts DC maximum.

Order No. Mfg. No. / Description **702060** (721)

List Price

\$73.89 F0-2715000

Cole Hersee Master Disconnect Switch





- Brass case with chrome plated lever.
- For 6-36V DC systems.
- UL Marine listed/UL Ratings.
- Fits panels through 15/16" thick.
- Terminals: (2) 3/8" copper studs.
- Brass mounting stem 3/4" diameter, 1-13/32" long.

SINGLE POLE, TWO POSITIONS: OFF-ON

- Will disconnect the battery circuit only.
- Rating: 175 amps continuous, 1,000 amps intermittent, 15 seconds ON, 5 minutes OFF.

Order No. Mfg. No. / Description

List Price

300551 (M-284-01-BP) S.P.S.T.

\$56.09 G0-8573000

Marinco - BEP Products Remote Operated Battery Switches



- Battery switch can be mounted alongside battery, reducing cable lengths and cable sizes.
- Manual override option to meet CE/ABYC requirements.
- · LED status identification for remote control switch.
- Can be either surface or rear panel mounted.
- 275A Continuous/455A Intermittent/ 1,250A Cranking.
- Dimensions: 2.7" x 2.7" x 4".
- 9.5-32 volts DC maximum.

Order No. Mfg. No. / Description **702065** (701-MD) Operation: On/Off

List Price

\$207.09 F0-6944100

WITH OPTICAL SENSOR

- Ability to control different voltage circuits.
- Can be used to switch positive or negative lines.
- Main contacts can be isolated from control circuit allowing operation via another battery source.
- 500A Continuous/700A Intermittent/ 2,500A Cranking.
- Dimensions: 4" x 4" x 4.33".
- 9.5-32 volts DC maximum.

Order No. Mfg. No. / Description

702095 (720-MD0) Operation: On/Off

List Price

\$270.79 F0-5598100

Fuel

Cole Hersee Battery Selector/Master Disconnect Switch

Cole Hersee

- · Heavy duty construction vaporproof, weather-, dust- and corrosion-resistant.
- Durable, fracture-resistant, high temperature plastic case, knob and insulator.
- · Can be surface mounted or installed through a 3-5/16" diameter hole in the panel.
- Flange diameter 6" and overall height 2-5/8".
- Terminals: (3) 3/8" copper studs.
- For 6-36V DC systems.
- Rating: 310 amps continuous, 500 amps intermittent.
- Ignition protected. UL Marine listed.

Order No. Mfg. No. / Description **300765** (M-750)

List Price

\$48.99 G0-2823000

Newmar AC Selector Switches

NEWMAR

- The switch eliminates the safety hazard and/or damage that can occur if two AC sources are applied to the same circuit simultaneously.
- Fitted with a compact escutcheon plate with engraved switch position nomenclature.
- 115/230 VAC.
- The switches carry UL and CSA approval, are CE marked, and feature heavy duty contacts and a positive step cam mechanism for precise
- May be installed in panel with thickness up to 1/4".




Order No. Mfg. No. / Description

700005 (SS SWITCH 3) 3.0 kw 699984 (SS SWITCH7.5) 7.5 kw 699998 (SS SWITCH15) 15 kw

2 Poles

\$144.19 E0-4180100 \$254.69 H0-1825100 **\$425.39** E0-4091300

Comm



2 Poles

2/4 Poles

nstruments

Electronics

Trolling

Motors

Lighting

Anchor & Dock

Safety

Steering Controls

Pumps

System

Pedestals Trailering

Tops &

Perform

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc

Fun & Flotation

Topside

Cockpit & Deck

Hardware. Fasteners

Camouflage Misc.





Perko Fig. 8511 Compact Battery Selector Switch









- Requires 1/3rd less space to mount.
- Same bolt patterns as Popular 8500 Series.
- Popular 90° easy to identify position rotation.
- Diameter 4-3/4", depth 1-7/8".
- For use with 12, 24 and 32 volt marine electrical systems.
- Higher capacity 315 amps continuous, 450 amps intermittent.
- Four removable skirt panels for easy cable access and mounting.

Electronics

Trolling

Motors

Order No. Mfg. No. / Description **542530** (8511 DP)

List Price \$53.09 G0-7553000

List Price

Electrical

USA DESIGN - LIMITED EDITION

Order No. Mfg. No. / Description

\$38.79 G0-9952000

Anchor & Dock

Lighting

Safety



Controls Pumps

Fuel System



Trailering

Tops & Perform

Propeller

Engine & Care

& Care Paint & Paint Acc

Fun & Flotation Topside

Acc. Cockpit & Deck

Hardware Fasteners

Camouflage

Misc

engine running. **542538** (8603 DP)

542531 (8511DP0USA)

Perko Medium Duty Battery Selector Switches





- Diameter 5-1/4".
- Depth 2-5/8".
- For use with 12, 24 and 32 volt marine electrical systems.
- 250 amps continuous, 360 amps intermittent.
- When used with Non-Unitized Alternators, these models will interrupt the field current (reducing the possibility of damage) if turned "OFF" with the engine running.

Order No. Mfg. No. / Description List Price

542515 (8501 DP) \$50.99 G0-6143000 5315148 (8502 DP) With Key Lock **\$79.79** G0-6435000 542527 (8503 DP) With Alternator Field Disconnect \$60.79 G0-3704000

Perko Fig. 8603 Heavy Duty Battery Selector Switch with AFD



- · Ignition protected.
- Alternator Field Disconnect Model.
- Diameter 5-1/4", depth 3-3/8".
- For use with 6, 12, 24 and 32 volt marine electrical systems.
- 380 amps continuous, 850 amps intermittent. When used with Non-Unitized Alternators, these models will interrupt the field current (reducing the possibility of damage) if turned "OFF" with the
- Order No. Mfg. No. / Description List Price **\$181.29** G0-6412100

Perko Fig. 9611 Compact Main Battery Disconnect Switch







- · Ignition protected.
- Requires 1/3rd less space to mount.
- Same bolt patterns as Popular 8500 Series.
- Popular 90° easy to identify position rotation.
- Diameter 4-3/4", depth 1-7/8".
- For use with 12, 24 and 32 volt marine electrical systems.
- Higher capacity 315 amps continuous, 450 amps intermittent.
- Four removable skirt panels for easy cable access and mounting.

Order No. Mfg. No. / Description List Price **543987** (9611 DP) **\$52.39** G0-0153000

USA DESIGN - LIMITED EDITION

Order No. Mfg. No. / Description List Price **543988** (9611DP0USA) **\$38.79** G0-9952000

Perko Medium Duty Main Battery Disconnect Switches







- Ignition protected.
- Diameter 5-1/4", depth 2-5/8".
- For use with 12, 24 and 32 volt marine electrical systems.
- 250 amps continuous, 360 amps intermittent.
- When used with Non-Unitized Alternators, these models will interrupt the field current (reducing the possibility of damage) if turned "OFF" with the engine running.

Order No. Mfg. No. / Description List Price 543985 (9601 DP) \$48.89 G0-6723000 543986 (9603 DP) With Alternator Field Disconnect \$69.59 G0-3664000

Perko Fig. 9703 Heavy Duty Battery Disconnect Switch with AFD





- Ignition protected.
- Alternator Field Disconnect Model.
- Diameter 5-1/4", depth 3-3/8".
- For use with 6, 12, 24 and 32 volt marine electrical systems.
- 450 amps continuous, 1,200 amps intermittent.
- When used with Non-Unitized Alternators, these models will interrupt the field current (reducing the possibility of damage) if turned "OFF" with the engine running.

Order No. Mfg. No. / Description **543990** (9703 DP)



Trolling Motors Instruments

Lighting

Anchor

& Dock

Safety

Steering,

Controls

Pumps

Fuel

System

Trailering

Tops &

Perform

Propellers

Engine

& Care Cleaning & Care

Paint &

Paint Acc Fun &

Flotation Topside

Marpac Standard Fuse Blocks



- Heavy duty black molded base.
- Use with SFE or AGC fuses up to 20 amps.
- 8-32 terminal screws.

Order No. Description

7-0478 4 Gang

7-1111 6 Gang

Tip plated brass fuse clips.



7-0478

List Price

\$9.59 G0-3460000 \$13.29 G0-0980000

Marpac Hot Feed Fuse Blocks





- Heavy duty black molded base.
- Use with SFE or AGC fuses up to 20 amps.
- Common bus bar connects hot side of fuses for power feed.
- 8-32 terminal screws and stud terminals for power connections.
- Tip plated brass fuse clips.

Order No.	Description	List Price	
7-1115	4 Gang	\$8.59 (30-6750000
7-1116	6 Gang	\$13.59 (30-1190000
7-1117	8 Gang	\$17.29 (30-8511000
	-		

Marpac Combination Fuse Blocks



7-0523



- Heavy duty black molded base.
- Use with SFE or AGC fuses up to 20 amps.
- Common bus bar connects hot side of fuses for power feed.
- Separate bus bar for ground or unfused common hot feed.
- 8-32 terminal screws and stud terminals for power/ground connections.
- Tip plated brass fuse clips.

Urder No.	Description	LIST Price
7-0522	4 Gang	\$12.59 G0-4480000
7-0523	6 Gang	\$16.09 G0-8701000
7-0532	8 Gang	\$19.69 G0-9131000

Sierra Standard Fuse Blocks





- · Fuse block for glass tube fuses.
- · Use with SFE, AGC or MDL fuses up to 20 amps.
- Heavy duty black molded base.
- 8-32 terminal screws.
- Tip plated brass fuse clips.

Order No. Mfg. No. / Description

7001800 (FS40510-1) 4 Gang 7001802 (FS40520-1) 6 Gang


List Price

\$14.06 Z0-4190000 **\$16.31** Z0-0601000

Sierra Hot Feed Fuse Blocks







- Use with SFE, AGC or MDL fuses up to 20 amps.
- Common bus bar connects hot side of fuses for power lead.
- Heavy duty black molded base.
- 8-32 terminal screws and stud terminal for power connection.
- Tip plated brass fuse clips.

Order No. Mfg. No. / Description List Price 7001816 (FS40590-1) 4 Gang **\$14.49** Z0-4101000 7001820 (FS40600-1) 6 Gang \$20.49 Z0-0601000 7001822 (FS40610-1) 8 Gang **\$27.49** Z0-3341000

Sierra Hot Feed/Common Ground Fuse Blocks







- Use with SFE, AGC or MDL fuses up to 20 amps.
- Common bus bar connects hot side of fuses for power lead.
- Heavy duty black molded base.
- Separate bus bar for ground or unfused common hot feed.
- 8-32 terminal screws and stud terminal for power/ground connection.
- Tip plated brass fuse clips.

Order No. Mfg. No. / Description	List Price
7001808 (FS40550-1) 4 Gang	\$18.49 Z0-8690000
7001810 (FS40560-1) 6 Gang	\$21.99 Z0-5511000
7001812 (FS40570-1) 8 Gang	\$30.99 Z0-5061000

Blue Sea ST-Glass Fuse Block with Negative Bus and Cover

- Can be used for 24-hour circuits.
- Screw terminals for securing wires.
- Clear insulating cover satisfies ABYC/USCG insulation requirements, accepts Large Format Labels and provides stores for spare fuses.
- Tin-plated phosphor bronze fuse clips are encapsulated and cannot be
- Amperage maximum operating: 100A per block, 30A per circuit.
- Fuse type: AGC or MDL Fuses.
- Dimensions: 3-1/2" x 5" x 1-1/4".
- Voltage maximum operating: 32V DC.
- Fuses sold separately.



Order No. Mfg. No. / Description

379366 (5015-BSS) 6 Circuits







\$44.49 F0-4113000

www.repuestoselnavegante.com El Navegante



\$16.79 G0-5211000

\$19.79 G0-6231000

List Price

\$26.49 G0-5771000

Marpac ATO/ATC Fuse Blocks with Ground Bus Bar



• For ATC/ATC fuses.

• Interlocking modules snap together.

• 1/4" tin plated copper tab terminals.

• Rated 30 amps per circuit.

• With ground bus bar.

Order No. Description Electronics

7-0520 6 Gang **7-0521** 10 Gang

Instruments

Electrical

Anchor

& Dock

Safety

Steering

Controls

Pumps

Fuel

System

Trolling Motors

 Accepts automotive blade fuses (ATP/ATO/ATC). Lighting

· Includes blown fuse indication

 Clear cover with recessed areas for label stickers.

 60 pieces assorted label stickers set included.

• Maximum amperage: 100A per block, 30A per circuit.

Maximum voltage: 32V DC.

Common source fuse block.

• Tin-plated copper buses and fuse clips.

Includes: 20 write-on circuit labels.

Voltage maximum operating: 32V DC.

Fuse type: ATO or ATC Fuses.

satisfies ABYC/USCG insulation requirements.

Screw terminals for securing wires accept ring terminals.

• Screw terminal: #8-32 screws with captive star lock washer.

Amperage maximum operating: 100A per block, 30A per circuit.

Order No. Description

7-1268 6 Gang Storage for 2 Spare Fuses

7-1269 12 Gang Storage for 4 Spare Fuses \$44.39 GO-4792000

• Clear insulating cover with label recesses and storage for two fuses,

Marpac ATP/ATO/ATC Fuse Blocks

Seating & **Blue Sea ST-Blade Common Source Fuse Blocks** Pedestals

Trailering

Tops & Covers

Perform Propeller

Engine & Care

Cleaning & Care

Paint & Paint Acc.

Fun & Flotation

Topside Acc.

Cockpit & Deck

Hardware. Fasteners

Camouflage Misc

WITH NEGATIVE BUS Mfg. No. / Description

Fuses sold separately.

Order No. Mfg. No. / Description

2000088 (5028-BSS) 6 Circuits

2000089 (5029-BSS) 12 Circuits

380017 (5025-BSS) 6 Circuits 380018 (5026-BSS) 12 Circuits List Price

\$40.89 F0-2682000 \$52.59 FO-1863000

List Price **\$46.69** F0-8623000 \$58.49 F0-4904000

Sierra ATO/ATC Style Fuse Block







• For ATC/ATC fuses.

· Interlocking modules snap together.

• 1/4" tin plated copper tab terminals.

• Flame resistant reinforced polyester base.

• Rated 30 amps per circuit.

· With ground bus bar.

Order No. Mfg. No. / Description 7001870 (FS40740) 10 Gang List Price

\$32.99 Z0-8202000

Blue Sea ST-Blade Split Bus Fuse Block

BLŲĘ SEĄ

- Provides two isolated groups of (6) ATO/ATC circuits.
- · For use with either two isolated batteries or with a single battery providing a mix of 24-hour and switched circuits.
- Tin-plated copper buses and fuse clips.
- Amperage maximum operating: 100A per block, 30A per circuit.
- Dimensions: 3.32" x 7.35" x 1.51"
- Voltage maximum operating: 32V DC.
- Fuses sold separately.

Order No. Mfg. No. / Description **379372** (5032-BSS) 12 Circuits List Price

\$74.59 F0-1225000

Marinco - BEP Products ATC Fuse Holder

BEP PRODUCTS

- · Allows for multiple fuse holders and bus bars to be joined together, increasing the number of circuits protected. Fuse holder inputs can be linked together to form a single continuous fuse holder.
- Includes patented Contour Lock system, see-thru clip-on cover & label set.
- Positions for spare fuses.
- Max. current/circuit: 30A; Max. current/block: 100A; Max. voltage: 32V DC; Base and cover material: Polycarbonate.
- 6 Way fuse holder and screw terminals with cover and link.

Order No. Mfg. No. / Description

702145 (ATC-6W)

List Price

\$39.09 F0-6372000

Marinco - BEP Products ATC Six Way Bus Bar with 5mm Input Stud

BEP PRODUCTS


- The expandable ATC negative Bus uses the Contour Lock system to allow it to be joined to the ATC fuse holder.
- This keeps wiring tidy and conveniently located.
- · Current rating: 100A.
- 6 Way bus bar with 5mm input stud, cover and joiners.

Order No. Mfg. No. / Description **702100** (80-712003900)



\$22.59 F0-1851000





Trolling Motors

Instruments

Lighting

Anchor

& Dock

Safety

Steering

Controls

Pumps

Blue Sea Class-T Fuse Block with Insulating Cover

BLŲĘ SEĄ

 Four stud design provides ample access around connecting stud to install large cable lugs without obstruction from the fuse.



- Insulating cover satisfies ABYC/USCG insulation requirements.
- Terminal stud size: 3/8"-16 (M10).
- Amperage maximum operating: 320A.
- Voltage maximum operating: 160V DC.
- · Fuse sold separately.

Order No. Mfg. No. / Description List Price **379403** (5502) \$54.69 F0-8283000

LIMITED WANTITIES

Blue Sea ANL® Fuses

BLŲĘ SEĄ

- · Silver-plated connector blades for corrosion resistance.
- Visible indication of blown condition.
- Ignition protected.

· Ignition protected.

BLŲĘ SEĄ

Order No. Mfg. No.

379864

Order No. Mfg. No. / Description

379392 (5101-BSS) 100 Ampere

379405 (5103-BSS) 150 Ampere

- Interrupting capacity: 6,000A @ 32V DC.
- Voltage maximum operating: 32V DC

• Interrupting capacity: 2,000A @ 32V DC.

Voltage maximum operating: 32V DC.

Insulated single stainless steel stud

terminates multiple large conductors.

• One-piece serrated flange nuts ensure

Voltage maximum operating: 48V DC.

(2011-BSS) 1/4"-20 x 3/4"

Terminal Stud

correct and secure connections.

379863 (2003-BSS) 3/8"-16 x 7/8"

379865 (2002-BSS) 5/16"-18 x 7/8'

Voltage maximum operating. 32 V DG.					
Order No.	Mfg. No. / Description	List Price			
379479	(5122-BSS) 50 Ampere	\$22.09 F0-6451000	 Heavy dut 		
379480	(5123-BSS) 60 Ampere	\$22.09 F0-6451000	resistant 5		
379483	(5124-BSS) 80 Ampere	\$22.09 F0-6451000	 Secures to 		
379495	(5125-BSS) 100 Ampere	\$22.09 F0-6451000	 Clear lexa 		
379506	(5127-BSS) 150 Ampere	\$22.09 F0-6451000	requireme		
379518	(5129-BSS) 200 Ampere	\$22.09 F0-6451000	 Accepts ir 		
379280	(5131-BSS) 250 Ampere	\$26.99 F0-9881000	 Dimension 		
379285	(5133-BSS) 300 Ampere	\$26.99 F0-9881000	Order No. Mfg		
379290	(5136-BSS) 400 Ampere	\$26.99 F0-9881000	698139 (Al		
		Blue Sea M	EGA® Fuses		

Blue Sea PowerPost Cable Connectors

Blue Sea ANL® Fuse Block with Insulating Cover

BLUE SEA

- · Swing out design allows replacement of the fuse without removing fasteners.
- Insulating cover satisfies ABYC/USCG insulation requirements.
- Terminal stud size: 5/16"-18 (M8).
- Cable size: Up to 2/0 AWG.
- Amperage maximum operating: 300A.
- Voltage maximum operating: 32V DC.
- Fuse sold separately.

Order No. Mfg. No. / Description

379455 (5005-BSS)

List Price

\$27.69 F0-8391000

Newmar ANL® Fuse Block with Cover

NEWMAR



- Heavy duty 500 amp, insulated, compact fuse block with corrosion resistant 5/16" studs
- Secures to surface with (2) #10 flat head screws or bolts.
- Clear lexan cover insulates conductive parts, per ABYC/USCG
- Accepts industry standard ANL tin-plated copper fuses.
- Dimensions: 3" H x 6.25" W x 1.95" D.

Order No. Mfg. No. / Description

698139 (AFB-500)

\$41.79 E0-4313000

List Price

Fuel

System

Seating & Pedestals

Trailering

Tops &

Perform.

Propellers

Engine

& Care Cleaning & Care

Paint &

Paint Acc

Fun &

Flotation

Topside

Cockpit

& Deck Hardware.

Fasteners

Camouflage

Misc

Comm

Blue Sea PowerPost Plus Cable Connectors BLŲĘ SEĄ

BLUE SEA

- 150 Amp bus allows small wire connections at high amperage cable connections.
- One-piece serrated flange nuts ensure correct and secure connections.
- Continuous rating: 150A DC.
- Voltage maximum operating: 48V DC.

Oluci IVO.	ivily. INO.	Terrinia ociews	reminal otuus	LIST I HUG	
379859	(2102-BSS)	(8) #8-32	5/16"-18 x 3/4"	\$25.29	F0-0771000
379861	(2103-BSS)	(8) #8-32	3/8"-16 x 3/4"	\$25.29	F0-0771000

Blue Sea Stud CableCap Insulators

\$13.29 F0-0390000

\$8.89 F0-2260000

\$13.29 F0-0390000

List Price

List Price

\$10.39 F0-7270000

\$10.39 F0-7270000

 Insulate single stud on alternators, starters, windlasses and other high amperage termination points.

Order No.	Mfg. No.	Cable Size (AWG)	Color	List Price	
380050	(4010-BSS)	8-4	Red	\$2.89	F0-2020000
380060	(4012-BSS)	2-2/0	Red	\$3.39	F0-7320000
380080	(4011-BSS)	8/4	Black	\$2.89	F0-2020000
380090	(4013-BSS)	2-2/0	Black	\$3.39	F0-7320000



Order No. Mfa No.



Trolling Motors

Lighting

Anchor & Dock

Safety

Steering Controls

Pumps

Fuel

System Seating & Pedestals

Trailering

Tops &

Perform

Propeller Engine & Care

Paint & Paint Acc

Fun &

Flotation

Topside

Cockpit

& Deck

Hardware, Fasteners

Camouflage

Misc

Acc.





Blue Sea MiniBus 100A Common BusBars



- One-piece serrated flange nut ensures correct and secure connections.
- Continuous rating: 100A AC / 100A DC.
- Voltage maximum operating: 300V AC / 48V DC.

Order No.	Mfg. No.	Terminal Screws	Terminal Studs	List Price	
379784	(2304-BSS)	(5) #8-32	(2) #10-32	\$12.89	F0-2090000
379796	(2305-BSS)	-	(4) #10-32	\$14.29	F0-0001000
379989	(2713-BSS)	Cover		\$3.59	F0-1520000

Blue Sea 150A Common BusBars



- Insert molded stainless steel studs eliminate the need for securing nuts and allow high torquing for excellent electrical contact.
- One-piece serrated flange nut ensures correct and secure connections.
- Continuous rating: 130A AC / 150A DC.
- Voltage maximum operating: 300V AC / 48V DC.

ı	Order No.	Mfg. No.	Terminal Screws	Terminal Studs	List Price	
	379782	(2301-BSS)	(10) #8-32	(2) 1/4"-20	\$17.19	F0-3021000
	2000083	(2302-BSS)	(20) #8-32	(2) 1/4"-20	\$26.69	F0-8681000
	379783	(2303-BSS)	-	(4) 1/4"-20	\$22.39	F0-7651000

Blue Sea DualBus - 100A Common BusBars





- · Combines negative and positive buses for DC Systems and neutral and ground buses for AC Systems.
- Continuous rating: 100A AC / 150A DC.
- Voltage maximum operating: 300V AC / 48V DC.

,	Order No.	Mfg. No.	Terminal Screws	List Price	
	379809	(2701-BSS)	(5 per bus) #8-32	\$16.99	F0-9811000
J	379811	(2702-BSS)	(10 per bus) #8-32	\$21.99	F0-9351000
ì	379962	(2709-BSS)	Cover for 379809 (2701)	\$13.39	F0-7390000
ı	379974	(2710-RSS)	Cover for 379811 (2702)	\$15.39	Fn-7701000

Marpac Premier Terminal Block with 5 Screw Terminals





- · Stainless steel studs increase electrical contact.
- Tin plated copper bus bar gives maximum conductivity.
- Corrosion resistant materials provide excellent protection and performance.
- Tin plated brass nuts.
- 8 x 32 screw terminals.
- Continuous rating: 100 amps AC/DC.
- Maximum rating: 48 volts DC/300 volts AC.

Order No. Description List Price **7-1171** Terminal Block with 5 Screw Terminals **\$11.29** G0-6570000

Marpac Premier Common Bus Bars



- Stainless steel studs increase electrical contact.
- Tin plated copper bus bar gives maximum conductivity.
- Corrosion resistant materials provide excellent protection and performance.
- Tin plated brass nuts.
- Maximum rating: 48 volts DC/300 volts AC.

CONTIN	NUOUS RATING: 100 AMPERES AC/DO	
Order No.	Description	List Price
7-1176	10 x 32 Stud Terminals	\$13.29 G0-0980000

CONTINUOUS RATING: 130 AMPERES AC, 150 AMPERES DC Order No. Description **7-1177** 1/4" Stud Terminals \$16.99 G0-8311000

Blue Sea DualBus Plus - 150A Common BusBars

BLUE SEA



- Secure, clear polycarbonate cover snaps on easily to meet ABYC insulation requirements.
- Combines negative and positive buses on one block.
- Cover release buttons.
- Includes (5) terminal screws per bus, (2) terminal studs per bus.
- Continuous rating: 130A AC / 150A DC.
- Voltage maximum operating: 300V AC / 48V DC.

Order No.	Mfg. No.	Terminal Screws	Terminal Studs	List Price	
379835	(2723-BSS)	#10-32	5/16"-18	\$33.09	F0-6132000
379847	(2722-BSS)	#10-32	1/4"-20	\$29.29	F0-0502000

Blue Sea MaxiBus - 250A Common BusBars





- Insulating cover with breakouts for easy wire access.
- Insulating cover meets ABYC insulation requirements.
- One-piece serrated flange nuts ensure correct and secure connections.
- Continuous rating: 250A AC / 250A DC.
- Voltage maximum operating: 300V AC / 48V DC.

Mtg. No.	Terminal Screws	Terminal Studs	List Price	
(2127-BSS)	-	(4) 5/16"-18	\$38.89	F0-2272000
(2128-BSS)	(6) #10-24	(2) 5/16"-18	\$37.99	F0-9562000
(2719-BSS)	Cover for 379978	3 and 379982	\$29.19	F0-3402000
	(2127-BSS) (2128-BSS)	(2127-BSS) - (2128-BSS) (6) #10-24	(2127-BSS) - (4) 5/16"-18	(2127-BSS) - (4) 5/16"-18 \$38.89 (2128-BSS) (6) #10-24 (2) 5/16"-18 \$37.99

Newmar Bus Bars



- Ideal as a DC ground tie point or positive bus, these heavy duty, 500 amp rated bus bar assemblies feature 5/16" studs on 1" centers in 1/4" thick copper bar for common connection/distribution of large wire gauges and accommodate 5/16" ring terminals.
- Insulated base (reinforced nylon resin with clear protective cover).

Order No.	Mfg. No.	Qty. of 5/16" Studs	Size	List Price	
700173	(BB-2)	2	1/16" x 1-1/2"	\$55.09	E0-2314000
700176	(BB-2/8)	2 plus (8) #8 Screws	6-1/16" x 1-1/2"	\$91.09	E0-2386000
700179	(BB-5)	5	6-1/16" x 1-1/2"	\$102.49	E0-7867000
700182	(BB-8)	8	9-1/16" x 1-1/2"	\$136.59	E0-4420100

Marpac Terminal Blocks





- Heavy duty black molded base.
- Combines negative and positive buses in one block.
- · Brass terminal bar.
- 8-32 screw terminals.

Order No.	Description	List Price	
7-1101	4 Gang	\$7.29	G0-8840000
7-1102	6 Gang	\$10.89	G0-0370000
7-1103	8 Gang	\$13.59	G0-1190000

Blue Sea PowerBar - 600A Common BusBar

BLUE SEA



- High amperage BusBar with 3/8" terminal studs.
- Continuous rating: 545A AC / 600A DC.
- Voltage maximum operating: 300V AC / 48V DC.

Order No. Mfg. No. **Terminal Screws Terminal Studs** List Price **379862** (2104-BSS) (4) #8-32 (4) 3/8"-16 \$110.09 F0-6077000

Marpac Terminal Junction Block with Solid Brass Bus Bar



· Common hot feed connection.

· Moisture resistant molded plastic insulator base.

Solid brass bus bar safely carries up to 36 volts.

- 8-32 round head screws for circuit connectors.
- Two brass 1/4" stud power terminals with hex nuts included.
- Two mounting holes for #10 countersink flat head screws.

Order No. Description **7-0168** 10 Gang

Newmar Terminal Strips



- Use as a common negative/neutral bus for AC or DC systems.
- #8 screw terminals is rated for 100 amps.
- Dual terminal strips in 4 or 8 screw positions on 3/4" centers are secured to a high density insulated base.
- Interlocking bases allow use of multiple terminal strips and bus bars to produce secure and neat wiring assemblies.

Order No. Mfg. No. Total # of Base Terminals Size List Price 3-1/16" x 1-1/2" **\$36.09** E0-7072000 **700215** (TS-2X) 8

700218 (TS-2X8) 16 6-1/16" x 1-1/2" **\$55.09** E0-2314000

Sierra Dual Brass Bus Bars







- Combines negative and positive buses in one block.
- Brass terminal bar.
- 8-32 screw terminals.
- 150 amn

130 amp.				
Order No. Mfg. No.		Dimensions	List Price	
7001840 (FS40670)	8 Gang	3" L x 1-1/2" W x .44" H	\$12.49	Z0-0070000
7001842 (FS40680)	12 Gang	4-1/2" L x 1-1/2" W x .44" H	\$17.99	Z0-9290000
7001844 (FS40690)	16 Gang	6" L x 1-1/2" W x 44" H	\$22.99	70-9061000



Trolling Motors

Electronics

Instruments

Lighting

Anchor & Dock

\$13.99 G0-7390000

Safety Steering Controls

Pumps Fuel

> System Seating & Pedestals

> Trailering Tops &

Perform.

Propellers

Engine & Care Cleaning

& Care

Paint & Paint Acc

Fun &

Flotation

Topside

Cockpit & Deck

Hardware. Fasteners

Camouflage

Misc

www.repuestoselnavegante.com El Navegante

Blue Sea PowerBar 1000





Electrical

Anchor

& Dock

Safety

Steering Controls

Pumps

Fuel

System

Seating &

Pedestals

Trailering

Tops &

Electronics Trolling Motors

• Complex wiring systems require a single point to consolidate large and Lighting small conductors.

> Offers a 1,000 Amp busbar with various size studs and screws to connect conductors and fuse blocks.

Tin plated pure electrical copper for maximum conductivity.

• Stepped bus design offers two elevations for conductors which doubles the density of the wire loom compared to traditional bus bars.

• Busbar and fuse block elevations match common fuse blocks allowing for multiple fuse block attachment, eliminating the need for connecting cables

• One-piece serrated flange nuts ensure correct and secure connections.

• Stainless steel 8-32 screws with captive lock washers for securing smaller gauge wires.

Busbar may be cut to a shorter length to accommodate constricted spaces.

• Bi-directional busbar end caps allow the ganging of additional busbars.

• Snap on insulating cover meets ABYC and USCG requirements and includes label recess.

Order No. Mfg. No. / Description

NEWMAR

379318 (1990-BSS) (8) 3/8" Terminal Studs **\$174.29** F0-0022100 379322 (1992-BSS) (8) 5/16" Terminal Studs \$174.29 F0-0022100

Newmar Connector Strips

Perform

Propellers

Engine

& Care

Paint & Paint Acc

Fun & Flotation

Topside Acc.

Cockpit & Deck

Hardware, Fasteners

Camouflage

Misc

Order No. Mfg. No. / Description

700595 (CS-1) Max. Wire Gauge: 16 700597 (CS-2) Max. Wire Gauge: 14

compression to secure wires without use of lugs - ideal for electronic installations. Brass barrels capture wires and are held in place with a stainless steel

Molded nylon encases 6 or 12 pairs of connectors that use screw

'finger" compressed by a screw. • The screw does not make contact with the wires, protecting the copper

strands from cuts and breakage. Terminal pairs: 12.

List Price **\$15.19** E0-9311000

Marpac Double Row Terminal Blocks

Protective insulator barrier strips.

Rated: 30 amp, 300 volts.

• Moisture resistant molded plastic insulator base.

Nickel plated brass terminal links and binding screws.

RoHS Compliant, CE Certified and UL Listed.

Order No. Desc List Price Order No. List Price Desc **7-0473** 4 Gang \$4.59 G0-8030000 7-0167 8 Gang \$7.09 G0-5740000 **7-0474** 6 Gang **\$5.59** G0-5730000 **7-0165** 10 Gang \$8.09 G0-2450000

Blue Sea Terminal Blocks

BLUE SEA



Closed back design completely insulates power from the mounting

• Each screw pair is one isolated circuit.

• Jumpers allow creation of common circuits.

• Bus material: Nickel-Plated brass.

20 AMPERE TERMINAL BLOCKS

• Base material: Nylon. Voltage rating: 300 volts AC/DC maximum.

Order No.	Mfg. No. / Description	List Price	
379916	(2404-BSS) 4 Circuit	\$4.39	F0-7030000
379921	(2406-BSS) 6 Circuit	\$5.99	F0-9140000
379926	(2408-BSS) 8 Circuit	\$6.89	F0-2840000

30 AMPERE TERMINAL BLOCKS

Base material: Phenolic. Voltage rating: 600 volts AC/DC maximum.

Order No.	Mfg. No. / Description	List Price	
379866	(2502-BSS) 2 Circuit	\$4.69	F0-8230000
379873	(2504-BSS) 4 Circuit	\$5.89	F0-2140000
379885	(2506-BSS) 6 Circuit	\$8.09	F0-6650000
379897	(2508-BSS) 8 Circuit	\$9.49	F0-4660000
379902	(2510-BSS) 10 Circuit	\$10.79	F0-5570000
379906	(2512-BSS) 12 Circuit	\$12.39	F0-7680000

Blue Sea Battery Terminal Mount Bus Bar



- Easy add positive and negative busbars to the terminal of your battery.
- Tin-plated copper.
- · Insulating cover.

Order No. Mfg. No. / Description 379326 (2340-BSS)

\$17.09 E0-2821000

List Price

Electronics Trolling Motors

Instruments

Lighting

Anchor

& Dock

Safety

Steering, Controls

Pumps Fuel System Seating & Pedestals

Trailering

Tops &

Perform

Propellers





Marpac Ignition Switch - Brass Style



- Brass corrosion resistant construction.
- Brass back up nut.
- Hex chrome face nut.
- 3 positions: Off-Ignition-Start.
- 3 screw terminals.
- Rated: 15 amp at 12V DC.
- Maximum panel thickness: 1-1/8".
- Hole size: 7/8".

Order No. Description 7-0482 Ignition Switch List Price

\$33.29 G0-0322000

Marpac Magneto Ignition Switch - Brass Style



- · Brass corrosion resistant construction.
- Brass back up nut.
- Hex chrome face nut.
- 3 positions: Off-Ignition-Start.
- 5 screw terminals.
- Rated: 10 amp at 12V DC.
- Maximum panel thickness: 1-1/8".
- Hole size: 7/8".

Order No. Description **7-0480** Ignition Switch

\$34.49 G0-1132000

Marpac Ignition Switch - Polyester Style



- Marine grade glass filled polyester housing.
- Brass back up nut.
- · Hex black plastic face nut.
- · 4 positions: Accessory-Off-Ignition-Star
- 4 blade terminals.
- Rated: 15 amps at 12V DC.
- Maximum panel thickness: 1-1/8".
- Hole size: 7/8".

Order No. Description

List Price

7-0479 Ignition Switch \$21.79 G0-0641000

Marpac Magneto Push-To-Choke Ignition Switches





- · Delrin body with brass back-up nut and hex black plastic.
- Fits most Mercury Applications.
- 3 positions: Off-Ignition-Start.
- "Push-To-Choke" feature.
- Weatherproof cover included.
- Accommodates 5/8" panel.
- Replaces: Mercury 87-88107 and 87-88107A5.

Order No Description List Price 7-1155 6 Wires Potted Base \$22.69 G0-0251000 \$14.59 GO-8790000 7-1150 6 Screw Terminals

Marpac Ignition Switch - Brass Style

- Brass corrosion resistant construction.
- Brass back up not.
- Knurled black chrome with rubber cap.
- 4 positions: Accessory-Off-Ignition-Start.
- 4 screw terminals.
- Rated: Ignition 15 amps at 12V DC.
- Maximum panel thickness: 1".
- Hole size: 7/8".

Order No. Description 7-0885 Ignition Switch List Price

\$40.79 G0-3372000

Marpac Ignition Switch - Polyester Style

- Marine grade glass filled polyester housing.
- · Brass back up nut.
- · Knurled black chrome with rubber cap.
- 3 positions: Off-Ignition-Start.
- 3 screw terminals.
- Rated: 15 amps at 12V DC.
- Maximum panel thickness: 1-1/8".

\$19.39 G0-9921000

Marpac Magneto Ignition Switch - Polyester Style

- · Marine grade glass filled polyester housing.
- · Brass back up nut.
- · Hex black plastic face nut.
- 3 positions: Off-Ignition-Start.
- 5 screw terminals.
- Rated: 15 amps at 12V DC.
- Maximum panel thickness: 1-1/8".
- Hole size: 7/8".

Order No. Description

7-0391 Ignition Switch

List Price

\$20.69 G0-6831000

Marpac Push-To-Choke Ignition Switch





- Delrin stainless steel ignition starter switch.
- Replaces: Evinrude/Johnson 388173, 390129, 390133 and 393301.
- "Push-To-Choke" feature.
- Special weather-proofing seal and drain hole.
- Eliminates need for separate electric choke switch.
- 5 screw terminals.
- Rated: 20 amps at 12V DC.
- Accommodates 1/4" panel.
- Mounting bushing: 1/2" long, 13/16" diameter.

Order No. Description 7-0390 Ignition Switch

\$15.89 G0-5601000

Engine & Care Cleaning & Care Paint & Topside

Paint Acc Fun &

Flotation


Cockpit & Deck

Hardware. Fasteners

Camouflage

Misc.

Comm.









4 Position Conventional: Accessory-Off-Run-Start

Sierra Ignition Switch



- Marine grade glass-filled polyester switch.
- Back up nut: Brass.
- Face nut: Hex black plastic face nut.
- 4 Position Conventional: Accessory-Off-Run-Start.
- Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC, Accessory: 15 amp @ 12V DC.
- Terminal type: 4 Blade.
- Maximum panel thickness: 1-1/8".
- Hole size: 7/8".

Order No. Mfg. No. / Description **Electrical** 8020513 (MP39800)

Electronics

Trolling

Motors

Instruments

Lighting Anchor

& Dock Safety Steering Controls Pumps

Fuel

System

Pedestals

Trailering

Tops &

Perform

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc.

Fun & Flotation Topside Acc.

Cockpit

& Deck

Hardware.

Fasteners

Misc

List Price

\$18.39 Z0-1821000

Sierra Ignition Switch



- Marine grade glass-filled polyester switch.
- · Back up nut: Brass.

sierra

- Face nut: Knurled black chrome with rubber cap.
- 4 Position Conventional: Accessory-Off-Run-Start.
- Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC, Accessory: 15 amp @ 12V DC.
- Terminal type: 4 Screw tab.
- Maximum panel thickness: 1-1/8".
- Hole size: 7/8".

Order No. Mfg. No. / Description 8020524 (MP41040)

List Price **\$27.99** Z0-9451000

Sierra Ignition Switch



- Brass switch.
- · Back up nut: Brass.
- Face nut: Knurled black chrome with rubber cap.
- 4 Position Conventional: Accessory-Off-Run-
- Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC, Accessory: 15 amp @ 12V DC.
- Terminal type: 4 Screw tab.
- Maximum panel thickness: 1".
- Hole size: 7/8".

Order No. Mfg. No. / Description 7001456 (MP39070)

\$52.49 Z0-2472000

List Price

Sierra Ignition Switch



• Marine grade glass-filled polyester switch.

- Back up nut: Brass. Seating &
 - Face nut: Knurled black chrome with rubber cap.
 - 4 Position Conventional: Accessory-Off-Run-
 - Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC, Accessory: 15 amp @ 12V DC
 - Terminal type: 4 Color coded wires.
 - Maximum panel thickness: 1-1/8".
 - Hole size: 7/8".

Order No. Mfg. No. / Description **8020506** (MP39700-1)

\$24.49 Z0-1161000

Sierra Ignition Switch



- · Brass switch.
- · Back up nut: Brass.
- Face nut: Hex chrome face nut.
- 4 Position Conventional: Accessory-Off-Run-Start.
- Rated Ignition: 15 amp @ 12V DC. Solenoid: 30 amp @ 12V DC, Accessory: 15 amp @ 12V DC.
- Terminal type: 4 Screw tab.
- Maximum panel thickness: 1".
- Hole size: 7/8".

Order No. Mfg. No. / Description **8020521** (MP41020)

List Price

\$48.49 Z0-0072000

Sierra Ignition Switch





- Die cast zinc switch.
- · Back up nut: Die cast zinc.
- Face nut: Knurled chrome face nut.
- 4 Position Conventional: Accessory-Off-Run-
- Rated Ignition: 15 amp @ 12V DC. Solenoid: 30 amp @ 12V DC, Accessory: 15 amp @ 12V DC.
- Terminal type: 4 Threaded stud.
- Maximum panel thickness: 5/8".
- Hole size: 9/16".

Order No. Mfg. No. / Description

Sierra Ignition Switch

List Price

8020681 (UN12140) **\$18.89** Z0-4421000

3 Position Conventional: Off-Run-Start

Sierra Ignition Switch









- Brass switch.
- Back up nut: Brass.
- Face nut: Hex chrome face nut.
- 3 Position Conventional: Off-Run-Start.
- Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC. Camouflage
 - Terminal type: 3 Screw tab.
 - Maximum panel thickness: 1-1/8".
 - Hole size: 7/8".

Order No. Mfg. No. / Description 7001454 (MP39060-1)

\$41.99 Z0-2022000







- · Back up nut: Brass.
- Face nut: Knurled black plastic with rubber cap.
- 3 Position Conventional: Off-Run-Start.
- Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC.
- Terminal type: 3 Screw tab.
- Maximum panel thickness: 1-1/8".
- Hole size: 7/8".

Order No. Mfg. No. / Description 8020471 (MP39080-1)

\$46.99 Z0-5162000







Trolling

Motors

nstruments

Lighting

Anchor & Dock

Safety Steering Controls Pumps Fuel System

Seating &

edestals

Trailering

Tops &

Perform.

3 Position Conventional: Off-Run-Start

Sierra Ignition Switch



Sierra Ignition Switch



Sierra Ignition Switch





Marine grade glass-filled polyester switch.

• Back up nut: Brass.

• Face nut: Hex black plastic face nut.

• 3 Position Conventional: Off-Run-Start.

• Rated - Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC.

• Terminal type: 3 Screw tab.

• Maximum panel thickness: 1-1/8".

• Hole size: 7/8".

Order No. Mfg. No. / Description 8020474 (MP39120)

\$23.99 Z0-8131000

• Marine grade glass-filled polyester switch.

• Back up nut: Brass.

• Face nut: Hex black plastic face nut.

• 3 Position Conventional: Off-Run-Start.

• Rated - Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC.

• Terminal type: 3 Screw tab.

• Maximum panel thickness: 5/8".

• Hole size: 7/8".

Order No. Mfg. No. / Description **8020512** (MP39780)

\$23.99 Z0-2331000

• Marine grade glass-filled polyester switch.

• Back up nut: Brass.

• Face nut: Knurled black plastic with rubber cap.

• 3 Position Conventional: Off-Run-Start.

• Rated - Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC.

• Terminal type: 3 Screw tab.

• Maximum panel thickness: 5/8".

• Hole size: 7/8".

Order No. Mfg. No. / Description

7001462 (MP39200) **\$17.95** Z0-4621000

Sierra Ignition Switch





Marine grade glass-filled polyester switch.

· Back up nut: Brass.

Face nut: Knurled black plastic with rubber cap.

• 3 Position Conventional Off-Run-Start.

• Rated - Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC.

• Terminal type: 3 Blade.

Maximum panel thickness: 1-1/8".

• Hole size: 7/8".

Order No. Mfg. No. / Description 8020511 (MP39770)

List Price

\$25.99 Z0-1341000

Sierra Ignition Switch





• Marine grade glass-filled polyester switch.

• Back up nut: Brass.

Face nut: Knurled black plastic with rubber cap.

• 3 Position Conventional Off-Run-Start.

• Rated - Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC.

Sierra Ignition Switch

• Terminal type: 3 Screw tab.

• Maximum panel thickness: 5/8".

• Hole size: 7/8".

Order No. Mfg. No. / Description

8020522 (MP41030)

List Price

\$24.99 Z0-1831000

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc Fun & Flotation

2 Position Conventional: Off-Run

Sierra Ignition Switch





- Brass switch.
- · Back up nut: Brass.
- Face nut: Hex chrome face nut.
- 2 Position Conventional Off-Run.
- Use with separate starter button.
- Rated Ignition: 15 amp @ 12V DC.
- Terminal type: 2 Screw terminals. Maximum panel thickness: 1-1/8".
- Hole size: 7/8".

Order No. Mfg. No. / Description 8020466 (MP39020)

\$32.99 Z0-5281000











• Back up nut: Brass.

• Face nut: Knurled chrome plated with rubber cap

• 2 Position Conventional: Off-Run.

• Use with separate starter button.

• Rated - Ignition: 15 amp @ 12V DC.

• Terminal type: 2 Screw terminals.

• Maximum panel thickness: 1-1/8".

• Hole size: 7/8".

Order No. Mfg. No. / Description 8020514 (MP39820-1)




Topside Acc. Cockpit & Deck

> Hardware. Fasteners



Comm

\$34.49 Z0-5191000







4 Position Magneto: Accessory-Off-Run-Start Sierra Ignition Switch

Sierra Ignition Switch - Push to Choke



- Marine grade glass-filled polyester switch.
- Back up nut: Brass.
- Face nut: Knurled black plastic with rubber cap.
- 4 Position Magneto: Accessory-Off-Run-Start, Push to Choke.
- Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC, Accessory: 15 amp @ 12V DC, **Choke:** 7 amp @ 12V DC.
- Terminal type: 7 Color coded wires.
- Maximum panel thickness: 5/8".
- Hole size: 7/8".

Order No. Mfg. No. / Description **Electrical** 8020507 (MP39710-1)

Order No. Mfg. No. / Description **\$34.99** Z0-1391000 8020508 (MP39720-1)

Marine grade

Back up nut: Brass.

amp @ 12V DC.

• Hole size: 7/8".

glass-filled polyester switch.

• Face nut: Knurled black plastic with rubber cap.

Solenoid: 30 amp @ 12V DC, Accessory: 15

• 4 Position Magneto: Accessory-Off-Run-Start.

• Rated - Ignition: 15 amp @ 12V DC,

Terminal type: 6 Color coded wires.

• Maximum panel thickness: 5/8".

List Price **\$31.49** Z0-2471000 Sierra Ignition Switch - Push to Choke





 Marine grade glass-filled polyester switch.

- Back up nut: Brass.
- · Face nut: Hex black plastic face nut.
- 4 Position Magneto: Accessory-Off-Run-Start, Push to Choke.
- Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC, Accessory: 15 amp @ 12V DC, **Choke:** 7 amp @ 12V DC.
- Terminal type: 7 Screw tab.
- Maximum panel thickness: 5/8".
- Hole size: 7/8".

Order No. Mfg. No. / Description

Sierra Ignition Switch

8020520 (MP41010) \$30.49 Z0-0961000

List Price

Sierra Ignition Switch - Push to Choke

Anchor Sierra & Dock

Electronics

Trolling

Motors

Instruments

Lighting

Pumps

Fuel

System

Seating &

Pedestals

Trailering

Tops &

Perform

Propellers

Engine & Care Cleaning & Care Paint & Paint Acc. Fun & Flotation

Topside

Cockpit

& Deck

Hardware

Fasteners

Camouflage

Misc

Acc.

Safety

 Marine grade Steering glass-filled polyester switch. Controls

- Back up nut: Plastic.
- Face nut: Hex black plastic face nut.
- 4 Position Magneto: Accessory-Off-Run-Start, Push to Choke.
- Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC, Accessory: 15 amp @ 12V DC, Choke: 7 amp @ 12V DC.
- Terminal type: 6 Screw tab, 1 boss screw.
- Maximum panel thickness: 5/8".
- Hole size: 7/8".

Order No. Mfg. No. / Description

8020528 (MP41080)

List Price

\$30.99 Z0-3171000

Sierra

- Marine grade glass-filled polyester switch.
- Back up nut: Brass.
- Face nut: Hex black plastic face nut.
- 4 Position Magneto: Accessory-Off-Run-Start.
- Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC, Accessory: 15 amp @ 12V DC.
- Terminal type: 6 Screw tab.
- Maximum panel thickness: 5/8".
- Hole size: 7/8".

Order No. Mfg. No. / Description

8020509 (MP39730)

List Price

\$22.49 Z0-1841000

3 Position Magneto: Off-Run-Start

Sierra Ignition Switch - Push to Choke



• Marine grade glass-filled polyester switch.

- Back up nut: Brass.
- Face nut: Hex black plastic face nut.
- 3 Position Magneto: Off-Run-Start, Push to Choke
- Rated Ignition: 15 amp @ 12V DC Solenoid: 30 amp @ 12V DC, Choke: 7 amp @ 12V DC
- Terminal type: 6 Screw tab.
- Maximum panel thickness: 5/8".
- Hole size: 7/8".

Order No. Mfg. No. / Description Comm. 8020518 (MP41000)

\$27.99 Z0-9451000

Sierra Ignition Switch



- Marine grade glass-filled polyester switch.
- Back up nut: Plastic.
- Face nut: Knurled black plastic with rubber cap.
- 3 Position Magneto: Off-Run-Start.
- Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC, Accessory: 15 amp @ 12V DC.
- Terminal type: 5 Color coded wires.
- Maximum panel thickness: 5/8".
- Hole size: 7/8".

Order No. Mfg. No. / Description **8020510** (MP39740-1) \$33.49 Z0-6481000

Sierra Ignition Switch - Push to Choke



- Marine grade glass-filled polyester switch.
- · Back up nut: Brass.
- Face nut: Knurled black plastic with rubber cap.
- 3 Position Magneto: Off-Run-Start, Push to Choke
- Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC, Choke: 7 amp @
- Terminal type: 6 Color coded wires.
- Maximum panel thickness: 5/8".
- Hole size: 7/8".

Order No. Mfg. No. / Description List Price 8020529 (MP41090-1)

\$34.99 Z0-1391000

www.repuestoselnavegante.com

3 Position Magneto: Off-Run-Start

Sierra Ignition Switch - Push to Choke



- Marine grade glass-filled polyester switch.
- Face nut: Hex black plastic face nut.
- 3 Position Magneto: Off-Run-Start, Push to Choke.
- Mercury control box applications.
- Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC, Choke: 7 amp @

Sierra Ignition Switch - Push to Choke

- Terminal type: 6 Color coded wire leads/ potted.
- Maximum panel thickness: 5/8".
- Hole size: 7/8".

Sierra

Order No. Mfg. No. / Description 367630 (MP41070-2)

List Price

\$33.49 Z0-7881000

Sierra Ignition Switch - Push to Choke



- Marine grade glass-filled polyester switch.
- Back up nut: Plastic.
- Face nut: Hex black plastic face nut.
- Replaces: Mercury 87-88107A5.
- 3 Position Magneto: Off-Run-Start, Push to Choke.
- Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC, Choke: 7 amp @ 12V DC.
- Terminal type: 6 Color coded wire leads/ potted.
- Maximum panel thickness: 5/8".
- Hole size: 7/8".

Order No. Mfg. No. / Description 8020537 (MP52000)

\$53.99 Z0-2892000

List Price

• Replaces: Mercury 87-17009A5. • 3 Position Magneto: Off-Run-Start, Push to

• Face nut: Hex black plastic face nut.

• Marine grade glass-filled polyester switch.

Sierra Ignition Switch - Push to Choke

Choke • Rated - Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC, Choke: 7 amp @

• Terminal type: 6 Color coded wire leads/

• Maximum panel thickness: 5/8".

• Hole size: 7/8".

Sierra

Order No. Mfg. No. / Description 8020536 (MP51090)

\$45.99 Z0-8552000

List Price

Electronics

Trolling

Motors

Instruments

Lighting

Anchor

Safety

& Dock

Sierra Ignition Switch

• Marine grade glass-filled polyester switch.

• Face nut: Hex black plastic face nut.

• Rated - Ignition: 15 amp @ 12V DC,

• Maximum panel thickness: 1-1/8".

• 3 Position Magneto: Off-Run-Start.

Solenoid: 30 amp @ 12V DC.

• Terminal type: 5 Screw tab.

Order No. Mfg. No. / Description

• Back up nut: Brass.

• Hole size: 7/8".

7001458 (MP39100)



Steering Controls

> Pumps Fuel

> > System Seating &

Pedestals Trailering

Tops &

Perform.

Propellers

Engine & Care

Cleaning

& Care Paint &

Paint Acc

Fun & Flotation

Topside

Cockpit & Deck

Hardware. Fasteners

Camouflage

Misc.

Comm

Sierra Ignition Switch





- Marine grade glass-filled polyester switch.
- Back up nut: Anodized steel.
- Face nut: Hex plastic face nut with snap on rubber cap.
- 3 Position Magneto: Off-Run-Start, Push to Choke.
- Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC, Choke: 7 amp @ 12V DC.
- Terminal type: 6 Screw tab.
- Maximum panel thickness: 1-1/8".
- Hole size: 7/8".

Order No. Mfg. No. / Description

8020472 (MP39090)

\$53.99 Z0-6992000

List Price

- · Brass switch.
- Back up nut: Brass.
- Face nut: Hex chrome face nut.
- 3 Position Magneto: Off-Run-Start.
- Rated Ignition: 10 amp @ 12V DC, Solenoid: 30 amp @ 12V DC.
- Terminal type: 5 Screw tab.
- Maximum panel thickness: 1-1/8".
- Hole size: 7/8".

Order No. Mfg. No. / Description

List Price 7001452 (MP39040) \$30.95 Z0-4712000

Sierra Ignition Switch

- Marine grade glass-filled polyester switch.
- Back up nut: Brass.
- Face nut: Hex black plastic face nut.
- 3 Position Magneto: Off-Run-Start.
- Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC.
- Terminal type: 6 Screw tab.
- Maximum panel thickness: 1-1/8".
- Hole size: 7/8".

Order No. Mfg. No. / Description 8020515 (MP39830)

List Price

\$60.49 Z0-4533000

www.repuestoselnavegante.com El Navegante








List Price

\$20.95 Z0-3741000











Trolling Motors

Instruments

Electrical

Lighting

Anchor & Dock Safety

Steering Controls

Pumps Fuel System

Seating & Pedestals

Trailering Tops &

Perform.

Propellers Engine

& Care Cleaning

Paint & Paint Acc. Fun & Flotation

Topside Acc. Cockpit

& Deck Hardware, Fasteners

Camouflage

Misc



Exact OEM replacement installation.

- Ideal for DFI, EFI and MPI engines.
- Heavy duty potted construction.
- · Minimal bleed per circuit.
- Molded umbrella type key.
- · Colors on wires match factory color codes

YAMAHA CONTROL BOX 2 & 4 STROKE Order No. Mfg. No. / Description

8020531 (MP51020) Replaces: 703-82510-12-00 **\$101.99** Z0-4765000

YAMAHA DASH MOUNT 2 & 4 STROKE - DUAL ENGINE APPLICATION Order No. Mfg. No. / Description List Price

8020532 (MP51030) Replaces: 61B-82510-01-00 **\$124.99** Z0-3496000

Cole Hersee Ignition Switch

Cole Hersee



List Price

• Brass case. • 2 positions: Off - On.

 2 brass screw terminals. • Rated: 10 amps at 12V DC.

- Brass mounting stem 13/16"-24, 1-7/32" long
- Maximum panel thickness 1".

Order No. Mfg. No. / Description List Price

\$33.09 G0-7122000 **300668** (M-489-BP)

Sierra Ignition Switches for Yamaha - Push to Choke



- Exact OEM replacement installation.
- Ideal for DFI, EFI and MPI engines.
- Heavy duty potted construction.
- Minimal bleed per circuit.
- Molded umbrella type key.
- Colors on wires match factory color codes.

YAMAHA CONTROL BOX 2 & 4 STROKE

Order No. Mfg. No. / Description List Price 8020533 (MP51040) Replaces: 703-82510-43-00 **\$131.99** Z0-4237000

YAMAHA DASH MOUNT 2 & 4 STROKE - DUAL ENGINE APPLICATION

Order No. Mfg. No. / Description List Price

8020534 (MP51050) Replaces: 6K1-82510-06-00 **\$203.99** Z0-7431100

Cole Hersee Ignition Switch

Cole Hersee



- Brass case.
- 3 positions: Off Ignition Start.
- 3 brass screw terminals.
- Rated: 10 amps at 12V DC.
- Brass mounting stem 13/16"-24, 1-7/32" long
- Maximum panel thickness 1".

Order No. Mfg. No. / Description List Price

300688 (M-550-BP) \$33.29 G0-0322000

Cole Hersee Protective Boot





- · For ignition switches.
- · Chrome plated brass.
- Mounting nut containing a durable rubber insert that has a self-closing key
- Thickness: 17/32". Thread: 13/16"-24.
- Fits 300668 (M-489-BP) and 300688 (M-550-BP) ignition switches.

Order No. Mfg. No. / Description List Price

300810 (83288-BP) **\$8.09** G0-2450000

Electronics Trolling Motors Instruments

Lighting

Anchor

& Dock

Safety Steering Controls Pumps

Fuel

System

Seating & Pedestals

Trailering

Tops &

Perform.

Propellers

Engine

& Care

Cleaning

& Care

Paint &

Paint Acc.





Marpac L.E.D. Stainless Steel Push Button Switches



- Corrosion resistant stainless steel housing and button.
- LED light ring can be set for either push-on (indicating power) or always on (backlit).
- Water resistant to IP67 standards.
- Mounting hole: 19mm.
- Rated: 20 amps at 12V DC.
- Use 7-1226 label kit.

Order No.	Description		List Price	
7-1210	Momentary	Blue LED Ring	\$19.89	G0-3331000
7-1212	Self-Locking	Blue LED Ring	\$18.49	G0-9321000
7-1220	Momentary	Red LED Ring	\$22.09	G0-0841000
7-1222	Self-Locking	Red LED Ring	\$22.59	G0-4151000

ROUND SWITCH LABEL KIT

- For Marpac LED Push Button Switches: 7-1210, 7-1212, 7-1220 or 7-1222.
- 40 waterproof stickers.

Order No. Description List Price 7-1226 Round Switch Label Kit \$6.19 G0-5140000

Marpac Heavy Duty Momentary Push Button Switch



- · Glass reinforced seamless polyester housing.
- Brass washer and back-up nut.
- Internally rubber gasketed.
- Moisture and dust proof rubber cap.
- Accommodates 1" panels. Silver contacts.
- 2 screw terminals. Stainless steel springs.
- Rated: 30 amps at 12V DC.

Order No.	Description	List Price
7-0483	Push Button Switch	\$7.99 G0-5350000

Marpac L.E.D. Backlit Stainless Steel Push Button Switches



- Corrosion resistant stainless steel housing and button.
- LED light ring can be set for either push-on (indicating power) or always on (backlit).
- Water resistant to IP67 standards.
- Mounting hole: 19mm.
- Rated: 20 amps at 12V DC.
- Use 7-1227 label kit.

Order No.	Description		List Price
7-1211	Momentary	Blue LED Ring	\$21.79 G0-0641000
7-1213	Self-Locking	Blue LED Ring	\$22.59 G0-4151000
7-1221	Momentary	Red LED Ring	\$21.79 G0-0641000
7-1223	Self-Locking	Red LED Ring	\$25.19 G0-8861000

ROUND SWITCH LABEL KIT

- For Marpac LED Push Button Switches: 7-1211, 7-1213, 7-1221 or 7-1223.
- 40 waterproof stickers.

Order No. Description List Price 7-1227 Round Switch Label Kit \$5.59 G0-5730000

Marpac Momentary Push Button Switch





- Rated: 15 amps at 12V DC.
- For any application requiring momentary contact, such as horn or starting.
- Requires 5/8" diameter hole in panel for installation.

Order No. Description List Price 7-0487 Push Button Switch **\$10.49** G0-3070000

Fun & Flotation Topside

Acc. Cockpit & Deck

Hardware, Fasteners

Camouflage

Misc.

Comm

Push Button Switches





Cole Hersee Push Button Switch with Cap





- · Brass case.
- Rated: 35 amps at 12V DC.
- Two brass screw terminals.
- Brass mounting stem 5/8"-32, 1-3/8" long
- Fits panels up to 1" thick.
- · Silver contacts.
- 2 positions: Momentary, normally Off, push to On.
- With snap-on black rubber cap.

Order No. Mfg. No. / Description

List Price

300741 (M-626-BP)

\$17.49 G0-2711000

Cole Hersee Push Button Switch





Electrical

Anchor & Dock

Safety

Steering Controls

Fuel System

Electronics

Trolling Motors

Instruments

- · Brass case. Lighting
 - Rated: 35 amps at 12V DC.
 - Two brass screw terminals.
 - Brass mounting stem 5/8"-32, 1-3/8" long
 - Fits panels up to 1" thick.
 - · Silver contacts.
 - 2 positions: Momentary, normally Off, push to On.
 - With recessed facenut, designed to prevent accidental actuation.

Order No. Mfg. No. / Description Pumps

List Price

300739 (M-612-BP)

\$22.39 G0-0051000

Cole Hersee Weatherproof/Dustproof Caps

Seating & Cole Hersee Pedestals

Trailering



Propellers

Engine

& Care

Paint &

Fasteners

Camouflage

 Durable, resilient rubber cap. Perform.

- Cap is permanently fastened to the integral mounting nut by a rolled brass bezel.
- Deep threaded 5/8"-32 aluminum mounting nut assures positive seal.
- Fits 300664 (M-485-BP), 300727 (M-608-BP) and 300741 (M-626-BP) push button switches.

Order No. Mfg. No. / Description

List Price

Cleaning 300805 (83280-03-BP) Black \$2.49 G0-7610000 & Care 300525 (83280-02-BX) Red \$1.89 G0-7210000

Paint Acc. Sierra Heavy Duty Brass Push Button Switch

Fun & Flotation Sierra Topside





- & Deck Solid brass construction.
- Momentary On-Off, SPST. Hardware.
 - For starter, horn or other functions.
 - Mounting stem: 1-3/8" L x 5/8"-32.
 - Recessed plunger button prevents accidental actuation.
- 2 Boss screw terminals. Misc
 - Rated: 35 amps @ 12V DC:

Order No. Mfg. No. / Description Comm. 8020486 (MP39360)

List Price

\$20.49 Z0-8431000

Cole Hersee Push Button Switch

Cole Hersee



- · Brass case.
- Rated: 10 amps at 12V DC.
- Two brass screw terminals.
- Brass mounting stem 5/8"-32, 1" long.
- Fits panels up to 3/4" thick.
- · Gasket sealed case.
- 2 positions: Momentary, normally Off, push to On.

Order No. Mfg. No. / Description

300664 (M-485-BP)

\$14.79 G0-1990000

Cole Hersee Push Button Switch

Cole Hersee



- · PVC-coated body sealed against moisture and dirt with black rubber snap-on cap.
- Rated: 10 amps at 12V DC.
- Two copper wire leads.
- Brass mounting stem 5/8"-32, 15/16" long.
- 2 positions: Off-momentary on.
- On with button depressed, spring return to off.
- Fits panels up to 1/2" thick.

Order No. Mfg. No. / Description **300727** (M-608-BP)

List Price

\$19.29 G0-2921000

Sierra Heavy Duty Push Button Switch

Sierra



- Momentary On-Off, SPST.
- Mounting stem: 1-7/16" L x 5/8".
- 2 Boss screw terminals.
- Rated: 30 amps @ 12V DC.

Order No. Mfg. No. / Description

8020475 (MP39160) With Rubber Boot Nut 7001460 (MP39180) With Standard Chrome Face Nut

List Price

\$20.49 Z0-5311000 **\$19.99** Z0-9901000

Sierra Heavy Duty Brass Push Button Switch

Sierra





- Solid brass construction.
- Momentary On-Off, SPST.
- For starter, horn or other functions.
- With large 15/16" anodized face nut and button.
- Mounting stem: 1-3/8" L x 5/8"-32.
- 2 Boss screw terminals.
- Rated: 35 amps @ 12V DC.

Order No. Mfg. No. / Description 8020490 (MP39410)

\$24.99 Z0-9831000





Trolling

Motors

Instruments

Lighting

Anchor

& Dock

Safety

Sierra Heavy Duty Brass Push Button Switch



- Solid brass construction.
- Momentary On-Off, SPST.
- For starter, horn or other functions.
- With chrome plated brass face nut and button.
- Mounting stem: 1-3/8" L x 5/8"-32.
- 2 Boss screw terminals.
- Rated: 35 amps @ 12V DC

Order No. Mfg. No. / Description

8020491 (MP39420)

\$25.49 Z0-4931000

Sierra Brass Push Button Switch



- Solid brass construction.
- Momentary On-Off, SPST.
- For starter, horn or other functions.
- With rubber boot nut.
- Mounting stem: 1-1/4" L x 5/8".
- 2 screw terminals.
- Rated: 20 amps @ 12V DC.

Order No. Mfg. No. / Description

8020484 (MP39320)

\$19.99 Z0-9131000

Marpac Compact Push Button Switch



- Contoured black plastic button.
- Chrome plated brass mounting stem.
- 2 brass blade terminals.
- Uses 1/2" mounting hole in dash or panel.
- Rated: 15 amps at 12V DC.

Order No. Description

List Price

7-1160 Push Button Switch

\$6.69 G0-8440000

Marpac Push Button Horn Switch



· Momentary push mini switch with boot is perfect for horn button.

Order No. Description

7-51361 Horn Button



\$7.19 G0-2840000

Marpac Push Button Horn Switch





- Black plastic button.
- Not ignition protected.
- Chrome plated brass housing.
- Momentary on-off push button switch.
- Diameter 1-1/2", overall width 2-5/8", height 1".
- Rated: 15 amps at 12V DC.

Order No. Description

List Price

7-0485 Push Button Horn Switch

Sierra Brass Push Button Switch

Sierra

- · Solid brass construction.
- Momentary On-Off, SPST.
- For starter, horn or other functions.
- · With chrome plated brass face nut and button.
- Mounting stem: 1-1/4" L x 5/8".
- 2 screw terminals.
- Rated: 20 amps @ 12V DC.

Order No. Mfg. No. / Description

8020483 (MP39310)

\$16.89 Z0-1111000

Sierra Brass Push Button Switch

Sierra

- · Solid brass construction.
- Momentary On-Off, SPST.
- For starter, horn or other functions.
- With rubber boot nut.
- Mounting stem: 1-1/4" L x 5/8".
- Blade terminals.
- Rated: 20 amps @ 12V DC.

Order No. Mfg. No. / Description

8020485 (MP39340)

List Price \$18.50 Z0-2221000

List Price













Pedestals Trailering

Tops &

Perform

Propellers

Engine & Care

Cleaning

& Care Paint &

Paint Acc Fun &

\$9.99 Z0-7550000

\$7.39 Z0-6150000

\$10.49 Z0-3650000

List Price

Flotation

Topside

Cocknit


& Deck Hardware.

Fasteners Camouflage

Misc

Comm

\$8.49 Z0-0950000



- Momentary On-Off, SPST.
- Chrome plated brass mounting stem.
- Mounting hole 1/2".
- 2 Brass blade terminals.
- Rated: 15 amps @ 12V DC.

Order No. Mfg. No. / Description 8020503 (MP39670) White

8020504 (MP39680) Black

8020505 (MP39690) Red

Sierra Compact Push Button Switches












- Momentary On-Off, SPST. · For fog horns or sirens.
- Overall width 2-5/8".

Order No. Mfg. No. / Description 7001464 (MP39300)

www.repuestoselnavegante.com El Navegante







Marpac Push/Pull Switches





- Solid brass construction.
- Chrome plated brass knob and face nut.
- 2 positions: Off-On. Normally Off.
- Mounting stem 3/8" diameter.
- Accommodates 1" panel.
- Rated: 15 amps at 12V DC.

Order No Description 7-0489 Two Screw Terminals List Price

List Price

List Price

\$29.49 G0-6791000

\$179.39 G0-9102100

7-0886 Two 1/4" Blade Terminals

Sold 24 push-pull switches per bucket.

\$8.69 G0-2850000 \$8.29 G0-5550000

Marpac Bucket of Savings - Push/Pull Switches

Cole Hersee Push/Pull Switch





Order No. Description

7-0489S 2 Positions: Off-On

* Cole Hersee

• All brass construction.

• 3 screw terminals.

• Chrome plated brass knob.

Maximum panel thickness 1".

• Rated: 10 amps at 12V DC.

Order No. Mfg. No. / Description

Cole Hersee

300640 (M-476-BP)

3 positions: Off-on #1-on #1 and #2, normally off.

• Mounting stem 3/8"-32 thread, 1-1/4" long.

• Complete with face nut, washer and hex nut for mounting.

• Energizes one circuit in first position and both circuits in second position.



Lighting

Electronics

Anchor & Dock

Safety Steering

Controls Pumps

Fuel System

Seating & Pedestals

Trailering Tops &

Perform.

Propellers

Engine & Care Cleaning

& Care Paint & Paint Acc.

Fun & Flotation

Topside Acc.

Cockpit & Deck Hardware.

Fasteners Camouflag

Misc







- · Solid brass construction.
- · Chrome plated brass knob and face nut.
- 3 positions: Off-On-On. Normally Off.
- 3 screw terminals.
- Mounting stem 3/8" diameter.
- Accommodates 1" panel.
- Rated: 15 amps at 12V DC.

Order No. Description

7-0491 Push-Pull Switch

List Price **\$9.59** G0-3460000

Marpac Push/Pull Switch

Marpac Push/Pull Switch



- Solid brass construction.
- Chrome plated brass knob and face nut.
- 3 positions: Off-On-On. Normally Off.
- 4 screw terminals.
- Mounting stem 3/8" diameter.
- Accommodates 1" panel.
- Rated: 15 amps at 12V DC:

Order No. Description

7-0493 Push-Pull Switch

\$8.59 G0-6750000

List Price

Cole Hersee Push/Pull Switch

Cole Hersee



- Brass housing.
- 2 positions: Off-On, Normally Off.
- 2 brass screw terminals.
- Chrome plated solid brass screw-on knob.
- Complete with face nut, washer and hex nut for mounting.
- Brass mounting stem 3/8"-32 thread, 1-1/4" long.
- Fits panels up to 3/4".
- Rated: 10 amps at 12V DC:

Order No. Mfg. No. / Description


300652 (M-482-BP)

List Price

\$17.09 G0-5411000

Cole Hersee Push/Pull Switch





- Chrome plated solid brass screw-on knob, 10-32 thread.
- 2 positions: Off-On, Normally Off.
- Two insulated copper wire leads, 12" long.
- Complete with face nut, washer and hex nut for mounting.
- Brass mounting stem 3/8"-32 thread, 1-1/4" long.
- Fits panels up to 3/4".
- Rated: 10 amps at 12V DC.

Order No. Mfg. No. / Description **300715** (M-606-BP)

\$18.49 G0-9321000

Trolling

Motors

Instruments

Lighting

Anchor

& Dock

Safety

Steering,

Controls

Pumps

Fuel System

Seating & Pedestals

Trailering Tops &

Perform.

Propellers

Engine & Care

Cleaning

& Care

Paint & Paint Acc

Fun & Flotation

Topside



Sierra Heavy Duty Push Pull Switches

- These Sierra Heavy Duty Push Pull Switches consist of the following features:
- Solid brass construction.

- Mounting bushing: 3/8".
- For panels up to 1" thick.

• Rated: 15 amp @ 12V DC.

Sierra Heavy Duty Push Pull Switch



Sierra Heavy Duty Push Pull Switch

Sierra

• Off-On, SPST.

• Pull for "On".

2 Blade terminals.

8020495 (MP39540)

Chrome finish plastic knob.

Order No. Mfg. No. / Description

Order No. Mfg. No. / Description **8020492** (MP39510)

\$17.99 Z0-5890000

• Off-On, SPST.

Sierra

- Pull for "On".
- Chrome plated plastic knob.
- 2 Screw terminals.

Order No. Mfg. No. / Description List Price 8020493 (MP39520) **\$17.99** Z0-5890000

Sierra Heavy Duty Push Pull Switch

Sierra Heavy Duty Push Pull Switch



• Off-On (1)-On (1 & 2), SPDT.

- First pull energizes #1, second pull energizes both circuits.
- Chrome finish plastic knob.
- 3 Screw terminals.

Order No. Mfg. No. / Description List Price **8020496** (MP39570) **\$22.99** Z0-3521000

Sierra Heavy Duty Push Pull Switch

List Price

\$20.49 Z0-6211000



Order No. Mfg. No. / Description

8020499 (MP39600) **\$19.49** Z0-8701000

Sierra Heavy Duty Push Pull Switch



- On-On, SPST.
- Used to control same circuit from two locations.
- Chrome plated solid brass knob.
- 3 Screw terminals.

Order No. Mfg. No. / Description List Price 8020489 (MP39400) **\$10.95** Z0-0670000

Sierra Heavy Duty Push Pull Switch

• Off-On (1)-On (1 & 2), SPDT.

Sierra

- First pull energizes #1, second pull energizes both circuits.
- Chrome plated solid brass knob.
- 3 Screw terminals.

Order No. Mfg. No. / Description List Price 8020497 (MP39580) \$24.99 Z0-7631000

Sierra Heavy Duty Push Pull Switch



- First pull energizes #1, second pull energizes two separate circuits.
- · Chrome plated solid brass knob.
- 4 Screw terminals.

Order No. Mfg. No. / Description 8020501 (MP39620)

\$23.99 Z0-2331000

Sierra Heavy Duty Push Pull Switch





• Off-On, SPST.

- Pull for "On".
- Chrome plated solid brass knob.
- 2 Screw terminals.

Order No. Mfg. No. / Description **8020494** (MP39530)

\$21.49 Z0-7911000

Sierra Heavy Duty Push Pull Switch



• Off-On (1)-On (2 & 3), SPDT.

- · First pull energizes #1, second pull energizes two separate circuits.
- Chrome finish plastic knob.
- 4 Screw terminals.

Order No. Mfg. No. / Description

8020500 (MP39610)

List Price

\$20.75 Z0-0731000

Sierra Heavy Duty Push Pull Switch



• Off-On (1)-On (1 & 2), SPDT.

- First pull energizes #1, second pull energizes both circuits.
- Chrome finish plastic knob.
- 3 Blade terminals.

Order No. Mfg. No. / Description

List Price

8020498 (MP39590) **\$18.79** Z0-6321000

Sierra Heavy Duty Push Pull Switch



SPDT.

• First pull energizes #1, second pull energizes circuit #2.

Chrome plated solid brass knob.

• 3 Screw terminals.

Order No. Mfg. No. / Description 8020502 (MP39640) **\$22.99** Z0-7621000




Cocknit & Deck Hardware. Fasteners

Camouflage

Misc.

Comm







Marpac Euro-Style Rocker Switches





•	Black,	plastic	rocker	switches.
	_			

- Rated: 16 amps at 12V DC.
- Fits Contura cut-out. NON-ILLUMINATED



Trolling Motors

Electronics

Glows white when on, can be seen in daylight.

Instruments

144 3 Position On-Off-On, SPD

Electrical

Lighting

Anchor & Dock

Safety

Steering Controls

Pumps Fuel

System Seating & Pedestals

Tops &

Trailering

Perform

Propellers Engine

& Care

Cleaning & Care Paint & Paint Acc

Fun & Flotation Topside

Acc. Cockpit & Deck

Hardware, Fasteners






















7-1135	

MOM-IF	<u>LUMINATEL</u>			
Order No.	Description		List Price	
7-1135	2 Position	On-Off, SPST		G0-8030000
7-1136	2 Position	Off-Momentary On, SPST	\$5.19	G0-8430000
7-1137	3 Position	On-Off-On, SPDT	\$4.79	G0-1230000
7-1138	3 Position	Mon. On-Off-Momentary On, SPST	\$5.39	G0-1630000
7-1139	3 Position	On-Off-On, DPDT	\$5.69	G0-1830000

ILLUMINATED

Order No.	Description		List Price
7-1140	2 Position	On-Off, SPST	\$5.69 G0-1830000
7 11///	2 Position	On Off On CDDT	¢¢ 50 CO 2440000

Marpac Contura Style Illuminated Rocker Switches



- LED illuminated.
- Splash resistant to IP66 standards.
- Glows blue when activated.
- 1.45" x 0.83" cut-out replaces contura style switches in existing panels.

Order No.	Description		List Price
7-1145	On-Off	SPST	\$6.69 G0-8440000
7-1146	On-Off-On	SPDT	\$8.49 G0-9650000

Sierra Standard Weather Resistant Contoura® II Rocker Switches



- Supplied with neoprene mounting gasket.
- · Removable actuators.
- Brass blade terminals, silver contacts.
- Rated: 20 amps @ 12V DC

· nateu.	20 anips @ 12 v DG.			
Order No.	Mfg. No. / Description		List Price	
8020750	(RK19400-1) Off-On	SPST	\$12.49	Z0-0560000
8020752	(RK19410-1) Off-Mom. On	SPST	\$13.99	Z0-1170000
8020754	(RK19420-1) On-Off-On	SPDT	\$14.49	Z0-7370000
8020756	(RK19430-1) Mom. On-Off-Mom. On	SPDT	\$14.49	Z0-9470000
8020780	(RK19490-1) On-Off-On	DPDT	\$17.99	Z0-2490000

Marpac Illuminated Rocker Switches

• Glows red when switch is in "On" position.

• Single pole. Requires 27/32" x 1-15/32" cut out. 1/4" spade terminals. Rated: 15 amps at 12V DC.



Marpac Contura® Rocker Switches



- construction.
- Rated: 20 amps at 12V DC.




NON-IL				
Order No.	Description		List Price	
7-0535	2 Position	On-Off	\$8.99	G0-2060000
7-0536	2 Position	Off-Momentary On	\$9.99	G0-9660000
7-0537	3 Position	On-Off-On	\$10.19	G0-3860000
7-0538	3 Position	Momentary On-Off-Momentary On	\$10.79	G0-3270000
7-0539	3 Position	On-Off-On (6 Terminal)	\$12.09	G0-0180000
		•		

ILLUMII	NATED - BR	ASS BLADE TERMINALS, SILVER	CONTA	CTS
Order No.	Description		List Price	
7-0540	2 Position	On-Off, SPST	\$10.89	G0-0370000
7-0541	2 Position	Off-Momentary On, SPST	\$11.59	G0-7770000
7-0542	3 Position	On-Off-On, SPDT	\$11.49	G0-0770000
7-0543	3 Position	Mom. On-Off-Momentary On, DPST	\$17.29	G0-8511000
7-0544	3 Position	On-Off-On, DPDT	\$16.59	G0-2111000
7-0540 7-0541 7-0542 7-0543	2 Position 2 Position 3 Position 3 Position	Off-Momentary On, SPST On-Off-On, SPDT Mom. On-Off-Momentary On, DPST	\$10.89 \$11.59 \$11.49 \$17.29	G0-7770000 G0-0770000 G0-8511000

Blue Sea Waterproof Contura Switches

BLUE SEA


- Vibration, shock, thermoshock, moisture and salt spray resistant.
- Current rating: 20A @ 12 volt.
- Meets UP1500 & ISO8846 ignition protection requirements.
- Gray.



Sierra Illuminated Weather Resistant Contoura® II Rocker Switches



8020750



• Brass blade terminals, silver contacts. • Rated: 20 amps @ 12V DC.



Order No. Mfg. No. / Description		List Price
8020758 (RK19440-1) Off-On	SPST	\$14.99 Z0-3670000
8020760 (RK19450-1) Mom. On-Off	SPST	\$15.49 Z0-5080000
8020762 (RK19460-1) On-Off-On	SPDT	\$15.99 Z0-2280000
8020790 (RK19540-1) On-Off-On	DPDT	\$20.99 Z0-4901000
8020792 (RK19550-1) Mom. On-Off-Mom. On	DPDT	\$22.49 Z0-2611000

Marpac Illuminated Rocker Switch



- Illuminated black plastic rocker switch.
- · Glows red when on.
- Rated: 10 amps at 12V DC.

Order No. Description **7-0533** Off-On 3 Terminals



\$3.19 G0-4120000

Trolling Motors

Instruments

Lighting

Anchor

& Dock Safety Steering Controls

Pumps

System Seating &





Marpac Rocker Switches



- Non-illuminated black plastic rocker switch.
- Single pole.
- Requires 27/32" x 1-15/32" cut out.
- 1/4" spade terminals.

Rated: 15 amps at 12V DC.						
Order No.	Description		List Price			
7-1200	Off-On	2 Terminals	\$3.99 G0-7620000			
7-1205	On-Off-On	3 Terminals	\$4.99 G0-4330000			
7-1235	Mom. On-Off-Mom. On	3 Terminals	\$10.89 G0-0370000			
7-1230	Off-Mom. On	3 Terminals	\$10.09 G0-6760000			

Sierra Illuminated Rocker Switches - Soft Spot Light



- Independent pilot light illuminates when panel lights "On".
- Illuminates white when panel lights are "On", changes to red when switch is "On".
- · Soft spotlight helps preserve night vision.
- Non-corrosive plastic construction.
- · Silver contacts. Brass blade terminals.
- Rated: 20 amps @ 12V DC.

Order No.	Mfg. No. / Description		List Price	
8020554	(RK40370) On-Off	SPST	\$13.19	Z0-8680000
8020555	(RK40380) Mom. On-Off	SPST	\$16.99	Z0-4290000
8020556	(RK40390) On-Off-On	SPDT	\$13.99	Z0-0390000
8020557	(RK40400) Mom. On-Off-Mom. On	SPDT	\$16.99	Z0-3490000

Sierra Weather Resistant Illuminated Rocker Switches



- Certified to IP 66 and IP 68 protected against dust, prolonged spray and submersion.
- Supplied with neoprene mounting gasket.
- · Removable actuators.
- Brass blade terminals, silver contacts.
- Snap in lens of choice (Amber, Clear, Green, Red).
- Rated: 20 amps @ 12V DC.

DEPENDENT PILOT LIGHT - INCLUDES 1 LENS OF EACH COLOR

Illuminates in "On" position.

Order No. Mfg. No. / Description List Price 8020540 (RK19500K) Off-On **SPST \$13.95** Z0-6180000

INDEPENDENT PILOT LIGHT - INCLUDES 1 LENS OF EACH COLOR

Illuminates when panel light is turned "On".

Order No. Mfg. No. / Description List Price

8020541 (RK19510K) Off-On **SPST \$14.99** Z0-1380000

DEPENDENT PILOT LIGHT - INCLUDES 2 LENSES OF EACH COLOR

Each light illuminates in "On" position.

Order No. Mfg. No. / Description List Price 8020542 (RK19520K) On-Off-On **SPDT** \$19.49 Z0-8601000

ONE DEPENDENT PILOT LIGHT AND ONE INDEPENDENT PILOT LIGHT

- One dependent pilot light illuminates in "On" position.
- One independent pilot light illuminates when panel lights "On".
- Includes 2 lenses of each color.

Order No. Mfg. No. / Description 8020543 (RK19530K) Off-On **SPST** \$18.49 Z0-8001000 **Sierra Standard Rocker Switches with Black Actuators**







- Non-corrosive plastic construction.
- Black actuators with black face plate.
- · Silver contacts.
- · Brass blade terminals.
- Rated: 20 amps @ 12V DC.

Order No.	Mfg. No. / Description		List Price	
8020820	(RK40150) Mom. On-Off	SPST	\$12.99	Z0-2660000
8020840	(RK40350) Mom. On-Off-Mom	n. On SPDT	\$12.99	Z0-2660000

Sierra Illuminated Rocker Switches







Non-corrosive plastic construction.

- · Silver contacts.
- Brass blade terminals.
- Rated: 20 amps @ 12V DC.

• Dependent pilot light - illuminates in "On" position.

	LIST Price
SPST	\$11.99 Z0-8570000
SPDT	\$16.99 Z0-3490000
SPDT	\$16.99 Z0-9290000
	SPDT

Sierra Narrow Body Rocker Switches







Pedestals Trailering

Tops &

Perform

Propellers

Engine

& Care

Cleaning

& Care

Paint & Paint Acc

Fun &

Flotation

Topside

Cockpit & Deck

Hardware.

FITS .550" x 1.125" CUT OUT Blade terminals. Rated: 10 amps @ 12V DC.

Order No. Mfg. No. / Description List Price

8020546 (RK19640) On-Off Non-Illuminated **\$8.99** Z0-1740000 **SPST** 8020545 (RK19630) On-Off **SPST** Illuminated "Red" \$10.49 Z0-3650000

FITS 7/16" x 1-1/4" CUT OUT


Blade terminals. Rated: 20 amps @ 12V DC.

Order No. Mfg. No. / Description List Price 8020548 (RK21880) On-Off SPST Non-Illuminated **\$7.75** Z0-4640000

Sierra Surface Mount Illuminated Rocker Switch







- Brass blade terminals.

Order No. Mfg. No. / Description 8020547 (RK21420) Off-On





Comm \$8.29 Z0-8540000

www.repuestoselnavegante.com El Navegante

- Illuminates red in "On" position.
- Mount in 1/2" round holes.
- Rated: 16 amps @ 12V DC.



\$6.09 G0-8040000


\$2.79 G0-7810000


SPDT **\$12.59** Z0-3380000


DPDT **\$17.99** Z0-4990000

Marpac Illuminated Toggle Switches









- 1/4" spade terminals.
- For panels up to 3/8".
- Rated: 15 amps at 12V DC.

Order No.	Description	List Price
7-0528	Off-On	\$4.39 G0-4920000
7-1290	On-Off-On	\$6.29 G0-1240000
7-1242	Rubber Switch Boot	\$2.79 G0-7810000

Marpac Illuminated Toggle Switch

Sierra Illuminated Toggle Switches

Trolling Motors



Instruments

Electrical

Lighting

Anchor

& Dock

Safety

Pedestals

Trailering

Tops &

Perform.

Propeller

Engine

Cleaning & Care

Paint & Paint Acc.

Fun &

Flotation

Topside

Cockpit

& Deck

Hardware, Fasteners Camouflage

Misc

Acc.

Current rating up to 16A (@12V DC).

- Self-illuminating handle bar.
- Fits Marpac 7-1240 Switch Panel.
- On-Off, SPST.

Order No. Description 7-1241 Toggle Switch

7-1242 Rubber Switch Boot

Steering Controls

Sierra Pumps Fuel

System • Non-corrosive plastic construction. Seating &

• Illuminates white when panel lights are "On", changes to red when switch is "On".


- Brass blade terminals, silver contacts.
- Mounting stem: 15/32" L x 15/32"-32.
- Rated: 20 amps @ 12V DC.

	Order No. Mfg. No. / Description	List Price
	8020668 (TG40060) On-Off	SPST \$14.99 Z0-5280000
_	8020669 (TG40070) On-Off-On	SPDT \$12.59 Z0-3380000
	8020670 (TG40080) Mom. On-Off	SPST \$15.49 70-4480000

& Care **Sierra Standard Toggle Switches**

8020671 (TG40090) Mom. On-Off-Mom. On





- Brass blade terminals, silver contacts.
- Mounting stem: 15/32" L x 15/32"-32.

8020680 (TG40490) On (1) -Off-On (1 & 2)

• Rated: 25 amps @ 12V DC.

Order No. Mfg. No. / Description		List Price	
8020664 (TG40020-1) On-Off	SPST	\$8.99	Z0-7940000
8020665 (TG40030-1) Mom. On-Off	SPST	\$9.49	Z0-2250000
8020666 (TG40040-1) On-Off-On	SPDT	\$10.49	Z0-0850000
8020667 (TG40050-1) Mom. On-Off-Mom. On	SPDT	\$10.49	Z0-3650000
8020672 (TG40160-1) On-Off-Mom. On	SPDT	\$11.49	Z0-4160000
8020678 (TG40450-1) On-Off-On	DPDT	\$12.49	Z0-9860000
8020679 (TG40460-1) Mom On-Off-Mom On	DPDT	\$11.99	70-6170000

Marpac Toggle Switches

- Black plastic paddle and locking ring with lever seal and knurled cap nut.
- 1/4" spade terminals.
- Mount in 15/32" diameter panel hole.
- Fits panels up to 1/4".
- Rated: 15 amps at 12V DC.

Order No.	Description		List Price
7-0462	Off-On	2 Terminals	\$3.89 G0-1620000
7-0464	Off-Momentary On	2 Terminals	\$4.59 G0-8030000
7-0463	On-Off-On	6 Terminals	\$6.39 G0-8240000
7-0465	Mom. On-Off-Momentary On	6 Terminals	\$6.49 G0-5340000

Boater Sports Non-Illuminated Toggle Switch









- · Black plastic lever and locking ring with paddle seal and knurled cap nut.
- Great for lights, aerators and blowers.
- Rated: 15 amps @ 12V DC.

Order No. Mfg. No. / Description

1-51310 (51310) On-Off-Mom. On

3 Terminals **\$6.89** H0-3140000

Sierra Weather Resistant Illuminated Toggle Switch





- Illuminates red in "On 1" position.
- Illuminated white in "Off" or "On 2" position.
- Can be wired for independent or dependent illumination.
- Rated: 20 amps @ 12V DC.

Order No. Mfg. No. / Description List Price 8020663 (TG40010) On-Off-On SPDT **\$12.19** Z0-0080000

Sierra Tip Lit Toggle Switches



- Non-corrosive plastic construction.
- Lights through tip of handle.
- Illuminates white when panel lights are 'On", changes to red when switch is "On".
- Brass blade terminals, silver contacts.
- Mounting stem: 15/32" L x 15/32"-32.
- Rated: 20 amps @ 12V DC.

Order No. Mfg. No. / Description	List Price	
8020673 (TG40300) On-Off	SPST \$16.49 Z0-109000)0
8020674 (TG40310) Mom. On-Off	SPST \$17.99 Z0-589000)0
8020675 (TG40320) On-Off-On	SPDT \$18.99 Z0-240100)0
8020676 (TG40330) Mom. On-Off-Mom. On	SPDT \$15.95 Z0-940100)()
8020677 (TG40340) On-Off-Mom. On	SPDT \$17.99 Z0-540100)0
8020654 (TG19520) On-Off-On	DPDT \$28.99 Z0-006100)0
8020655 (TG19530) Mom. On-Off-Mom. On	DPDT \$29.49 Z0-916100)0

Marpac Toggle Switch







- · Bat handle.
- Mounting stem: 15/32" length.
- Two 6" long wire leads.
- Rated: 6 amps at 125V AC.

Urder No.	Description	List Price
7-0529	Off-On	\$3.89 G0-1620000

Marpac Toggle Switch

Marpac Toggle Switch



- Chrome plated.
- 1/4" spade terminal.
- Replacement toggle switch for Marpac Switch Panels: 7-0516, 7-0517 and 7-0518.
- For use in panels with hole diameter 13/32" and a panel thickness up to 1/8".
- Rated: 15 amps at 12V DC. Order No Description

Uluel No.	Description	LIST LLICE	
7-0534	Off-On	\$3.39	G0-7220000
7-0519	Spare Toggle Boot Seal	\$2.79	G0-7810000

Marpac Heavy Duty Toggle Switches





- Plastic housing with plated steel cap.
- Universal applications.
- Nickel plated brass handle 11/16" length.
- Nickel plated brass mounting stem 15/32" 32 thread and 15/32" length.
- Rated: 25 amps at 12V DC.

Order No.	Description			List Price
7-0880	Off-On	2 Terminals	SPST	\$5.79 G0-8830000
7-0881	On-Off-On	3 Terminals	SPDT	\$6.89 G0-2640000
7-0883	Mom. On-Off-Mom. On	3 Terminals	SPDT	\$10.59 G0-0170000
7-0884	Off-Momentary On	2 Terminals	SPST	\$6.79 G0-5540000
7-0882	On-Off-On	6 Terminals	DPDT	\$8.79 G0-9850000

Cole Hersee Medium Duty SPST Toggle Switch







- Chrome plated brass handle.
- Black bakelite with plated steel cap.
- Rated: 10 amps at 12V DC.
- Single pole. 2 positions: Off-on. 2 screw terminals.
- Stem mounting: 15/32"-32 thread.
- Fits panels through 9/32" thick.

Order No.	Mfg. No. / Description	List Price	
300690	(M-484-BP)	\$8.69	G0-2850000
300800	(81264-BP) Boot Seal	\$6.59	G0-244000

- · All brass with nickel plated brass face nut and brass back up nut.
- Mounting stem: 7/16"-28 thread, 3/8" length and 7/16" diameter.
- Rated: 20 amps at 12V DC.

Urder No.	Description	LIST Price
7-1270	Off-On	\$8.29 G0-5550000

Boater Sports Brass Toggle Switch







• Chrome plated brass.

• Accommodates 10 Amp @ 250V AC, 15 Amp @ 120V AC and 15 Amp @ 12V DC.

• 2 terminals.

Order No. Mfg. No. / Description List Price 1-51331 (51331) Mom. On-Off **\$7.69** H0-1640000

Blue Sea WeatherDeck™ Toggle Switches





· Single pole. Nickel-plated brass and phenolic non-corrosive construction.

• Terminal size: 1/4".

Terminal type: Quick connect tab.

• Rated: 15 amps at 12V DC.

Order No.	Mfg. No. / Description	Į	ist Price	
379407	(4150-BSS) Single Throw	Off-On	\$6.49	F0-4540000
379408	(4151-BSS) Single Throw	Off-Mom. On	\$6.49	F0-4540000
379409	(4152-BSS) Double Throw	On-Off-On	\$6.49	F0-4540000
379410	(4153-BSS) Double Throw	Mom. On-Off-On	\$6.49	F0-4540000
379411	(4154-BSS) Double Throw	Mom. On-Off-Mom. On	\$6.49	F0-4540000

Perko Fig. 514 Toggle Switch








- Nickel plated brass toggle with chrome plated face nut.
- Single pole, single throw (Off-On).
- Rated for 6 amps at 12 volts.

Order No. Mfg. No. / Description **539683** (0514 DP)

\$27.29 G0-8281000

Misc. Comm



00 Electronics

Instruments

Lighting

Anchor & Dock

Safety

Steering, Controls

Pumps

Fuel System

Trailering

Tops &

Perform.

Propellers Engine

& Care Cleaning & Care

> Paint & Paint Acc

Fun &

Flotation Topside

Cocknit

& Deck

Hardware. Fasteners

Camouflage

Sierra Heavy Duty Toggle Switches







Nickle plated brass

mounting stem and hardware.

• Mounting stem: 15/32" L x 15/32"-32.

• Fits panels up to 1/4" thick. • Handle: 11/16" long.

• Rated: 25 amps @ 12V DC.

Order No. Mfg. No. / Description









Trolling Motors Instruments

Electrical

Lighting

Anchor & Dock

Safety Steering Controls

Fuel System Seating &

Pumps

Trailering

Pedestals

Tops & Perform

Propellers Engine

& Care Cleaning & Care

Paint & Paint Acc.

Fun & Flotation

Topside Acc.

Cockpit & Deck Hardware,



















8020900 (TG22000) On-Off **\$10.49** Z0-4370000 **8020902** (TG22010) On-Off-On **SPDT \$9.99** Z0-5250000 On-Off-On **8020904** (TG22020) **\$13.99** Z0-9790000 Mom. On-Off **8020906** (TG22030) SPST **\$10.99** Z0-9670000 8020908 (TG22040) Mom. On-Off-Mom. On SPDT **\$10.99** Z0-3650000

Sierra Duckbill Toggle Switches





- Non-corrosive plastic construction.
- Brass blade terminals.
- Mounting hole: 1/2".
- Rated: 15 amps @ 12V DC.

Order No. Mfg. No. / Description List Price **8020656** (TG21130) On-Off SPST 1" Black Plastic Handle **\$7.99** Z0-8340000 \$7.49 Z0-3930000 1" Black Plastic Handle

8020657 (TG21140) On-Off-On SPDT 8020658 (TG21360) On-Off Glows Red in "On" Position \$9.49 ZO-9250000 SPST Glows Green in "On" Position \$9.24 ZO-4150000 8020659 (TG21390) On-Off SPST

Blue Sea WeatherDeck™ Toggle Switch Boot

BLUE SEA

- · Replaces dress nut for mounting on WeatherDeck Panel Switches.
- Case material: UV resistant silicone rubber.
- UV resistant material resists discoloration and cracking.
- Thread: 15/32".

List Price \$4.29 F0-0030000

Sierra Heavy Duty Toggle Switches







- Super tough zinc die cast.
- Chrome plated plastic handle with metal core.
- Heavy copper screw terminals.
- Mounting stem: 15/32" L x 15/32"-32.
- Rated: 50 amps @ 12V DC:

Order No. Mfg. No. / Description List Price 8020660 (TG21500) On-Off **\$17.99** Z0-9790000 **8020661** (TG21590) On-Off-On **SPST \$18.49** Z0-8201000 8020662 (TG21600) Mom. On-Off-Mom. On SPDT **\$15.99** Z0-5501000

Sierra Heavy Duty Toggle Switch - All Brass Construction







- Heavy duty die cast toggle switch.
- Chrome plated brass bat handle.
- · Sealed bushing.
- 2 screw terminals.
- Mounting stem: 15/32" L x 15/32"-32.
- Rated: 35 amps @ 12V DC, 20 amps @ 125V AC.

Order No. Mfg. No. / Description 8020950 (TG40000) On-Off

List Price SPST **\$12.49** Z0-1360000

Marpac Universal Toggle Boot Seals





- Protects against dirt and moisture.
- Brass threads.
- Fits switches with 15/32" mounting stem and handle to 11/16".
- Use with: 7-0462, 7-0463, 7-0464, 7-0465, 7-0529, 7-0880, 7-0881, **7-0882**, **7-0883** and **7-0884** Toggle Switches.

Order No. Description List Price 7-0468 Black 7-0887 Gray

Marpac Rubber Switch Boot





\$1.99 G0-3310000

\$5.99 G0-1040000

- Waterproof and dustproof.
- Screw nuts: M12.
- Use with: 7-0528, 7-1241 and 7-1290 Toggle Switches

Order No. Description 7-1242 Rubber Switch Boot

\$2.79 G0-7810000



List Price

List Price

List Price

\$3.79 F0-5620000







- For standard toggles with 15/32" mounting stem.
- Completely covers toggle handle.
- Seals out moisture and dirt.

Order No. Mfg. No. / Description 8020480 (MP39240-1)

For standard toggles with 15/32" mounting stem.

- · Completely covers toggle handle.
- · Seals out moisture and dirt.
- Nickel plated brass nut.

Order No. Mfg. No. / Description

7001450 (MP39030)

• Fits standard toggle switches

Order No. Mfg. No. / Description

2000068 (6840-B) 1/2 Boot

BLUE SEA

· Protects against moisture and dirt.

· Brass threads. Corrosion resistant.

\$8.99 Z0-9350000

Blue Sea Circuit Breaker Toggle Guard

• Protects circuit breakers from being accidentally switched ON or OFF.

Can be used on any brand of circuit breaker panel using standard toggle

• Fits all A-Series single pole circuit breakers.

· Uses circuit breaker mounting screw hole.

Fits all panel switches.

type circuit breakers.

• Includes 2 mounting screws.

Order No. Mfg. No. / Description

379950 (4100-BSS)

Boater Sports Rubber Toggle Switch Boot



• Sold bulk.



\$2.19 H0-1310000

Electronics

Trolling Motors

Instruments

Lighting

Anchor & Dock

Safety

Steering Controls

Pumps

Fuel System Seating &

Pedestals

Trailering

Tops &

Perform.

Propellers

Engine

& Care Cleaning

& Care Paint &

Paint Acc Fun &

Flotation

Topside

Cockpit & Deck

Hardware. Fasteners

Camouflage

Misc

Comm

Cole Hersee Toggle Switch Seal

Sierra Weatherproof Boot Nut - Black





- Rubber boot bonded to brass nut with 15/32"-32 thread.
- · Mounting surface of nut has O-ring seal for moisture and dirt protection.
- Fits standard handles up to 11/16".
- Covers entire toggle handle.
- For 539683 (0514 DP) and 300690 (M-484-BP) Toggle Switches.

Order No. Mfg. No. / Description **300800** (81264-BP) Gray

\$6.59 G0-2440000

Sierra Weatherproof Boot Nut





- For illuminated toggle switches (except Duckbill).
- 1/2" boot seals out moisture yet allows illumination to show.

Order No. Mfg. No. / Description 8020479 (MP39220)

List Price

\$8.99 Z0-5840000

Marpac On/Off Switch Panel





- Corrosion resistant brass switch, accommodates up to 1" thick panel.
- Rated: 15 amps @ 12V DC.
- Dimensions: 1.8" x 2.4".

Order No. Description

List Price

7-51381 On/Off Switch Panel

\$13.19 G0-4880000

www.repuestoselnavegante.com El Navegante

List Price **\$7.49** Z0-3930000





Indicator Lights

Sierra Small Indicator Lights





- 12V DC use only.
- Mounting hole 5/16".
- 5" tinned copper wire leads.

Order No. Mfg. No. / Description

8020685 (UN22100) Red 8020686 (UN22110) Green 8020687 (UN22120) Amber List Price

\$9.99 Z0-9450000 \$10.99 Z0-7260000

\$9.99 Z0-7550000

Sierra Small Indicator Lights





List Price

- 125V AC use only.
- Mounting hole 5/16".
- 5" tinned copper wire leads.

Order No. Mfg. No. / Description 8020688 (UN22150) Red

\$12.99 Z0-9860000 8020689 (UN22160) Green **\$12.99** Z0-6270000

Sierra Large Indicator Lights









Electrical



& Dock

Steering

Controls

Pumps

- 12V DC use only.
- Mounting hole 1/2". Anchor
 - 4" tinned copper wire leads.

Safety

Order No. Mfg. No. / Description 8020682 (UN21280) Red 8020683 (UN21290) Green

8020684 (UN21320) Amber



\$8.99 Z0-7050000 **\$8.99** Z0-7050000

Fuel System Seating &

Pedestals

Trailering

Tops &

Perform

Propellers

Engine

































List Price

\$7.99 Z0-1240000

Marine Batteries





335326

Order No.	Mfg. No. / Des	cription	List Price	
335314	(8D-6)	8D-1100	\$311.79	F0-5281200
335317	(8D-AGM)	8D-AGM	\$930.79	F0-5515600

335 5600 335324 (27DC-50) 12 volt, Deep Cycle, 630CC \$159.89 F0-2911100 335326 (24DC-50) Nautilus Dual Purpose **\$159.09** F0-6311100 335329 (24-AGM) Group 24, AGM **\$356.69** F0-8694200

· High performance.

Pre-charged at the factory. AGM Technology.

Sealed and maintenance free.

Sealed batteries perform mounted in any position.

Sierra Pilot Light





- 12V DC use only.
- · Insulated plastic socket.
- · Replaceable bulb.
- Chrome plated brass bezel.
- Mounting socket: 1-1/16" L x 3/4".
- Lens 17/32".

Order No. Mfg. No. / Description

8020690 (UN22190)

\$13.99 Z0-5770000

List Price

Marine Batteries







Order No.	Mfg. No. / Description	List Price	
335318	(NSB27M-AGM)	\$524.29	E0-2239300
335319	(NSB31M-AGM)	\$635.99	E0-9967400
335333	(U1AGM)	\$163.29	F0-0341100


Sealed Glass - Mat PWC and ATV Batteries

Order No. Mfg. No. Dimensions CCA List Price 2001030 (CTX16CLBSFA) 6-7/8" L x 4" W x 6-7/8" H 300 **\$131.99** F0-9329000 **2001020** (CTX12-BSFA) 6" L x 3-7/16" W x 5-1/8" H \$69.89 F0-2984000 220 **2001025** (CTX14-BSFA) 6" L x 3-7/16" W x 5-3/4" H \$78.69 F0-8055000 **2001065** (CTX30L-BSFA) 6-9/16" L x 5" W x 6-7/8" H 400 \$168.79 F0-5181100



Moeller Heavy Duty Battery Boxes





- Maintains tough properties with nominal 0.185" wall thickness.
- Complies to industry requirements & meets Coast Guard regulations (E10).

	, ,	o o	, ,
BATTER	RY CAPACITY: (2) STANDARD	BATTERY	
Order No.	Mfg. No. / Description	List Price	
666810	(042333) 17.38" D x 13.00" W x	11.25" H \$101.49	F0-4017000
BATTER	RY CAPACITY: (1) 4D BATTERY	1	
	Mfg. No. / Description	List Price	
666822	(042204) 23.63" D x 12.50" W x	14.13" H \$109.79	F0-5867000
DATTER	RY CAPACITY: (1) 8D BATTERY		
		List Price	
	Mfg. No. / Description		FO 1440000
	(042208) 24.75" D x 14.88" W x		F0-1448000
666860	(042209) 24.50" D x 14.50" W x	14.50" H \$123.29	F0-0368000
BATTER	RY CAPACITY: (2) 8D BATTERII	ES	
Order No.	Mfg. No. / Description	List Price	
666884	(042210) 27.88" D x 24.63" W x	11.50" H \$155.59	F0-1980100
666908	(042211) 27.25" D x 24.50" W x	14.00" H \$166.09	F0-6261100

Marpac Battery Boxes






- Non-corrosive marine grade material.
- · Holds one battery.
- Fits new battery style size.
- Meets industry requirements.
- Injection molded high strength composite construction.
- · Easy installation with included strap and mounting hardware.

Order No.	Description	List Price
7-0034	Fits 24 Series Batteries	\$11.79 G0-0970000
7-0036	Fits 27/31 Series Batteries	\$12.29 G0-3280000

Attwood Large Battery Box



666884



- 8 cable openings.
- Large handles with rolled edges.
- For batteries up to 15-7/16" L x 7-1/8" W x 9-3/4" H, including 27F series batteries.
- Dimensions: 18-3/4" L x 9-1/4" W x 10-1/4" H.
- Complete with hold-down straps and mounting hardware.
- Meets ABYC Standard E-10 and USCG approved.

Order No. Mfg. No. / Description List Price **237354** (9084-1) **\$18.69** F0-8031000

Marpac Deluxe Battery Trays



- Made from non-corrosive composites.
- Durable construction for long life.
- · Easy to install.
- Includes: Stainless steel installation screws.

Order No. Description List Price **7-2195** For Series 24 and 24M Batteries **\$11.09** G0-3470000 **7-2196** For Series 27, 30 and 31 Batteries \$12.49 G0-7380000



Electronics

Trolling Motors

Instruments

Lighting

Anchor & Dock

Safety

666908

Steering, Controls

Pumps

Fuel System

Seating & Pedestals

Trailering Tops &

Perform.

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc

Fun & Flotation

Topside

Cockpit & Deck Hardware,

Fasteners



Misc.

Comm



Marpac Economy Battery Trays



Made from non-corrosive composites.

Durable construction for long life.

order No.	Description	LIST Price	
7-2197	For Series 24 and 24M Batteries	\$5.79 G0-8830000	
7-2198	For Series 27, 30 and 31 Batteries	\$6.59 G0-2440000	,

T-H Marine Narrow Battery Holder Trays



Electronics

Trolling Motors

Electrical

Lighting

Anchor

& Dock

Safety

Steering

Controls

Tops & Covers Perform

Propellers

Engine

& Care

Cleaning

& Care

Paint &

Fun &

Acc.

Cockpit

Fasteners

Camouflage

Misc

Flotation Topside

Paint Acc



Liet Price

• Smallest dimensions possible for tight space problems.

• Resistant to gasoline, oil, acid and most chemicals.

• Recess mounting wells - recessed fasteners - no tabs.

• Poly strap with strong quick release buckle.

• Meets All NMMA Specifications.

Pumps

Fuel	Order No.	Mfg. No.	For Series	Inside Dimensions	List Price
System	640018	(NBH-24P-DP)	24	10-5/8" L x 7" W	\$11.69 H0-1070000
Seating &	640020	(NBH-27P-DP)	27	12-1/2" L x 7" W	\$11.69 H0-1070000
Pedestals	640036	(NBH-31P-DP)	29/31	13" L x 8" W	\$11.69 H0-1070000

Trailering SOLD 20 PER BOX Mfa No

-	Oluei No.	ivily. INO.	i di Series	Illaide Dilliellait	UIIS LISUTIUE	
	640056	(NBH-24P-20B)	24	10-5/8" L x	7" W \$184.29	H0-7501100
	640044	(NBH-27P-20B)	27	12-1/2" L x	7" W \$184.29	H0-7501100
	640050	(NBH-31P-20B)	29/31	13" L x 8" V	V \$187.6 9	H0-1621100

T-H Marine Optima™ Battery Holder Tray with Stainless Steel Buckle





& Deck • Designed to fit the unique shape of Optima Marine Batteries. Hardware,

• Fits D27M and D32M Series.

• Rugged poly tray with 8 mounting slots

• Poly strap with stainless steel buckle.

Resistant to UV and corrosion.

• Inside dimensions: 13" L x 7" W.

Order No. Mfg. No. / Description List Price **\$28.39** H0-3071000 **6400550** (NBH31-SSCOPT)

Marpac Battery Trays





• Keep batteries secure to prevent damage to passengers, boat and equipment.

Includes stainless hardware and adjustable buckle strap.

• Poly bag with header.

Order No. De	escription	List Price	
7-51014 Fo	or 24 Series Batteries	\$5.79	G0-8830000
7-51016 Fo	or 27 Series Batteries	\$6.19	G0-5140000
7-51017 Fo	or 31 Series Batteries	\$6.79	G0-5540000

T-H Marine Battery Holder Trays with Stainless Steel Buckle



- Quality 316 stainless buckle adds strength for the heaviest batteries.
- Designed to fit tight spaces.
- Recessed mounts no tabs.
- Meets all NMMA specs.

Order No.	Mtg. No.	For Series	Inside Dimensions	List Price	
6400349	(NBH24-SSC-DP)	24	10-5/8" L x 7" W	\$17.69	H0-1601000
6400351	(NBH27-SSC-DP)	27	12-1/2" L x 7" W	\$17.69	H0-1601000
6400355	(NBH31-SSC-DP)	29/31	13" L x 7" W	\$17.69	H0-1601000

T-H Marine Dual Battery Holder Tray





• This tray is designed to securely install two 27 series batteries in the absolute tightest space.

- By placing the batteries side-by-side in one tray, the extra space and fasteners for two trays are eliminated.
- Poly strap with strong quick release buckle.
- Meets NMMA specs for battery retention.

Order No. Mfg. No. For Series Inside Dimensions List Price 640062 (DBH-27P-DP) 27x2 13-5/8" L x 12" W **\$27.99** H0-9761000

Moeller Battery Box Handle





• Fits most Group 27 Battery Boxes.

• Makes it easier to lift the battery box out of tight spaces.

Order No. Mfg. No. / Description 666999 (42235)

\$11.99 F0-9380000



Electronics Trolling Motors Instruments

Lighting

Anchor & Dock

Safety

Steering

Controls Pumps

Fuel

System

Seating & Pedestals

Trailering

Tops &

Perform.

Propellers

Engine

& Care Cleaning & Care

Paint &

Fun &

Flotation

Topside

Paint Acc



Tough Guy Gas Tank Tie Down Kit







List Price

\$7.69 G0-5150000

- Made from acid and gas resistant materials.
- Includes corrosion resistant hold down clamp with stainless steel screws.
- Lenath 39".

Order No. Description List Price

7-0032 Hold Down Strap \$3.69 G0-7420000

Marpac Battery Hold Down Strap

T-H Marine Battery Holder Replacement Strap





- Replacement strap with poly buckle.
- Length 38".

Order No. Mfg. No. / Description List Price **639990** (BS-1-DP) \$5.59 H0-5330000

Marpac Footman Loops





- Pair of nickel-plated brass footman loops.
- Perfect for use as battery and fuel tank hold-downs, etc.
- Fits up to 1-1/4" straps.

List Price Order No. Description 7-54120 Footman Loops \$6.09 G0-8040000

Dual Pro Go Charge Maintainer/Battery Charger





- The system is engineered for users who need a charging system on an occasional basis and may not want or need the capabilities of a heavier duty and higher amperage product.
- State of charge LED indicator.
- Reverse polarity protected.
- Four (4) stage charge profile.
- Includes: Power cord, fused harness, alligator clips and ring terminals.
- Measures: 1-5/8" H x 1-3/4" W x 3-7/8" L.

Order No. Mfg. No. / Description 284589 (GC122) 2 amp

List Price \$70.19 E0-4625000

- Durable polypropylene webbing. · Corrosion-proof hardware.
- 1-1/2" W x 6' L.
- Made in the USA.

Order No. Description

7-2150 Tie Down Kit

Marpac Battery Tray Strap





List Price

• Replacement strap for use with 7-51014, 7-51016 and 7-51017 battery trays.

- Includes floor mount loops.
- Length 54", width 1-1/2".

Order No. Description 7-51026 Battery Tray Strap

\$4.59 G0-8030000

Boater Sports Battery Meter/Alternator Checker





- Always know your battery condition!
- Now with built-in Alternator Checker.
- LED's light up to easily read your alternator or battery condition.
- Magnetic back for securing unit during battery testing.
- Color-coded black gator clip ground wire with red test probe.
- 12 volt.

Order No. Mfg. No. / Description

1-51004 (51004)

List Price

\$11.39 H0-3860000

Pro Charging Systems Battery Fuel Gauges - Onboard Marine

PRO Charging Systems

- Rugged PC ABS polymer case/water resistant design.
- · Accurately displays battery pack state/charge status.
- For use with Lead Acid (Wet Cell), AGM and lithium batteries
- With DeltaView Link App View charge status from your wireless device.
- TROUBLE FREE easy installation. Connect it and forget it!
- Advanced microprocessor constantly evaluates battery pack state.
- May be used in many types of applications including: Bass boats, pontoons, house boats, sports fishing boats and other marine vehicles...
- Diameter 2-1/4" x length 2-1/2", requires 2" cutout.
- Made in the USA and built to last.

Order No. Mfg. No. / Description

2845032 (WOM1512V/12V) 1 x 12v Trolling Battery 2845034 (WOM1524V/12V) 2 x 12v Trolling Battery

List Price

\$109.69 E0-7228000 \$109.69 E0-7228000 \$109.69 E0-7228000 Comm.

2845036 (WOM1536V/12V) 3 x 12v Trolling Battery

DeltaVolt*

Cockpit & Deck Hardware,



Misc.

www.repuestoselnavegante.com El Navegante

Dual Pro Professional Series Battery Chargers





List Price

- The "Green" Charger: Totally "Repairable" not a throw-away.
- Approved for Wet Cell and AGM batteries.
- Models also available for Gelled Electrolyte batteries.
- DeltaVolt Intuitive Charging Technology.
- Waterproof, dependable, rugged construction.
- · Independent outputs.

Electronics

Trolling

Motors

Electrical

Anchor & Dock Safety

Pumps

Fuel System

Seating &

Pedestals

Trailering

Tops &

Perform.

Propellers

Paint &

Paint Acc Fun &

Flotation Topside Acc

Cockpit & Deck

Hardware. Fasteners

Camouflage

- Fully automatic/multi stage charging. Zero spark technology.
- Battery maintenance mode. On-board diagnostic codes.
- Temperature compensated. Advanced microprocessor controlled.
- LED lights indicate the state of charge.
- Reverse polarity protected. No installation restrictions.
- FCC Parts A & B interference compliant.
- DC charge cables: 5'. AC power cord: 3'.
- Ignition protected.

_	Order No.	Mfg. No. / Description
Lighting	2845018	(PS1) (1) 15 Amp

2845018	(PS1) (1) 15 Amp Bank	20 Amps	12V	\$252.19	E0-4198100
284590	(PS2) (2) 15 Amp Banks	30 Amps	12V, 24V	\$387.59	E0-9609200
284592	(PS3) (3) 15 Amp Banks	45 Amps	12V - 36V	\$561.99	E0-9412400
284594	(PS4) (4) 15 Amp Banks	60 Amps	12V - 48V	\$727.39	E0-4554500

Dual Pro RealPRO Series Battery Chargers



 Affordable, reliable and safe battery charging system designed for everyday

 Dependable, rugged construction and waterproof.



- Independent outputs and fully automatic.
- Battery maintenance mode.
- DC charge cables: 5'. AC power cord: 3'.
- Approved and meets ISO 8846 Marine standards.
- LED lights indicate "Each Battery's" state of charge.
- Reverse polarity protected and no installation restrictions.
- Ignition protected.

Engine	Urder No.	Mrg. No. / Description			List Price
& Care	2845023	(RS1) (1) 6 Amp Bank	6 Amps	12V	\$145.99 E0-9490100
Cleaning	284596	(RS2) (2) 6 Amp Banks	12 Amps	12V, 24V	\$159.59 E0-9691100
& Care	284598	(RS3) (3) 6 Amp Banks	18 Amps	12V - 36V	\$268.89 E0-7610200

Dual Pro Sportsman Series Battery Chargers



- The "Green" Charger: Totally "Repairable" not a throw-away.
- Approved for Wet Cell and AGM batteries.
- · Models also available for Gelled Electrolyte batteries.
- DeltaVolt Intuitive Charging Technology.
- Waterproof, dependable, rugged construction.
- Independent outputs.
- Fully automatic/multi stage charging. Zero spark technology.
- Battery maintenance mode. On-board diagnostic codes.
- Temperature compensated. Advanced microprocessor controlled.
- LED lights indicate the state of charge.
- Reverse polarity protected. No installation restrictions.
- FCC Parts A & B interference compliant.
- DC charge cables: 5'. AC power cord: 3'.
- Ignition protected.

Order No.	Mfg. No. / Description			List Price	
2845026	(SS1) (1) 10 Amp Bank	20 Amps	12V	\$210.19	E0-4675100
284600	(SS2) (2) 10 Amp Banks	20 Amps	12V, 24V	\$319.69	E0-7793200
284601	(SS3) (3) 10 Amp Banks	30 Amps	12V - 36V	\$467.89	E0-2905300
284602	(SS4) (4) 10 Amp Banks	40 Amps	12V - 48V	\$621.49	E0-2166400

Dual Pro Dual Power High Frequency Battery Chargers





- 2X faster and 1/2 the weight (Compare to conventional chargers in its class.)
- Simultaneously charges trolling and starting batteries.
- User selectable algorithms for various battery chemistries.
- · Wireless monitoring with DeltaView Link.

Order No.	Mfg. No. / Description	List Price	
284614	(DP24/12) 24V/12V Dual Output	\$780.89	E0-7658500
284612	(DP36/12) 36V/12V Dual Output	\$928.49	E0-7369600

Pro Charging Systems B.O.S. Battery Optimization System

PRO Charging Systems



- Actively balances batteries to increase run time.
- Works with any battery chemistry.
- Self-powered.
- Available in 6V, 8V and 12V configuration.
- Up to six batteries in series.
- Battery selection and prediction (BSAP-24) algorithm.
- Less than 1mA sleep mode.
- Transfer rate up to 7.5A.

Order No.	Mfg. No. / Description		List Price	
284608	(BOS12V3) 12 volts	3 Batteries	\$351.69	E0-7736200
284609	(BOS12V4) 12 volts	4 Batteries	\$351.69	E0-7736200

Trolling Motors

Instruments

Lighting

Anchor

& Dock

Safety

Steering





- Automatic Temperature Compensation - Our on-board chargers sense outside temperature fluctuations and adjust the charge accordingly.
- · Automatic multi-stage charging.
- Digital control Our microprocessor-based design enables our chargers to continually monitor the temperature and state of charge.


Minn Kota Portable Digital Battery Charger

- LED display indicates power ON, charging, full charge & check connection.
- Short circuit, reverse polarity, arc and ignition protected.
- FCC Compliant. Designed to UL marine standard 1236.

Order No.	Mtg. No. / Description		Total Output	List Price
476788	(1830110) MK 110PD	1 bank	10 amps	\$84.99 E0-4736000

Minn Kota On-Board Alternator Battery Chargers





- · Battery Protection.
- Waterproof Construction.
- LED Indicator Lights: Inform of charge stage, maintenance mode status, error notifications and full charge.
- Flooded lead acid battery and AGM battery compatible.

Order No.	Mfg. No. / Description	# of Banks	Total Output	List Price	
476776	(1821032) MK 20C	2	10 amps	\$149.99	E0-9421100
476780	(1821033) MK 30C	3	30 amps	\$199.99	D0-9995100

Minn Kota Digital On-Board Battery Chargers

- Digital Control: Microprocessor-based design delivers a faster, more precise charge every time
- Automatic Temperature Compensation: Chargers sense and adjust to ambient temperature fluctuations to ensure a fast, accurate charge.
- LED Indicator Lights: Inform of charge stage, maintenance mode status, error notifications and full charge
- Automatic Multi-Stage Charging: Controls the voltage and current your battery gets throughout the charging cycle, ensuring a fast, safe & precise charge.
- Waterproof Construction: All on-board chargers are built to be waterproof, shock-resistant and vibration-resistant. Saltwater compatible.
- Flooded lead acid battery and AGM battery compatible.

Order No.	Mfg. No.	Model No.	# of Banks	Output per Bank	Total Output	Charge Time	Dimensions	List Price	
476778	(1821065)	MK 106D	1	6 amps	6 amps	10 to 12 Hours	8-3/4" L x 4-3/4" W x 3" H	\$99.99	E0-9947000
476792	(1822105)	MK 210D	2	5 amps	10 amps	10 to 12 Hours	11-1/2" L x 7-1/2" W x 4" H	\$149.99	E0-9421100
476829	(1822205)	MK 220D	2	10 amps	20 amps	4 to 6 Hours	13-1/2" L x 7-1/2" W x 4" H	\$249.99	E0-9478100
476843	(1823155)	MK 315D	3	5 amps	15 amps	10 to 12 Hours	12-1/2" L x 7-1/2" W x 4" H	\$202.59	E0-4915100
476867	(1823305)	MK 330D	3	10 amps	30 amps	4 to 6 Hours	16-1/4" L x 7-1/2" W x 4" H	\$329.99	E0-9474200
476869	(1824405)	MK 440D	4	10 amps	40 amps	4 to 6 Hours	11-3/4" L x 6-3/4" W x 8" H	\$429.99	E0-9422300
							•		

Minn Kota Precision On-Board Chargers

- Battery Type Selection: Each charging bank can be selected to your specific battery type (AGM, gel or flooded lead acid) to guarantee a safe, protected charge.
- Automatic Temperature Compensation: Precision chargers sense and adjust to ambient temperature fluctuations to ensure a fast, accurate charge.
- Low-Line Voltage Compensation: When outlets don't put out the 120 volts they are supposed to, Precision Chargers compensate to deliver a fast, consistent charge no matter what.
- Battery Equalization: Cleans and protect your battery (flooded lead acid only) every time you plug in. Also activates a more rigorous, complete cleaning at the push of a button.
- Digital Control: Microprocessor-based design delivers a faster, more precise charge every time.
- LED Indicator Lights: Inform of charge stage, maintenance mode status, error notifications and full charge
- Automatic Multi-Stage Charging: Controls the voltage and current your battery gets throughout the charging cycle, ensuring a fast, safe and precise charge.
- Waterproof Construction: All on-board chargers are built to be waterproof, shock-resistant and vibration-resistant. Saltwater compatible.
- Flooded lead acid battery, AGM battery and Gel battery compatible

riodada loda dala battery, raini battery and der battery compatible.									
Order No.	Mfg. No.	Model No.	# of Banks	Output per Bank	Total Output	Charge Time	Dimensions	List Price	
7000962	(1831060)	MK 106PC	1	6 amps	6 amps	10 to 12 Hours	9-1/4" L x 4" W x 3" H	\$119.99	E0-9998000
7000966	(1832120)	MK 212PC	2	6 amps	12 amps	10 to 12 Hours	9-1/4" L x 8-1/4" W x 3" H	\$199.99	E0-9994100
7000968	(1832200)	MK 220PC	2	10 amps	20 amps	4 to 6 Hours	9-1/4" L x 8-1/4" W x 3" H	\$299.99	E0-9942200
476875	(1832300)	MK 230PC	2	15 amps	30 amps	3 to 6 Hours	7-5/8" L x 9-1/4" W x 3" H	\$349.99	E0-9426200
7000970	(1833180)	MK 318PC	3	6 amps	18 amps	10 to 12 Hours	9-1/4" L x 8-1/4" W x 3" H	\$269.99	E0-9420200
7000972	(1833300)	MK 330PC	3	10 amps	30 amps	4 to 6 Hours	9-1/4" L x 8-1/4" W x 3" H	\$379.99	E0-9948200
476876	(1833450)	MK 345PC	3	15 amps	45 amps	3 to 5 Hours	11" L x 9-1/4" W x 3" H	\$449.99	E0-9473300
7000974	(1834400)	MK 440PC	4	10 amps	40 amps	4 to 6 Hours	9-1/4" L x 10-1/2" W x 3" H	\$479.99	E0-9995300
476877	(1834600)	MK 460PC	4	15 amps	60 amps	3 to 5 Hours	14-3/8" L x 9-1/4" W x 3" H	\$549.99	E0-9421400



MINN KOTA

476869

Controls Pumps

Fuel

System Seating & Pedestals

Trailering

Tops &

Perform. Propellers

Engine & Care

476875

Cleaning & Care

Paint & Paint Acc Fun &

Flotation Topside

Cockpit & Deck Hardware. Fasteners

Camouflage Misc

Comm

Guest On-Board Battery Chargers

GUES







- All high frequency, digital charging technology.
- Fully automatic 5-stage performance charging.
- Dedicated battery charging, sensing and control per bank.
- Expanded LED charge status monitor.
- Wiring and battery fault detection.
- Auto-maintain energy saver mode.
- 100% Waterproof (IP67) and shock resistant for all fresh and saltwater applications.
- For all 12 volt flooded and AGM lead acid batteries.
- Built-in safety: reverse polarity, over-current, over-voltage, overtemperature and ignition protection. In-line fuses for maximum DC wire protection.
- 2 year warranty.

	Mfg. No. / Description			List Price
379200	(2708A) 5A / 12V	1 Bank	120V Input	\$99.99 Z0-6337000
379202	(2711A) 10A / 12V	2 Bank	120V Input	\$159.99 Z0-6151100
379204	(2713A) 15A / 12V	3 Bank	120V Input	\$189.99 Z0-4204100
379205	(2720A) 20A / 12V	2 Bank	120V Input	\$199.99 Z0-9484100
379206	(2731A) 30A / 12V	3 Bank	120V Input	\$338.99 Z0-6807200

Newmar Phase Three Series Battery Chargers

Newmar Phase Three Modular Battery Charger

EWMAR

Lighting

& Dock

ABS Type Approved.

· Powder coated stainless steel case.

 Redundant, independent 22.5 amp charger modules increase reliability - a malfunction of one does not disable the charging system; remaining modules continue to operate.

 Three stage smart charging: Bulk, absorption, float.

 Battery type selector switch; gel-cell, lead-acid, AGM.

· Temperature compensated output option.

• Universal input of 90-264 VAC, 50-60 Hz. Can be used anywhere in the world.

24 Volt; 22-67 amps.

Order No. Mfg. No. / Description 700396 (PTMS-24-67)

List Price

\$5,559.39 F0-7519830

Newmar ABC Series Battery Charger

& Care Products 3 step output (bulk, absorption)

and float) to 2 isolated battery banks providing fast recovery and ideal cell conditioning which maximizes battery Paint & performance and life.

> Rugged heat-sink, powder coat aluminum case.

- Total output ammeter.
- Dual output banks.
- On-off power switch and power "on" indicator light.
- Vibration absorbing mounting grommets.
- 115/230 VAC input selector switch.
- Auto-reset thermal overload protection.

2 banks, 12 volt.

700304 (ABC12-6)

Order No. Mfg. No. Output 6 amps

Input VAC (50-60 Hz.) 90-130 or 180-264

\$481.39 F0-7963300









ABS Type Approved

- Smart circuitry provides three stage charging: Bulk, absorption, float.
- Gel-Cell/Flooded Lead-acid/AGM battery type switch selects optimum charge/float voltages.
- Multiple isolated output banks; ammeter indicates total output current.
- Current limiting-prevents damage from overloading.
- Charger status clearly displayed with L.E.D. and/or audible indicators.
- Use as a power supply; can power loads without a battery in line.
- Built to last rugged stainless steel case with a durable white powder coat finish with an optional drip shield and marinized internal circuitry.
- Numerous Safety and EMC Compliances.
- Two year parts and labor warranty.

12 VOL	Γ MODELS	S		
Order No.	Mfg. No.	Output	Input VAC (50-60 Hz.)	List Price
700370	(PT-14)	14 amps	85-264	\$796.29 H0-7777400
700373	(PT-25)	25 amps	90-132 or 180-264	\$796.29 F0-0475500
700345	(PT-40)	40 amps	90-264	\$1,285.59 F0-1999800
700387	(PT-80)	80 amps	90-264	\$2,103.59 F0-1527410

24 VOL	MODELS			
Order No.	Mfg. No.	Output	Input VAC (50-60 Hz.)	List Price
700372	(PT-24-8)	8 amps	85-264	\$678.09 F0-6647400
700374	(PT-24-13)	13 amps	90-132 or 180-264	\$796.29 F0-0475500
700371	(PT-24-20)	20 amps	85-135 or 170-270	\$1,571.79 H0-7034900
700376	(PT-24-45)	45 amps	90-264	\$2,097.09 F0-6976410
700379	(PT-24-60)	60 amps	207-253	\$2,751.29 F0-0952910
700381	(PT-24-95)	95 amps	90-264	\$3,232.99 F0-9036220



HANDLING MAY APPLY 🐠





379202

Electronics Trolling

Motors

Electrical

Anchor

Safety

Steering Controls

Pumps Fuel System

Seating & Pedestals

Trailering Tops &

Perform.

Propellers Engine

Cleaning & Care

Paint Acc. Fun &

Flotation Topside Acc.

Cockpit & Deck Hardware, Fasteners

Camouflage

Misc



www.repuestoselnavegante.com El Navegante



Newmar Phase Three Charger Monitor/Control Unit

NEWMAR







- · ABS Approved.
- Anodized aluminum case.
- Digital readout of 3 battery bank voltages to 1/10th.
- · Adjustable DC high/low voltage alarm.
- Output float voltage adjustment pot; permits fine tuning from -4% to +5%.
- AC power "ON" indicator light.
- 10' wiring harness for easy connection of PT Series Charger.
- Compatible with: PT-14W, PT-25W, PT-40U, PT-80, PT-24-8W, PT-24-13W, PT-24-20U, PT-24-45U, PT-24-95U and PTMS-24-67.
- 120 or 240 VAC AC failure contact.

Order No. Mfg. No. / Description List Price 700384 (PT-MCU) **\$740.69** F0-8481500

Newmar Temperature Compensation Sensors

- · An optional remote sensor for optimizing the voltage output of your Phase Three charger based on ambient or battery temperature.
- It is designed for use only with the following models: PT-14, PT-20, PT-25, PT-40, PT-70, PT-24-8, PT-24-13, PT-24-20, PT-24-35, PT-24-40, as well as all PTM Series Models.

Order No. Mfg. No. / Description List Price 699974 (TCS-12/24-25) 25' Cable \$123.29 E0-7429000 699977 (TCS-12/24-40) 40' Cable \$161.29 E0-7902100

Newmar Temperature Compensation Probe

- For use with the following Newmar Phase Three Charger Models: PT-32-30, PT-24-45F, PT-24-95F.
- Provided with 25' of cable, with a sensor at one end and a keyed five-pin plug at the other.

Order No. Mfg. No. / Description List Price

\$147.99 E0-9901100 **700209** (TP)

· LED's indicate charger output stage.

- Manual re-initialization of three stage charge cycle.
- An optional remote indicator/activation panel which will allow you to monitor the status of your Phase Three Charger and when necessary, re-initiate the three stage charge regimen.

Newmar Remote Monitor Panel

- It is designed for use with the following models: PT-14, PT-25, PT-40. PT-70A, PT-24-8, PT-24-13, PT-24-20 and PT-24-40.
- Comes prewired with 25' of cable.
- Panel dimensions: 3" H x 4.75" W.

Order No. Mfg. No. / Description **698146** (RP)

\$191.39 E0-4534100

List Price

ASEA Dock Boost Transformer

 Provides precision voltage regulation to the vessel, delivering complete protection from the most common shore power problems, including: Brownouts, spikes, sags and low-line or high-line

voltage conditions from the dock power pedestal. Auto-restart from shore brownout or blackout.

- Auto-restart from overload.
- Fault shield fro bonded, galvanic bridged/isolated ground.
- · Serial bus (RS-232) remote diagnostics.
- · Remote on/off.
- kWh meter.
- Advanced power monitoring (input/output).
- Input voltage: 167-270V AC, phase: 1, amps: 50, frequency: 57-63Hz.
- Output power form: Split Phase 12/240V AC, Rated power: 12kVA.

Order No. Mfg. No. / Description

284582 (DBT-12)

\$13,678.29 F0-0847590

Charles Marine to Newmar Cross Reference

CHARLES HQ SERIES Charles Marine Newmar Description Mfg. No. DMI# Mfg. No. 25 amp, 12 volt (9Q-12255HQ-A) 700373 (PT-25) 45 amp, 12 volt 700345 (PT-40) (9Q-12455HQ-A) 25 amp, 24 volt (9Q-24255HQ-A) 700371 (PT-24-20) 45 amp, 24 volt (9Q-24455HQ-A) 700376 (PT-24-45)

CHARLES POWER SUPPLY Charles Marine Newmar Description Mfg. No. DMI# Mfg. No.

(93-PS2430-A)

30 amp, 24 volt

 Please note that the Charles Marine Products have been discontinued by vendor.

CHARLES	5000 SERIES				
Volt	Charles Marine Mfg. No.	Amp	Newmar DMI #	Mfg. No.	Amp
12 volt	(93-12105SP-A)	10	700370	(PT-14)	14
12 volt	(93-12155SP-A)	15	700370	(PT-14)	14
12 volt	(93-12205SP-A)	20	700373	(PT-25)	25
12 volt	(93-12305SP-A)	30	700373	(PT-25)	25
12 volt	(93-12505SP-A)	50	700345	(PT-40)	40
12 volt	(93-12605SP-A)	60	700387	(PT-80)	80
12 volt	(93-12805SP-A)	80	700387	(PT-80)	80
12 volt	(93-121005SP-A)	100	700387	(PT-80)	80
24 volt	(93-24105SP-A)	10	700374	(PT-24-13)	13
24 volt	(93-24205SP-A)	20	700371	(PT-24-20)	20
24 volt	(93-24305SP-A)	30	700371	(PT-24-20)	20
24 volt	(93-24405SP-A)	40	700376	(PT-24-45)	45
24 volt	(93-24505SP-A)	50	700376	(PT-24-45)	45
24 volt	(93-24605SP-A)	60	700379	(PT-24-60)	60



Electronics

Trolling Motors

Instruments

Lighting

Anchor & Dock

Safety

Steering Controls

Pumps

Fuel System

Seating & Pedestals

Trailering

Tops &

Perform.

Propellers

Engine & Care

Cleaning

& Care

Paint &

Paint Acc

Fun &

Flotation

Topside

Cockpit & Deck

Hardware. Fasteners

Camouflage

Misc

Comm

700066 (115-24-35CD)



10

electres

WITH HOT SWAPPABLE MODULES

The Electros Battery Charger improves DC system reliability by utilizing multiple independent and isolated charger modules. If a fault occurs in one module, the redundant modules continues to operate, keeping your batteries charged.

WWW.NEWMARPOWER.COM

(800) 854-3906

Input: 90-264VAC, 50-60Hz **SPECIFICATIONS** Output: 12/24VDC, 50-150Amps

FEATURES

- Hot swappable modules
- Redundant backup modules
- Modbus serial communications
- Onboard monitoring of charger status
- Built in alarm contacts
- Wide range of amperage
- Battery types: 12-cell, Lead Acid, Flooded, Gel, AGM, TPPL
- IP54 Protected

The "smart" controller circuit within each module provides 3 step charging allowing completion of charge cycle even if one module were to fail.



12 AND 24VDC

Electronics

Trolling Motors

Instruments

Lighting

Anchor & Dock

Safety

Steering Controls

Pumps

System

Trailering

Tops &

Perform.

Propellers

Engine & Care

& Care

Paint &

Paint Acc Fun &

Flotation Topside

Cockpit & Deck

Fasteners

Camouflage

Misc.

Comm.

Motors

Instruments

Lighting

Anchor

& Dock

Safety

Steering

Controls

Pumps

Fuel

System Seating & Pedestals

Trailering

Tops &

Perform

Propellers

Engine & Care

Paint &

Fun &

Flotation

Topside

Cockpit

& Deck

Hardware.

Fasteners

Camouflage

Acc.

Paint Acc.

Electrical



Inverter-Chargers - Torque Series

High Power DC-AC Inverters with Built-in Battery Chargers.

The "Torque" Series (TQ) incorporates all the ruggedness and reliability of the perfect wave series but with upgraded electronics that provide higher peak power, efficiency, protection and a high power density resulting in a reduction in case size. Diagnostic monitor panel with power limit programming is built-in with an optional full function LCD text display.

Six models for use with 12 and 24 volt battery systems provide continuous rated AC power ranging from 1000 to 3600 watts at 115 VAC-60 Hz., and battery charging 60 - 150 amps.

TQ inverter-chargers deliver high surge capability for starting motor loads and pure, sinusoidal AC for flawless operation of all appliances and sensitive electronics. They are ideal for entertainment systems and micro-processor-based equipment such as computers which are intolerant to AC wave distortion.

Whenever shore or generator AC power is available, a built-in automatic transfer which activates the multi-stage battery charger for rapid and safe replenishment of the inverter battery bank.

Protection features include thermally controlled cooling fans. low voltage cutout, thermal and overload protection and ground fault interruption, built in rugged powder coated aluminum case suitable for permanent horizontal or bulkhead mounting. A front panel LED display provides basic diagnostics and voltage data. It can also be removed and installed as a remote. An optional LCD remote indicator and control panel is available for all models.



Features

- Rugged hostile environment-proven circuitry generates AC for powering any appliance, from wattage-hungry refrigeration to highly input-sensitive computers, electronic controllers/processors.
- Built-in high output charger for rapid battery bank replenishment — feature three stage, temperature compensated charger with output programmable for gel-cell, flooded lead-acid or AGM battery type, and amp-hour capacity selector for proper charging in various applications. Will charge batteries that have been discharged to zero volts.
- Programmable AC input power limiting avoids nuisance tripping of shore power breakers when limited power is available
- Internal charger is activated by an automatic transfer relay via remote sensor whenever external AC power is available. Optional Battery Integrator permits charging of multiple banks
- Transfer switch does not require DC voltage to function - can charge totally dead batteries

- Designed for maximum ease of installation and operation - installer and user-friendly. Large DC input terminal blocks and front panel GFCI protected outlet receptacle. AC output from the inverter may also be hard-wired.
- All important aspects of inverter and charger operation clearly displayed with front panel status indicators which can also be mounted as a remote
- Numerous safety and circuit protections: short circuit, overload, over-temperature, ground fault protection, output circuit breakers
- Thermally controlled, low noise cooling fan prolongs life of components
- Automatic low voltage shutdown circuit prevents damage to batteries due to overdischarge when using inverter function.
- Heavy duty powder coated aluminum construction and polyurethane coated internal circuitry—built to last in the harsh marine environment.
- UL listed with two year warranty





Misc





Inverter-Chargers - Torque Series

Models	1000TQ-12	1500TQ-12	2000TQ-12	3000TQ-12	2400TQ-24	3600TQ-24
Inverter Output @ 120VAC, 60Hz.						
Watts (Surge)	1,500	2,500	4,500	5,500	5,000	8,000
Watts (Cont.)	1,000	1,500	2,000	3,000	2,400	3,600
Wave Type	Sine	Sine	Sine	Sine	Sine	Sine
Inverter Input:						
VDC	10.5 - 17	10.5 - 17	10.5 - 17	10.5 - 17	21 - 30	21 - 30
Max. Amps	104	147	204	315	250	400
Charger Input:						
VAC - 60 Hz.	95-135V	95-135V	95-135V	95-135V	95-135V	95-135V
Max. Amps	8	12	16	22	20	23
Charger Output 3 St	age					
Max Amps @ V	60A@12V	75A@12V	125A@12V	150A@12V	75A@24V	90A@24V
Case						
Case Size Ref.	C-1	C-1	C-2	C-3	C-4	C-5
Weight (Lbs./Kgs.)	40/18.2	40/18.2	40/18.2	68/30.8	40/18.2	68/30.8

Charger Characteristics

Three stage "smart charger"; programmable via selector switch for gel, flooded lead-acid or AGM battery type; Output temperature compensated via a provided battery temp sensor with 20' cable.

Options/Accessories

- Remote LCD monitor and control indicator panel
- Battery Integrator, Models BI-100 and BI-24-100, enables charging of multiple isolated battery banks, see page 39
- AC and DC energy monitors, see pages 58-59
- High current fuse assembly, see page 66
- Circuit Breakers, see page 64



Optional Remote LCD Monitor & Control Indicator Panel

5.75" x 3.75"



Specifications

Operating Temperature:

-20° C to +65° C (0° F to 149° F)

Inverter Regulation: 120 VAC RMS (110V - 127V)

Transfer Time: ≤20 ms

Protection Features

- Automatic low battery shutdown
- Output circuit breaker
- Auto high temperature shutdown/recovery
- Overload protection

Mechanical Features (all models)

- Thermally controlled cooling fan
- AC hard-wire and dual GFCI protected duplex outlet
- Powder coated aluminum case with mounting flanges
- Polyurethane coated printed circuit boards for corrosion resistance

Case Size Reference

Caro	Case Inches			Cer	ntime	ters
case	D	W	Н	D	w	H
C-1	12.0	13.4	5.7	30.5	34.0	14.5
C-2	13.4	13.4	5.7	34.0	34.0	14.5
C-3	14.8	16.0	8.0	37.6	40.6	20.3
C-4	12.0	14.5	5.7	30.5	36.8	14.5
C-5	13.8	17.1	8.0	35.1	43.4	20.3

Electronics Trolling

Motors Instruments

Lighting

Anchor & Dock

Safety

Steering Controls

Pumps Fuel

System Seating & Pedestals

Trailering

Tops &

Perform.

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc

Fun & Flotation

Topside

Cockpit & Deck

Hardware. Fasteners

Camouflage Misc.

Comm



+1 714 896 9695 ww.aseapower.com sales@aseapower.com

Saltwater Exclusive

DBTTS

DOCK BOOST TRANSFORMER

SMART ISOLATION BOOSTING TRANSFORMER

The **Dock Boost Transformer (DBT12)** provides precision voltage regulation to the vessel, delivering complete protection from the most common shore power problems, including: *brownouts, spikes, sags, and low-line or high-line voltage conditions from the dock power pedestal.*



Freshwater Exclusive

FEATURES

- Auto-Restart from shore brownout or blackout
- Auto-Restart from overload
- Fault shield for bonded, galvanic bridged/ isolated ground
- Serial bus (RS-232) remote diagnostics
- Remote on/off
- kWh meter
- Advanced power monitoring (input/output)

INPUT Voltage: 167-270VAC

Phase: 1 \(\phi \) Amps: 50 Frequency: 57Hz-63Hz

OUTPUT

Rated Power: 12kVA (50A @240V)

Power Form: Split Phase 120/240VAC

Frequency: Freq in = Freq out RMS Efficiency: > 97%

WEIGHTS AND DIMENSIONS

Height: 12.8" (32.5cm) Width: 13.0" (33.0cm) Depth: 18.0" (45.7cm) Weight: 127.0lbs (57.6kg)

BENEFITS

COMPACT + LIGHTWEIGHT

The DBT 12 features a compact and lightweight footprint at 1.6 sqft and only 127lbs. By providing an industry recognized mounting pattern, it will fit as the perfect replacement for new construction or retrofit applications.

DURABLE DESIGN

Designed to withstand the most demanding marine environments, the DBT series is constructed with rugged stainless steel/ aluminum housing with conformal coated printed circuit boards.

WIDE VOLTAGE ACCEPTANCE

Accepts any intput voltage ranging from 167VAC-270VAC (57-63Hz) and provides a split phase 120/240V output nominal.

MSRP \$6,230 RELATED SOLUTIONS

Electronics

244

Trolling Motors

Instruments

Electrical

Lighting

Anchor

& Dock
Safety

Steering, Controls

Pumps

Fuel System

Seating & Pedestals

Trailering

Tops &

Perform.

Propellers

Engine & Care

Cleaning

Paint & Paint Acc

Fun & Flotation

Topside Acc.

Cockpit & Deck

Hardware, Fasteners

Camouflage

Misc.

Comm.

www.repuestoselnavegante.com El Navegante

xantrex Smart choice for power

BATTERY CHARGERS



TRUECHARGE 2

- Lightweight, ultra-compact, universal chargers
- Settings for flooded, gel, AGM or lead-calcium batteries, as well as custom profile for different battery types
- Drip-proof design characteristics enable the charger to be mounted in multiple orientations
- Meets CE/EMC, ABYC, UL1564 and UL1236 with marine supplement standards

12 Vdc Applications

10 A 20 A 40 A

60 A

80 A 100 A 120 A

60 A

24 Vdc Applications 10 A 20 A 30 A 40 A 50 A

NOTE: 12V (80 A, 100 A, 120 A) and 24 Vdc (40 A, 50 A, 60 A) achieved through stacking. * Doesn't apply to TRUECHARGE2 12 Vdc / 10 A charger.

N.	/lodels	Part Number	MSRP	Output Voltage	Power Output	Battery Banks	Remote Panel	Parallel Stacking	
TRUECH	HARGE 10	804-0100	\$220.00				One		112
TRUECH	ARGE2 10	804-1210	\$287.00		10 A	Two	No	No	
TRUECH	ARGE2 20	804-1220-02	\$403.00	12 Vdc	20 A		Optional	Yes	
TRUECH	ARGE2 40	804-1240-02	\$523.00		40 A				
TRUECH	ARGE2 60	804-1260-02	\$874.00		60 A	60 A			
TRUECH	ARGE2 10	804-2410	\$518.00		10 A	Three			
TRUECH	ARGE2 20	804-2420	\$633.00	24 Vdc	20 A				
TRUECH	ARGE2 30	804-2430	\$863.00		30 A				

Decription	Part Number	MSRP	Product Compatibility
Remote Panel	808-8040-01	\$100.00	TRUECHARGE2 (part # 804-1220-02, 804-1240-02, 804-1260-02, 804-2410, 804-2420, 804-2430)
Battery Temperature Sensor	808-0232-01	\$42.00	TRUECHARGE2 (all applicable models)

TRUECharge2 Remote Panel allows you to monitor and control battery charger performance from a remote location, including features not accessible from the charger's onboard display & enables the parallel stacking feature of the TRUECharge2 Battery Chargers

STANDALONE ACCESSORIES



LinkLITE (84-2030-00 - MSRP \$300.00) and LinkPRO (84-2031-00 - MSRP \$350.00) **Battery Monitors**

- Reads battery bank like a fuel gauge
- Selectively display voltage, charge and discharge current, consumed amp hours and remaining percentage of battery capacity
- LinkPRO displays time remaining and can measure up to 9,999 amp-hours
- LinkLITE can measure currents up to 999 amp-hours

Optional Accessories: Connection Kit for LinkLITE & LinkPRO (854-2021-01), Communication Kit for LinkPRO (854-2019-01), Temperature Kit for LinkPRO (854-2022-01)



Digital echo~charger (82-0123-01 - MSRP \$165.00)

- Designed to charge auxiliary or starting batteries from an inverter/charger or other charging source with minimal voltage drop
- Compatible with either 12 Vdc or 24 Vdc battery banks

xantrex

(800) 670-0707 CUSTOMER SATISFACTION IS OUR #1 PRIORITY www.xantrex.com

www.repuestoselnavegante.com El Navegante

Electronics

Trolling Motors

Instruments

Lighting Anchor

& Dock Safety

Steering, Controls

> Pumps Fuel

System Seating & Pedestals

Trailering Tops &

Perform.

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc

Fun & Flotation

Topside

Cockpit & Deck

Hardware.

Fasteners

Camouflage Misc.

Comm

Electronics Trolling Motors

Electrical

Lighting

Anchor & Dock

Safety

Steering

Controls

Pumps

Fuel System Seating & Pedestals Trailering Tops &

Perform

Propeller

Engine & Care

& Care

Paint & Paint Acc

Fun &

Flotation

Topside

Acc. Cockpit & Deck Hardware, Fasteners Camouflage

Misc

xantrex Smart choice for power

INVERTER/CHARGERS



FREEDOM 458

- The original best selling inverter/charger for RVs and boats
- Exceptional surge for demanding loads
- Battery temperature sensor included
- Meets UL458 regulatory standards

Model	Part Number	MSRP
FREEDOM 458 20 INV/CHGR - MODIFIED SINE 2000W, 100A, 120AC/12DC, SINGLE INVSINGLE OUT	81-2010-12	\$1,470.00
FREEDOM 458 20 INV/CHGR - MODIFIED SINE 2000W, 100A, 120AC/12DC, SINGLE IN/DUAL OUT	81-2022-12	\$1,733.00
FREEDOM 458 25 INV/CHGR - MODIFIED SINE 2500W, 130A, 120AC/12DC, DUAL IN/DUAL OUT	81-2530-12	\$1,890.00

Optional Accessories: FREEDOM Basic Remote (84-2056-01), 12 Vdc Ignition Lockout Switch (82-0122-12)

TRUE SINE WAVE INVERTER/CHARGERS



FREEDOM SW

- State-of-the-art sine wave series with advanced features
- Ideal upgrade for Magnum, RS, MS, Trace SW and other older make/models
- Built-in hybrid functionality combines shore and AC generator input to power loads
- · Exceptional surge for extended time will operate motor loads, compressors, hot plates, sump pumps & other heavy loads within its power range
- Meets UL458 with marine supplement, CSA, ABYC and FCC Class B

Model	Part Number	MSRP
FREEDOM SW 2012 INV/CHGR - TRUESINE 2000W, 100A, 120AC/12DC, HARDWIRE	815-2012	\$2,179.00
FREEDOM SW 2024 INV/CHGR - TRUESINE 2000W, 50A, 120AC/24DC, HARDWIRE	815-2024	\$2,284.00
FREEDOM SW 2524 INV/CHGR - TRUESINE 2500W, 65A, 230AC/24DC, HARDWIRE	815-2524-02	\$2,200.00
FREEDOM SW 3012 INV/CHGR - TRUESINE 3000W, 150A, 120AC/12DC, HARDWIRE	815-3012	\$2,619.00
FREEDOM SW 3024 INV/CHGR - TRUESINE 3000W, 75A, 120AC/24DC, HARDWIRE	815-3024	\$2,673.00
FREEDOM SW 3524 INV/CHGR - TRUESINE 3400W, 90A, 230AC/24DC, HARDWIRE	815-3524-02	\$2,500.00

Optional Accessories: System Control Panel (809-0921), Automatic Generator Start (809-0915), GFCI Option (808-9003), Remote Panel (808-9002), 75' Network Cable (809-0942), 25' Network Cable (809-0940), Cable for Series Stacking (808-9005), Sequence Power Manager (809-0913), Conext ComBox for FREEDOM SW (809-0918), Network Cable Adapter (808-9010), FREEDOM SW Remote Panel Mounting Bracket (XAN-BRFSW)

FREEDOM XC



- Full output in invert or charge mode from -4°F to 104°F. Operates up to 140°F
- Ability to operate under weak shore or generator power
- Extended surge, power share, equalization, power factor correction
- . Dead battery charging down to 0 Vdc
- Configurable low battery voltage shutdown
- Built-in 30 A Automatic Transfer Switch
- Configurable charge algorithm

Model:	Part Number	MSRP
FREEDOM XC 1000 INV/CHGR - TRUESINE 1000W, 55A, 120AC/12DC, HARDWIRE	817-1050	\$662.00
FREEDOM XC 2000 INV/CHGR - TRUESINE 2000W, 80A, 120AC/12DC, HARDWIRE	817-2080	\$892.00

Optional Accessories: Remote Panel with 25' Cable (808-0817-01), 20 A GFCI Option (808-9817), Communication Cable 25' (31-6257-00), Communication Cable 50' (31-6262-00)

xantrex

(800) 670-0707 CUSTOMER SATISFACTION IS OUR #1 PRIORITY www.xantrex.com

xantrex

Smart choice for power

TRUE SINE WAVE INVERTERS

PROwatt SW

- Economical true sine wave solution
- Dual GFCI AC receptacles and USB charge port
- Meets UL458 with marine supplement and CSA
- 120 Vac / 60 Hz & 230 Vac / 50 Hz models available
- Hardwire capability and shore power pass through via optional

Model	Part Number	MSRP
600W, 120AC/12DC GFCI, USB CHARGER	806-1206	\$311.00
1000W, 120AC/12DC GFCI, USB CHARGER	806-1210	\$455.00
2000W, 120AC/12DC GFCI, USB CHARGER	806-1220	\$702.00
700W, 230AC/12DC SCHUKO	806-1206-01	\$449.00
1400W, 230AC/12DC SCHUKO	806-1210-01	\$632.00
2000W, 230AC/12DC SCHUKO	806-1220-01	\$919.00

Optional Accessories: Remote On/Off Switch (808-9001), 15-A Transfer Relay (808-0915), 50' Network Cable (31-6262-00)

PROsine

- The original true sine wave inverter
- Built-in AC transfer relay, detachable remote panel
- High surge for extended period of time
- Meets UL458 with marine supplement, CSA, ABYC & KKK-A-1822.
- LCD remote panel and temp sensor included

Model	Part Number	MSRP
1000W, 120AC/12DC GFCI	806-1000	\$984.00
1000W, 230AC/12DC SCHUKO	806-1070	\$1,157.00
1000W, 230AC/12DC HARDWIRE, TRANSFER	806-1074	\$1,280.00
1000W, 230AC/24DC SCHUKO	806-1080	\$1,157.00
1000W, 230AC/24DC HARDWIRE, TRANSFER	806-1084	\$1,280.00
1800W, 120AC/12DC GFCI	806-1800	\$1,870.00
1800W, 120AC/12DC HARDWIRE, TRANSFER	806-1802	\$1,870.00
1800W, 120AC/24DC GFCI	806-1850	\$1,882.00
1800W, 120AC/12DCHARDWIRE, TRANSFER	806-1851	\$1,882.00
1800W, 230AC/12DC SCHUKO	806-1870	\$1,421.00
1800W, 230AC/12DC HARDWIRE, TRANSFER	806-1874	\$1,421.00
1800W, 230AC/24DC SCHUKO	806-1880	\$1,421.00
1800W, 230AC/12DC HARDWIRE	806-1883	\$1,421.00
1800W, 230AC/24DC HARDWIRE, TRANSFER	806-1884	\$1,421.00

Optional Accessory: Remote Interface Panel (808-1800) Included Accessory: Remote LCD Panel

FREEDOM X

- Built-in 30 A Automatic Transfer Switch
- Extended surge, 10 ms AC transfer time
- Ignition lockout to minimize battery drain
- Configurable low battery voltage shutdown
- Full output from -4°F to 104°F. Operates up to 140°F
- Huge wiring bay and guick connect terminals for fast and easy installation

Model	Part Number	MSRP
1000W, 120AC/12DC	817-1000	\$518,00
2000W, 120AC/12DC	817-2000	\$725.00
3000W, 120AC/12DC	817-3000	\$1,035.00

Optional Accessories: Remote Panel with 25' Cable (808-0817-01), 20 A GFCI Option (808-9817), Communication Cable 25" (31-6257-00), Communication Cable 50' (31-6262-00)

XPower



- Entry level MSW, simplest to use and install
- Remote on/off switch included
- Meets UL458 and CSA standards

Model	Part Number	MSRP	
320W, 120AC/12DC, AC OUTLET	813-0400-01	\$69.00	
360W, 120AC/12DC, GFCI INCL	851-0451	\$115.00	
1000W, 120AC/12DC, GFCI, REMOTE ON/OFF INCL	813-1000-UL	\$173.00	
1500W, 120AC/12DC, GFCI, REMOTE ON/OFF INCL	813-1500-UL	\$253.00	
2500W, 120AC/12DC, GFCI, REMOTE ON/OFF INCL	813-3000-UL	\$558.00	
4000W, 120AC/12DC, GFCI, REMOTE ON/OFF INCL	813-5000-UL	\$863.00	
150W 230AC/12DC, SCHUKO, LIGHTER PLUG INCL	851-0162R	\$69.00	
300W 230AC/12DC, SCHUKO, LIGHTER PLUG & CLAMPS INCL	851-0312R	\$98.00	
500W 230AC/12DC, SCHUKO, CABLE CLAMPS INCL	851-0512R	\$138.00	

Included Accessories: Remote Panel ACS XP1200+00P1750+ (808-9500)

xantrex

(800) 670-0707 CUSTOMER SATISFACTION IS OUR #1 PRIORITY www.xantrex.com

Electronics

Trolling Motors

Instruments

Lighting Anchor

& Dock Safety

Steering

Controls

Pumps Fuel

System Seating & Pedestals

Trailering

Tops &

Perform.

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc Fun &

Flotation Topside

Cockpit

& Deck Hardware. Fasteners

Camouflage

Misc.

Comm





Newmar Solar Charging Systems

NEWMAR



- Industrial grade panel, components and heavy duty vibration mounts designed for emergency vehicle use.
- Numerous size panels match available roof space (1.2 to 7+A); panels can be wired for higher output.
- Voltage controller adapts to properly charging different battery types.
- Kits contain all parts needed for various types of vehicle installations.
- 12 volt.

Order No.	Mfg. No.	Amps	Dimen	sions					List Price	
700185	(SOL-20)	1.2	0.98"	Нх	13.8"	W x	21.7"	D	\$694.29	E0-2702500
700188	(SOL-45)	2.5	1.38"	Нх	21.0"	W x	26.2"	D	\$893.39	E0-4007600
700191	(SOL-65)	3.7	1.38"	Нх	21.3"	W x	38.9"	D	\$1,075.49	E0-2660800
700194	(SOL-80)	4.9	1.38"	Нх	26.3"	W x	39.9"	D	\$1,280.39	E0-9206900
700197	(SOL-100)	5.9	1.38"	Нх	26.3"	W x	39.9"	D	\$1,360.09	E0-7002010
700200	(SOL-120)	7.0	1.97"	Нх	26.0"	W x	57.7"	D	\$1,473.89	E0-2450110
700194 700197	(SOL-80) (SOL-100)	4.9) 5.9	1.38" 1.38"	H x H x	26.3" 26.3"	W x W x	39.9" 39.9"	D D	\$1,280.39 \$1,360.09	E0-9206900 E0-7002010

Newmar Inverter - PS Series

NEWMAR

Lighting

Electrical

Electronics Trolling Motors

Anchor & Dock

Safety

Steering Controls

Pumps Fuel

System Seating & Pedestals

Trailering Tops &

Perform

Propellers Engine

& Care Cleaning & Care

Paint & Paint Acc Fun & Flotation

Topside Acc.

Cockpit & Deck Hardware,

Fasteners Camouflage

Misc

Order No. Mfg. No. / Description

700434 (APS-70) Max. Loads: 70 amps **700450** (APS-160) Max. Load 160 amps

battery when not in use, user AC duplex outlet on front panel.

adjustable set points.

Power saving mode conserves

 Pure sine wave 115V output. • High efficiency - 90%.

- Status indicators lights on front panel: Input voltage, Output power level, Power Mode and Fault Status.
- · Remote control/display included.
- Protection: Low input voltage, overload, short circuit, over temp.
- Meets UL458.
- Rugged and compact aluminum case, ideal for marine applications.

Order No. Mfg. No. / Description

700397 (12-1000 PS) 12V DC, Continuous: 1,000 Watt **\$1,436.59** H0-5916800

Newmar Automatic Power Selectors (APS)





The APS enables integration of a redundant power source to critical electronic loads.

- It automatically selects the higher voltage of two independent DC power sources and routes that source to the load.
- Should one source falter or fail, the other will automatically supply the load with no transfer delay, thus operation continues uninterrupted.

List Price \$180.59 H0-5380100

\$509.59 H0-5750300

Newmar Continuous Protection - Nav-Pac®

NEWMAR



- · Contains an internal battery that supports electronics when primary input power falters or altogether fails.
- Internal 5AH battery.
- · Rechargers directly from primary voltage source.
- Filters electronic interference.
- Absorbs line voltage spikes.

Order No.	Mfg. No.	Input	Output	List Price	
699956	(NP-12)	12 volt	12 volt, 20 Amps	\$663.89	E0-2979400
699959	(NP-24)	24 volt	24 volt, 15 Amps	\$718.89	E0-7193500

Newmar Power Supplies with Built-in Battery Back-Up

NEWMAR



- The 12 volt supply features built-in back-up batteries which are charged during normal operation and then continue to power radios even when AC power is lost.
- Power supply output: 13.6V, 10 amps intermittent, 5 amps continuous.
- Low battery alarm and disconnect.
- Alux. input terminals for integrating additional external batteries for increased back-up capacity.
- Input 115/230 VAC.

Order No. Mfg. No. / Description List Price **207605** (7AH) 7 Amp/Hour Battery \$983.79 H0-7209500 14 Amp/Hour Battery **207610** (14AH) \$961.69 E0-7212700

Trolling

Motors

Instruments

Lighting

Anchor

& Dock

Safety

Steering, Controls

Pumps

Fuel

System

Seating &

Pedestals

Trailering

Tops &

Perform.

Propellers

Engine & Care Cleaning & Care Paint & Paint Acc Fun & Flotation Topside

Cockpit

& Deck

Hardware.

Fasteners

Camouflage

Misc

Newmar DC-DC Converters

NEWMAR



STANDARD SERIES

- For powering communication/navigation equipment, on negative ground systems.
- Excellent regulation.
- Heat generated by semi-conductors is extracted and dissipated by large heat sink fins that maximize air contact for coolest operation and long life of
- Polyurethane conformal coating on PC boards and corrosion resistant anodized aluminum case with heavy duty shock mounts assures survival in hostile environments.
- Numerous converter and load protection circuits: Current limiting, automatic thermal shutdown, short circuit proof, reverse polarity and overvoltage protection.
- Output voltage: 13.6.

Order No.	Mfg. No.	Input	Output Amps	List Price	
700609	(24-12-3)	17-32V	3 Intermittent, 3 Continuous	\$174.59	E0-4903100
700612	(32-12-6)	20-50V	6 Intermittent, 6 Continuous	\$392.69	E0-2549200
700615	(32-12-10)	20-50V	10 Intermittent, 10 Continuous	\$510.29	E0-2728300
700618	(32-12-15)	20-50V	15 Intermittent, 15 Continuous	\$569.09	E0-2862400
700621	(32-12-25)	20-50V	25 Intermittent, 20 Continuous	\$800.49	E0-7300600
700662	(32-12-35)	20-50V	35 Intermittent, 30 Continuous	\$1,035.89	E0-2967700
700627	(32-12-50)	20-50V	50 Intermittent, 40 Continuous	\$1,232.99	E0-4742900

ISOLATED SERIES

- Same features as Standard Series, but with the additional capability of permitting connection of negative ground gear to positive or floating ground battery systems, or vice-versa.
- Wide range of input voltage.
- · Precise output voltage regulation.
- Reverse polarity.
- Input fuse/output fuse.
- · Automatic re-setting thermal shutdown.
- · High/low input voltage shutdown.
- · Power "On" light.

OUTPUT	VOLTAGE	: 13.6			
Order No.	Mfg. No.	Input	Output Amps	List Price	
700603	(12-12-12I)	10-16V	12 Intermittent, 8 Continuous	\$1,384.09	H0-5403800
700606	(12-12-351)	10-16V	35 Intermittent, 20 Continuous	\$2,518.09	H0-5801510
700630	(48-12-61)	20-56V	6 Intermittent, 6 Continuous	\$673.39	E0-4050500
700633	(48-12-121)	20-56V	12 Intermittent, 8 Continuous	\$817.59	E0-9131600
700636	(48-12-181)	20-56V	18 Intermittent, 10 Continuous	\$1,033.79	E0-4357700
700638	(48-12-351)	20-56V	35 Intermittent, 20 Continuous	\$1,644.59	E0-4433210
700640	(48-12-31)			\$1,263.29	E0-7474900
OUTPUT	VOLTAGE	: 24.5			
Order No.	Mfg. No.	Input	Output Amps	List Price	
700642	(12-24-61)	10-16V	6 Intermittent, 4 Continuous	\$1,470.29	H0-7128800

700644 (12-24-18I) 10-16V 18 Intermittent, 10 Continuous **\$3,079.49** H0-9674810

700646 (48-24-61) 20-56V 6 Intermittent, 4 Continuous \$988.29 E0-2214700

(48-24-9I) 20-56V 9 Intermittent, 5 Continuous \$1,157.09 E0-2876800 **700650** (48-24-18I) 20-56V 18 Intermittent, 10 Continuous **\$2,080.79** E0-9506510

Newmar High Power DC-AC Inverters with Built-in Battery Charger





 Rugged hostile environment-proven circuitry generates "Perfect Wave" AC for powering any appliance, from wattage-hungry refrigeration to highly input-sensitive computers, electronic controllers/processors.

 Built-in high output charger for rapid battery bank replenishment - all models feature three stage, temperature compensated charger with output programmable for gel-cell, flooded lead-acid or AGM battery type, and amphour capacity selector for proper charging in various applications.

• Internal charger is activated by an automatic transfer relay via remote sensor whenever external AC power is available. Optional Battery Integrator permits charging of multiple banks.

• UL listed with full two year warranty.

- Designed for maximum ease of installation and operation installer and user-friendly. Large DC input terminal blocks and front panel GFCI protected outlet receptacles. AC output from the inverter may also be hard-wired.
- · All important aspects of inverter and charger operation clearly displayed with front panel status indicators-optional remote panel available.
- Numerous safety and circuit protections: short circuit, overload, overtemperature, ground fault protection, output circuit breaker.
- Thermally controlled cooling fan prolongs life of components.
- Automatic low voltage shutdown circuit prevents damage to batteries due to over- discharge when using inverter function.
- Heavy duty powder coated aluminum construction and polyurethane coated internal circuitry - built to last in the harsh marine environment.

MFG #	Watts (Cont.)	Inverter Input	Charger Input (VAC: 115V, 60 Hz)	Charger Output
12-1800IC	1,800	11-14V DC, 180 Amps	15 Amps	85A @ 12V
12-3000IC	3,000	11-14V DC, 300 Amps	20 Amps	105A @ 12V
24-2200IC	2,200	22-28V DC, 110 Amps	15 Amps	40A @ 24V
24-4800IC	4,800	22-28V DC, 240 Amps	40 Amps	105A @ 24V
32-2400	2,400	29-38V DC, 100 Amps	15 Amps	30A @ 35.2V

Order No.	Mfg. No. / Description	List Price
700399	(12-1800IC)	\$5,915.39 H0-3294530
700401	(12-3000IC)	\$8,752.99 H0-9715250
700404	(24-2200IC)	\$7,252.49 H0-9415340
700408	(24-4800IC)	\$10,753.59 H0-5125460

REMOTE CONTROL/INDICATOR PANELS

- Duplicates all status indicators found on unit front panel and allows remote ON/OFF capability.
- Available with 25' or 50' of cable.

ı	Order No.	Mfg. No. / Des	cription	List Price		
l	700413	(ICR-2-25)	With 25' Cable	\$241.89 D0-1539100		
l	700416	(ICR-2-50)	With 50' Cable	\$358.99 D0-9178200		





PECIAL HANDLING MAY APPL

Trolling

Motors

Instruments

Lighting

Anchor & Dock

Safety

Steering

Controls

Pedestals

Trailering Tops &

Perform

Propellers Engine & Care

Paint &

Fun &

Paint Acc.

Flotation

Topside

Cockpit & Deck

Hardware, Fasteners

Camouflage

Misc

Acc

Electrical



- Designed for powering 12 and 24 volt communication/navigation equipment aboard commercial vessels where reliability is the primary consideration.
- · Excellent regulation and ripple spec.
- Polyurethane conformal coated PC board and corrosion resistant heavy duty aluminum case with integral shock mounts assures survival in hostile
- Heat generated by semi-conductors is extracted and dissipated by large heat sink fins that maximize air contact for cool operation and long life of components
- Input range: 105 125/210 250 VAC.

MFG #	Height	Width	Depth	Weight	
115-12-8	6.0"	4.6"	8.5"	10 lbs.	
115-12-20A	5.7"	4.8"	16.3"	20 lbs.	
115-12-35CD	6.5"	9.5"	14.0"	32 lbs.	
115-24-18CD	6.5"	9.5"	14.0"	32 lbs.	
115-24-35CD	6.5"	13.0"	18.75"	60 lbs.	

12 VOLT MODELS. OUTPUT VOLTAGE: 13.6V DC

		IZ VULI	MIUDELS. UU	II OI VOLIA	JL. IJ.UY DU		
Pumps		Order No.	Mfg. No.	Intermittent	Continuous	List Price	
	Fuel	700561	(115-12-8)	8 amps	5 amps	\$547.69	E0-7701400
	System	700585	(115-12-20A)	20 amps	8 amps	\$1,194.69	E0-2069800
	Seating &	700600	(115-12-35CD)	35 amps	35 amps	\$1,745.79	E0-4390310
	Scallin &						

24 VOLT MODELS. OUTPUT VOLTAGE: 24.5V D

ı	Order No.	Mfg. No.	Intermittent	Continuous	List Price	
	700054	(115-24-18CD)	18 amps	18 amps	\$1,858.79 E0-9049310	
1	700066	(115-24-35CD)	35 amps	35 amps	\$2,742.69 E0-2075020	

Newmar Panel Meters

NEWMAR



- For replacement or addition to existing panel systems.
- Easy to read graphics with unit divisions give precise readouts at a glance.
- Stud mount with push-on terminals.
- Designed for easy front panel mounting.
- DC ammeters require external shunts which are provided.

	Order No.	Mfg. No. / Description		List Price	
_	700019	(023-1500-0) 0-150 AC Voltmeter	Size: 2-1/2"	\$156.89	H0-3149000
	700022	(023-3002-0) 0-300 AC Voltmeter	Size: 2-1/2"	\$156.89	H0-3149000
_	700025	(023-1500-5) 0-150 AC Voltmeter	Size: 3-1/2"	\$168.09	H0-5800100
	700027	(023-3002-5) 0-300 AC Voltmeter	Size: 3-1/2"	\$168.09	H0-5800100
	700032	(023-0301-0) 0-50 AC Ammeter	Size: 2-1/2"	\$277.39	H0-3466100
ğ	700035	(023-1001-2) 0-100 AC Ammeter	Size: 2-1/2"	\$277.39	H0-3466100
	700038	(023-0301-5) 0-50 AC Ammeter	Size: 3-1/2"	\$280.19	H0-1186100
	700040	(023-1001-7) 0-100 AC Ammeter	Size: 3-1/2"	\$280.19	H0-1186100

Newmar Stabilizing Converters

NEWMAR





- Feed sensitive electronics with proper voltage regardless of battery condition.
- These stabilizing converters provide continuous, precisely regulated output over the entire range of a battery's usable voltage.
- This prevents subjecting loads to fluctuating input voltage which can cause shutdown, diminish performance and possibly damage sensitive
- Application Benefits Include:
- Operate electronics at optimal input voltage, even from nearly drained
- Boost voltage to compensate for voltage drops in long wire runs from batteries
- Eliminate voltage drops during momentary high current drain from batteries, as during engine start
- Eliminate voltage fluctuation from charge sources
- Eliminate voltage overshoot due to sudden removal of high current load

12 VOLT. INPUT VOLTAGE: 10-16. OUTPUT VOLTAGE: 13.6

Order No. Mfg. No. / Description List Price 699962 (12-12-3I) Output Amps Intermittent: 3 **\$233.39** E0-4057100 699965 (12-12-6I) Output Amps Intermittent: 6 \$362.29 E0-2717200

24 VOLT. INPUT VOLTAGE: 20-32. OUTPUT VOLTAGE: 27.2

Order No.	Mfg. No. / Description	List Price	
699968	(24-24-3I) Output Amps Intermittent: 3	\$267.49	E0-2600200
699971	(24-24-7I) Output Amps Intermittent: 7	\$591.89	E0-2934400

Marpac Power Inverter





- Converts 12 volt DC to 110 volt AC for power when needed.
- Charge most USB compatible devices.
- · Plugs into cigarette lighter.
- Fits in most cup holders.
- Great for charging mobile phones, laptops, MP3 players.
- Automatic shut off if voltage drops below 10V or exceeds 15V DC.
- CE and E-Certified.

Order No Description 7-1279 Power Inverter

\$29.49 G0-6791000

List Price





MARINCO

Electronics

Trolling

Motors

Instruments

Lighting

Anchor

& Dock

Safety

Steering

Controls

Pumps

Fuel

System

Pedestals

Trailering

Tops &

Perform.

Propellers

Engine

& Care

Marinco ConnectCharger™ Inlet - Universal Mount

MARINCO



• A receptacle designed to accept plug-in Guest ConnectCharge on-board battery chargers.

- This model features universal mounting: Use three screws through the faceplate to mount it from the front or use a threaded locking ring to mount it to the dash from the rear.
- The watertight lid snaps closed to protect the AC plug.

Order No. Mfg. No. / Description

List Price

217910 (150CCI) Black

\$23.39 F0-7361000

Marinco 3-Wire 70A Charging/Trolling System

- 70A continuous rating.
- Universal design for 2 or 3-wire configuration 12V, 24V, 12/24V, 24/36V, 36V or 48V systems.
- Floating pin design for maximum connectivity and durability.
- · Corrosion resistant, plated brass electrical components.
- · Receptacle contains watertight sealing cap.
- Plug contains Integrated strain relief and keyed design with thumbprint
- Accepts up to 6 AWG wire.

Order No. Mfg. No. / Description

List Price

700825 (12VCPS3)

\$58.99 G0-2593000



Marinco On-Board Charger Inlets - Front Mount



- 15 amp, 125 volt straight blade.
- Marinco on-board charger inlets make battery charging through an on-board battery charger safer and more convenient.
- Inlets mount on the boat exterior and are hard-wired directly to the
- To use, just open the flip lid cover and plug an extension cord into the
- All hatches remain closed and locked throughout the charging cycle for added security.
- · Mounts easily to fiberglass and aluminum hulls.
- Perma-Lock terminals and color coded wire entrance holes make wiring a snap.
- UV resistant housing/cap. Order No. Mfg. No. / Description

Ordor 140.	1411g. 140. / Door	an palon	LIUC I IIUU	
217908	(150BBI)	Black	\$24.39	F0-7071000
218640	(150BBIW)	White	\$28.49	F0-4991000

Marinco 3-Wire ConnectPro® Charging/Trolling System

Marinco ConnectPro® Receptacle

MARINCO



- Universal design for 2 or 3-wire configuration 12V, 24V, 12/24V, 24/36V or 36V systems.
- · Watertight sealing cap.
- Corrosion resistant, plated brass electrical components.
- Drain holes in receptacle keep water away from electrical components.
- Perma-Lock screw terminals will not loosen under extreme hull vibration.
- Standard 1-1/8" diameter mounting hole.
- Easy to install, with supplied mounting plate for front panel installation, or locking ring for rear access installation.
- Accepts 10 and 8 AWG wire.
- Easily replaces other trolling motor plugs and receptacles.
- Max rating is 40 amps.

Order No. Mfg. No. / Description

217941 (12VBR) \$29.39 F0-7502000

Marinco ConnectPro® Plug

MARINCO

- O-ring seal for waterproof connections.
- · Weather resistant plug cover.
- · Corrosion resistant, plated brass electrical components.
- Accepts 16 to 8 AWG wire.
- · Ergonomic contoured grip for easy hook-up and ground blade alignment.
- Max rating is 40 amps.

Order No. Mfg. No. / Description

217940 (12VBP)

Order No. Mfg. No. / Description

217942 (12VCP)

217941 (12VBR) and 217940 (12VBP) packaged together.

\$22.59 F0-1851000

Marinco ConnectPro® Receptacle and Plug

MARINCO





List Price

Liet Price

Cleaning & Care Paint & Paint Acc

> Fun & Flotation

Topside

List Price **\$50.79** F0-5553000

Cockpit & Deck

Hardware.

Fasteners

Camouflage

Misc


Marinco 6 Gauge ConnectPro® Wire Receptacle Adapter

MARINCO

- · Allows 6 gauge wire connection to ConnectPro Receptacle.
- Corrosion resistant, plated brass electrical components.

Order No. Mfg. No. / Description 217617 (12VBRAD) 12 volt

\$25.19 F0-3671000







Marinco 4-Wire 12/24V Locking Charging/Trolling System

The 4-wire trolling/charging system eliminates the need for a charge/run switch. Install the receptacle on the boat, mount the black trolling motor plug on the trolling motor, and the red charger plug on the leads of the battery charger. Simply plug in the black plug to troll, or plug in the red plug to charge.

Marinco Charger Plug (Male)

MARINCO



- · Accepts up to 10 AWG wire.
- Red.

Order No. Mfg. No. / Description

217972 (2018BP-12)

\$31.79 F0-5222000

MARINCO

- Connects to trolling motor.
- Jumpered internally to supply 12V and 24V
- · Accepts up to 8 AWG wire. Max rating is 60 amps.

Order No. Mfg. No. / Description

List Price

\$30.29 F0-0212000

Electronics

MARINCO

Trolling Motors

Instruments

Electrical

Lighting

Anchor

& Dock

Safety Steering Controls

Pumps

Fuel System Seating & Pedestals

Trailering

Tops & Covers

Perform.

Propellers Engine

& Care Cleaning

& Care Paint & Paint Acc.

Fun & Flotation

Topside Acc.

Cockpit & Deck

Hardware, Fasteners

Camouflage

Misc







Marinco Receptacle and Bracket

Spring loaded flip lid cover and receptacle,

Order No. Mfg. No. / Description

217996 (2018BR-MB)

List Price \$91.99 F0-9346000

Marinco Trolling/Charging System Package

MARINCO

pre-assembled.



 Package includes: 217972 (2018BP-12), 217984 (2018BP-24) and 217996 (2018BR-MB).

Enclosed in one package and economically priced.

Order No. Mfg. No. / Description

218001 (2018PKG)

List Price

\$126.29 F0-0488000

Marpac Trolling Motor Plug or Receptacle - 3 Prong





- 3 prong locking plug or receptacle for trolling motors.
- 30 amp, 125 volt.

PRO Charging Systems

• Replaces: Marinco 305CRRB and 305BP.

Order No. Description List Price

7-51557 Female **Boat Side** \$22.39 G0-0051000 7-51558 Male Motor Side \$22.99 G0-0451000

Marinco Trolling Motor Plug (Male)

Marinco Receptacle

- power to the trolling motor when plugged into the receptacle.
- · Black.

217984 (2018BP-24)

MARINCO

- · Glass reinforced corrosion resistant nylon.
- Accepts 8 AWG stranded wire or up to 6 AWG with spade terminals.

Order No. Mfg. No. / Description 217960 (2018BR)

List Price

\$63.49 F0-4444000

Marpac Trolling Motor Plugs - 4 Prong





- · 4 prong locking plug or socket for trolling motors.
- Replaces: Marinco 2018BR and 2018BP-24.

Order No Description

7-51555 Female Boat Side 7-51556 Male

Motor Side

List Price \$23.29 G0-0651000 \$22.09 G0-0841000

T-H Marine Trolling Motor Plugs and Receptacle





- Handles high amps.
- Water tight seal.
- · Gold contacts.
- Original equipment on Ranger Boats.
- Easily handles 12 or 24 volt systems.

Order No. Mfg. No. / Description

641870 (TMBMP-1-DP) Trolling Motor Male Plug, Black **\$42.49** H0-9452000 **641882** (TMFR-1-DP) Female Base Receptacle, Black



List Price

- Makes connecting to your charger safer and more efficient.
- The hollow housing holds the power cord inserted through the back. When finished, unplug and push the plug back into the housing.
- 2.5" diameter x 1.943" deep. Requires a 1-7/8" diameter hole.

Order No. Mfg. No. / Description

\$11.49 E0-2680000

\$59.89 H0-3953000

www.repuestoselnavegante.com El Navegante

Pro Charging Systems Onboard Charger Inlet

284610 (90032KIT)

Electronics Trolling

Motors

Instruments

Lighting

Anchor & Dock Safety Steering



Electrical - 15 amp, 125 volt

Marinco Female Connector

MARINCO

- 15 amp, 125 volt.
- Straight blade.
- The body is made of yellow nylon with a ribbed design for secure grip.

Order No. Mfg. No. / Description

List Price **217528** (5269CR) \$36.89 G0-2742000

MARINCO

- 15 amp, 125 volt. Straight blade.
- The body is made of yellow nylon with a ribbed design for secure grip.

Order No. Mfg. No. / Description

217530 (5266CR)

List Price

\$39.99 G0-9762000

Marinco Male Plug

MARINCO

- 15 amp, 125 volt.
- Locking type.
- The body is made of yellow nylon with a ribbed design for secure grip.

Order No. Mfg. No. / Description

217566 (4721CR)

List Price

\$23.59 G0-1851000

Marinco Female Connector

Marinco Male Plug

MARINCO

- 15 amp, 125 volt. · Locking type.
- The body is made of yellow nylon with a ribbed design for secure grip.

Order No. Mfg. No. / Description

7000856 (4731CR)

List Price **\$37.99** G0-5452000

Marinco Duplex Locking Receptacle

Marinco Stainless Steel Sealed Cover with Lift Lid

MARINCO

- 15 amp, 125 volt.
- · Corrosion resistant.
- · Locking type.
- · Yellow.

Order No. Mfg. No. / Description

217542 (4700CR)

MARINCO

receptacles.



\$99.99 G0-9966000

Marinco Ground Fault Circuit Interrupter (GFCI) MARINCO



• CAUTION: Ground Fault Circuit Interrupter protection is required when

required by the ABYC where a receptacle is in a head, galley, machinery

using electrical products outdoors or near water. GFCI Protection is



Controls Pumps

Fuel System Seating & Pedestals

Trailering

Tops &

Perform.

Propellers

Engine & Care

Cleaning & Care

Paint &

Paint Acc.

Fun & Flotation

Topside

Acc.

Cockpit & Deck

Hardware. Fasteners

Camouflage

Misc.

Comm

Marinco Weatherproof Cover for Male Plug

Ivory

Marinco Male Plug

Order No. Mfg. No. / Description

217489 (7879CR-FI)



\$87.79 GO-2885000

MARINCO

• Stainless steel sealed cover with lift lid.

• Use with **217542** (4700CR) duplex

- 20 amp, 125 volt.
- Locking type.
- The body is made of yellow nylon with a ribbed design for secure grip.

Order No. Mfg. No. / Description 7000838 (205CRPN)

\$27.89 G0-9681000

MARINCO

• 15 amp, 125 volt.

space or weather deck.

Order No. Mfg. No. / Description

217605 (1591FI.WHITE) White

· Includes cover.

218644 (1591-FI)



Electrical - 20 amp, 125 volt

- Weatherproof cover without locking connecting ring.
- Use with 217439 (305CRPN) and 7000838 (205CRPN) male locking plugs.
- Yellow Marineguard II.

Order No. Mfg. No. / Description 218304 (102N)

\$15.19 GO-8101000

List Price

\$54.29 G0-7363000

\$52.19 G0-7943000

www.repuestoselnavegante.com El Navegante





Electrical - 30 amp, 125 volt **Marinco Female Locking Connector**

Marinco Male Locking Plug





- 30 amp. 125 volt.
- The body is made of yellow nylon with a ribbed design for secure grip and Cablock System.
- Use with 218304 (102N) cover.

Order No. Mfg. No. / Description List Price

217439 (305CRPN)

\$22.09 F0-6451000

design for secure grip and Cablock System.

covers.

List Price

Marinco Weatherproof Cover for Female Connector

Marinco Weatherproof Cover for Male Plug

Weatherproof cover without locking connecting

Marinco Male Plug and Cover

List Price

List Price

\$42.99 G0-0882000

Marinco Threaded Sealing Ring

\$15.19 GO-8101000

Use with 217439 (305CRPN) and 7000838

(205CRPN) male locking plugs.

Yellow Marineguard II.

218304 (102N)

30 amp, 125 volt.

Weather resistant cover.

Order No. Mfg. No. / Description

218656 (305CRPN.VPK)

MARINCO

Yellow nylon with Cablock System.

Order No. Mfg. No. / Description







Electrical

Electronics

Lighting

Anchor & Dock

Safety

Steering Controls

Pumps

Fuel

System Seating & Pedestals

Trailering

Tops &

Perform.

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc.

Fun & Flotation

Topside Acc.

Cockpit & Deck

Hardware. Fasteners

Camouflage

Misc

 For use with 30 amp systems. Order No. Mfg. No. / Description

218620 (100R)

- 30 amp, 125 volt.
- The body is made of yellow nylon with a ribbed
- Use with 217352 (103ELN) and 218316 (103RN)

Order No. Mfg. No. / Description

217415 (305CRCN)

\$39.59 F0-1772000

MARINCO



- with Easy Lock Sealing Ring.
- Use with 217415 (305CRCN) female locking connector.
- Yellow Marineguard II.

Order No. Mfg. No. / Description

217352 (103ELN)

List Price \$27.19 G0-2281000

Marinco Female Connector with Cover

MARINCO



- 30 amp, 125 volt.
- The receptacle body is made of yellow nylon with a ribbed designed for secure grip.
- Weather resistant cover with threaded sealing ring.

Order No. Mfg. No. / Description 218652 (305CRCN.VPK)

List Price

\$67.99 F0-9574000

Marinco Male Locking Plug

MARINCO



- 30 amp, 125 volt, 3-wire.
- · Short housing, black nylon with an internal strain relief system and recessed fasteners.

Order No. Mfg. No. / Description 217922 (305BP)

List Price

\$25.49 F0-4871000

Marinco Weatherproof Cover for Female Connector

MARINCO



- Weatherproof cover with threaded sealing ring.
- Use with 217415 (305CRCN) female locking connector.
- · Yellow Marineguard II.

Order No. Mfg. No. / Description **218316** (103RN)

\$23.59 G0-1851000

List Price

Marinco Sealing Collar with Threaded Ring

MARINCO



- Provides maximum moisture protection between cordset and adapter.
- Designed for use with 20 and 30 amp locking systems.
- Use when combing 30A EEL cordset with another cordset.

Order No. Mfg. No. / Description 217338 (110R)

List Price

\$15.79 G0-8501000

Marinco Locking Receptacles

MARINCO



\$10.09 G0-6760000

- 30 amp, 125 volt.
- Corrosion resistant reinforced nylon construction.
- to 6 gauge with ring terminals.

217934 (305CRR) Yellow


List Price

\$41.69 F0-8192000 \$43.79 F0-5603000

• Accepts 8 gauge stranded wire or up

Order No. Mfg. No. / Description 217441 (305CRRB) Black

El Navegante



List Price

Electrical - 30 amp, 125 volt

Marpac Boat Inlet





- 30 amp, 125 volt, 3 pole, 3 wire, twist lock.
- White polycarbonate with flip cover.

Order No. Description List Price

7-1470 White **\$62.69** G0-0024000

Marinco Contour Power Inlet

MARINCO

- 30 amp, 125 volt.
- · Marine grade UV stabilized glass-filled polyester construction with Easy Lock System.
- Watertight cap.
- Soft Touch cap stays open in the upright position.
- 8-way right angle rear safety enclosure.
- Stainless steel trim.

Order No. Mfg. No. / Description

List Price

218648 (304EL-B) White \$96.09 G0-8346000

Marinco Power Cord Plus® Cordsets



• 30 amp, 125 volt.

Order No. Mfg. No.

218612 (199120) Length 50'

- · Watertight molded plug and connector for safety and durability.
- · All models include a standard threaded ring for hook-up to ordinary threaded inlets.
- Corrosion resistant, nickel plated contacts.
- Power Indicator Light: Boatside connector features a molded-in LED light. When it glows red, you know you have power to the boat.
- Contour Grip with Thumbprint Locator: Both plug and connector ends are molded to fit the contour of your hand. When the thumbprint is in the 12 o'clock position, the blades line up for easy connection.
- Marinco's Easy Lock System: Quickly locks the cord set to the inlet in just 1/8 of a turn. The exclusive locking tabs engage slots built into all Marinco inlets.

YELLOW			
Order No. Mfg. No.		List Price	
218608 (199116)	Length 12'	\$66.09	G0-8244000
7000832 (199117)	Length 25'	\$109.49	G0-6337000
7000854 (35SPP)	Length 35'	\$122.59	G0-4128000
217314 (199119)	Length 50'	\$111.19	F0-3877000
WHITE			

Marinco Power Inlet

MARINCO



- 30 amp, 125 volt.
- Marine grade UV stabilized glass-filled polyester construction with Easy Lock System.
- Soft touch cap design.
- · 4-way right angle rear safety enclosure.
- Stainless steel trim on square flip-lid cover.

Order No.	Mfg. No. / Desi	cription	List Price	
217376	(301EL-B)	White	\$72.79	F0-5905000
217427	(305CRMB)	Interior	\$31.39	F0-7912000

Marinco Stainless Steel Power Inlet

MARINCO



- Solid cast 316 stainless
- steel with Easy Lock System.
- Soft touch cap design with lock waterproof cap. • 8-way right angle rear safety enclosure.

Order No.	Mfg. No. / Description
217403	(303SSEL-B)
217427	(305CRMR) Interior

List Price

\$109.79 F0-5867000 \$31.39 F0-7912000

Marinco EEL Shore Power Cordsets

MARINCO

• 30 amp, 125 volt.

- Patented EEL (Easily Engaged Lock) Technology.
- · Designed for use with standard inlets (NEMA).
- Single-handed operation.
- No sealing ring required.
- Patented jaw-clamp technology provides a watertight seal every time.
- Power indicator light on both ends informs you full power is flowing through the cord.
- · Meets and exceeds rigorous UL testing standards.

- 11	YELLOV	V			
(Order No.	Mfg. No.		List Price	
1	218700	(CS30-25)	Length 25'	\$132.09	G0-0588000
-	218704	(CS30-50)	Lenath 50'	\$144.89	F0-2410100

Marpac Cord Sets



- 30 amp, 125 volt, 3 Pole, 3 Wire, Twist Lock. • #10 AWG factory prewired
- with molded-on devices.

7-1411 Yellow, Length 50'

Connector end has non-metallic threaded sealing ring which makes inlet/

connec	ctor interface watertight.	
Order No.	Description	List Price
7-1406	Yellow, Length 25'	\$106.49 G0-5317000



Electronics

Trolling Motors

Instruments

Lighting

Anchor & Dock

Safety

Steering Controls

Pumps

Fuel System

Pedestals

Seating &

Trailering

Tops &

Perform

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc

Fun &

Flotation

Topside Acc.

Cockpit & Deck

Hardware. Fasteners



Misc.

Comm

\$109.69 G0-9437000



List Price

\$128.19 G0-9858000

Trolling

Motors

Instruments

Lighting Anchor & Dock

Safety

Steering

Controls

Pumps

Fuel

Seating & Pedestals Trailering Tops &

Perform.

Propellers

Paint & Paint Acc. Fun & Flotation Topside Acc.

Camouflage

Misc

Electrical





Electrical - 50 amp

Marinco Male Locking Plug



- 50 amp, 125 volt.
- 2 pole, 3 wire.
- Ribbed, thick wall nylon housing for secure gripping.
- Use with 217136 (7717N) cover.

Order No. Mfg. No. / Description List Price

218676 (6361CRN)

\$119.09 G0-9797000

Marinco Weatherproof Covers for Male Plug



• Weatherproof cover for use with 50 amp male plugs 218676 (6361CRN) and 217198 (6365CRN) male locking plugs.

Order No. Mfg. No. / Description

217136 (7717N) Yellow

List Price

\$27.09 G0-5181000

Marinco Male Locking Plug



- 50 amp, 125/250 volt.
- 3 pole, 4 wire.
- · Corrosion resistant materials.
- Use with 217136 (7717N) cover.

Order No. Mfg. No. / Description

217198 (6365CRN)

\$108.39 F0-7857000

List Price

Marinco Weatherproof Cover for Female Connector



· Weatherproof cover with threaded sealing ring for use with 6360CRN and 217174 (6364CRN) female connectors.

Order No. Mfg. No. / Description

217263 (7715CRN) Yellow

\$34.99 F0-9442000

MARINCO

List Price

Marinco Female Locking Connector

MARINCO



- 50 amp, 125/250 volt.
- 3 pole, 4 wire.
- · Corrosion resistant materials.
- Use with 217263 (7715CRN) cover

Order No. Mfg. No. / Description List Price

217174 (6364CRN) \$120.69 F0-8448000

Marinco Threaded Locking Sealing Ring

MARINCO



- Use with 50 amp systems.
- Use when combining 30 amp EEL cordset with another cordset.

Order No. Mfg. No. / Description 218660 (500R)

Marinco Wire Dockside Receptacle

List Price

\$11.29 G0-6570000

Marinco Sealing Collar with Threaded Ring

MARINCO System



Provides maximum moisture protection between cordset and adapter.

Marinco Non-Metallic Standard Power Inlet

Use with 50 amp only systems.

Order No. Mfg. No. / Description Engine & Care

218664 (510R)

MARINCO

List Price

\$18.99 G0-2721000

Order No. Mfg. No. / Description

217213 (6369CR)

• 50 amp, 125/250 volt.

• 3 pole, 4 wire.

List Price

\$151.49 F0-4060100

Marinco Stainless Steel Power Inlet

MARINCO



- Cockpit & Deck • 50 amp, 125/250 volt.
- 4 wire locking. Hardware, Fasteners
 - · Watertight cap.
 - Marine grade UV stabilized glass-filled polyester construction with Easy Lock System.
 - Marine stainless steel trim.
 - Rear safety enclosure with strain relief.

Order No. Mfg. No. / Description

217150 (6353EL-B)

List Price

\$116.89 F0-2818000

· Locking waterproof cap.

• 50 amp, 125/250 volt.

• 4 wire locking.

- Solid cast 316 stainless steel with Easy Lock System.
- Soft touch cap stays open in the upright position.

· Corrosion resistant reinforced nylon construction.

• Rear safety enclosure with strain relief.

Order No. Mfg. No. / Description **217249** (6373EL-B)

\$209.59 F0-1764100

www.repuestoselnavegante.com El Navegante

Electrical - 50 amp

Marpac Cord Set





- 50 amp, 125/250 volt, 12,500 watts, Twist Lock.
- · Heavy duty, super flexible cable.
- NEMA SS2-50P and NEMA SS2-50R ends.
- · Connector end has non-metallic threaded sealing ring which makes inlet/ connector interface watertight.

7-1420 Yellow, Length 50'

List Price

\$690.69 G0-6726400

Marinco Power Cord Plus® Cordsets

MARINCO

- 50 amp, 125/250 volt, 4 wire.
- · Watertight molded plug and connector for safety and durability.
- All models include a standard threaded ring for hook-up to ordinary threaded inlets.
- · Corrosion resistant, nickel plated contacts.
- Power Indicator Light: Boatside connector features a molded-in LED light. When it glows red, you know you have power to the boat.
- Contour Grip with Thumbprint Locator: Both plug and connector ends are molded to fit the contour of your hand. When the thumbprint is in the 12 o'clock position, the blades line up for easy connection.
- Marinco's Easy Lock System: Quickly locks the cord set to the inlet in just 1/8 of a turn. The exclusive locking tabs engage slots built into all Marinco inlets.

YELLOW

Order No. Mfg. No. / Description

218668 (6152SPP) Length 50'

List Price

\$813.29 F0-0396500

Electronics

Trolling Motors

Instruments

Lighting

Anchor & Dock Safety Steering Controls Pumps Fuel System Seating & Pedestals Trailering

Tops &

Perform.

Propellers

Engine & Care Cleaning & Care Paint & Paint Acc Fun & Flotation Topside Acc. Cockpit

Boxes and Covers

Marinco Weatherproof Cover with Lift Lid

MARINCO



List Price

- Yellow Lexan polycarbonate with lift lid.
- Fits 15 amp, 20 amp and 30 amp single receptacles.

Order No. Mfg. No. / Description

218506 (7420CR) \$51.39 F0-7953000

Marinco Plastic Switch/Outlet Box

MARINCO



- Accepts 15 amp, 20 amp and 30 amp receptacles, telephone outlets and TV coax connectors.
- Can be secured against the back of the wall or wall facing.
- Dimensions: 3-9/32" W x 2-3/16" H x 2-1/2" D.

Order No. Mfg. No. / Description **218600** (6079)

\$13.09 G0-7780000

Marinco Weatherproof Cover with Lift Lid

MARINCO



- Yellow Lexan polycarbonate with lift lid.
- Fits 50 amp receptacles 217213 (6369CR) and 6370CR.

Order No. Mfg. No. / Description

218568 (7788CR)

List Price \$66.09 F0-6264000

Marinco FD Box

MARINCO



- & Deck
- · Yellow fiberglass. • Two 3/4" K.O. holes.
- Accepts 15 amp, 20 amp, 30 amp and 50 amp receptacles and 218506 (7420CR) and 218568 (7788CR) weatherproof covers.

Order No. Mfg. No. / Description 218417 (6083CR)

\$136.19 F0-3359000

Misc Comm

www.repuestoselnavegante.com El Navegante

Fasteners Camouflage

Hardware.

Electronics Trolling Motors

Electrical

Lighting Anchor & Dock Safety

Steering Controls

Pumps

Fuel System Seating & Pedestals

Trailering

Tops &

Perform

Propellers Engine & Care

Paint & Paint Acc. Fun & Flotation Topside Acc. Cockpit & Deck Hardware, Fasteners Camouflage

Misc

MARINCO







- Straight Adapters are high quality, one-piece adapters used much like Pigtail Adapters. However, they do not have sealing collars and are not recommended for use in wet locations.
- Use only in an enclosed, dry location, such as powering your boat from a 15 amp power receptacle inside a house.
- LED power indicator.
- Ergonomic design for easier gripping.

Order No.	Mfg. No.	Boat Side (Female C Attaches to boat inlet or co		Dock Side (Male P Attaches to dockside red	•	List Price	
218744	(S20-15)	15 or 20A 125V Straight Blade	G W	20A 125V Locking		\$66.99 G0-8844000	
218752	(S30-15)	15 or 20A 125V Straight Blade	G W	30A 125V Locking	W G	\$52.89 F0-2073000	
217655	(S15-30)	30A 125V Locking	c C	15A 125V Straight Blade	U	\$52.89 F0-2073000	
218748	(S20-30)	30A 125V Locking	c C	20A 125V Locking		\$83.29 G0-0855000	






Marinco EEL ShorePower Pigtail Adapters

MARINCO





- Sealing collar to create a weatherproof seal when joining cables together.
- Heavy duty, super flexible marine grade cable.
- · Watertight molded plug and connector ends for safety and durability.
- Corrosion resistant nickel-plated contacts.
- Suitable for use in wet locations.





Order No.	Mfg. No.	Boat Side (Female Co Attaches to boat inlet or cor		Dock Side (Male Plug Attaches to dockside recept	•	List Price
218720	(P15-30)	30A 125V Locking with Sealing Collar System	c C	15A 125V Straight Blade with Locking Screw	U	\$77.79 G0-2125000
218736	(P503-30)	30A 125V Locking with Sealing Collar System	6 ()	50A 125V Locking	« L) w	\$202.29 GO-3553100
218728	(P30-503)	50A 125V Locking with Sealing Collar System	M 1 1 6	30A 125V Locking	G C	\$249.79 G0-6376100
218740	(P504-30)	30A 125V Locking with Sealing Collar System	G C	50A 125/250V Locking	Y CONTRACTOR	\$228.89 G0-6335100
218732	(P30-504)	50A 125/250V Locking with Sealing Collar System	x 1 1 Y	30A 125V Locking	(1)°	\$266.39 G0-8487100

Marinco Pigtail Adapters

217756 LED Power-on Indicator and Thumbgrip locator







Order No.	Mfg. No.	Boat Side (Female Connector) Attaches to boat inlet or cordset	Dock Side (Male Plug) Attaches to dockside receptacle or cordset	List Price
217756	(104SPP)	30A 125V Locking with Sealing Collar System	15A 125V Straight Blade with Locking Screw	\$63.29 F0-0344000
217706	(105SPP)	15A 125V Straight Blade	30A 125V Locking	\$69.79 F0-5884000
218636	(117A)	50A 125/250V Locking with Sealing Collar System	30A 125V Locking	\$230.99 G0-6745100
217768	(121A)	30A 125V Locking with Sealing Collar System	50A 125/250V Locking Y	\$159.89 F0-2911100

- Pigtail adapters allow you to connect from one dock side receptacle (or other power source receptacle) to one boat side inlet or equipment of dissimilar power configuration.
- These adapters are fully molded and equipped with Marinco's unique sealing collar (where indicated) and covers for use in wet locations.

Instruments

Electronics

Trolling

Motors

Lighting

Anchor & Dock

Safety

Steering,

Controls

Pumps

Fuel

System

Seating &

Pedestals

Trailering

Tops &

Perform.

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc

Fun & Flotation

Topside

Acc.

Cockpit & Deck

Hardware, Fasteners

Camouflage

Misc.

Marinco Dock Side 30 Amp to 15 Amp Adapter with GFCI

MARINCO

MARINCO

- Provides safer hook-up to 30A dock side power.
- Provides protection against harmful electric shock.
- Reduces the possibility of fire.
- Offers protection for up to 3 attached tools.
- Corrosion resistant and rain-proof rated for outdoor use.
- GFI trip level of 4-6 mA.
- Can also be used for other outdoor, harsh environments such as construction sites or whereever ground fault protection is desired.

Order No.	Mfg. No.	Boat Side (Female Co Attaches to boat inlet or con		Dock Side (Male I Attaches to dockside re	•	
7000834	(199128)	(3) 15A 125V Straight Blade	رث "	30A 125V Locking	o c	;



List Price

\$135.99 G0-1119000

Electronics Trolling Motors Instruments

Electrical

Anchor & Dock

Safety

Steering Controls

Pumps

Fuel

System

Seating & Pedestals Trailering Tops &

Perform

Propellers Engine & Care

Paint & Paint Acc. Fun & Flotation Topside Acc.

Cockpit

& Deck

Hardware,

Fasteners Camouflage

Misc

Freshwater Exclusive Saltwater Exclusive Marinco EEL Y-Adapters

218764


• Y-Adapters enable you to split one dock side receptacle between two boat inlets of similar or dissimilar power configurations.

• Sealing collar to create a weatherproof seal when joining cables

- Suitable for use in wet locations.
- · Watertight molded plug and connector ends for safety and durability.
- Heavy duty, super flexible marine grade cable.

-1ELS			218761	• Corrosion	resistant, nickel-pl	ated contacts.	
	Order No.	Mfg. No.	Boat Side (Female Connec Attaches to boat inlet or cordset	tor)	Dock Side (Male Pl Attaches to dockside rec	•	List Price
C (UL) LISTED	218764	(Y503-2-30)	(2) 30A 125V Locking with Sealing Collar System		50A 125V Locking	G W	\$364.79 G0-1444200
O	218761	(Y30-2-30)	(2) 30A 125V Locking with Sealing Collar System	c C	30A 125V Locking	G	\$273.09 G0-7928100





- Y-Adapters enable you to split one dock side receptacle between two boat inlets of similar or dissimilar power configurations.
- Sealing collar to create a weatherproof seal when joining cables
- Suitable for use in wet locations.
- Watertight molded plug and connector ends for safety and
- Heavy duty, super flexible marine grade cable.
- Corrosion resistant, nickel-plated contacts.

Order No.	Mfg. No.	Boat Side (Female Co Attaches to boat inlet or con	· ·	Dock Side (Male Plug Attaches to dockside recept		List Price
217845	(157AY)	(2) 30A 125V Locking with Sealing Collar System		30A 125V Locking	w G	\$246.99 G0-8456100
217819	(153AY)	(2) 30A 125V Locking with Sealing Collar System		50A 125/250V Locking	v € v x	\$248.39 F0-7837100

Marinco Reverse "Y" Adapter

MARINCO



- The reverse "Y" adapter has two male plugs with special power isolation circuitry for added safety.
- They provide 50A 125/250V power when only two 30A 125V receptacles are available.
- Reverse "Y" adapters are fully molded and equipped with the Marinco unique sealing collar and covers (where indicated) for use in wet locations.

Order No.	Mfg. No.	Boat Side (Female Attaches to boat inlet or		Dock Side (Male P Attaches to dockside red	•		List Price
217869	(RY504-2-30)	50A 125/250V With Sealing Collar System	x TTY	(2) 30A 125V Locking	G G	(1)	\$463.59 F0-1542300

Trolling Motors

Instruments

Lighting

Anchor

& Dock

Safety

Steering

Controls

Pumps

Fuel

System

Tops &

Perform

Propellers

Engine

& Care Cleaning

& Care

Paint & Paint Acc Fun & Flotation Topside

Seating & Pedestals Trailering

Marinco Cord-Set Cover


MARINCO

- Keep shore power cables neat and bundled.
- Holds 50 amp or 30 amp cordsets, can hold multiple cables.
- UV resistant, machine washable marine grade fabric.
- Length 24'.

Order No. Mfg. No. / Description 218773 (CCVR-24)

\$66.19 G0-5344000

Newmar Phone-Com Systems



- Voice contact to any phone in the system is as easy as lifting the receiver and pressing the call button.
- Phone-Com operates on 12 VDC.
- Constructed of high-impact plastic.
- Available in traditional black.
- Bulkhead mounting bracket is provided.



List Price

PI-2 PHONE-COM SYSTEM

- Designed for communication between only two points.
- A single call button sounds a buzzer and illuminates an indicator lamp on the companion phone.
- 700591 (PI-2 Set) includes: 40' of interconnect wire, fuse, terminal lugs and mounting hardware.

Order No.	Mfg. No. / Description	List Price
700589	(PI-2) Two Station Phone	\$109.49 D0-9578000
700591	(PI-2 SET) Two Station Phone Set	\$335.99 D0-9786200

PI-10 PHONE-COM SYSTEM

• For multiple station calling capability. Up to 10 phones may be interconnected, and each phone has 10 call buttons.

Order No. Mfg. No. / Description **700593** (PI-10) \$126.69 D0-5310100

OPTIONAL EXTERNAL BUZZER FOR USE IN HIGH-NOISE AREAS

Order No. Mfg. No. / Description List Price

700587 (BUZZER) \$15.19 E0-9311000

Newmar BX Series Splashproof Boxes



- · Rugged cast aluminum box with white enamel finish
- IP rating 54 Splashproof.
- Provides for secure, protected below-deck wiring connections in wheel house or below decks and engine rooms.
- Supplied with high quality connector strips secure wires with compression fittings - no terminals required

	BX-1	BX-2	BX-3
Number of Connector Strips:	1	1	2
Positions Per Strip:	6	12	11
Max. Wire Gauge:	16	16	14
Max. amps (Per Position):	6	6	10
Cable Entries:	2	8	2
Cable Diameter:	.25"	.37"	.59"

Order No.	Mfg. No. / Description	List Price	
699929	(BX-1) Box Size: 2" x 2" x 1.2"	\$49.39	E0-4073000
699932	(BX-2) Box Size: 4.4" x 2.4" x 1.2"	\$62.59	E0-4964000
699935	(BX-3) Box Size: 4.7" x 3.7" x 1.3"	\$73.99	E0-9455000

Newmar Waterproof Fittings

NEWMAR







Cockpit

& Deck Hardware. Fasteners

Camouflage

Misc

Comm

 For complete waterproof assembly (IP68) use these compression fittings
--

 Retaining nut secures fitting to enclosers, compression hub creates waterproof seal around wires.

Order No.	Mfg. No. / Description	List Price
700221	(WPF-1)	\$9.49 E0-2170000
700224	(WPF-2)	\$11.39 E0-4580000
700227	(WPF-3)	\$15.19 E0-9311000

Cable Diameter Range
.2"47"
.35"71"
.55"98"

Mounting Hole Diameter	EX Enclosure Knock-Out Si
.91"	PG-16
1.14"	PG-21
1.48"	PG-29

subject to occasional spray

high impact polypropylene

• IEC Waterproof Rating: IP54.

Number of Connector Strips:

Number of Cable Entry Points:

Spare Cable Entries Provided:

Order No. Mfg. No. / Description

Cable Diameter Range:

Number of Cable Entries Installed:

699938 (PX-1) Box Size: 2.95" x 2.95" x 1.66"

699941 (PX-2) Box Size: 3.35" x 3.35" x 1.66"

699944 (PX-3) Box Size: 4.45" x 4.45" x 2.29"

Positions Per Strip:

Max. Wire Gauge:

Snap-on cover provides watertight seal.

terminals installed - meets ABYC standards

Newmar PX Series Waterproof Boxes



· Ideal for making wiring connections above or below decks, even in areas

Similar to BX Series junction boxes, but made from rugged, non-corrosive,

• Multiple position connector strips with "captive" screw compression wire

PX-1

6

5

3

2

.14 - .81

16

PX-2

2

6

16

7

7

0

.14 - .81

PX-3

2

9

16

7

7

0

List Price

.14 - .99

\$37.99 E0-9482000

\$45.59 E0-9143000

\$64.49 E0-7384000

Multiple knockouts provided for conduit access (in addition to cable

Electronics

Trolling Motors Instruments

Electrical

Lighting

Anchor & Dock

Safety

Steering Controls Pumps Fuel

System Seating & Pedestals

Trailering Tops &

Perform Propellers

& Care Cleaning

Engine

Paint & Paint Acc Fun &

Flotation Topside Acc.

Cockpit & Deck Hardware,

Fasteners

Camouflage

Misc

Newmar EX Series Electrical Enclosures

NEWMAR



- These enclosures provide functional and professional protective cases for wire connectors, terminal blocks, relays, solenoids, fuses, etc.
- The corrosion-resistant polycarbonate cases are ideal for marine applications, and the deep cavity design leaves room for securing wiring and components and making connections.
- In addition, instruments, switches and panels can be surface mounted to the cover, as there is ample space for rear projection and wiring.
- The enclosures have gasketed covers with captured non-corrosive securing screws.

EX-373 ELECTRICAL ENCLOSURE

Size: 7.09" L x 3.7" W x 3.19" D. Knock-outs: 14 each PG-16 (Dia: .91").

Order No. Mfg. No. / Description 699869 (EX-373) **\$104.39** E0-9287000

EX-474 ELECTRICAL ENCLOSURE

• Size: 7.09" L x 4.33" W x 4.37" D. Knock-outs: 16 each PG-16 (Dia: .91"), 4 each PG-21 (Dia: 1.14"), 2 each PG-29 (Dia: 1.48").

Order No. Mfg. No. / Description List Price 699872 (EX-474) \$119.59 E0-9698000

EX-1074 ELECTRICAL ENCLOSURE

 Size: 7.09" L x 10" W x 4.37" D. Knock-outs: 24 each PG-16 (Dia: .91"), 8 each PG-21 (Dia: 1.14"), 4 each PG-29 (Dia: 1.48").

Order No. Mfg. No. / Description List Price 699875 (EX-1074) **\$180.29** E0-2253100