Catálogo de accesorios Náuticos





2021

El Navegante

Parte 1

Trolling Motors

Instruments

Electrical

Lighting

Anchor & Dock

Safety

Steering, Controls

Pumps

Fuel System

Seating &

Pedestals

Trailering

Tops & Covers

www.repuestoselnavegante.com








Bienvenidos a Repuestos El Navegante.

Aquí podrás encontrar mas de **35.000** productos de diferentes fabricantes, con una gran variedad de accesorios y componentes para tu embarcación, contamos con mas de 20 años de experiencia en el sector náutico, no dudes en contactarnos para aclarar cualquier duda que tengas, prestamos asesoría técnica lo que es un valor agregado, y te dará tranquilidad a la hora de tomar una decisión de compra.

Nota Importante:

Debido a las restricciones causadas por el Covid 19, y otros problemas a nivel Mundial muchas empresas se vieron afectadas debido a la falta de materia prima, por este motivo tanto los precios como las fechas de entrega sufrieron cambios en gran cantidad de productos, comuníquese con nosotros a través del correo: repuestoselnavegante@gmail.com y solicite su presupuesto sin compromiso, también puede comunicase vía Telegram o WhatsApp escaneando los códigos QR.



Los productos aquí publicados se encuentran en varias partes del mundo, pero la mayoría se encuentran en Estados Unidos y Europa, por lo que estos precios no incluyen gastos de envío.

También puede consultar en nuestra pagina <u>www.repuestoselnavegante.com</u> nuestros términos y condiciones antes de efectuar la compra, ahí podrá ver también nuestra política de devoluciones.

Los productos pueden ser entregados en un currier de su confianza.

En nuestra pagina podrá encontrar mas de 3.500 productos para entrega inmediata.

Nos especializamos en repuestos Volvo Penta, Cummings, Yanmar, Caterpillar, Mercruiser.

Ofrecemos repuestos para Generadores Onan, Kholer, Westerbeke, Fisher Panda y Northern Lights.

Misc.

Fun &

Acc.

Cockpit


& Deck

Hardware,

Fasteners

Camouflage


Flotation Topside







266	Bow Lights	Saltwater E	xclusive	Freshwater Exclusive			
		Bi-Color B	Bow Light	ts			
	Perko Fig. 252 Bi-Color Light - Horizontal Mount						
ling				 All black polymer. Gold plated contacts. 2 mile visibility. Certified for use on power driven vessels under 20 meters in length. Length 3-1/2", width 2-1/4", height 1-5/8". Uses #8 fasteners. #71 12 volt bulb included. 			
			534378	3 (0252 BB0 DP1) \$	st Price 33.29 G0-0322000 10.69 G0-6170000		
		Hide-Away/Pop	-Up Bow	v Lights			
Electronics	Aqua Signal Series 24 Bi-Color Hide-Away Lig	ht - Deck Mount		Accon Pop-Up [®] L.E.D. Bow Lights			
Trolling Motors Instruments			Acc	con Marine			
Electrical				~			
Lighting Anchor	 High quality 316 stainless steel housing; polycarbon Hide-away feature eliminates stubbed toes and snat 				210-M		
& Dock	• 2 mile, 225° visibility.	9904 11100.		- Sa			
Safety	 For use on boats up to 65.6 ft. (20 meters). Incorporated switch automatically turns light off wh 	en closed/on when	<	211-M			
Steering, Controls	opened. • Height 1.06", width 3.03", length 4.33".						
Pumps	12 volt, 10 watt bulb and mounting gasket included. Order No. Mfg. No. / Description	List Price	• Made	e of marine grade 316 stainless steel.			
Fuel	207044 (24600-7)	\$176.59 G0-2381100		: down flush when not in use. G Approved 2 nautical mile.			
System Seating &	Accon Pop-Up® Bow Light		• Faste	ens with three #10 screws (not included).			
Pedestals	Accon Marine		210-M Order No.	SERIES Mfg. No. / Description			
Trailering				al Order (210-M) Bow Light al Order (210-M-S) Bow Light, Stud Mount	Call for Price Call for Price		
Tops & Covers				al Order (210-M-C) Waterproofing Cup for 210-M	Call for Price		
Perform.			211-M Order No.	SERIES Mfg. No. / Description			
Propellers	10			al Order (211-M) Bow Light, 204 Style al Order (211-M-C) Waterproofing Cup for 211-M	Call for Price Call for Price		
Engine & Care	R. O.						
Cleaning & Care	 Made of marine grade 316 stainless steel. Folds down flush when not in use. 						
Paint &	USCG Approved 1 nautical mile.						
Paint Acc. Fun &	 Each light is supplied with a cut-out template. Fastens with three #10 screws (not included). 						
Flotation Topside	Order No. Mfg. No. / Description	Coll for Price					
Acc.	Special Order (204-M) Bow Light Special Order (204-M-C) Waterproofing Cup Special Order (204-M-C) Dedecorrect Lags	Call for Price Call for Price					
Cockpit & Deck	Special Order(204-RGL)Replacement LensSpecial Order(204-B)Replacement Bulb	Call for Price Call for Price					
Hardware, Fasteners	Special Order (204-SOCKET) Replacement Socket Special Order (204-RK) Repair Kit	Call for Price Call for Price					
Camouflage							
Misc.							
Comm.							
			•		•		















- Perfect for the no nonsense boater that does not have time to play around with obsolete navigational lights.
- Fully sealed LED navigation lights feature an ultra low profile and flexible design which allows for installation in almost any situation.
- (1) 6" red LED strip and (1) 6" green LED strip.
- Includes: Black PCB 2-black track with adhesive on back, (4) black end caps and (4) stainless steel screws.

Order No. Description 7-52000 LED Flexible Navigation Light Kit List Price \$14.39 G0-4690000

www.repuestoselnavegante.com El Navegante



Hardware, Fasteners

Camouflage

Misc.

Comm





Rigid black polycarbonate housing with stainless cap.

- Compact deck mount design fits most boats.
- Anti-glare.
- 2 mile, 360° visibility.
- For use on power boats up to 39.4 ft. (12 meters).
- Diameter 2-1/4", height 1-5/8".
- 12 volt.

Order No. Mfg. No. / Description 207115 (22000-7)



www.repuestoselnavegante.com El Navegante

\$21.69 G0-3541000

& Deck

Hardware.

Fasteners

Camouflage


Misc

Comm



Freshwater Exclusive		277		
Fixed Mount A	II-Round Lights			
Marpac All-Round Stern Light	Perko Fig. 1604 Fixed White All-Round Light	htir		
marpac		Lig		
 Anodized aluminum pole and sturdy plastic base for corrosion resistance. Anti-glare lens. Provides 2 mile, 360° visibility. For use on boats under 39.4' (12 meters). #1004 12 volt bulb (included). Order No. Description List Price 7-51261 Length 8" \$16.39 G0-8901000 \$2 E3200 Bealesement Claba \$2 E3200 Bealesement Claba 	 Black polymer top and base with frosted lens. 360° reduced glare design. Fixed mount base. 2 mile visibility. 			
7-51258 Replacement Globe \$3.19 G0-4120000 7-3966 Spare Bulbs, 2 Per Pack \$4.59 H0-5720000	For use on power driven vessels under 20 meters in length.	Electronics		
Perko Fixed White All-Round Light	 3/4" diameter anodized aluminum tube. Uses #8 fasteners. 	Trolling Motors		
PERKO	• 12 volt bulb included.	Instruments		
	• Base dimensions: 1" x 2-5/8".	Electrical		
535611	Order No. Mfg. No. / Description List Price 5315098 (1604 DP0 CHR) Vertical Height 7-3/8" \$20.59 G0-0831000	Lighting		
White translucent polymer globe with black polymer	TOWER/ARCH MOUNT	Anchor & Dock		
• Gold plated contacts.	 Serves as 360° all-round navigation light in the up position for nighttime boating or while at anchor and a cockpit courtesy light in the down 	Safety		
• Fixed mount base.	position while at the dock. Stores Forward and out of the way for daytime skiing or boarding.			
2 miles visibility.For use on sail or power driven vessels under 20 meters in length.	 Mounts on 7/8" diameter tubing. Base dimensions: 2" x 1-1/2". 	Controls		
 3/4" diameter anodized aluminum tube. Base dimensions: 1" x 2-5/8". 	Order No. Mfg. No. / Description List Price	Pumps		
Uses #8 fasteners.12 volt bulb included.	535178 (1607 DPO CHR) Vertical Height 8" \$51.19 G0-0343000	Fuel System		
Order No. Mfg. No. / Description List Price	ACCESSORIES Order No. Mfg. No. / Description List Price	Seating & Pedestals		
533274 (0170 SWB DP1) Vertical Height 5-1/8" \$24.39 G0-4361000 535611 (0201 DP0 WHT) Spare Globe \$12.79 G0-7580000	535318 (0239 DP0 BLK) Black/Clear Globe \$11.19 G0-0570000 537475 (0338 DP2 CLR) Spare Bulbs - 2 Per Pack \$10.39 G0-6960000	Trailering		
Perko Fixed Combination Masthead/White All-Round Lights	Perko Fig. 455 Fixed White All-Round Lights	Tops & Covers		
PERKO	PERKO	Perform.		
		Propellers		
		Engine		
5315114		& Care		
	536031	& Care Paint &		
Black polymer top and base with clear polymer lens.	33031	Paint Acc.		
Gold plated contacts.Fixed mount base.	Black polymer top and base with clear fresnel globe.	Fun & Flotation		
 2 mile visibility. For use on power driven vessels under 12 meters in length. 	Gold plated contacts. Fixed mount base.	Topside Acc.		
• 3/4" diameter anodized aluminum tube.	• 2 mile visibility.	Cockpit & Deck		
 Base dimensions: 1" x 2-5/8". Uses #8 fasteners. (2) 12 and the included 	 For use on power driven vessels under 20 meters in length. 3/4" diameter anodized aluminum tube. 	Hardware, Fasteners		
(2) 12 volt bulbs included. Order No. Mfg. No. / Description List Price	Base OD 2-1/8".Uses #8 fasteners.	Camouflage		
532983 (1283 DP0 BLK) Vertical Height 3" \$42.09 G0-0282000 533188 (1236 DP1 BLK) Vertical Height 5" \$46.99 G0-8413000	12 volt bulb included. Order No. Mfg. No. / Description List Price			
533202 (1200 DP BLK) Vertical Height 11-3/8" \$49.79 G0-6333000 535320 (0240 DP0 LNS) Replacement Lens Assembly \$15.59 G0-5401000	538631 (0455 DP1 CHR) Vertical Height 5-5/8" \$56.49 G0-5873000 538643 (0455 DP2 CHR) Vertical Height 13" \$64.09 G0-4924000	Misc.		
535320 (0240 br 0 EN3) Replacement Lens Assembly 515.55 00-540 food 537471 (0338 DP1 CLR) Spare Bulbs - 2 Per Pack \$8.39 60-2650000	536043 (0435 DF2 CHR) Ventical neight 15 504.05 60-322400 536031 (0248 DP0 CLR) Spare Globe \$13.99 G0-7390000	Comm.		





www.repuestoselnavegante.com






SPECIAL HANDLING MAY APPLY

Comm.














288	All-Round Lights, Globes	Exclusive Freshwater Exclusive		
	Perko Fig. 112B Fixed Mount All-Round Light	Perko Fig. 309A Series Pipe Mount All-Round Lights		
	PERKO	PERKO		
Ing	• Cast bronze.	 Plain cast bronze. Complete with double contact electrical socket. 2 mile visibility. 		
	Medium screw base type electrical socket.2 mile visibility.	 For use on vessels 20 meters to 50 meters in length. Overall height 6-1/2", tapped pipe size 1/2". 		
Electronics	 For replacement use only on power driven vessels under 20 meters in length. 	Bulbs not included. Order No. Mfg. No. / Description List Price		
Trolling Motors	 Uses #8 fasteners. Overall height 8-3/4", base OD 3-1/8". Requires 15 watt frosted medium screw bulb (Not included). Order No. Mfg. No. / Description List Price 	S24822 (0309 A00 PLB) White \$224.99 G0-4705100 524834 (0309 RA0 PLB) Red \$224.99 G0-4705100 528387 (0374 001 CLR) Spare Bulbs 12V \$65.59 H0-5393000 528399 (0374 002 CLR) Spare Bulbs 24V \$65.59 H0-5393000		
Electrical	527854 (0112 B00 PLB) \$247.49 G0-2856100 529620 (0226) Medium Screw Base Socket \$20.49 H0-9221000	528402 (0374 003 CLR) Spare Bulbs 32V \$65.59 H0-5393000 528414 (0374 004 CLR) Spare Bulbs 120V \$67.09 H0-5204000		
Lighting	Perko Fig. 108 Series All-Round Lights	Perko Fig. 309B Series Pipe Mount All-Round Lights		
Anchor & Dock	PERKO	PERKO		
Safety				
Steering, Controls				
Pumps				
Fuel System				
Seating & Pedestals	 Black polymer with festoon type electrical socket. Base is tapped for 1/2" pipe or can be removed for surface mounting with 	529620		
Trailering	 #10 fasteners. 2 mile visibility. Visibility arc: 360°. 	Plain cast bronze.Medium screw base type electrical socket.		
Tops & Covers	 For use on power driven vessels under 20 meters in length. Height 6", base OD 3-1/8", lens height 5". 	 2 mile visibility. For replacement use only on power driven vessels under 20 meters in 		
Perform.	 For 12, 24 or 32 volt bulbs. Bulbs not included. Note: White light (527828) has grey tinted globe. 	 Overall height 6-1/2", tapped pipe size 1/2". 		
Propellers	Order No. Mfg. No. / Description List Price	 Uses #8 fasteners. Requires frosted medium screw bulb (Not included). 		
Engine & Care	527828 (0108 000 BLK) White \$91.49 G0-0316000 527830 (0108 G00 BLK) Green \$91.49 G0-0316000	Order No. Mfg. No. / Description List Price		
Cleaning & Care	527842 (0108 R00 BLK) Red \$91.49 G0-0316000 541638 (0070 DP1 CLR) Spare Bulbs 12V (2 Per Pack) \$11.29 G0-6570000	527880 (0309 B00 PLB) White 15 watt Bulb \$207.89 G0-9293100 527892 (0309 RB0 PLB) Red 25 watt Bulb \$207.89 G0-9293100		
Paint & Paint Acc.	541501 (0067 DP2 CLR) Spare Bulbs 24V (2 Per Pack) \$15.79 G0-8501000 541640 (0070 DP2 CLR) Spare Bulbs 32V (2 Per Pack) \$12.49 G0-7380000	527905 (0309 GB0 PLB) Green 25 watt Bulb \$207.89 G0-9293100 529620 (0226) Medium Screw Base Socket \$20.49 H0-9221000		
Fun & Flotation	Perko Fig. 106 Se	ries Spare Globes		
Topside Acc.	PERKO			
Cockpit & Deck				
Hardware, Fasteners				
Camouflage		Spare globes for Perko Figs. 108, 112 and 309 All-Round Lights. Order No. Mfg. No. / Description List Price		
Misc.		529000 (0106 000 WHT) White \$77.69 F0-8345000		
Comm.		529012 (0106 000 GRN) Green \$77.69 F0-8345000 529024 (0106 000 YLW) Yellow \$70.99 F0-9694000 529036 (0106 000 RED) Red \$84.09 F0-6885000		
	www.repuestoselnavega	ante.com El Navegante		



290	Navigation Lights Saltwater	Exclusive Freshwater Exclusive
	Perko Fig. 200 Series Navigation Lights	Aqua Signal Series 44 L.E.D. Navigation Lights
	PERKO	
ling		207294
	535646	 Black polycarbonate. Maintenance free LED navigation light is the perfect choice for
	535641	recreational boats and vessels up to 50 meters. • Optics with "sealed for life" technology IP68 with a temp range -20° C to
Electronics		+35° C degradation control. • Multi-volt, inverse polarity protection included, EMC tested.
Trolling Motors		 Easy installation with water protected IP67 cable connections made of stainless steel in "over flap" housing.
Instruments	535645	 Dimensions: 3.875" W x 4.125" H x 2.25" D. 1 Power LED Module, 1 W bulb included.
Electrical	529618	2 mile visibility.12/24 volt.
Lighting	(* 🛜 *	Order No. Mfg. No. / Description List Price 207290 (44200-7) Starboard Green Lens \$159.59 G0-3960100
Anchor & Dock	535840	207292 (44300-7) Port Red Lens \$159.59 G0-3960100 207294 (44500-7) Stern White Lens \$159.59 G0-3960100
Safety	Black polymer.	Perko Fig. 1377 - 1380 Series Single L.E.D. Navigation Lights
Steering, Controls	Base mount with #10 fasteners or use 535840 (222 DP0 BLK) pipe mounting bracket.	PERKO
Pumps	 Height: 4-7/8", Base OD: 3-5/16". Use Perko Fig. 375 12 volt bulb of proper wattage. 12 volt bulb included. 	
Fuel System	FOR USE ON SAIL OR POWER DRIVES VESSELS UNDER 20 METERS Order No. Mfg. No. Description Visibility List Price	
Seating & Pedestals	Sile Arc 535640 (0200 SDB DP1) Green Side 2 112-1/2° \$120.79 G0-3908000	526159
Trailering	535641 (0200 PB0 DP1) Red Side 2 112-1/2° \$120.79 G0-3908000 535645 (0200 MB0 DP1) White Masthead 3 225° \$120.79 G0-3908000	
Tops & Covers	535646 (0200 SNB DP1) White Stern 2 135° \$120.79 G0-3908000 535652 (0200 SWB DP1) White All-Round 2 360° \$120.79 G0-3908000	526164 526174 526154
Perform.	SPARE BULBS FOR 535646 AND 535652 Order No. Mfg. No. / Description List Price	
Propellers	528503 (0375 12V 10W) 12 volt, 10 watt, .83 amps \$41.09 G0-3572000	
Engine & Care	SPARE BULBS FOR 535640, 535641 AND 535645 Order No. Mfg. No. / Description List Price	526189
Cleaning & Care	528515 (0375 12V 25W) 12 volt, 25 watt, 2.08 amps \$52.39 G0-0153000 SPARE REPLACEMENT BULB SOCKET	526169
Paint & Paint Acc.	Order No. Mfg. No. / Description List Price 529618 (0093) \$23.79 G0-4951000	Black polymer. Pre-wired with 3' of 18/3-SO cable.
Fun & Flotation	FIG. 222 PIPE MOUNTING BRACKET - BLACK POLYMER	 Translucent color specific insert on top of light for easy identification. Height overall: 6", vertical height: 3-1/2". Uses 1/4" fasteners.
Topside Acc.	Screws and soft black mounting gasket for mounting bracket to light. Order No. Mfg. No. / Description List Price	LED: Operates on 120/240 VAC system.
Cockpit & Deck	535840 (0222 DP0 BLK) Overall OD 3-5/16" \$13.99 G0-7390000	FOR USE ON VESSELS 20 METERS TO 50 METERS IN LENGTH Order No. Mfg. No. Description Visibility List Price
Hardware, Fasteners		Mile Arc 526154 (1377 G00 BLK) Green Side 2 112-1/2° \$1,106.49 H0-9836600 526159 (1377 B00 BLK) Brd Side 2 112 1/2° \$1,06.49 H0.9836600
Camouflage		526159 (1377 R00 BLK) Red Side 2 112-1/2° \$1,106.49 H0-9836600 526164 (1378 000 BLK) White Masthead 5 225° \$1,290.29 H0-7147700 526169 (1379 000 BLK) White Stern 2 135° \$1,106.49 H0-9836600
Misc.		526169 (1379 000 BLK) with estern 2 133 \$1,106.49 H0-3836000 526174 (1379 M00 BLK) Yellow Towing 2 135° \$1,106.49 H0-9836600 526179 (1380 000 BLK) White All-Round 2 360° \$1,290.29 H0-7147700
Comm.		526184 (1380 G00 BLK) Green All-Round 2 360° \$1,106.49 H0-9836600 526189 (1380 R00 BLK) Red All-Round 2 360° \$1,106.49 H0-9836600
		poto com El Navegante

Saltwater Exclusive

Freshwater Exclusive

Navigation Lights 291



FOR USE ON VESSELS 20 METERS TO 50 METERS IN LENGTH						
Order No.	Mfg. No.	Description	Visibil	ity	List Price	
			Mile	Arc		
525901	(1127 GA0 BLK)	Green Side	2	112-1/2°	\$271.69	H0-1036100
525913	(1127 RA0 BLK)	Red Side	2	112-1/2°	\$271.69	H0-1036100
525937	(1128 A00 BLK)	White Masthead	5	225°	\$271.69	H0-1036100
525951	(1129 A00 BLK)	White Stern*	2	135°	\$271.69	H0-1036100
525963	(1129 MA0 BLK)	Yellow Towing	2	135°	\$271.69	H0-1036100
525987	(1130 A00 BLK)	White All-Round*	2	360°	\$271.69	H0-1036100
525999	(1130 GA0 BLK)	Green All-Round	2	360°	\$271.69	H0-1036100
526105	(1130 RA0 BLK)	Red All-Round	2	360°	\$271.69	H0-1036100
	LENS AND ACC					
Order No.	Mfg. No. / Descripti				List Price	
535419	(0249 000 RED)	Spare Red Lens				F0-6671100
535421	(0249 000 GRN)				+	F0-6671100
535433	(0249 000 GRY)	Spare Gray Ler			\$168.09	F0-6671100
529466	(0134)	Spare Double (Contac	t Socket	\$43.39	F0-7303000
529860	(1105 000 BLK)	Spare Access (Cap wi	ith Chain	\$55.09	H0-5033000
529872	(1119)	Spare O-Ring f	or Cap)	\$10.29	F0-0270000
IMPORTANT BULB DATA						
 To comply with UL Standard A-1104 (A.B.Y.C.), these lights must use a 						
Perko Fig. 374 bulb.						
REPLACEMENT BULBS - CLEAR						
 Clear Type T-8. C-8. Filament, length 1-3/8". 						
Order No.	Mfg. No. / Descripti	on			List Price	
528387	(0374 001 CLR)	12 volt 30 w	att		\$65.59	H0-5393000

Order No.	Mfg. No. / Description		List Price
528387	(0374 001 CLR) 12 volt	30 watt	\$65.59 H0-5393000
528399	(0374 002 CLR) 24 volt	30 watt	\$65.59 H0-5393000
528402	(0374 003 CLR) 32 volt	30 watt	\$65.59 H0-5393000
528414	(0374 004 CLR) 120 volt	30 watt	\$67.09 H0-5204000



IMPORTANT BULB DATA

• To comply with UL Standard A-1104 (A.B.Y.C.), these lights must be used with the following Perko bulbs: 24 volt use - 528289 (342 024 CLR) bulb, 120 volt use 528286 (342 004 CLR) bulb or 528298 (342 RS4 CLR) bulb when a "Rough Service" bulb is required and 220 volt use 528292 (342 220 CLR) bulb.

Misc.

Comm



























www.repuestoselnavegante.com



304	Courtesy Lights, Utility Lights	Exclusive Freshwater Exclusive	
	T-H Marine Mini L.E.D. D	Dual Mount Courtesy Light	
hting		 They mount vertically or horizontally for low profile companionways, under cabinets, compartments and Low heat, low amp draw, non-corrosive, shock and Dimensions: 2-1/8" L x 5/8" H x 1/2" W. Stainless steel fasteners included. Order No. Mfg. No. / Description 	d more. water resistant. List Price
		642590 (LED-51880-DP) 3 White LEDs	\$14.19 H0-1580000
	T-H Marine L.E.D. Companion Way Lights	T-H Marine L.E.D. Courtesy Companion	Way Lights
Electronics Trolling Motors			
Electrical		Recessed courtesy companion way lights provide li	aht in a variety of uses
Lighting		 Great for compartments, rod lockers, gear bins, etc Frosted PC lens with 3 White LEDs. 	
Anchor & Dock	and a second sec	 LEDs have low (15mA) draw and long life up to 100 Circuit board completely sealed in epoxy to resist v vibration. 	
Safety	 Light pathways, steps and utility boxes economically. Opaque PC lens produces warm glow. 	 Dimensions: 2-1/4" x 2-1/4". Hole diameter: 1-3/4". 	
Steering, Controls	 Low current draw, super long life span up to 100,000 hours. Easy surface mount. Dimensions: 2.6" long x 1.3" wide. 	Hardware included. EXPOSED FASTENERS	
Pumps	Fasteners included. Order No. Mfg. No. Bezel Color List Price	Order No. Mfg. No. Bezel Color 642581 (LED-51876-DP) White	List Price \$15.59 H0-5390000
Fuel System Seating & Pedestals	642506 (LED-51816-DP) Black 2 White LEDs \$15.79 H0-7490000 642509 (LED-51819-DP) White 2 White LEDs \$15.79 H0-7490000 642512 (LED-51818-DP) White 2 Red LEDs \$15.79 H0-7490000 642515 (LED-51818-DP) White 2 Red LEDs \$15.19 H0-1190000 642515 (LED-51822-DP) Chrome 2 White LEDs \$17.89 H0-3701000	HIDDEN FASTENERS Order No. Mfg. No. Bezel Color 639840 (LED-51894-DP) White	List Price \$15.59 H0-5390000
Trailering	642518 (LED-51820-DP) Chrome 2 Blue LEDs \$17.89 H0-3701000	642587 (LED-51891-DP) Black	\$15.59 H0-5390000
Tops & Covers	Lumitec Andros Courtesy Lights	Perko Fig. 1044 Flush Mount Utility Lights with S	nap on Front Cover
Perform. Propellers	LUMITEC		
Engine & Care			
Cleaning & Care	 Compact, attractive, surprisingly bright. White - powder coat. 		
Paint & Paint Acc.	 Illuminate counters, stairs or companionways. Completely sealed and IP67 compliant, these lights are also suitable for 	 Black or white molded polymer. Snap-on front cover conceals mounting screws. Diffusion lens. 	
Fun & Flotation Topside	cockpits, hardtops or illuminating helm stations. • Dimensions: 1" W x 1" H x 1/2" D. • 12 volt.	 Diffusion fers. Flush mounting. Installs in a 1-3/4" diameter hole. 	
Acc.	Order No. Mfg. No. / Description List Price 378919 (101046) White Non Dimming \$20.59 Z0-6041000	 Length 2-1/4", width 2-1/4". Uses #6 fasteners. Complete with 12 volt, 3 watt bulb. 	
& Deck Hardware,	378922 (101047) Blue Non Dimming \$20.59 Z0-6041000	Order No. Mfg. No. Color Connection 531600 (1044 DP1 BLK) Black 1/4" Spade	List Price \$10.99 G0-6370000
Fasteners Camouflage		5315019 (1044 DP2 BLK) Black 7" Pig Tail Wire 531625 (1044 DP2 WHT) White 7" Pig Tail Wire	\$11.69 G0-3870000 \$11.69 G0-3870000
Misc.			
Comm.			



306	Down Lights, Flex Lights	altwater Exclusive
<u> </u>	Lumitec Orbit - Flush Mount Down Lights	Lumitec Exuma - L.E.D. Courtesy/Accent Light
hting	ELMITEC CONTROL	ELMITEC CONTROL CONTRO
Electronics		 Small, attractive and discreet, Exuma lights offer more light output than many 'full size' overhead lights. Measuring about 1" in diameter or less. Clean, almost flush, and easy to install. Fully water sealed and IP67 compliant, Exuma is surface mountable and fits almost anywhere, perfect for interior or exterior installations. 45mA @ 12V DC.
Trolling	- Tranik Raya	378764 (101050) Blue Non Dimming \$20.59 Z0-6041000
Motors	 With a shallow-depth profile (less than 1/2" mounting depth) and a se composite mounting system the lights are ideal for salons and statero 	
Instruments	as well as helm stations, flybridges and hard tops. • Fully sealed and IP67 compliant.	a attwood
Electrical	 Dimensions: 1.99" W x 1.99" H. 300mA @ 12V DC. 160mA @ 12V DC. 	Stainless steel bezel with White LED color.
Lighting		Fully potted electronics and stainless steel
Anchor & Dock	Order No. Mfg. No. / Description List Price 378893 (112500) White, Red, Blue and Purple Non Dimming \$99.49 Z0-95	housing allow for interior and exterior mounting - even underwater!
Safety	WHITE FINISH	 86000 • Rated for 50,000+ hours of life. • 12 volt.
Steering, Controls	Order No.Mfg. No. / DescriptionList Price378899(112520) White, Red, Blue and Purple Non Dimming\$99.49Z0-95	Order No. Mfg. No. / Description List Price i86000 235576 (6342SS7) Diameter 1-1/2" \$31.39 F0-7912000
Pumps	Boater Sports Portable L.E.D. Light Kits with Mounting Track	Marpac L.E.D. Contour Flex Lights
Fuel System Seating & Pedestals Trailering	UMITED QUANTITIES	
Tops & Covers Perform.		
Propellers Engine & Care Cleaning		
& Care Paint & Paint Acc. Fun & Flotation		
Topside		• The LED contour flex light is completely waterproof, self-adhesive and contours to any kind of tubing or curved surface for your Bimini top, T-top
Acc. Cockpit	Great for tool boxes and truck beds, coolers and storage, cars,	 Great for use at the helm, in hatches, and fits neatly under steps and
& Deck Hardware,	 Great for tool boxes and truck bess, coolers and storage, cars, motorcycles, all-terrain vehicles, kayaks and boats. Easy installation. 	countertops.
Fasteners	No wiring required.	The 12 volt LED strip can be operated in a white task mode or a blue accent mode.
Camouflage	 Water resistant construction. Flex track with finished ends. 	• Totally silicone encapsulated, the LED strip has permanent 3M VHB adhesive and insures a long life.
Misc.	Includes (3) AA Batteries. Order No. / Mfg. No. / Description List Price	Just clean the surface and stick it, it's that easy to install. Order No. Description List Price
Comm.	1-34088 (34088) White Length 18" \$45.59 H0-53 1-34089 (34089) Green Length 18" \$46.29 H0-77	772000 7-6612 Blue/White Length 14" Width 1" \$35.39 G0-1732000 772000 7-6613 Red/White Length 14" Width 1" \$32.69 G0-0912000
		aganta com El Navegante

Flex Strip Lights

307

Electronics

Motors

nstruments

Flectrical

Lighting

Anchor & Dock

Safetv

Steering, Controls

Pumps

Fuel

System

Seating & Pedestals

Trailering

Tops & Covers Perform

Propellers

Engine & Care

Cleaning & Care

Paint &

Paint Acc

Flotation

Topside

Cockpit

& Deck

Hardware

Fasteners

Camouflage

Misc

Comm

Freshwater Exclusive Saltwater Exclusive

T-H Marine Blue Water L.E.D. Lighting Products

T-H Marine Blue Water L.E.D. High Output UV Blacklight Kit





- The Blue Water LED High Output UV Blacklight Kit is a powerful UV light source that provides enough light for the longest casts, and will also illuminate objects in the water like stumps or standing timber.
- What's more, the light is projected in a wide beam angle so there are no "dead spots."
- Includes the Blue Water LED lifetime limited warranty.
- Note: For boats larger than 18 feet you should consider two kits for better coverage.
- Kit includes: (2) 60 LED/40" Blue Water LED High Output UV Light Strips with 3M Industrial Waterproof Adhesive Backing., (1) Mini-rocker on/ off power switch, 10' of 18/2 gauge installation wire and T-tap & male connectors.

Order No.	Mfg. No. / Description	List Price
587414	(LEDBW101UVDP)	\$174.59 E0-4903100

T-H Marine Blue Water L.E.D. Night Blaster Deck Lighting System





- Allows you to clearly see your deck for early morning or nighttime fishing while also providing a unique "Wow" factor to your boat.
- Engineered with Blue Water LED's proprietary rugged design, use this easy to install deck lighting system to light up your front deck in a big way or split it up between front and rear decks.
- Includes: (2) 30 LED/20" Blue Water LED Light Strips with 3M Industrial Waterproof Adhesive Backing for front deck, (2) 15 LED/10" Blue Water LED Light Strips with 3M Industrial Waterproof Adhesive Backing for front deck, (2) 15 LED/10" Blue Water LED Light Strips with 3M Industrial Waterproof Adhesive Backing for rear deck and (1) waterproof push-button switch.

Order No.	Mfg. No. / Description		List Price	
587418	(LEDBW106GDP)	Green	\$124.29	E0-2239000
587422	(LEDBW106RDP)	Red	\$124.29	E0-2239000
587426	(LEDBW106WDP)	White	\$124.29	E0-2239000







T-H Marine Blue Water L.E.D. Extreme Pro Deck Lights

- Featuring an IP68-rated waterproofing.
- The aluminum housing has a rugged compact design that stands up to the harshest boating conditions, and the 4' wire lead provides versatile mounting options for a boost of light wherever you need it, the application possibilities are endless.
- Great for the deck of your boat, kayak, fishing canoe, truck bed, even in your truck wheel wells.
- Powerful 450-lumen lighting at a wide, 150° dispersion angle outshines imitators' lights, and these LED boat lights sip just 4.5W of power from a 9-30V DC source for strong lighting that won't drain the battery.
- Includes: (1) Extreme Pro Blue Water LED Deck Light, (1) flat surface mounting pad, (1) curved surface mounting pad, (2) machine mounting screws, (2) self-tapping mounting screws and (2) flat washers.

Order No.	Mfg. No. / Description		List Price	
587462	(LEDBW822BDP)	Blue	\$53.99	E0-9404000
587466	(LEDBW822GDP)	Green	\$53.99	E0-9404000
587470	(LEDBW822RDP)	Red	\$53.99	E0-9404000
587474	(LEDBW822WDP)	White	\$53.99	E0-9404000

BLUE WATER LED EXTREME PRO X2 MOTORGLOW LIGHTING SYSTEM

- These lights can be installed directly to your boats transom or on the motor jackplate.
- Includes: (2) Extreme Pro Blue Water LED Light, (2) flat surface mounting pad, (2) curved surface mounting pad, (4) machine mounting screws, (4) self-tapping mounting screws and (4) flat washers.


Order No.	Mfg. No. / Description		List Price	
587446	(LEDBW812BDP)	Blue	\$99.29	E0-7447000
587450	(LEDBW812GDP)	Green	\$99.29	E0-7447000
587454	(LEDBW812RDP)	Red	\$99.29	E0-7447000
587458	(LEDBW812WDP)	White	\$99.29	E0-7447000

BLUE WATER LED EXTREME PRO X6 DECK LIGHTING SYSTEM

 Includes: (6) Extreme Pro Blue Water LED Deck Light, (6) flat surface mounting pad, (6) curved surface mounting pad, (12) machine mounting screws, (12) self-tapping mounting screws and (12) flat washers.

Order No.	Mfg. No. / Description		List Price	
587430	(LEDBW802BDP)	Blue	\$277.79	E0-4380200
587434	(LEDBW802GDP)	Green	\$277.79	E0-4380200
587438	(LEDBW802RDP)	Red	\$277.79	E0-4380200
587442	(LEDBW802WDP)	White	\$277.79	E0-4380200





www.repuestoselnavegante.com

nte.com El Navegante





312	Industrial LED Solutions L.E.D. Lights	Saltwater Exclusive	e Freshwater Exclusive
	Indu	strial LED Solutions L.E.D. Ligh	ht - Polar Bear Series
hting	B0/120 watt Polar Bear	ver • Ext • Cop car • OSI • 100	605 (PB120G) 120 watt 13662 \$1,023.98 C0-3737500
Electronics	240 watt Polar	Order 60150 60150 60150	i01 (80W POLAR) 80 watt 9570 \$832.89 C0-6970700 i06 (120W POLAR) 120 watt 13662 \$1,104.99 C0-4293900
Instruments	Bear	610515 60152	No.Mfg. No. / DescriptionList Pricei15(PB-BR-G) For 80/120 watt Fixtures\$87.98C0-8747000
Electrical	Indu	istrial LED Solutions L.E.D. Ligh	
Lighting		×	
Anchor & Dock		Contraction of the local division of the loc	UTIONS
Safety	* * * * * * * *	Order 6014 6014	176 (SF48600-G) Length 24" 48 watt 5280 \$674.98 CO-3737500
Steering, Controls	The server is a server of the	LIGH	HT WITH STANCHION MOUNT PACKAGES
Pumps	The second secon	Order 6014 6014	77 (24" 48W) Length 24" 48 watt 5280 \$744.49 CO-2823600
Fuel System		WIT	H BATTERY BACKUP
Seating & Pedestals Trailering	601484	Order 6014 6014	
Tops & Covers	 The LED is clung to the enclosure, which can make the very fast. Lowering the junction temp. 	e heat dissipation	HT WITH BATTERY BACKUP AND STANCHION MOUNT PACKAGES No. Mfg. No. / Description Lumens List Price
Perform.	 Aluminum alloy enclosures gives high performance of endure a 10J impact. Copper-free aluminum enclosure, anti-corrosion. Suita 	anti-impact. Can 6014 6014	181 (24" SWORD) Length 24" 18/18 watt 1980 \$849.19 CO-1812700
Propellers	 different applications and climates. OSRAM LED source, high efficacy and lumen output. 100-277 volts AC. 	STA	NCHION MOUNT List Price No. Mfg. No. / Description List Price 84 (SF-BR) \$75.98 C0-8546000
Engine & Care		strial LED Solutions L.E.D. Light	
Cleaning & Care Paint & Paint Acc. Fun & Flotation Topside Acc. Cockpit	INDUSTRIAL SOLUTIONS	 Rec Put An pre Dri har Hig ma 	duces the number of luminaries needed by providing excellent efficacy. tting more light where you need it. nti-Glare, Shock and Vibration resistant tempered Glass. Reduces risk of emature failure. iver assemblies are designed to provide reliable operation even in the rshest environments. gh strength aluminum alloy enclosure can endure 20J impact and is ade for wet and corrosive environments. 0-240 volts AC.
& Deck Hardware, Fasteners		Day The second second	No. Mfg. No. / Description Lumens List Price
Camouflage	601495	Order	NCHION MOUNT List Price No. Mfg. No. / Description List Price 195 (GF-BR-G) \$37.98 C0-8223000
Misc.	SPECIAL H		
Comm.			
	www.repuestose	inavegant	te.com El Navegante









317

Electrical

Lighting

Anchor & Dock Safety Steering, Controls Pumps Fuel System

Rigid D-Series L.E.D. Spreader Lights HYBRID SPOT SPECTER DIFFUSED **HYBRID HYBRID** DIFFUSED **FLOOD** 2003706 **SPECTER** • 50,000+ Hour LED lifespan. • Instant on/off - no warm up. DRIVING • RoHS Compliant. • Over/under voltage protection. • Cast aluminum housing. Electronics • Impact resistant polycarbonate lens. 340166 **SPECTER** • Integrated thermal management system. Trolling Motors • GORE pressure equalizing vent. WIDE • 9-36V DC. Instruments

- Surface mount.
- Dimensions: 3-3/16" W x 3" H x 3-3/16" D.

Order No. Mfg. No.	Pattern	Color	Sold	Watts	AMP Draw	LEDs	Raw Lumens	Lux at 10 Meters	Distance with .25 Lux	Peak Beam Intensity	List Price	
340150 (601513)	Hybrid Diffused	White	Each	15.8	1.1	4	1,568	11	66	1,100 cd	\$131.29 E0-7489000	
340154 (602513)	Hybrid Diffused	White	Pair	15.8	1.1	4	1,568	11	66	1,100 cd	\$230.99 E0-4237100	
2003708 (202513)	Hybrid Diffused	Black	Pair	15.8	1.1	4	1,568	11	66	1,100 cd	\$209.99 E0-9475100	_
2003716 (701513)	Specter Diffused	White	Each	34.5	2.50	6	3,096	20	89	2,000 cd	\$230.29 E0-2727100	
340166 (702513)	Specter Diffused	White	Pair	34.5	2.50	6	3,096	20	89	2,000 cd	\$437.49 E0-2182300	•
2003715 (602113)	Hybrid Flood	White	Pair	15.8	1.1	4	1,568	55	148	5,500 cd	\$240.69 E0-2508100	
2003706 (202113)	Hybrid Flood	Black	Pair	15.8	1.1	4	1,568	55	148	5,500 cd	\$209.99 E0-9475100	
2003717 (702313)	Specter Driving	White	Pair	34.5	2.50	6	3,096	203	285	20,300 cd	\$437.49 E0-2182300	
2003714 (601213)	Hybrid Spot	White	Each	15.8	1.1	4	1.568	646	508	64,600 cd	\$131.29 E0-7489000	
2003707 (202213)	Hybrid Spot	Black	Pair	15.8	1.1	4	1.568	646	508	64,600 cd	\$209.99 E0-9475100	
		1										

HYBRID SPOT HYBRID SPOT HYBRID SPOT Fredering DIFFUSED SPECTER D					Rigid SR	-M Series L	E.D. Spi	reader Lig	hts				Seating &
+ HYBRID DIFFUSED SPECTER DIFFUSED													
 S0,000+ Hour LED lifespan. S0,000+ Hour LED lifespan. Instant on/off - no warm up. RoHS Compliant. Over/under voltage protection. Cast aluminum housing. Impact resistant polycarbonate lens. Integrated thermal management system. GOBEP ressure equalizing vent. 9:36V DC. Surface mount. Dimensions: 3' W x 2:1/4" H x 2:1/8" D. Coder No. Mg. No. Fatern Color Sold Vats AMP Drav LEDs Tavas Usat 10 Meters with 25 Lux Integrated theready White Each 11 0.8 3 1,125 11.3 67 1,130 cd \$124.99 E0-4930010 2003729 (952313) Specter Diffused Black Each 11 0.8 3 1,125 11.3 67 1,130 cd \$177.09 E0-2823100 2003729 (952313) Specter Diffused Black Each 11 0.8 3 1,125 11.3 67 1,130 cd \$177.09 E0-2823100 2003729 (952313) Specter Diffused Black Each 11 0.8 3 1,125 11.3 67 1,130 cd \$177.09 E0-2823100 2003729 (952313) Specter Diffused Black Each 11 0.8 3 1,125 17.4 176 7,740 cd \$181.29 E0-7953100 2003729 (952313) Specter Diffused Black Each 11 0.8 3 1,125 77.4 176 7,740 cd \$181.29 E0-7953100 2003729 (952313) Specter Diffused Black Each 11 0.8 3 1,125 77.4 176 7,740 cd \$181.29 E0-7953100 2003729 (952313) Specter Diffused Black Each 11 0.8 3 1,125 77.4 176 7,740 cd \$181.29 E0-7953100 2003729 (952313) Specter Diffused Black Each 11 0.8 3 1,125 77.4 176 7,740 cd \$181.29 E0-7953100 2003729 (952313) Specter Diffused Black Each 11 0.8 3 1,125 77.4 176 7,740 cd \$181.29 E0-7953100 2003729 (952313) Specter Diffused Black Each 11 0.8 3 1,125 77.4 176 7,740 cd \$181.29 E0-7953100 2003729 (952313) Specter Diffused Black Each 11 0.8 3 1,125 77.4 176 7,740 cd \$181.29 E0-7953100 2003729 (952313) Specter Diffused Black Each 11 0.8 3 1,125 77.4 176 7,740 cd \$181.29 E0-7953100 2003729 (952313) Specter Diffused Black Each 11 0.8 3 1,125 77.4 176 7,740 cd \$181.29 E0-7953100 2003729 (952313) Specter Diffused Black Each 11 0.8 3 1,125 77.4 176 7,740 cd \$181.29 E0-7953100 2003729 (952313) Specter Diffused Black Each 11 0.8 3 1,125 77.4 176 7,740 cd \$1						H	IYBRI	D SP	от		æ	ESPEN	Trailering
 S0,000+ Hour LED lifespan. Instant on/off - no warm up. RoHS Compliant. Over/under voltage protection. Cast aluminum housing. Integrated thermal management system. GORE Pressure equalizing vent. Solot NC Surface mount. Dimensions: 3" W x 2-1/4" H x 2-1/8" D. Order No. Mg. No. Patern Color Sold Wats AMP Draw EDS Invension Solution Soluti Solution Solution Sol											85		Tops & Covers
 So,000+ Hour LED lifespan. Instant on/off - no warm up. RoHS Compliant. Over/under voltage protection. Cast aluminum housing. Impact resistant polycarbonate lens. Integrated thermal management system. GORE Pressure equalizing vent. Surface mount. Surface mount. Dimensions: 3" W x 2-1/4" H x 2-1/8" D. Verk No. Mg. No. Pattern Color Sold Watts AMP Draw LEDs Law to the system with 25 Lux Intensity and the system of the system			Diric	OLD								2003728	Perform.
 Bold Compliant. BoHS Compliant. Over/under voltage protection. Cast aluminum housing. Impact resistant polycarbonate lens. Integrated thermal management system. GOBE Pressure equalizing vent. 9-36V DC. Surface mount. Dimensions: 3" W x 2-1/4" H x 2-1/8" D. Order No. Mfg. No. Pattern Color Sold Watts AMP Draw LEDs Raw Lux at Uux at									1		10	2007/20	Propellers
 RoHS Compliant. Over/under voltage protection. Cast aluminum housing. Impact resistant polycarbonate lens. Integrated thermal management system. GORE Pressure equalizing vent. 9-36V DC. Surface mount. Dimensions: 3" W x 2-1/4" H x 2-1/8" D. Order No. Mfg. No. Pattern Color Sold Wats AMP Draw LEDs Raw Lux at 10 Meters with .25 Lux Intensity Coder No. Mfg. No. Pattern Color Sold Wats AMP Draw LEDs Raw Lux at 10 Meters Vinte Each 11 0.8 3 1,125 11.3 67 1,130 cd \$181.29 E0-9793100 \$181.29 E0-7953100 \$129.39 E0-2793100 \$181.29 E0-7953100 \$181.29 E0-79531						IFF03E		A.					Engine & Care
 Over/under voltage protection. Cast aluminum housing. Impact resistant polycarbonate lens. Integrated thermal management system. GORE Pressure equalizing vent. 9-36V DC. Surface mount. Dimensions: 3" W x 2-1/4" H x 2-1/8" D. Order No. Mfg. No. Pattern Color Sold Wats AMP Draw LEDs Raw Lux at Distance with 25 Lux Intensity Constraints Constraints Peak Beam List Price Intensity Constraints Constraints Constraints Specter Diffused Black Each 11 Black Each 11 D.8 Specter Diffused Black Each 11 Black Each 11 D.8 Specter Diffused Black Eac		o warm up.						100		A HOLL	D.		
 Cast aluminum housing. Impact resistant polycarbonate lens. Integrated thermal management system. GORE Pressure equalizing vent. 9-36V DC. Surface mount. Dimensions: 3" W x 2-1/4" H x 2-1/8" D. Order No. Mfg. No. Pattern Color Sold Watts AMP Draw LEDs Raw Lux at Distance with .25 Lux Intensity Intensity Intensity Cockpit 340170 (952513) Specter Diffused Black Each 11 0.8 3 1,125 11.3 67 1,130 cd \$181.29 E0-7953100 2003727 (912513) Specter Diffused Black Each 11 0.8 3 1,125 11.3 67 1,130 cd \$181.29 E0-7953100 2003727 (912513) Specter Diffused Black Each 11 0.8 3 1,125 77.4 176 7,740 cd \$181.29 E0-7953100 Eo-97953100 Misc. 2003728 (942213) Hybrid Spot White Each 11 0.8 3 1,125 77.4 176 7,740 cd \$181.29 E0-97953100 Misc. Comm		ne protection								instant.	出口		
 Impact resistant polycarbonate rens. Integrated thermal management system. GORE Pressure equalizing vent. 9-36V DC. Surface mount. Dimensions: 3" W x 2-1/4" H x 2-1/8" D. Order No. Mfg. No. Pattern Color Sold Watts AMP Draw LEDs Raw Lux at Distance with .25 Lux Intensity Intensity Intensity 2003723 (902513) Hybrid Diffused Black Each 11 0.72 2 880 11.25 11.3 67 1,130 cd \$181.29 E0-4739000 \$141.25 E0-4739000 \$142.99 E0-4739000 Specter Diffused Black Each 11 0.8 3 1,125 11.3 67 1,130 cd \$181.29 E0-7953100 E0-2823100 2003727 (912513) Specter Diffused Black Each 11 0.8 3 1,125 11.3 67 1,130 cd \$181.29 E0-7953100 E0-2823100 2003726 (912313) Specter Driving White Each 11 0.8 3 1,125 77.4 176 7,740 cd \$181.29 E0-7953100 E0-2823100 Misc. Misc. Comm								4		-	1000		
• GORE Pressure equalizing vent. • 9-36V DC. • Surface mount. • Dimensions: 3" W x 2-1/4" H x 2-1/8" D. Order No. Mfg.No. Pattern Color Sold Watts AMP Draw LEDs Raw Lux at Distance Peak Beam List Price Hardware, Fasteners 2003723 (902513) Hybrid Diffused Black Each 9.9 0.72 2 880 11 66 1,100 cd \$124.99 E0-4739000 Fasteners 2003727 (912513) Specter Diffused Black Each 11 0.8 3 1,125 11.3 67 1,130 cd \$181.29 E0-7953100 Canouflage 2003729 (952313) Specter Diffused Black Each 11 0.8 3 1,125 11.3 67 1,130 cd \$181.29 E0-7953100 Canouflage 2003729 (952313) Specter Driving White Each 11 0.8 3 1,125 77.4 176 7,740 cd \$181.29 E0-7953100 Misc. 2003726 (912313) Specter Driving Black Each 11 0.8 3 1,125 77.4 176 <td></td> <td></td> <td></td> <td></td> <td>SP</td> <td>ECTER</td> <td></td> <td></td> <td></td> <td>2003723</td> <td>AR</td> <th>E.E.E.</th> <td></td>					SP	ECTER				2003723	AR	E.E.E.	
9-36V DC. 9-36V DC. • Dimensions: 3" W x 2-1/4" H x 2-1/8" D. Order No. Mfg. No. Pattern Color Sold Watts AMP Draw LEDs Raw Lux at Distance Peak Beam List Price Cockpit & Deck 2003723 (902513) Hybrid Diffused Black Each 9.9 0.72 2 880 11 66 1,100 cd \$124.99 E0-4739000 340170 (952513) Specter Diffused White Each 11 0.8 3 1,125 11.3 67 1,130 cd \$181.29 E0-4739000 Camouflage 2003727 (912513) Specter Diffused Black Each 11 0.8 3 1,125 11.3 67 1,130 cd \$181.29 E0-7953100 Camouflage 2003729 (952313) Specter Diffused Black Each 11 0.8 3 1,125 11.3 67 1,130 cd \$181.29 E0-7953100 Camouflage 2003726 (912313) Specter Driving White Each 11 0.8 3 1,125	•	• ·	em.		DF	RIVING					C	333	
 Surface mount. Dimensions: 3" W x 2-1/4" H x 2-1/8" D. Order No. Mfg. No. Pattern Color Sold Watts AMP Draw LEDs Rew Lux at Distance With .25 Lux Intensity List Price Intensity Intensity Specter Diffused Black Each 0.8 1,125 11.3 67 1,130 cd Specter Diffused Black Each 0.8 1,125 11.3 67 1,130 cd Specter Diffused Black Each 0.8 1,125 11.3 67 1,130 cd Specter Diffused Black Each 0.8 1,125 17.4 77.4 77.40 cd Spectar Diving White Each 0.8 1,125 17.4 77.40 cd Spectar Diving Misc. 2003728 (942213) Hybrid Spot White Each 0.72 880 271 329 27,100 cd Speces Misc. 		Juanzing vent.										Caraco	
• Dimensions: 3" W x 2-1/4" H x 2-1/8" D. Order No. Mfg. No. Pattern Color Sold Watts AMP Draw LEDs Raw Lux at 10 Meters Distance with .25 Lux Peak Beam Intensity List Price Hardware, Fasteners 2003723 (902513) Hybrid Diffused Black Each 9.9 0.72 2 880 11 66 1,100 cd \$124.99 E0-4739000 Hardware, Fasteners 2003727 (902513) Specter Diffused White Each 11 0.8 3 1,125 11.3 67 1,130 cd \$181.29 E0-7953100 Camouflage 2003729 (952313) Specter Diffused Black Each 11 0.8 3 1,125 11.3 67 1,130 cd \$181.29 E0-7953100 Camouflage 2003729 (952313) Specter Diriving White Each 11 0.8 3 1,125 77.4 176 7,740 cd \$181.29 E0-7953100 Misc. 2003726 (912313) Specter Driving Black Each 11 0.8 3 1,125 77.4 176 7,740 cd \$181.29 E0-7953100												0000700	Acc.
2003723 (902513) Hybrid Diffused Black Each 9.9 0.72 2 880 11 66 1,100 cd \$124.99 E0-4739000 Fasteners 340170 (952513) Specter Diffused White Each 11 0.8 3 1,125 11.3 67 1,130 cd \$181.29 E0-7953100 Camouflage 2003729 (952313) Specter Diffused Black Each 11 0.8 3 1,125 11.3 67 1,130 cd \$181.29 E0-7953100 Camouflage 2003729 (952313) Specter Diffused Black Each 11 0.8 3 1,125 77.4 176 7,740 cd \$181.29 E0-7953100 Camouflage 2003726 (912313) Specter Driving White Each 11 0.8 3 1,125 77.4 176 7,740 cd \$181.29 E0-7953100 Misc. 2003726 (912313) Specter Driving Black Each 11 0.8 3 1,125 77.4 176 7,740 cd \$181.29 E0-7953100 Misc. 2003728 (942213) Hybrid Spot White Each 9.9													
2003723 (902513) Hybrid Diffused Black Each 9.9 0.72 2 880 11 66 1,100 cd \$124.99 E0-4739000 Pasteners 340170 (952513) Specter Diffused White Each 11 0.8 3 1,125 11.3 67 1,130 cd \$181.29 E0-7953100 Camouflage 2003727 (912513) Specter Diffused Black Each 11 0.8 3 1,125 11.3 67 1,130 cd \$181.29 E0-7953100 Camouflage 2003729 (952313) Specter Diriving White Each 11 0.8 3 1,125 11.3 67 1,130 cd \$177.09 E0-2823100 Camouflage 2003726 (912313) Specter Driving White Each 11 0.8 3 1,125 77.4 176 7,740 cd \$181.29 E0-7953100 Misc. 2003726 (912313) Specter Driving Black Each 11 0.8 3 1,125 77.4 176 7,740 cd \$177.09 E0-2823100 <t< th=""><th>Urder No. Mtg. No.</th><th>Pattern</th><th>Color</th><th>Sold</th><th>Watts</th><th>AMP Draw</th><th>LEDs</th><th></th><th></th><th></th><th></th><th>List Price</th><th></th></t<>	Urder No. Mtg. No.	Pattern	Color	Sold	Watts	AMP Draw	LEDs					List Price	
2003727 (912513) Specter Diffused Black Each 11 0.8 3 1,125 11.3 67 1,130 cd \$177.09 E0-2823100 2003729 (952313) Specter Driving White Each 11 0.8 3 1,125 77.4 176 7,740 cd \$181.29 E0-7953100 Misc. 2003726 (912313) Specter Driving Black Each 11 0.8 3 1,125 77.4 176 7,740 cd \$181.29 E0-7953100 Misc. 2003726 (912313) Specter Driving Black Each 11 0.8 3 1,125 77.4 176 7,740 cd \$177.09 E0-2823100 Misc. 2003728 (942213) Hybrid Spot White Each 9.9 0.72 2 880 271 329 27,100 cd \$129.99 E0-9479000 Comm	2003723 (902513)	Hybrid Diffused	Black	Each	9.9	0.72	2	880	11	66		\$124.99 E0-4739000	Fasteners
2003729 (952313) Specter Driving White Each 11 0.8 3 1,125 77.4 176 7,740 cd \$\$181.29 E0-7953100 Misc. 2003726 (912313) Specter Driving Black Each 11 0.8 3 1,125 77.4 176 7,740 cd \$\$177.09 E0-2823100 Misc. 2003728 (942213) Hybrid Spot White Each 9.9 0.72 2 880 271 329 27,100 cd \$\$129.99 E0-9479000 Comm													Camouflage
2003726 (912313) Specter Driving Black Each 11 0.8 3 1,125 77.4 176 7,740 cd \$177.09 E0-2823100 1000000000000000000000000000000000000													<u> </u>
2003728 (942213) Hybrid Spot White Each 9.9 0.72 2 880 271 329 27,100 cd \$129.99 E0-9479000													Misc.
Comm													
2003/32 (902213) Hybrid Spot Black Each 9.9 0.72 2 880 271 329 27,100 cd \$124.99 E0-4739000	1 /										,	1	Comm.
	2003/32 (902213)	Hyprid Spot	Black	Each	9.9	0.72	Z	880	2/1	329	27,100 cd		





,

320	Docking Lights Saltwate	er Exclusive Freshwater Exclusive
ġ	Marpac Sola	r Dock/Deck Light
ghting	шаграс Состав	 Solar Dock/Deck Light with three position switch (flashing- on - off). Heavy duty cast aluminum frame. Waterproof construction. 8 hours of sunlight to fully charge. Order No. Description List Price 7-34162 Solar Dock/Deck Light \$25.59 G0-5171000
	Attwood L.E.D. Docking Lights	Attwood L.E.D. Docking Lights
	a attwood	a attwood
Electronics	T. A.	QUANTITIES
Trolling Motors	Con Contraction	e
Instruments	(C)	 At less than 1" thick, the lights are designed to be mounted directly to the surface of the hull. With only a small hole for wiring and 5 screws for attachment, Attwood's
Electrical		surface mount design makes installation as quick and effortless as possible.
Lighting Anchor & Dock	 Compared to its 55 watt halogen competition, the Attwood Surface Mount LED Docking Lights draws a fraction of the power while producing a brighte 	 Requires (2) #8 x stainless steel phillips head screws (Not included). Dimensions: 4-1/8" H x 8-1/8" W x 3/4" D. Sold per pair.
Safety	output. • The Attwood product also transmits light in a much broader pattern as	Order No. Mfg. No. / Description List Price 2350117 (6520SS4) Stainless Steel Bezel, White LED \$337.99 F0-9563200
Steering,	 opposed to a narrow beam generated by today's competitors. Power draw and performance are important, but what about assembly? At 	Aqua Signal Stainless Steel Halogen Docking Lights
Controls	1.2" thick, the lights are designed to be mounted directly to the surface of the hull.	A signal
Pumps Fuel	 With only a small hole for wiring and three (3) screws for attachment, Attwood's surface mount design makes installation quick and uncomplicated. 	Stainless steel cover.
System Seating & Pedestals	 This new LED Docking Light allows for fewer hull cuts and minimal intrusion while producing results that are reliable and attractive. Attwood used only the highest grade stainless steel and aluminum 	docks, anchorages & moorings at night.
Trailering	 components to ensure the product is resistant to corrosion. The rubber gasket provided creates a barrier that protects your hull from water entry. 	 Clean flush mount housing adds distinct look to your boat. Dimensions: 7.75" L x 4.25" W x 3.5" H.
Tops & Covers	Packaged per pair. Order No. Mfg. No. / Description List Price	12 volt, 50 watt.Sold per pair.
Perform.	235572 (6522SS7) Stainless Steel Bezel \$164.09 F0-6841100 2350119 (6523BK7) Black Powder Coat Bezel \$162.19 F0-3531100	Order No. Mfg. No. / Description List Price 207394 (85104-7) \$261.09 G0-3947100
Propellers	Sierra Heavy Duty Docking Lights	Marpac On/Off Switch Panel for Headlight
Engine & Care		(Michago)
Cleaning & Care	sierra	
Paint & Paint Acc.		ON
Fun & Flotation		
Topside Acc.	• 30,000 cp bulb illuminates below the deckline.	OFF
Cockpit & Deck	 Newly-designed housing is fully sealed. 	
Hardware, Fasteners	 Align and change eyeball from exterior of the hull. New eyeball will fit into old-style docking light housing. New-style housing will fit existing cut-out with only slight modification. 	
Camouflage	 Mil-Spec sealed waterproof/dustproof rocker switch panel included. 12 volt. 	• Corrosion resistant brass switch, accommodates up to 1" thick panel.
Misc.	Sold per pair. Order No. Mfg. No. / Description List Price	 Rated: 15 amp @ 12V DC. Dimensions: 1.8" x 2.4".
Comm.	995001 (95001) White \$513.49 Z0-4916300 995002 (95002) Replacement Light \$128.99 Z0-6809000	Order No. Description List Price 7-51381 On/Off Switch Panel for Headlight \$13.19 G0-4880000



te 🛛













.....

Searchlights



Perko 800 Series Solar-Ray® Searchlights

- Heavy gauge brass and cast bronze.
- White Perko Kote finish.
- 12, 24, 32 or 120 volts.
- All models feature: Halo deflectors, parabolic glass mirror reflectors for maximum light output and ventilation covers for quick dissipation of heat to help prolong bulb life.
- Hinged front doors have quick release stainless steel latches.
- Weatherproof construction. Interior finished in flat black.

- Lower vent cover on 12" and 14" sizes.
- Slide-lock focusing device behind lower vent.
- Heavy duty yoke mounting.
- Standard pedestal base diameter: 7".
- 10" lights are standard with 2-pin prefocus socket.
- 12" and 14" lights are standard with medium prefocus socket.
- Bulbs are not included and must be ordered separately.



Searchlights

329

Safety

Tops & Covers

Perform.

Bulb and Socket Ordering Information for Perko 800 Series Solar-Ray® Searchlights

🛻 Freshwater Exclusive 💽 🖉 🥪 Saltwater Exclusive

- Bulbs are not included in lights and must be ordered separately.
- For best results, the bulb and reflector must be perfectly compatible; therefore be sure to specify the stock number of the bulb desired.
- Peak candlepower is exceedingly sensitive to many factors, (i.e. a light source out of focus by 1/32 inch, under-voltage of only 4% or differences between bulb manufactures) which can cause reduction of range of up to 20%.

				Incandeso	ent Bulb Recommend	ations			
DMI #	MFG #	Voltage	Wattage	Socket Type	Socket Code Letter	For Searchlight Size	Rated* Life Hours	Mfg. Bulb Code	
528806	806	32	500	Medium Screw	В	10", 12", 14", 19"	50	DLT	
	807	120	500	Medium Prefocus	E	10", 12", 14", 19"	25	CZX/DAB	
	809	120	750	Medium Prefocus	E	12", 14", 19"	25	DDB	
	837	120	750	Medium Prefocus	E	12", 14", 19"	200	DGH	
	810	120	1,000	Medium Prefocus	E	12", 14", 19"	25	DRS	
	811	120	1,000	Mogul Screw	D	12", 14"	50	DPT	
				"Quartz" Tungste	en Halogen Bulb Reco	nmendations			Electronic
DMI #	MFG #	Voltage	Wattage	Socket Type	Socket Code Letter	For Searchlight Size	Rated* Life Hours	Mfg. Bulb Code	Trolling Motors
220070	816	12	100	2-Pin Prefocus	F	10", 12", 14"	50	FDT	
	836	24	150	2-Pin Prefocus	G	10", 12", 14"	50	DZE/FDS	Instrumen
219825	844	120	500	Medium Prefocus	E	10", 12", 14", 19"	500	BTL	
220020	820	120	600	2-Pin Prefocus	1	10", 12", 14"	75	DYS	Electrica
219837	845	120	750	Medium Prefocus	E	12", 14", 19"	200	BTP	
219851	839	120	900	2-Pin Prefocus	К	12", 14", 19"	75	BVA	Lighti
	846	120	1,000	Medium Prefocus	E	12", 14", 19"	200	BTR	
219849	040	120	1,000	IVIEUIUIII I TETOCUS	L	12,14,13	200	DIN	Anchor

• Electric bulbs are not returnable unless the fault is ours.

*Note: These are the "Rated Average Laboratory Life in Hours" of the Bulb Manufacturer. No guarantee to the time indicated.

High Pressure	Xenon Short Arc Lamp	High Pressure	Xenon Short Arc Lamp	Steering, Controls
				Pumps
 Power input: Rated 500W. Supply voltage: 50 volts. Operating current: 20 amp. 	 Rated voltage: 26 volts. Luminous flux: 13,100 lm.	 Power input: Rated 1,000W. Supply voltage: 65 volts. Operating current: 50 amp. 	 Rated voltage: 20 volts. Luminous flux: 32,000 lm.	Fuel System Seating & Pedestals
Order No. Mfg. No. / Description	List Price	Order No. Mfg. No. / Description	List Price	Pedestals
696314 (XW500)	\$598.98 E0-4294400	696316 (XW1000/M)	\$598.98 E0-4294400	Trailering

Electric Socket and Support Stand Assemblies

- Perko Solar-Ray Searchlights include a socket and support stand based on the bulb or socket information given when ordering.
- The following chart makes it possible for distributors or dealers to order and stock different styles of these assemblies separately for field conversion. thereby covering a large variety of voltage and candlepower requirements with a minimum of inventory. (Donovan numbers are bold).

Medium Screw	Medium Prefo	cus Mogul)	Mogul Prefocus	2-Pin Pro		2-Pin Prefocus	Propellers Engine & Care Cleaning & Care
Code B	Code E	Cod		Code L and M	Code		Code F, G, H and I	Paint & Paint Acc.
Socket Type Medium Screw	Socket Code B	For 10" Searchlights 872 001	Height Stand	For 12" Searchlights 872 002	Height Stand 2-1/4"	For 14" Searchli 872 003	ights Height Stand 3-1/4"	Fun & Flotation
Medium Prefocus Mogul Screw	E D	530332 (873 001)	1-5/16″ -	530344 (873 002) 874 002	1-15/16″ 7/16″	530356 (873 00 874 003	- 1	Topside Acc.
2-Pin Prefocus (12 volt) 2-Pin Prefocus (24 volt)	F G	875 001 876 001	3-1/2" 3-1/4"	875 002 876 002	4-1/2" 4-1/4"	875 003 876 003	5-1/2" 5-1/4"	Cockpit & Deck
2-Pin Prefocus (32 volt) 2-Pin Prefocus (600 watt)	H I	878 001 530421 (879 001)	3-1/4" 3-1/8"	878 002 879 002	4-1/4" 4-1/8"	878 003 879 003	5-1/4" 5-1/8"	Hardware, Fasteners
2-Pin Prefocus (900 watt) Order No. Mfg. No. / Description		- List Price	-	880 002 Order No. Mfg. No. / Descr	3-13/16" ption	880 003	4-13/16" List Price	Camouflage
530458 (0894) Medium So 530469 (0895) Medium Pr	refocus Socket	Code E \$156.99	F0-3381000 F0-9890100	530344 (0873 002) Fo	r 10" Searchlights r 12" Searchlights	:	\$226.49 F0-4585100 \$226.49 F0-4585100	Misc.
530483 (0899) 2-Pin Prefo	ocus Socket	Codes F, G, H & I \$146.19	F0-3320100		r 14" Searchlights Pin Prefocus for 10		\$226.49 F0-4585100 \$267.29 F0-0178100	Comm.



331

Comm.

The Carlisle & Finch Co. 500 Watt Xenon Arc Searchlights



Misc.

Comm.

					IIICII GO. I.UK		w Xenon Arc	Searchingin	.5	
										,
LEVER G	EAR CO	NTROL -	DRUM-SIZE NOMI	NAL 19"			CARLS			
					uminum and	- (<i>ž</i>	CEY	· 1	26	
stainles	s steel,	with a h	igh quality salt and	scratch resistan	t powder coa	at 📘	ערא	.]		
						No.	FINCH			Ì.
The index of a second secon	estructit rful 80 n	ole, nické nillion (1	el reflector produces	a precision 1-D	egree beam	at 🔪			0.).	l
						···				1
Focus N	/lotor fai	ls, the b	eam-size can be adju	usted quickly ar	nd easily, wit	:h 📕				
The sea bold car	irchlight	is moun thin stair	ted on a rugged base	e, which include	es ball bearir than 385	ngs	1			
degrees	s of horiz	zontal ro	tation with unique sl	iding stop.	ulali JuJ		-			
• Remote	electric	beam-s	ize focus (approx. 1 t	o 15 degrees).				ATT I		
• Voltage	s: Single	e phase	115VAC, 230VAC and	d 3-phase 208/2	240 VAC, 380	כ 🎽	11 11	321		
						100			- C 3	
•				List D.		13		16 11		
275417	MIG. NO. / (XE96641	Description	ead w/46" Lever Gear (1	20	. J A		
							1000			
			ower Supply							
ΠΕΤΛΝΤ	ГЕГЕРТ		ΙΤΡΟΙ					J	-	
				and vertical clu	tch		1			
									and -	
						6		-	and the second	
				zontal moveme	nt.		· .			
				n 0 to 25 degre	es per secon	d.				
						()		
 Optiona 	l anti-ic	ing heati	er circuitry in base, r	ack and trunnio	ns.					
Ontiona	I diaital								and the second sec	
		azimuth	indicator.							
• Optiona	l manua	azimuth Il back-u	indicator. p (in case of motor fa	ailure).						
 Optiona Order No. 	Il manua Mfg. No. /	azimuth Il back-u Descriptior	indicator. p (in case of motor fa	ailure). List Pri	ce	21				
• Optiona	Il manua Mfg. No. /	azimuth Il back-u Descriptior	indicator. p (in case of motor fa	ailure). List Pri \$12,560.(ce)0 A0-000652					
 Optiona Order No. 	Il manua Mfg. No. /	azimuth Il back-u Descriptior	indicator. p (in case of motor fa	ailure). List Pri \$12,560.(ce)0 A0-000652		ogen Search	lights		
 Optiona Order No. 	Il manua Mfg. No. /	azimuth Il back-u Descriptior	indicator. p (in case of motor fa	ailure). List Pri \$12,560.(ce)0 A0-000652		ogen Search	lights		
• Optiona Order No. 1 275445 (I manua Mfg. No. / (XE9666-	azimuth Il back-u Descriptior -RF)	indicator. p (in case of motor f	ailure). List Pri \$12,560.(The Carl	^{ce} 1 <mark>0</mark> A0-000652 isle & Finch		ogen Search	lights		
 Optiona Order No. 1 275445 (Beam cl 	II manua Mfg. No. / (XE9666- haracter	azimuth Il back-u Descriptior -RF)	indicator. p (in case of motor fa	ailure). List Pri \$12,560.(The Carl	^{ce} 1 <mark>0</mark> A0-000652 isle & Finch		ogen Search	lights		
• Optiona Order No. 1 275445 (II manua Mfg. No. / (XE9666- haracter	azimuth Il back-u Descriptior -RF)	indicator. p (in case of motor f	ailure). List Pri \$12,560.(The Carl	^{ce} 1 <mark>0</mark> A0-000652 isle & Finch		ogen Search	lights		
 Optiona Order No. 1 275445 (Beam cl Price 0 	II manua Mfg. No. / (XE9666- haracter I n Requ	azimuth Il back-u Description RF) istics of est	indicator. p (in case of motor f	ailure). List Pri \$12,560.(The Carli ights with vario	ce 10 A0-000652 isle & Finch bus lamps.	Co. 19" Hal	ogen Search	lights		
Order No. 1 275445 Beam cl Price 0 BEAM C/	II manua Mfg. No. / (XE9666: haracter In Reque	azimuth Il back-u Descriptior RF) ristics of est	indicator. p (in case of motor fa 19" halogen searchl COF CARLISLE & FII	ailure). List Pri \$12,560.(The Carli ights with vario NCH CO. HALO	ce 30 A0-000652 isle & Finch ous lamps. GEN SEARC	Co. 19" Hal Hlights				
Optiona Order No. 1 275445 Beam cl Price 0 BEAM C/ Code	Il manua Mfg. No. / (XE96666 haracter In Reque ANDLEF Watts	azimuth Il back-u Descriptior RF) ristics of est POWERS Volts	indicator. p (in case of motor fa 19" halogen searchl COF CARLISLE & FII Base	ailure). List Pri \$12,560.(The Carl ights with varic NCH CO. HALO Average Hrs.	ce 10 A0-000652 isle & Finch ous lamps. GEN SEARC 10-Inch	Co. 19" Hal HLIGHTS 12-Inch	15-Inch	19-Inch		
Optiona Order No. 1 Z75445 Beam cl Price 0 BEAM C/ Code CPG	Il manua Mfg. No. / (XE96666- haracter I n Requ ANDLEF Watts 108	azimuth Il back-u Descriptior .RF) istics of est POWERS 6	indicator. p (in case of motor fa 19" halogen searchl COF CARLISLE & FII Base Medium Screw	ailure). List Pri \$12,560.(The Carl ights with varic NCH CO. HALO Average Hrs. 50	ce D0 A0-000652 isle & Finch ous lamps. GEN SEARC 10-Inch 350,000	Co. 19" Hal HLIGHTS 12-Inch 563,000	15-Inch Not Used	19-Inch Not Used		
Optiona Order No. 1 Z75445 Beam cl Price 0 BEAM C/ Code CPG FDT	I manua Mfg. No. / (XE96666) haracter In Reque ANDLEF Watts 108 100	azimuth il back-u Descriptior RF) istics of est POWERS 6 12	indicator. p (in case of motor fa 19" halogen searchl COF CARLISLE & FII Base Medium Screw 2-Pin Pre-focus	ailure). List Pri \$12,560.0 The Carli ights with varico NCH CO. HALO Average Hrs. 50 50	ce 30 A0-000652 isle & Finch ous lamps. GEN SEARC 10-Inch 350,000 765,000	Co. 19" Hal HLIGHTS 12-Inch 563,000 1,170,000	15-Inch Not Used 1,750,000	19-Inch Not Used Not Used		
Optiona Order No. 1 Z75445 Beam cl Price 0 BEAM C/ Code CPG FDT FDS	I manua Mfg. No. / (XE96666- haracter In Reque ANDLEF Watts 108 100 150	azimuth il back-u Descriptior RF) ristics of est POWERS 6 12 24	indicator. p (in case of motor fa 19" halogen searchl COF CARLISLE & FII Base Medium Screw 2-Pin Pre-focus 2-Pin Pre-focus	ailure). List Pri \$12,560.0 The Carl ights with vario NCH CO. HALO Average Hrs. 50 50 100	ce 10 A0-000652 isle & Finch ous lamps. GEN SEARC 10-Inch 350,000 765,000 935,000	Co. 19" Hal HLIGHTS 12-Inch 563,000 1,170,000 1,380,000	15-Inch Not Used 1,750,000 2,030,000	19-Inch Not Used Not Used Not Used		
Optiona Order No. 1 275445 Beam cl Price 0 BEAM C/ Code CPG FDT FDS BTM	Il manua Mfg. No. / (XE96666) haracter In Requination MNDLEF Watts 108 100 150 500	azimuth Il back-u Descriptior RF) istics of est Volts 6 12 24 120	indicator. p (in case of motor fa 19" halogen searchl COF CARLISLE & FII Base Medium Screw 2-Pin Pre-focus 2-Pin Pre-focus Medium Pre-focus	ailure). List Pri \$12,560.(The Carli ights with varic NCH CO. HALO Average Hrs. 50 50 100 100	ce 0 A0-000652 isle & Finch bus lamps. GEN SEARC 10-Inch 350,000 935,000 935,000 950,000	Co. 19" Hal HLIGHTS 12-Inch 563,000 1,170,000 1,380,000 1,160,000	15-Inch Not Used 1,750,000 2,030,000 2,080,000	19-Inch Not Used Not Used		
Optiona Order No. 1 Z75445 Beam cl Price 0 BEAM C/ Code CPG FDT FDS BTM FKF	I manua Mfg. No. / (XE96666- haracter In Reque ANDLEF Watts 108 100 150 500 500	azimuth Il back-u Descriptior RF) istics of est Volts 6 12 24 120 230	indicator. p (in case of motor fa 19" halogen searchl OF CARLISLE & FII Base Medium Screw 2-Pin Pre-focus 2-Pin Pre-focus Medium Pre-focus Medium Pre-focus	ailure). List Pri \$12,560.(The Carl ights with varied NCH CO. HALO Average Hrs. 50 50 100 100 750	ce 0 A0-000652 isle & Finch ous lamps. GEN SEARC 10-Inch 350,000 765,000 935,000 935,000 CONS	Co. 19" Hal HLIGHTS 12-Inch 563,000 1,170,000 1,380,000 ULT FA	15-Inch Not Used 1,750,000 2,030,000 2,080,000 CTORY	19-Inch Not Used Not Used Not Used 2,970,000		
Optiona Order No. 1 Z75445 Beam cl Price 0 BEAM C/ Code CPG FDT FDS BTM FKF DYS	I manua Mfg. No. / (XE96666- In Requined N Requined N Matts 108 100 150 500 500 600	azimuth Il back-u Descriptior RF) istics of est Volts 6 12 24 120 230 120	indicator. p (in case of motor fa 19" halogen searchl OF CARLISLE & FII Base Medium Screw 2-Pin Pre-focus 2-Pin Pre-focus Medium Pre-focus Medium Pre-focus 2-Pin Pre-focus 2-Pin Pre-focus	ailure). List Pri \$12,560.(The Carl ights with varic NCH CO. HALO Average Hrs. 50 50 100 100 100 750 75	Ce D0 A0-000652 isle & Finch bus lamps. GEN SEARC 10-Inch 350,000 765,000 935,000 950,000 CONS 781,000	Co. 19" Hal HLIGHTS 12-Inch 563,000 1,170,000 1,380,000 1,160,000 ULT FA 1,130,000	15-Inch Not Used 1,750,000 2,030,000 2,080,000 CTORY 1,840,000	19-Inch Not Used Not Used Not Used 2,970,000		
Optiona Order No. 1 Z75445 Beam cl Price 0 BEAM C/ Code CPG FDT FDS BTM FKF DYS BTP	I manua Mfg. No. / (XE96666) In Reque ANDLEF Watts 108 100 150 500 500 600 750	azimuth Il back-u Descriptior RF) istics of est Volts 6 12 24 120 230 120 120 120	indicator. p (in case of motor fa 19" halogen searchl COF CARLISLE & FII Base Medium Screw 2-Pin Pre-focus 2-Pin Pre-focus Medium Pre-focus Medium Pre-focus Medium Pre-focus Medium Pre-focus	ailure). List Pri \$12,560.(The Carl ights with vario NCH CO. HALO Average Hrs. 50 50 100 100 750 75 200	ce 0 A0-000652 isle & Finch ous lamps. GEN SEARC 10-Inch 350,000 765,000 935,000 950,000 CONS 781,000 Not Used	Co. 19" Hal HLIGHTS 12-Inch 563,000 1,170,000 1,380,000 1,160,000 ULT FA 1,130,000 1,520,000	15-Inch Not Used 1,750,000 2,030,000 2,080,000 CTORY 1,840,000 2,820,000	19-Inch Not Used Not Used Not Used 2,970,000		
Optiona Order No. 1 Z75445 Beam cl Price 0 BEAM C/ Code CPG FDT FDS BTM FKF DYS BTP BVA	I manua Mfg. No. / (XE96666) haracter n Reque ANDLEF Watts 108 100 150 500 500 600 750 900	azimuth Il back-u Descriptior RF) istics of est Volts 6 12 24 120 230 120 120 120	indicator. p (in case of motor fa 19" halogen searchl COF CARLISLE & FII Base Medium Screw 2-Pin Pre-focus 2-Pin Pre-focus Medium Pre-focus 2-Pin Pre-focus Medium Pre-focus 2-Pin Pre-focus Medium Pre-focus 2-Pin Pre-focus Medium Pre-focus 2-Pin Pre-focus	ailure). List Pri \$12,560.(The Carli ights with varied VCH CO. HALO VCH CO. HALO Average Hrs. 50 50 100 100 100 750 75 200 75	ce 0 A0-000652 isle & Finch ous lamps. GEN SEARC 10-Inch 350,000 765,000 935,000 935,000 950,000 CONS 781,000 Not Used CONS	Co. 19" Hal HLIGHTS 12-Inch 563,000 1,170,000 1,180,000 ULT FA 1,130,000 ULT FA	15-Inch Not Used 1,750,000 2,030,000 2,080,000 CTORY 1,840,000 2,820,000 CTORY	19-Inch Not Used Not Used 2,970,000 2,700,000 3,980,000		
Optiona Order No. 1 Z75445 Beam cl Price 0 BEAM C/ Code CPG FDT FDS BTM FKF DYS BTP BVA BTR	I manua Mfg. No. / (XE96666- haracter In Reque ANDLEF Watts 108 100 150 500 500 600 750 900 1000	azimuth Il back-u Descriptior RF) istics of est Volts 6 12 24 120 230 120 120 120 120	indicator. p (in case of motor fa 19" halogen searchl OF CARLISLE & FII Base Medium Screw 2-Pin Pre-focus 2-Pin Pre-focus Medium Pre-focus 2-Pin Pre-focus Medium Pre-focus 2-Pin Pre-focus Medium Pre-focus 2-Pin Pre-focus Medium Pre-focus Medium Pre-focus Medium Pre-focus Medium Pre-focus	ailure). List Pri \$12,560.(The Carl ights with varied NCH CO. HALO Average Hrs. 50 50 100 100 750 75 200 75 200	Ce 20 A0-000652 isle & Finch bus lamps. GEN SEARC 10-Inch 350,000 765,000 935,000 935,000 935,000 CONS 781,000 Not Used CONS Not Used	Co. 19" Hal HLIGHTS 12-Inch 563,000 1,170,000 1,180,000 ULT FA 1,130,000 1,520,000 ULT FA 1,520,000	15-Inch Not Used 1,750,000 2,030,000 2,080,000 CTORY 1,840,000 2,820,000 CTORY 2,820,000	19-Inch Not Used Not Used Not Used 2,970,000 2,700,000 3,980,000 4,300,000		
Optiona Order No. 1 Z75445 Beam cl Price 0 BEAM C/ Code CPG FDT FDS BTM FKF DYS BTP BVA BTR 1M/T20	I manua Mfg. No. / (XE96666- haracter In Reque ANDLEF Watts 108 100 150 500 500 600 750 900 1000 1000	azimuth Il back-u Descriptior RF) istics of est Volts 6 12 24 120 230 120 120 120	indicator. p (in case of motor fa 19" halogen searchl OF CARLISLE & FII Base Medium Screw 2-Pin Pre-focus Medium Pre-focus 2-Pin Pre-focus Medium Pre-focus 2-Pin Pre-focus Medium Pre-focus 2-Pin Pre-focus Medium Pre-focus Medium Pre-focus Medium Pre-focus Medium Pre-focus Medium Pre-focus Medium Pre-focus Medium Pre-focus	ailure). List Pri \$12,560.(The Carl ights with varied VCH CO. HALO Average Hrs. 50 50 100 100 750 75 200 75 200 50	Ce D0 A0-000652 isle & Finch bus lamps. GEN SEARC 10-Inch 350,000 765,000 935,000 950,000 CONS 781,000 Not Used Not Used Not Used	Co. 19" Hal HLIGHTS 12-Inch 563,000 1,170,000 1,160,000 ULT FA 1,130,000 1,520,000 ULT FA 1,520,000 Not Used	15-Inch Not Used 1,750,000 2,030,000 2,080,000 CTORY 1,840,000 2,820,000 CTORY 2,820,000 940,000	19-Inch Not Used Not Used 2,970,000 2,700,000 3,980,000 4,300,000 2,380,000		
Optiona Order No. 1 Z75445 Beam cl Price 0 BEAM C/ Code CPG FDT FDS BTM FKF DYS BTP BVA BTR 1M/T20 DPT	I manua Mfg. No. / (XE96666- In Reque ANDLEF Watts 108 100 150 500 600 750 900 1000 1000 1000	azimuth Il back-u Descriptior RF) istics of est Volts 6 12 24 120 230 120 120 120 120 120 120 120 120	indicator. p (in case of motor fa 19" halogen searchl OF CARLISLE & FII Base Medium Screw 2-Pin Pre-focus 2-Pin Pre-focus Medium Pre-focus 2-Pin Pre-focus Medium Pre-focus 2-Pin Pre-focus Medium Pre-focus	ailure). List Pri \$12,560.(The Carl ights with varice NCH CO. HALO Average Hrs. 50 50 100 100 100 750 200 75 200 550 50 50 50 50 50 50 50 50	Ce D0 A0-000652 isle & Finch bus lamps. GEN SEARC 10-Inch 350,000 765,000 935,000 950,000 CONS 781,000 Not Used Not Used Not Used Not Used Not Used Not Used	Co. 19" Hal HLIGHTS 12-Inch 563,000 1,170,000 1,170,000 1,160,000 ULT FA 1,130,000 1,520,000 ULT FA 1,520,000 Not Used Not Used	15-Inch Not Used 1,750,000 2,030,000 2,080,000 CTORY 1,840,000 2,820,000 CTORY 2,820,000 940,000 Not Used	19-Inch Not Used Not Used Not Used 2,970,000 2,700,000 2,380,000 2,380,000 2,700,000		
Optiona Order No. 1 Z75445 Beam cl Price 0 BEAM C. Code CPG FDT FDS BTM FKF DYS BTP BVA BTR 1M/T20 DPT FKD	I manua Mfg. No. / (XE96666) In Reque ANDLEF Watts 108 100 150 500 500 500 600 750 900 1000 1000 1000 1000	azimuth Il back-u Descriptior RF)	indicator. p (in case of motor fa) 19" halogen searchl Base Medium Screw 2-Pin Pre-focus 2-Pin Pre-focus Medium Pre-focus 2-Pin Pre-focus 2-Pin Pre-focus 2-Pin Pre-focus Medium Pre-focus 2-Pin Pre-focus Medium Pre-focus 2-Pin Pre-focus Medium Pre-focus Medium Pre-focus Medium Pre-focus Medium Pre-focus Medium Pre-focus Medium Pre-focus Medium Pre-focus Medium Pre-focus	Average Hrs. 50 75 200 50 50 50 50 50 50 50 50 50 50 50 50 750	Ce 20 A0-000652 isle & Finch aus lamps. GEN SEARC 10-Inch 350,000 765,000 935,000 935,000 950,000 CONS 781,000 Not Used CONS Not Used Not Used Not Used Not Used Not Used Not Used	Co. 19" Hall HLIGHTS 12-Inch 563,000 1,170,000 1,380,000 1,160,000 ULT FA 1,130,000 ULT FA 1,520,000 Not Used Not Used Not Used Not Used	15-Inch Not Used 1,750,000 2,030,000 2,080,000 CTORY 1,840,000 2,820,000 CTORY 2,820,000 940,000 Not Used Not Used	19-Inch Not Used Not Used 2,970,000 2,700,000 3,980,000 4,300,000 2,380,000		
Optiona Order No. 1 Z75445 Beam cl Price 0 BEAM C/ Code CPG FDT FDS BTM FKF DYS BTP BVA BTR 1M/T20 DPT FKD CXZ	I manua Mfg. No. / (XE96666- In Reque ANDLEF Watts 108 100 150 500 600 750 900 1000 1000 1000	azimuth Il back-u Descriptior RF) istics of est Volts 6 12 24 120 230 120 120 120 120 120 120 120 120	indicator. p (in case of motor fa 19" halogen searchl OF CARLISLE & FII Base Medium Screw 2-Pin Pre-focus 2-Pin Pre-focus Medium Pre-focus 2-Pin Pre-focus Medium Pre-focus 2-Pin Pre-focus Medium Pre-focus	ailure). List Pri \$12,560.(The Carl ights with varice NCH CO. HALO Average Hrs. 50 50 100 100 100 750 200 75 200 550 50 50 50 50 50 50 50 50	Ce D0 A0-000652 isle & Finch bus lamps. GEN SEARC 10-Inch 350,000 765,000 935,000 950,000 CONS 781,000 Not Used Not Used Not Used Not Used Not Used Not Used	Co. 19" Hal HLIGHTS 12-Inch 563,000 1,170,000 1,170,000 1,160,000 ULT FA 1,130,000 1,520,000 ULT FA 1,520,000 Not Used Not Used	15-Inch Not Used 1,750,000 2,030,000 2,080,000 CTORY 1,840,000 2,820,000 CTORY 2,820,000 940,000 Not Used	19-Inch Not Used Not Used Not Used 2,970,000 2,700,000 2,380,000 2,380,000 2,700,000		
Optiona Order No. 1 Z75445 Beam cl Price 0 BEAM C. Code CPG FDT FDS BTM FKF DYS BTP BVA BTR 1M/T20 DPT FKD	I manua Mfg. No. / (XE96666) In Reque ANDLEF Watts 108 100 150 500 500 500 600 750 900 1000 1000 1000 1000	azimuth I back-u Descriptior RF)	indicator. p (in case of motor fa) 19" halogen searchl Base Medium Screw 2-Pin Pre-focus 2-Pin Pre-focus Medium Pre-focus 2-Pin Pre-focus 2-Pin Pre-focus 2-Pin Pre-focus Medium Pre-focus 2-Pin Pre-focus Medium Pre-focus 2-Pin Pre-focus Medium Pre-focus Medium Pre-focus Medium Pre-focus Medium Pre-focus Medium Pre-focus Medium Pre-focus Medium Pre-focus Medium Pre-focus	Average Hrs. 50 75 200 50 50 50 50 50 50 50 50 50 50 50 50 750	Ce 20 A0-000652 isle & Finch aus lamps. GEN SEARC 10-Inch 350,000 765,000 935,000 935,000 950,000 CONS 781,000 Not Used CONS Not Used Not Used Not Used Not Used Not Used Not Used	Co. 19" Hall HLIGHTS 12-Inch 563,000 1,170,000 1,380,000 1,160,000 ULT FA 1,130,000 ULT FA 1,520,000 Not Used Not Used Not Used Not Used	15-Inch Not Used 1,750,000 2,030,000 2,080,000 CTORY 1,840,000 2,820,000 CTORY 2,820,000 940,000 Not Used Not Used	19-Inch Not Used Not Used Not Used 2,970,000 2,700,000 2,380,000 2,380,000 2,700,000		
Optiona Order No. 1 Z75445 Beam cl Price 0 BEAM C/ Code CPG FDT FDS BTM FKF DYS BTP BVA BTR 1M/T20 DPT FKD CXZ	I manua Mfg. No. / (XE96666- n Reque ANDLEF Watts 108 100 150 500 600 750 900 1000 1000 1000 1000 1000 1000	azimuth Il back-u Descriptior RF) istics of est Volts 6 12 24 120 230 120 120 120 120 120 120 120 120 120 12	indicator. p (in case of motor fa 19" halogen searchl COF CARLISLE & FII Base Medium Screw 2-Pin Pre-focus 2-Pin Pre-focus Medium Pre-focus 2-Pin Pre-focus Medium Pre-focus 2-Pin Pre-focus Medium Pre-focus 2-Pin Pre-focus Medium Pre-focus Medium Pre-focus Medium Pre-focus Medium Pre-focus Medium Pre-focus Mogul Bi-Post Mogul Bi-Post	ailure). List Pri \$12,560.(The Carli ights with vario Average Hrs. 50 50 100 100 100 750 75 200 75 200 50 50 50 50 50 50 50 50 50	Ce 20 A0-000652 isle & Finch aus lamps. GEN SEARC 10-Inch 350,000 765,000 935,000 935,000 935,000 935,000 935,000 935,000 761,000 Not Used Not Used Not Used Not Used Not Used Not Used Not Used Not Used	Co. 19" Hall HLIGHTS 12-Inch 563,000 1,170,000 1,170,000 1,160,000 ULT FA 1,130,000 ULT FA 1,520,000 VLT FA 1,520,000 Not Used Not Used Not Used	15-Inch Not Used 1,750,000 2,030,000 2,080,000 CTORY 1,840,000 2,820,000 CTORY 2,820,000 Not Used Not Used Not Used Not Used Not Used Not Used	19-Inch Not Used Not Used 2,970,000 2,700,000 4,300,000 2,380,000 2,700,000 1,800,000		
	This por stainless finish. The ind a powe The sea Focus N an exte The sea held cal degrees Remote Voltage VAC, 48 Long-lif rder No. 75417 75431 75431 75431 75439 DISTANT Motoriz Assemb Exceeds 8-positi Speed o Single s Indoor a	This powerful, r stainless steel, finish. The indestructil a powerful 80 m The searchlight Focus Motor fai an external focu The searchlight held captive wi degrees of horiz Remote electric Voltages: Single VAC, 480 VAC of Long-life warran rder No. Mfg. No. / 75417 (XE9664/ 75431 (9754X-F 75429 (5275PS: DISTANT ELECT Motorized rugg: Assemblies and Exceeds 380 de 8-position joyst Speed control of Single station of Indoor and outd	This powerful, rugged d stainless steel, with a h finish. The indestructible, nicke a powerful 80 million (1 The searchlight focus ha Focus Motor fails, the b an external focus knob). The searchlight is moun held captive within stain degrees of horizontal ro Remote electric beam-s Voltages: Single phase VAC, 480 VAC or 575 V/ Long-life warranted xen rder No. Mfg. No. / Description 75417 (XE9664LG-RF) H 75429 (5275PS2-1) P DISTANT ELECTRIC CON Motorized rugged cast th Assemblies and ball bea Exceeds 380 degrees ho 8-position joystick provi Speed control dial chan Single station or multipl Indoor and outdoor wea	This powerful, rugged design, composed of a stainless steel, with a high quality salt and s finish. The indestructible, nickel reflector produces a powerful 80 million (1.0kw) and 177 million The searchlight focus has safety back-up, wi Focus Motor fails, the beam-size can be adju an external focus knob). The searchlight is mounted on a rugged base held captive within stainless steel races, prodegrees of horizontal rotation with unique sl Remote electric beam-size focus (approx. 1 t Voltages: Single phase 115VAC, 230VAC and VAC, 480 VAC or 575 VAC. Long-life warranted xenon lamp. rder No. Mfg. No. / Description 75417 (XE9664LG-RF) Head w/46" Lever Gear C 75431 (9754X-RF) Control Station 75429 (5275PS2-1) Power Supply DISTANT ELECTRIC CONTROL Motorized rugged cast base with horizontal Assemblies and ball bearings contained in s Exceeds 380 degrees horizontal rotation. 8-position joystick provides vertical and hori. Speed control dial changes beam speed from Single station or multiple stations. Indoor and outdoor weatherproof control station.	stainless steel, with a high quality salt and scratch resistant finish. The indestructible, nickel reflector produces a precision 1-D a powerful 80 million (1.0kw) and 177 million (2.5kw) beam The searchlight focus has safety back-up, with no tools requires Focus Motor fails, the beam-size can be adjusted quickly and an external focus knob). The searchlight is mounted on a rugged base, which included held captive within stainless steel races, producing greater degrees of horizontal rotation with unique sliding stop. Remote electric beam-size focus (approx. 1 to 15 degrees). Voltages: Single phase 115VAC, 230VAC and 3-phase 208/2 VAC, 480 VAC or 575 VAC. Long-life warranted xenon lamp. Inder No. Mfg. No. / Description List Pri 75417 (XE9664LG-RF) Head w/46" Lever Gear Control \$11,286.0 75431 (9754X-RF) Control Station \$505.0 STANT ELECTRIC CONTROL Motorized rugged cast base with horizontal and vertical clu Assemblies and ball bearings contained in stainless steel races Exceeds 380 degrees horizontal rotation. 8-position joystick provides vertical and horizontal movement Speed control dial changes beam speed from 0 to 25 degrees Single station or multiple stations. Indoor and outdoor weatherproof control stations.	This powerful, rugged design, composed of marine grade aluminum and stainless steel, with a high quality salt and scratch resistant powder confinish. The indestructible, nickel reflector produces a precision 1-Degree beam a powerful 80 million (1.0kw) and 177 million (2.5kw) beam candlepower The searchlight focus has safety back-up, with no tools required (if the Focus Motor fails, the beam-size can be adjusted quickly and easily, with an external focus knob). The searchlight is mounted on a rugged base, which includes ball bearin held captive within stainless steel races, producing greater than 385 degrees of horizontal rotation with unique sliding stop. Remote electric beam-size focus (approx. 1 to 15 degrees). Voltages: Single phase 115VAC, 230VAC and 3-phase 208/240 VAC, 380 VAC, 480 VAC or 575 VAC. Long-life warranted xenon lamp. Inder No. Mfg. No. / Description List Price 75417 (XE9664LG-RF) Head w/46" Lever Gear Control \$11,286.00 A0-006827 75431 (9754X-RF) Control Station \$505.00 A0-005994 DISTANT ELECTRIC CONTROL Motorized rugged cast base with horizontal and vertical clutch. Assemblies and ball bearings contained in stainless steel races. Exceeds 380 degrees horizontal rotation. 8-position joystick provides vertical and horizontal movement. Speed control dial changes beam speed from 0 to 25 degrees per secon Single station or multiple stations. Indoor and outdoor weatherproof control stations.	This powerful, rugged design, composed of marine grade aluminum and stainless steel, with a high quality salt and scratch resistant powder coat finish. The indestructible, nickel reflector produces a precision 1-Degree beam at a powerful 80 million (1.0kw) and 177 million (2.5kw) beam candlepower. The searchlight focus has safety back-up, with no tools required (if the Focus Motor fails, the beam-size can be adjusted quickly and easily, with an external focus knob). The searchlight is mounted on a rugged base, which includes ball bearings held captive within stainless steel races, producing greater than 385 degrees of horizontal rotation with unique sliding stop. Remote electric beam-size focus (approx. 1 to 15 degrees). Voltages: Single phase 115VAC, 230VAC and 3-phase 208/240 VAC, 380 VAC, 480 VAC or 575 VAC. Long-life warranted xenon lamp. rder No. Mfg. No. / Description List Price 75417 (XE9664LG-RF) Head w/46" Lever Gear Control \$11,286.00 A0-0050500 75429 (5275PS2-1) Power Supply \$4,995.00 A0-0059940 DISTANT ELECTRIC CONTROL Motorized rugged cast base with horizontal and vertical clutch. Assemblies and ball bearings contained in stainless steel races. Exceeds 380 degrees horizontal rotation. 8-position joystick provides vertical and horizontal movement. Speed control dial changes beam speed from 0 to 25 degrees per second. Single station or multiple stations. Indoor and outdoor weatherproof control stations.	This powerful, rugged design, composed of marine grade aluminum and stainless steel, with a high quality salt and scratch resistant powder coat finish. The indestructible, nickel reflector produces a precision 1-Degree beam at a powerful 80 million (1.0kw) and 177 million (2.5kw) beam candlepower. The searchlight focus has safety back-up, with no tools required (if the Focus Motor fails, the beam-size can be adjusted quickly and easily, with an external focus knob). The searchlight is mounted on a rugged base, which includes ball bearings held captive within stainless steel races, producing greater than 385 degrees of horizontal rotation with unique sliding stop. Remote electric beam-size focus (approx. 1 to 15 degrees). Voltages: Single phase 115VAC, 230VAC and 3-phase 208/240 VAC, 380 VAC, 480 VAC or 575 VAC. Long-life warranted xenon lamp. Meter No. Mfg. No. / Description List Price 275417 (XE9664LG-RF) Head w/46" Lever Gear Control \$11,286.00 A0-0068211 275431 (9754X-RF) Control Station \$505.00 A0-0050500 275429 (5275PS2-1) Power Supply \$4,995.00 A0-0059940 DISTANT ELECTRIC CONTROL Motorized rugged cast base with horizontal and vertical clutch. Assemblies and ball bearings contained in stainless steel races. Exceeds 380 degrees horizontal rotation. 8-position joystick provides vertical and horizontal movement. Speed control dial changes beam speed from 0 to 25 degrees per second. Single station or multiple stations.	This powerful, rugged design, composed of marine grade aluminum and stainless steel, with a high quality salt and scratch resistant powder coat finish. The indestructible, nickel reflector produces a precision 1-Degree beam at a powerful 80 million (1.0kw) and 177 million (2.5kw) beam candlepower. The searchlight focus has safety back-up, with no tools required (if the Focus Motor fails, the beam-size can be adjusted quickly and easily, with an external focus knob). The searchlight is mounted on a rugged base, which includes ball bearings held captive within stainless steel races, producing greater than 385 degrees of horizontal rotation with unique sliding stop. Remote electric beam-size focus (approx. 1 to 15 degrees). Voltages: Single phase 115VAC, 230VAC and 3-phase 208/240 VAC, 380 VAC, 480 VAC or 575 VAC. Long-life warranted xenon lamp. Her No. Mig. No. / Description List Price 755417 (XE9664LG-RF) Head w/46″ Lever Gear Control \$11,286.00 A0-0050500 755429 (5275PS2-1) Power Supply \$4,995.00 A0-00509400 DISTANT ELECTRIC CONTROL Motorized rugged cast base with horizontal and vertical clutch. Assemblies and ball bearings contained in stainless steel races. Exceeds 380 degrees horizontal rotation. 8-position joystick provides vertical and horizontal movement. Speed control dial changes beam speed from 0 to 25 degrees per second. Single station or multiple stations. Indoor and outdoor weatherproof control stations.	This powerful, rugged design, composed of marine grade aluminum and tainless steel, with a high quality salt and scratch resistant powder coat. The indestructible, nickel reflector produces a precision 1-Degree beam at a powerful 80 million (1.0kw) and 177 million (2.5kw) beam candlepower. The searchlight focus has safety back-up, with no tools required (if the Focus Motor fails, the beam-size can be adjusted quickly and easily, with an external focus knob). The searchlight is mounted on a rugged base, which includes ball bearings held captive within stainless steel races, producing greater than 385 degrees of horizontal rotation with unique sliding stop. Remote electric beam-size focus (approx. 1 to 15 degrees). Voltages: Single phase 115VAC, 230VAC and 3-phase 208/20 VAC, 380 VAC, 480 VAC or 575 VAC. Long-life warranted xenon lamp. Market Methods (1975 VAC. 200VAC and 3-phase 208/20 VAC, 380 VAC, 480 VAC or 575 VAC. Long-life warranted xenon lamp. Market Methods (1975 VAC. 200VAC and 3-phase 208/20 VAC, 380 VAC, 480 VAC or 575 VAC. Long-life warranted xenon lamp. Market Methods (1975 VAC. 200VAC and 3-phase 208/20 VAC, 380 VAC, 480 VAC or 575 VAC. Long-life warranted xenon lamp. Market Methods (1976 Market

🖙 SPECIAL HANDLING MAY APPLY 🔊

333

Electronics Trolling Motors Instruments

Electrical

Anchor & Dock

Safety Steering, Controls Pumps Fuel System Seating & Pedestals Trailering Tops &

Covers Perform.

Propellers

Engine & Care

Cleaning & Care

Paint &

Custom Control

Lighting

🛃 Freshwater Exclusive 🛛 🛁 🖉 Saltwater Exclusive

The Carlisle & Finch Co. 10", 12" and 15" Halogen Searchlight Selection Table

55 lbs.

				0. 10 , 1 ∠ ai	าน เอ เกลเบยู
10" HALOGE	N SEARCHL	IGHT			
Type Control	Type Base	Type Drum	Powder Coat Finish	Net Wt.	Shipping Wt.
Local	Standard High Pedestal	Non Vented Non Vented Non Vented	RAIN-E ROSE-E RAJAH-E	15 lbs. 22 lbs. 29 lbs.	21 lbs. 28 lbs. 59 lbs.
Lever	Standard High Pedestal	Non Vented Non Vented Non Vented	REDAN-E REFORM-E 10SL1624XE	19 lbs. 27 lbs. 34 lbs.	25 lbs. 33 lbs. 55 lbs.
Lever-Gear	Standard High Pedestal	Non Vented Non Vented Non Vented	10SL8425E 10SL8426E 10SL8427E	22 lbs. 30 lbs. 37 lbs.	28 lbs. 36 lbs. 58 lbs.
Wheel	Standard High	Non Vented Non Vented	RANK-E ROPE-E	19 lbs. 27 lbs.	25 lbs. 33 lbs.

Pedestal

Non Vented

10SL1620XE

37 lbs.

12" HALOGE	N SEARCHL	.IGHT			
Type Control	Type Base	Type Drum	Powder Coat Finish	Net Wt.	Shipping Wt.
Local	Standard	Non Vented Vented	RAKE-E RATE-E	22 lbs. 22 lbs.	31 lbs. 31 lbs.
	High	Non Vented Vented	ROME-E RUN-E	27 lbs. 27 lbs.	36 lbs. 36 lbs.
	Pedestal	Non Vented Vented	RETARD-E 12SL1648XE	34 lbs. 34 lbs.	64 lbs. 64 lbs.
Lever	Standard	Non Vented Vented	REDEEM-E RECITE-E	26 lbs. 26 lbs.	35 lbs. 35 lbs.
	High	Non Vented Vented	REFUGE-E RESIN-E	32 lbs. 32 lbs.	41 lbs. 41 lbs.
	Pedestal	Non Vented Vented	12SL1625XE 12SL1650XE	39 lbs. 39 lbs.	60 lbs. 60 lbs.
Lever-Gear	Standard	Non Vented Vented	12SL8186E 12SL8186VE	29 lbs. 29 lbs.	38 lbs. 38 lbs.
	High	Non Vented Vented	12SL8410E 12SL8410VE	35 lbs. 35 lbs.	44 lbs. 44 lbs.
	Pedestal	Non Vented Vented	12SL8428E 12SL8428VE	42 lbs. 42 lbs.	63 lbs. 63 lbs.
Wheel	Standard	Non Vented Vented	RASP-E REAR-E	26 lbs. 26 lbs.	35 lbs. 35 lbs.
	High	Non Vented Vented	RUSE-E RIPE-E	32 lbs. 32 lbs.	41 lbs. 41 lbs.
	Pedestal	Non Vented Vented	12SL1621XE 12SL1649XE	39 lbs. 39 lbs.	60 lbs. 60 lbs.

Lengths Available. Please Consult Factory.

10SL8425C

Note: Consult Factory for Polished Brass & Stainless Steel or Sparking Chrome and Stainless Steel Finish.

The Carlisle & Finch Co. 10", 12" and 15" Halogen Searchlights

SEARCH	LIGHT L	.AMP DA	ATA									P
DMI #	Code	Watts	Volts	Bulb Size	Base	Description	Filament	Average Hrs. Life	10" Scht.	12" Scht.	15" Scht.	F
220070	FDT	100	12	T4	2-Pin Prefocus	Tungsten Halogen	C6	50	765,000	1,170,000	1,750,000	
	FDS	150	24	T4	2-Pin Prefocus	Tungsten Halogen	C6	100	935,000	1,380,000	2,030,000	1 4
					Medium Screw							
219825	BTM	500	120	T6	Medium Prefocus	Tungsten Halogen	C13D	100	950,000	1,160,000	2,080,000	8
220020	DYS	600	120	G7	2-Pin Prefocus	Tungsten Halogen	CC6	75	**781,000	1,130,000	1,840,000	F
					Medium Screw							F
LAMP B	ELOW T	O BE US	ED IN V	/ENTED DRU	MS ONLY							c c
DMI #	Code	Watts	Volts	Bulb Size	Base	Description	Filament	Average Hrs. Life	10" Scht.	12" Scht.	15" Scht.	_
219849	BTR	1,000	120	T7	Medium Prefocus	Tungsten Halogen	C13D	200	Not Used	1,520,000	2,820,000	Ν

* These lamp manufacturer's figures are relative only. Individual lamps may vary considerably. ** Intermittent duty only (one hour or less).

www.repuestoselnavegante.com El Navegante

Comm.

Controls

earch	nlıg	hts	

The Carlisle & Finch Co. 10", 12" and 15" Halogen Searchlight Selection Table

Saltwater Exclusive

Freshwater Exclusive

14

	15" HALOGE	N SEARCHL	.IGHT			
	Type Control	Type Base	Type Drum	Powder Coat Finish	Net Wt.	Shipping Wt.
	Local	Standard	Non Vented Vented	REDGUM-E REDGUM-VE	39 lbs. 39 lbs.	51 lbs. 51 lbs.
		High	Non Vented Vented	REEL-E REEL-VE	44 lbs. 44 lbs.	56 lbs. 56 lbs.
		Pedestal	Non Vented Vented	RONTY-E RONTY-VE	50 lbs. 50 lbs.	80 lbs. 80 lbs.
	Lever	Standard	Non Vented Vented	Radial-e Radial-ve	43 lbs. 43 lbs.	55 lbs. 55 lbs.
		High	Non Vented Vented	RAINBOW-E RAINBOW-VE	49 lbs. 49 lbs.	61 lbs. 61 lbs.
Electronics		Pedestal	Non Vented Vented	15SL1626XE 15SL1626XVE	56 lbs. 56 lbs.	77 lbs. 77 lbs.
Trolling Motors	Lever-Gear	Standard	Non Vented Vented	15SL8184E 15SL8184VE	46 lbs. 46 lbs.	58 lbs. 58 lbs.
Instruments		High	Non Vented Vented	15SL8408E 15SL8408VE	52 lbs. 52 lbs.	64 lbs. 64 lbs.
Electrical		Pedestal	Non Vented Vented	15SL8429E 15SL8429VE	59 lbs. 59 lbs.	80 lbs. 80 lbs.
Lighting	Wheel	Standard	Non Vented Vented	RACKET-E RACKET-VE	43 lbs. 43 lbs.	55 lbs. 55 lbs
Anchor & Dock		High	Non Vented Vented	RABBIT-E RABBIT-VE	49 lbs. 49 lbs.	61 lbs. 61 lbs.
Safety Steering,		Pedestal	Non Vented Vented	15SL1622XE 15SL1622XVE	56 lbs. 56 lbs.	77 lbs. 77 lbs.
Controls						



The Carlisle & Finch Co. 10", 12" and 15" Halogen Searchlights



The Carlisle & Finch Co. 10", 12" and 15" Halogen Searchlights

LEVER CONTROL Size **Control Length** 10" 11-3/8" 12″ 10-7/8" 10-7/8" 15″ 18 **LEVER-GEAR CONTROL** Size **Control Length** 10" 11-3/8" 12" 10-7/8" 15″ 10-7/8" **REDAN-E2** WHEEL CONTROL Size **Control Length** 10" 9-1/2" 12″ 9" 15" 9"

The Carlisle & Finch Co. 10" Searchlight with 2-Pin Prefocus Socket

Searchlights

335

Electronics

Trolling

Motors

Instruments

Electrical

- <u>n</u>
- · Powder coat, brass and stainless steel finishes available.

LEVER CONTROL	
Order No. Mfg. No. / Description	List Price
274489 (REDAN-E5) 18" Longer than Standard	\$1,976.00 D0-0808510
WHEEL CONTROL	
Order No. Mfg. No. / Description	List Price
274542 (RANK-E5) 12" Longer than Standard	\$1,949.00 D0-0295510
SPARE REFLECTOR FOR 10" SEARCHLIGHT	
Order No. Mfg. No. / Description	List Price
273831 (SL1083A) Diameter 9"	\$373.49 B0-4163300
The Carlisle & Finch Co. 12" Searchlight with N	ledium Prefocus Socket
0	

· Powder coat, brass and stainless steel finishes available - vented drum.

							LIE	CLIICAI
ocus Socket		fg. No. / Descript	^{tion} 3″ Longer tha	n Standard	List Price \$2,636.00	D0-0880120		ighting chor
s available.	WHEEL CO	NTROL						Dock
	274605 (R		^{tion} 4″ Longer tha ′ Longer than			D0-0403120 D0-0656020		fety
D0-0424520			0		\$Z,JOZ.UU	D0-0000020		eering, ntrols
P	Order No. Mf	fg. No. / Descript		GHT cus Assembly	List Price	A0-0064200	Pu	mps
9 B0-6068600			ector, Diamete			B0-6196400	Fue Sys	el stem
ocus Socket			Accesso	ries and Parts	;			ating & destals
							Tra	ilering
_	Description			10" Scht. Part #	12" Scht. Part #	15" Scht. Part #		os & vers
e D B0-0866430	Cover, Prote Cover Glass			SL3322A SL62	SL3322A SL102	SL3322B SL1085	Per	rform.
D B0-0685530	Gasket, Bas			SL3318B SL3318C	SL3318B SL3318C	SL3318B SL3318C	Pro	pellers
e	Gasket, Bas	se, Standard r, Med. Pref.	(273918)	SL3318A SL1250C	SL3318B SL1250C	SL3318B SL1250C		gine Care
D B0-0139230	Lampholder	r, Med. Screw r, Mogul Bipo	V	SL1087-1 -	SL1087-1 -	SL1087-1 FE132X		eaning Care
e D A0-0545000	Lampholder	r, Mogul Scre r, 2-Pin Pref.	ew (274302)	- 8704	SL96 8704	SL96 8704		nt & nt Acc.
9 B0-2556800 9 A0-9222000	Reflector			SL1083A (273831)	SL107 (273829)	SL1084 (273843)		n & itation
Jhts		The Carli	sle & Finch	Co. Accessori	es and Parts		Top Ac	pside c.
	Order No. Mf	fg. No. / Descript	tion			List Price		ckpit Deck
e D A0-0055000	273971 (S	lg. No. 7 Descrip L1461) L1455)	Fixed Spring Clamp Sprin			POR		rdware, steners
A0-0160000 A0-0053000	273981 (S	L3455XA) 672XS)	Lever Gear / Control Asso	Assembly		POR POR	Can	nouflage
A 0-0077000		799X-RFS)	Control Stat			POR	Mi	SC.
NDL	ING	3 M	AY	AP	PLY	S	Co	mm.

			A -
• Powde	r coat finish. Brass and stainless steel c	hrome finishes	available.
WHEEL	CONTROL		
Order No.	Mfg. No. / Description	List Price	
274655	(RACKET-VE2) 24" Longer than Standard	\$3,178.00	D0-0424520
SPARE	REFLECTOR FOR 15" SEARCHLIGHT		
Order No.	Mfg. No. / Description	List Price	
273843	(SL1084) Diameter 14-3/16"	\$762.29	B0-6068600

The Carlisle & Finch Co. 15" Searchlight with Medium Prefo

The Carlisle & Finch Co. 19" Searchlight with Medium Prefo

ρ

Powder coat marine grade aluminum drum finish available.

		•		
LEVER (GEAR CONT	ROL		Des
Order No.	Mfg. No. / Des	cription	List Price	Co
274779	(19SL3794D	X) 24" Longer than Standard	\$3,852.00 B0-0866430	Co
274782	(19SL3794D	X) 48" Longer than Standard	\$3,954.00 B0-0685530	Ga
WHEEL	CONTROL			Ga Ga
Order No.	Mfg. No. / Des	cription	List Price	Lai
274681	(REDCOAT-D	0-48) 48" Longer than Standard	\$3,659.00 B0-0139230	La
SPARE	PARTS FOR	19" SEARCHLIGHT		La
Order No.	Mfg. No. / Des		List Price	La
273754	U .	nion Gear, Wheel/Lever Gear Cont		La
273766	(EF240)			Re
273970		455) Reflector Clamp Assembly 19		
270070	(021101/021			
	Spare Cor	nmon Parts for 10", 12" and 15"	Searchlights	
			14	
				Ord
Order No.	Mfg. No. / Des	cription	List Price	273
274047	(K5482)	Pinion Gear f/Wheel Control	\$55.00 A0-0055000	273
273969	(SL1937)	Reflector Mnt. Clips, 4 Per Light	\$6.10 A0-0160000	273
273526	(8704)	2-Pin Prefocus Socket Only	\$35.00 A0-0053000	27
273918	(SL1250C)	Med. Prefocus Socket Only	\$77.00 A0-0077000	27
P	SE	PECIAL		11

336	Searchlights				Saltwater Exclusive Freshw	ater Exclusive				
LīQ	The Carlisle & Finch Co. 12" Searchlights - Distant Electric Control (DEC)									
ighting	 Rugged drive unit is housed in watertight corrosion resistant marine aluminum or brass base as specified. Base is brass. Drum/door and yoke is white enamel. Drum, door and yoke, etc., constructed of solid brass. Powerful motors in weatherproof base direct the penetrating beam with finger-tip ease from any distance. Automatic brakes provide instant start and instant stop with no overtravel. Searchlight can be controlled from many separate locations. Vented drum (non-vented also available). Motors operate on 110-125 volts, 50-60 hz (cycles). 									
Electronics Trolling Motors Instruments Electrical	 Rugged joystick switch controls both motions. No limit to distance between searchlight and joystick. Second, third, fourth, or more joysticks can be added at any time. Just five control conductors and a ground conductor required between searchlight and joystick. Slip clutches allow manual override at all times, a convenience when relamping. Corrosion resistant and oiltight, the joystick can be mounted almost anywhere. 									
Lighting	A small heater on drive unit keeps temperature in base housing above ambient to minimize condensation on and in motors Order No. Mfg. No. / Description									
Anchor & Dock	Includes mediuBullet lamp not		impholder.		AVAILABLE IN 10", 12" AN					
Safety			Ti	ne Carlisle & Fir	ch Co. L.E.D. and WindFarm Searchlights	3				
Steering, Controls	10" L.E.D. SEAR	CHLIGHT								
Pumps Fuel	Type Control Local	Type Base Standard Standard	Powder Coat Finish 10L-LC-DNC 10L-LC-ANC	Voltage 12-24 VDC 115-230 VAC	Remarks					
System Seating & Pedestals	Lever Gear Joystick Electric	Standard Standard Standard	10L-LG-DNC 10L-LG-ANC 10L-DE-ANC	12-24 VDC 115-230 VAC 115-230 VAC	Specify Joystick C8160 (115VAC) or					
Trailering	JUYSUCK Electric	Stalludiu	IUL-DE-AING	110-230 VAG	C8160-230 (230VAC)					
Tops & Covers	12" L.E.D. SEAR		L Deuxder Cost Finish	Valtare	Dunada	12L-LC-ANC				
Perform.	Type Control Local	Type Base Standard Standard	Powder Coat Finish 12L-LC-DNC 12L-LC-ANC	Voltage 12-24 VDC 115-230 VAC	Remarks					
Propellers	Lever Gear	Standard Standard	12L-LG-DNC 12L-LG-ANC	12-24 VDC 115-230 VAC	l l					
Engine & Care	Joystick Electric	Standard	12L-DE-ANC	115-230 VAC	Specify Joystick C8160 (115VAC) or C8160-230 (230VAC)	12LHW-DE-ANC				
Cleaning & Care	12" L.E.D. WIND	FARM SEAR	CHLIGHT							
Paint & Paint Acc.	Type Control Joystick Electric	Type Base N/A	Powder Coat Finish 12LHW-DE-ANC	Voltage 115-230 VAC	Remarks Specify Joystick C8160 (115VAC)					
Fun & Flotation					or C8160-230 (230VAC); must also include Controller C2-13 for both					
Topside Acc.	19″ L.E.D. SEAR	СНПСНТ —			voltages					
Cockpit & Deck	Type Control	Type Base	Powder Coat Finish	Voltage	Remarks					
Hardware, Fasteners	Local Lever Gear	Standard Standard	19L-LC-ANC 19L-LG-ANC	115-230 VAC 115-230 VAC	Specify Joystick C5777-S-2 (115VAC) or C5777-S-230 (230VAC)					
Camouflage	Joystick Electric Head Only	Standard Standard	19L-DE-ANC 19L-DD-ANC	115-230 VAC 115-230 VAC	Includes Trunnion Hardware & Cable, Electric	19L-LC-ANC				
Misc.	Head Only Head Only	Standard	19L-MD-ANC	115-230 VAC	Includes Trunnion Hardware & Cable, Electric Includes Trunnion Hardware & Cable, Manua					
Comm.		PEC		HAN	DLING MA	AY APPLY 🔊				



338	Light Bulbs	Saltwater Exclusive				
	Miniature Bayonet Base Bulbs		Single Contact Bayonet Base Bulbs			
hting	219433 219433 2195 219434 219433	219724	219560 219560 7-3930 7-3915 7-3915 7-3915 7-3915			
Electronics	• 14.4 volts. 1.7 watts12 amps.		SIZE 67 • 13.5 volts. 8 watts59 amps.			
Trolling Motors	Order No. 7-3905 Sold 2 Per Card, Box of 5 Cards Only	List Price \$3.19 H0-1910000	Order No. List Price 7-3915 Sold 2 Per Card, Box of 5 Cards Only \$4.39 H0-3620	0000		
Instruments	• 14 volts. 3.4 watts24 amps.		SIZE 71 • 22 volts. 3.96 watts18 amps.			
Electrical		List Price \$3.19 H0-1910000	Order No. List Price 7-3930 Sold 2 Per Card, Box of 5 Cards Only \$5.39 H0-3230	0000		
Lighting	SIZE 1816		SIZE 93			
Anchor & Dock	• 13 volts. 4 watts33 amps. Order No.	List Price	12.8 volts. 1.04 watts13.312 amps. Order No. List Price			
Safety	219724 Sold Each, Standard Pack 10 SIZE 1850	\$1.19 H0-1700000	7-3940 Sold 2 Per Card, Box of 5 Cards Only \$4.39 H0-3620 SIZE 1141 SIZE 1141)000		
Steering, Controls	• 5 volts5 watts09 amps.		• 12.8 volts. 18.4 watts1.44 amps.			
Pumps	Order No. 219765 Sold Each, Standard Pack 10	List Price \$1.89 H0-3110000	Order No. List Price 7-3975 Sold 2 Per Card, Box of 5 Cards Only \$4.59 H0-5720	0000		
Fuel System	SIZE 1895 • 14 volts. 3.8 watts27 amps.		SIZE 1156 • 12.8 volts. 26.88 watts. 2.1 amps.			
Seating & Pedestals	Order No.	List Price	Order No. List Price			
Trailering	7-4000 Sold 2 Per Card, Box of 5 Cards Only	\$4.59 H0-5720000	7-3986 Sold 2 Per Card, Box of 5 Cards Only \$3.99 H0-9320	JUUU		
Tops & Covers	Aqua Signal Bulb for Series 20 Lights	s	Aqua Signal Bulbs for Series 40 and 41 Lights			
Perform.	Signal .		© signal	R		
Propellers		E()				
Engine & Care						
Cleaning & Care			Double contact bayonet base offset pins.			
Paint & Paint Acc.	Order No. Mfg. No. / Description	List Price	Order No. Mfg. No. / Description List Price 207363 (90002-7) 12 volt 25 watt \$27.79 G0-268'	1000		
Fun & Flotation		\$16.09 G0-8701000	207369 (90005-7) 12 volt 10 watt \$31.09 H0-568	1000		
Topside Acc.	Aqua Signal Bulb for Series 55 Lights	S	Aqua Signal Bulbs for Series 70 Lights	-		
Cockpit & Deck	agua Signal					
Hardware, Fasteners		-	and a	3		
Camouflage		105 500				
Misc.	• Double contact bayonet base offset pins.		Double contact bayonet base.			
Comm.	Order No. Mfg. No. / Description	List Price \$23.09 G0-7451000	Order No. Mfg. No. / Description List Price 207514 (10043/90171-) 24 volt 40 watt \$40.49 60-3172 207515 (10123/90172-) 110 volt 60 watt \$48.99 G0-2823			
	www.repuestose	Inavega	ante.com El Navegante			

Freshwater Exclusive		339	
Double Contact Bayonet Base Bulbs	Perko Fig. 374 Double Contact Bayonet Bulbs		
219534	 Clear Type T-8. C-8. Filament, length 1-3/8". Standard pack 50. Order No. Mfg. No. / Description List Price 	Lighting	
7-3946 SIZE 68	528387 (0374 001 CLR) 12 volt 30 watt \$65.59 H0-5393000 528399 (0374 002 CLR) 24 volt 30 watt \$65.59 H0-5393000 528402 (0374 003 CLR) 32 volt 30 watt \$65.59 H0-5393000 528402 (0374 003 CLR) 32 volt 30 watt \$65.59 H0-5393000 528414 (0374 004 CLR) 120 volt 30 watt \$67.09 H0-5204000		
13.5 volts. 8 watts59 amps. Order No. List Price	Perko Fig. 375 Double Contact Bayonet Indexing Base Bulbs		
7-3920 Sold 2 Per Card, Box of 5 Cards Only \$4.39 H0-3620000		Trolling Motors	
SIZE 90 • 13 volts. 7.5 watts58 amps.		Instruments	
Order No. List Price 7-3936 Sold 2 Per Card, Box of 5 Cards Only \$3.89 H0-3320000		Electrical	
219469 Sold Each, Standard Pack 10 \$1.59 H0-5900000		Lighting	
SIZE 90C 130 volts. 15 watts.		Anchor & Dock	
Order No. List Price 219800 Sold Each, Standard Pack 10 \$1.59 H0-5900000	Standard pack 50. Order No. Mfg. No. / Description List Price	Safety	
SIZE 94 • 12.8 volts. 13.3 watts. 1.04 amps.	528503 (0375 12V 10W) 12 volt 10 watt 83 amp \$41 09 G0-3572000	Steering, Controls	
Order No. List Price 7-3946 Sold 2 Per Card, Box of 5 Cards Only \$5.49 H0-9230000		Pumps	
SIZE 1004		Fuel System	
12.8 volts. 12 watts94 amps. Order No. List Price		Seating & Pedestals	
7-3966 Sold 2 Per Card, Box of 5 Cards Only \$4.59 H0-5720000 219534 Sold Each, Standard Pack 10 \$1.99 H0-9110000		Trailering	
SIZE 1034 • 12.8 volts. 23 watts. 1.8 amps.		Tops & Covers	
Order No. List Price 7-3970 Sold 2 Per Card, Box of 5 Cards Only \$4.59 H0-5720000	Red bulb.	Perform.	
SIZE 1142	Standard pack 2. Order No. / Description List Price	Propellers	
12.8 volts. 18.4 watts. 1.44 amps. Order No. List Price	544469 (0337 R12 DP) 12 volt 18 watt 1.53 amp \$41.69 G0-3972000	Engine & Care	
7-3980 Sold 2 Per Card, Box of 5 Cards Only \$4.59 H0-5720000		Cleaning & Care	
SIZE 1157 • 12.8 volts. 14 watts71 amps.	PERKO	Paint & Paint Acc.	
Order No. List Price 7-3991 Sold 2 Per Card, Box of 5 Cards Only \$3.79 8.145 Per Card, Box of 5 Cards Only \$3.79		Fun & Flotation	
219596 Sold Each, Standard Pack 10 \$1.39 H0-3800000	• Coore Dart for DEDKO Figure No. 1211, 1212, 1421, 1421, 1422 (Demovelue	Topside Acc.	
	-	Cockpit & Deck	
	Order No. Mfg. No. / Description List Price 5315138 (0064 000 CLR) \$6.59 G0-2440000	Hardware, Fasteners	
		Camouflage	
		Misc.	
		Comm.	
www.renuestoselnavega	nto com El Navegante		

