Catálogo de accesorios Náuticos

Trolling Motors

Instruments

Electrical

Lighting

Anchor & Dock

Safety

Steering, Controls

Pumps

Fuel System

Seating & Pedestals

Trailering

Tops & Covers





Parte 1

El Navegante

www.repuestoselnavegante.com



Información importante



Trolling Motors

Bienvenidos a Repuestos El Navegante.

Instruments

Aquí podrás encontrar mas de **35.000** productos de diferentes fabricantes, con una gran variedad de accesorios y componentes para tu embarcación, contamos con mas de 20 años de experiencia en el sector náutico, no dudes en contactarnos para aclarar cualquier duda que tengas, prestamos asesoría técnica lo que es un valor agregado, y te dará tranquilidad a la hora de tomar una decisión de compra.

Electrical

Lighting

Anchor & Dock

Nota Importante:

Safety

Steering, Controls muchas empresas se vieron afectadas debido a la falta de materia prima, por este motivo tanto los precios como las fechas de entrega sufrieron cambios en gran cantidad de productos, comuníquese con nosotros a través del correo: repuestoselnavegante@gmail.com y solicite su presupuesto sin compromiso, también

Pumps

Fuel System

Seating & Pedestals

Trailering

Tops & Covers

Perform.

Propellers

& Care Cleaning & Care

Engine

Paint & Paint Acc.

Fun & Flotation

Topside Acc.

Cockpit & Deck

Hardware, **Fasteners**

Camouflage

Comm

Misc.

Debido a las restricciones causadas por el Covid 19, y otros problemas a nivel Mundial puede comunicase vía Telegram o WhatsApp escaneando los códigos QR.





Los productos aquí publicados se encuentran en varias partes del mundo, pero la mayoría se encuentran en Estados Unidos y Europa, por lo que estos precios no incluyen gastos de envío.

También puede consultar en nuestra pagina <u>www.repuestoselnavegante.com</u> nuestros términos y condiciones antes de efectuar la compra, ahí podrá ver también nuestra política de devoluciones.

Los productos pueden ser entregados en un currier de su confianza.

En nuestra pagina podrá encontrar mas de 3.500 productos para entrega inmediata.

Nos especializamos en repuestos Volvo Penta, Cummings, Yanmar, Caterpillar, Mercruiser.

Ofrecemos repuestos para Generadores Onan, Kholer, Westerbeke, Fisher Panda y Northern Lights.

Trolling

Motors

Instruments

Electrical

Lighting

Anchor

& Dock

Steering, Controls **Pumps** Fuel System Seating &

Trailering Tops &

Perform

Propellers

Engine & Care

Cleaning

& Care

Paint &

Paint Acc

Fun &

Flotation

Topside

Cockpit

& Deck

Hardware.

Fasteners

Marpac Pre-Packaged USCG Compliance and Safety Kits

The "Runabout" Safety Kit



· Kit Includes:

- (1) 4-Flare Kit.
- (4) Adult (Over 90 lb.) Life Vests.
- (1) White Boat Cushion.
- (1) Signal Horn.
- (1) Coast Guard Booklet.
- (1) #10 Slip Ring Anchor.
- (1) 1/4" Galvanized Anchor Shackle.
- (1) 5BC White Fire Extinguisher without Gauge.
- (2) 3/8" x 15' White, Twisted Nylon Mooring/Docklines.
- (1) 3/8" x 100' Twisted Nylon Anchor Line.

Order No. Description

List Price

7-0742 "Runabout" Safety Kit

\$185.99 G0-1642100

The "Mid-Range Deluxe Boater" Safety Kit



Kit Includes:

- (4) 12 Gauge Red Aerial Flares.
- (1) 12 Gauge Flare Gun.
- (4) Adult (Over 90 lb.) Life Vests.
- (1) White Boat Cushion.
- (1) Gear Bag.
- (1) Signal Horn.
- (1) Coast Guard Booklet.
- (1) Rapid Set #8 Anchor.
- (2) 5/16" Galvanized Anchor Shackles.
- (1) 10BC White Fire Extinguisher with Gauge.
- (2) 3/8" x 20' White, Twisted Nylon Mooring/Docklines.
- (1) 3/8" x 150' Twisted Nylon Anchor Line.
- (1) 1/4" x 4' White Vinyl Coated Anchor Chain.

Order No. Description

7-0745 "Mid-Range Deluxe Boater" Safety Kit

List Price **\$269.89** G0-3808100 The "Small Boater" Safety Kit



Kit Includes:

- (1) 4-Flare Kit.
- (4) Adult (Over 90 lb.) Life Vests.
- (1) White Boat Cushion.
- (1) Gear Bag.
- (1) Signal Horn.
- (1) Coast Guard Booklet.
- (1) #10 Slip Ring Anchor.
- (2) 1/4" Galvanized Anchor Shackles.
- (1) 5BC White Fire Extinguisher without Gauge.
- (2) 3/8" x 20' White, Twisted Nylon Mooring/Docklines.
- (1) 3/8" x 100' Twisted Nylon Anchor Line.

Order No. Description

7-0744 "Small Boater" Safety Kit

List Price

\$202.09 G0-0453100

The "Deluxe Yachters" Safety Kit



(1) Weekender First Aid Kit.

- (1) Coastal Alert/Locate Flare Kit.
- (2) 10BC White Fire Extinguisher with Gauge.
- (6) Adult (Over 90 lb.) Life Vests.
- (1) White Boat Cushion.
- (1) Gear Bag.
- (1) Signal Horn.
- (1) Orange Police Style Whistle.
- (1) Coast Guard Booklet.
- (2) 1/2" x 25' White, Twisted Nylon Mooring/Docklines.
- (1) 1/2" x 150' Twisted Nylon Anchor Line.
- (1) 5/16" x 5' White Vinyl Coated Anchor Chain.
- (1) Rapid Set #13 Anchor.
- (2) 3/8" Galvanized Anchor Shackles.

Order No. Description

7-0747 "Deluxe Yachtors" Safety Kit

List Price

Camouflage \$431.09 GO-3888200



Misc.

Note: All USCG Compliance and Safety Kits Contents are Subject to Change Without Notice.





List Price

\$139.79 G0-6639000

Electronics

Trolling Motors

· Kit Includes:

(1) Signal Horn.

Order No. Description

(4) Adult (Over 90 lb.) Life Vests.

(1) 1/4" Galvanized Anchor Shackle.

(1) 3/8" x 100' Twisted Nylon Anchor Line.

"Budget Boater" Non-Haz-Mat Kit

(2) 3/8" x 15' White, Twisted Nylon Mooring/Docklines.

The "Mid-Range Deluxe Boater" Non-Haz-Mat Kit

(1) White Boat Cushion.

(1) Coast Guard Booklet.

(1) #10 Slip Ring Anchor.

Flectrical

Lighting Anchor

& Dock

Safety Steering Controls

Pumps Fuel System

Seating & Pedestal

Trailering Tops &

Propellers Engine

& Care Cleaning & Care

Paint & Paint Acc.

Fun & Flotation

Topside Acc

Cockpit & Deck

Hardware, Fasteners

Camouflage

Misc

Comm.

Order No Description

· Kit Includes:

(1) Gear Bag.

(1) Signal Horn.

(4) Adult (Over 90 lb.) Life Vests.

(1) White Boat Cushion.

(1) Coast Guard Booklet.

(1) Rapid Set #8 Anchor.

(2) 5/16" Galvanized Anchor Shackles.

(1) 3/8" x 150' Twisted Nylon Anchor Line.

(1) 1/4" x 4' White Vinyl Coated Anchor Chain.

7-0740 "Mid-Range Deluxe Boater" Non-Haz-Mat Kit **\$190.89** G0-0972100

(2) 3/8" x 20' White, Twisted Nylon Mooring/Docklines.

List Price

The "Small Boater" Non-Haz-Mat Kit



· Kit Includes:

(4) Adult (Over 90 lb.) Life Vests.

(1) White Boat Cushion.

(1) Signal Horn.

(1) Coast Guard Booklet.

(1) #10 Slip Ring Anchor.

(2) 1/4" Galvanized Anchor Shackle.

(1) Gear Bag.

(2) 3/8" x 20' White, Twisted Nylon Mooring/Docklines.

(1) 3/8" x 100' Twisted Nylon Anchor Line.

Order No. Description

7-0739 "Small Boater" Non-Haz-Mat Kit

List Price

\$159.79 G0-6070100

The "Deluxe Yachters" Non-Haz-Mat Kit



(1) Weekender First Aid Kit.

(6) Adult (Over 90 lb.) Life Vests.

(1) White Boat Cushion.

(1) Gear Bag.

(1) Signal Horn.

(1) Orange Police Style Whistle.

(1) Coast Guard Booklet.

(1) Rapid Set #13 Anchor.

(2) 3/8" Galvanized Anchor Shackles.

(2) 1/2" x 25' White, Twisted Nylon Mooring/Docklines.

(1) 1/2" x 150' Twisted Nylon Anchor Line.

7-0741 "Deluxe Yachtors" Non-Haz-Mat Kit

(1) 5/16" x 5' White Vinyl Coated Anchor Chain.

Order No. Description

\$376.09 H0-5652200

List Price

Note: All USCG Compliance and Safety Kits Contents are Subject to Change Without Notice.

Trolling

Motors

nstruments

Flectrical

Lighting

Anchor & Dock

Steering, Controls **Pumps** Fuel System Seating & Pedestals Trailering

Tops &

Perform.

Propellers

Engine

& Care

Cleaning

& Care

Paint &

Paint Acc Fun &

Flotation Topside



Marpac Pre-Packaged USCG Compliance and Safety Kits - UPS Able

Marpac Fresh Water #1 Safety Kit



• Kit Includes:

(1) 5BC White Fire Extinguisher with Gauge.

(4) Adult (Over 90 lb.) Life Vests

(1) White Boat Cushion.

(1) Gear Bag.

(1) Signal Horn.

(1) Telescoping Paddle.

Order No. Description 7-0734 Fresh Water Kit #1 Safety Kit List Price

\$156.69 G0-8940100

Marpac Fresh Water #2 Safety Kit



· Kit Includes:

(1) 5BC White Fire Extinguisher with Gauge.

(4) Adult (Over 90 lb.) Life Vests.

(1) White Boat Cushion.

(1) Gear Bag.

(1) Orange Police Style Whistle.

(1) Telescoping Paddle.

Order No. Description

7-0735 Fresh Water Kit #2 Safety Kit

\$120.59 G0-0808000

Note: All USCG Compliance and Safety Kits Contents are Subject to Change Without Notice.

Marpac 30 Liter Dry Bag



Outer mesh pocket for added storage.

Twin straps, can be worn like a backpack.

· Heavy duty material with dual welded seams.

· Excellent for boating, kayaking, hiking.

• 30 liters of storage measures approximately 11" diameter x 18" when closed.

Order No. Description

7-7047 30 Liter Dry Bag

List Price

\$39.19 G0-6262000

Kysek 50L Dry Bag





 Our Dry Bags keep your phone, camera, changes of clothes, towels and more moisture free.

• Great for the boat, beach, pool or anywhere there's water.

• Waterproof material.

Comfort-grip handles.

• Easy access main compartment.

• Water-resistant zippers.

• Front zipper pocket.

· Detachable, padded shoulder strap.

Order No. Mfg. No. / Description 582200 (ECDB50) 50L

List Price

\$119.99 F0-9938000

ACR RapidDitch™ Express Abandon Ship Bag

- The tough water-resistant fabric and self-repairing, corrosion resistant
- 600 denier polyester and reflective exterior/210 denier polyester interior.
- Shoulder straps transform into two 4' leashes to tether survivors together.
- Buoyancy: 15 lbs. dead weight with bag flooded in fresh water.
- Exterior Storage Compartments: EPIRB pocket/mess compartments/1 strobe light attachment/1 clear compartment.
- Interior Storage Compartments: 3 enclosed side wall pockets/2 daisy chain organizers/12 slip rings.
- Dimensions: 21" x 6" x 14.5".

Order No. Mfg. No. / Description 200066 (2279)

\$63.19 CO-1735000




Cockpit & Deck Hardware.

> Fasteners Camouflage

Misc

Comm



Trolling Motors Instrument

Flectrical

Lighting

Anchor

& Dock

Safety

Steering, Controls

Fuel System Seating & Pedestals Trailering Tops &

Perform.

Propellers

Cleaning & Care

Paint & Paint Acc. Fun & Flotation Topside Acc.

Cockpit

& Deck

Hardware,

Fasteners

Camouflage

Misc





Aqua Signal Electronic Hidden Horn





- · White polycarbonate housing.
- Designed for vessels under 12 meters.
- Installs in a standard 2-1/4" cut-out.
- Face plate dimensions: 6-1/8" L x 3-1/8" W x 3-1/8" D.
- Includes: Mounting hardware and gasket.
- 12 volt.

Order No. Mfg. No. / Description

207068 (84401-7) White

List Price

\$52.19 G0-7943000

Marinco Drop-In Hidden Horn with Grills

MARINCO





Comes with both white ASA and black ABS screw-in grills.

- Grills have water resistant fabric liners.
- Installation: 2-3/4" diameter hole x 1" deep.
- Maximum amp draw: 4 amps.
- 12 volt

Order No. Mfg. No. / Description


605658 (10080)

\$53.09 FO-6173000

FIAMM Pontoon Horn

Pumps





- Mounts between pontoon and under side of deck.
- Provides a clear, crisp sound that can be heard for miles.
- Maximum amp draw: 6 amps.
- 12 volt.

Engine & Care

Order No. Mfg. No. / Description


List Price

605120 (72301-23)

\$22.49 G0-7051000

FIAMM Above Deck Mini Horn





- For use in extreme weather exposure locations and limited space applications.
- Draws 4 amps.
- Complete with mounting pad and wire harness.
- Dimensions: 3-1/2" L x 3-1/4" W x 2-5/16" H.
- 12 volt.

Order No. Mfg. No. / Description 605111 (74300-23)

\$27.29 G0-8281000

Agua Signal Forward Facing Oval Dual Tone Horn

A aqua ° Signal

- · Black polycarbonate housing.
- Horn body angle to the mounting flange is 45°.
- Dimensions: 4.92" L x 3.11" W x 3.43" D, requires an oval cut-out approx. 2.6" x 3.25".
- Mounting flange extends 0.39" above the surface.
- For vessels under 39'.
- 12 volt; 2-wire connection.

Order No. Mfg. No. / Description 207070 (84500-7) Black

List Price

\$50.59 G0-0933000

FIAMM 519 Series Hidden Horn



- Most popular horn for new boat construction.
- Easy to install and mounts from outside the boat.
- Includes: Horn, water resistant liner and stainless steel grill.
- Maximum amp draw: 6 amps.
- 12 volt.

Order No. Mfg. No. / Description

List Price

605139 (51905-23)

\$25.69 G0-1271000

FIAMM Mini Hidden Horn

FIAMM



- Hidden Horn designed to fit on boats where space is at a premium.
- Includes horn, water resistant liner, mounting bracket and stainless steel grill.
- Outside dimensions: 4-7/8" x 3-1/2".
- Maximum amp draw: 6 amps.


Order No. Mfg. No. / Description

List Price

605130 (51808-23)

\$26.89 G0-2081000

FIAMM Compact Electric Trumpet Horn



 May be used as a replacement on 518 Series Hidden Horns or as a stand-alone horn.

- Includes universal mounting bracket.
- Dimensions: 3-7/8" L x 3-3/4" W x 3-1/2" H.
- Maximum amp draw: 6 amps.
- 12 volt.

Order No. Mfg. No. / Description **605050** (72575-22)

\$10.89 G0-0370000



www.repuestoselnavegante.com El Navegante

Marinco MiniBlast™ Compact Single Horn

Marinco Mini Twin Compact Electric Horn

MARINCO

- Long lasting, non-corrosive ASA plastic cover.
- · Sealed sound unit with stainless steel diaphragm.
- Fundamental frequency: 440±20 Hz.
- Dimensions: 4-3/8" L x 3-3/8" W x 2" H.
- Maximum amp draw: 3 amps.

Order No. Mfg. No. / Description 605610 (10099) White

MARINCO

Type 304 stainless

steel covers, diaphragms and mounting bracket.

Order No. Mfg. No. / Description

378909 (10001)

• Fundamental frequency: 490±20/440±20 Hz.

• Dimensions: 3" L x 8" W x 1-3/4" H.

• Maximum amp draw: 6 amps, 12 volts.


List Price

List Price

\$53.89 F0-2773000

\$26.59 F0-1681000

MARINCO





- Fundamental frequency: 440±20 Hz.
- Dimensions: 3" L x 3-1/4" W x 1-3/4" H.
- Maximum amp draw: 3 amps, 12 volt.

Order No. Mfg. No. / Description

605646 (10035)

\$29.69 F0-8702000

List Price

Aqua Signal Series 22 Horn/Light Combination Unit

Marinco Mini Compact Electric Horn

- 12" BiColor plug-in pole light is USCG certified (A-16) for 1 mile visibility for power boats up to 39'
- Horn is also USCG certified (A-23).

· Horn/light combination unit.

- Housing made from high quality polycarbonate.
- Exclusive sound signal base designed for fishing boats with mounted trolling motors.
- Standard Festoon Bulb 12V/10W.

Order No. Mfg. No. / Description

\$96.09 G0-8346000



& Dock

Electronics Trolling Motors

nstruments

Flectrical

Lighting

Anchor

Steering, Controls

Pumps Fuel

System Seating &

Pedestals Trailering

Tops &

Perform.

Propellers

Engine & Care

Cleaning & Care

> Paint & Paint Acc

Fun & Flotation

Topside

Cockpit & Deck

Hardware, Fasteners

Camouflage

Misc

FIAMM Airtone Stainless Steel Electric Horns



- All stainless steel construction for maximum weather ability.
- Stainless steel motor cover and stylish stainless pedestal mounting.
- Includes a projector support for extra ruggedness.
- Single draws 6 amps, twin draws 12 amps.
- 12 volt.

SINGLE	DIMENSIONS: 16-3/4" x 3-1/2" x 4-3/4"	
Order No.	Mfg. No. / Description	List Price
605177	(75540-23)	\$83.49 G0-4955000
TWIN	IMENSIONS: 18" x 7-1/2" x 4-3/4"	
THE COLUMN TWO IS NOT	INITIATION OF A 1-1/2 X T-3/T	
	Mfg. No. / Description	List Price

207520 (22185-7)

FIAMM Toronado Horns with Compressor Kit



- The ultimate in contemporary styling incorporating the very finest quality components.
- Combination of heavy chrome plated brass and stainless steel for outstanding protection from saltwater.
- All models are tuned for an extra loud and crisp sound.
- This has an unusually low air requirement that guarantees dependability
- Compressor, mounting pad and hardware installation included.
- Single: 120 dB @ 1 meter. Twin: 122 dB @ 1 meter.
- 12 volt.

SINGLE, DIMENSI	ONS: 15-1/2" x 3-3/4" x 4	4-1/4"	
Order No. Mfg. No. / I	Description	List Price	
605350 (63220-14	1)	\$186.09	G0-8642100
		·	
TWIN, DIMENSIO	NS: 17" x 7-1/4" x 4"		
Order No. Mfg. No. / I	Description	List Price	
COESEE (CSSSSS 1	1)	6204 FO	C0 0C00100

Trolling Motors

Electrical

Lighting

Anchor

& Dock

Steering,

Controls

Pumps





FIAMM Fultone Twin Air Horns with Compressor Kit







• The twin air horn is the result of an unique sound chamber design which

- The sleek self-mount styling features dual stainless steel projectors and an anodized aluminum motor housing.

Safety	Order No.	Mfg. No. / Descripti
	COE221	(62220 14) Ctoi

605331 (62330-14) Stainless Steel 12V Compressor **\$164.19** G0-1001100 **605343** (62340-12) Stainless Steel 24V Compressor **\$170.49** G0-3241100 12V Compressor **\$164.29** G0-7001100 **605360** (62350-12) White **605608** (08210-22) 12 volt Compressor Only \$56.09 G0-8573000

Fuel System

Seating & Pedestals

Trailering Tops &

Propeller

Engine & Care Cleaning & Care

Paint & Paint Acc.

Fun & Flotation


Topside Acc.

Cockpit & Deck Hardware,

Fasteners Camouflage

Misc





- Includes: Compressor, 8' tubing, horn button and 10' of wiring.
- Dimensions: 16" L x 7-1/2" W x 4-1/8" D.
- Bell diameter: 3-3/4".
- 114 dB @ 1 meter.

List Price

Kahlenberg Model D-2 Heavy Duty Marine Air Horns



- All brass and bronze construction.
- Designed for use on vessels less than 75 meters in length.
- Low air consumption, operates on a wide range of air pressure.
- Highly reliable, virtually no maintenance required.
- Fundamental frequency: 266 Hz and 212 Hz.
- Sound pressure level over 132 dB.
- Diaphragm 6-3/8". Dimensions: 20-1/2" x 15-1/2" x 8-1/2".

REGULAR WITHOUT VALVE

Order No. Mfg. No. / Description List Price **430380** (D2) **\$2,047.69** C0-4504710

MANUAL/ELECTRIC COMBINATION VALVE, AIR STRAINER & WHISTLE LIGHT

SPECIAL HANDL

Order No. Mfg. No. / Description List Price 430392 (D2-CVL) \$3,808.59 C0-0373230

• Designed for use on vessels less than 20 meters in length.

Order No. Mfg. No. / Description 430402 (SOA110) Length 15.92" **\$457.09** H0-5247200 430405 (SV-0A) Length 20" \$487.59 H0-5529200 430417 (P026-64FG) Bracket \$80.29 H0-7184000

Kahlenberg Zero Series Air Horns

Kahlenberg Model S Heavy Duty Marine Air Horns

Kahlen*berê*

Kahlenberg

All brass and bronze construction.

 All brass and bronze construction. · Low air consumption allows for use of a very small compress/tank kit.

 Fundamental frequency: 322 Hz. • Sound pressure level over 122.5 dB.

- Low air consumption, operates on a wide range of air pressure.
- Regular, without valve.
- Fundamental frequency: 266 Hz.
- Sound pressure level over 132 dB.
- Designed for use on vessels less than 75 meters in length.

Order No. Mfg. No. / Description **430431** (S-330) Diaphragm 5" **\$859.29** C0-0403700 430443 (S2) **\$1,086.09** CO-8132900 Diaphragm 6-3/8"

Kahlenberg Whistle Control

Kahlen*berg*



- Fully enclosed, flush mount electronic device which provides for the automatic control of the ship's whistle.
- Besides serving as a fog signal timer for sounding codes in restricted visibility, it performs maneuvering codes, danger code, general alarm and incorporates an "at-will" push button.
- Manuevering Codes: Altering course to starboard, port, astern, danger.
- Start/stop automatic function.
- General alarm function (IMO/SOLAS) with accidental touch protection.
- Red LED illumination.
- Waterproof console mount.
- 110 volt.

Order No. Mfg. No. / Description List Price 430484 (M-522) **\$1,975.19** B0-7677710

Kahlenberg Auto Console Whistle

Kahlen*berê*



Order No. Mfg. No. / Description **203151** (15601 120VAC)

List Price

\$1,149.98 CO-8477900









Kahlenberg Illuminated At Will Push Button

Kahlenberg





• Cast bronze waterproof.

Kahlenberg

• Suitable for At Will Control of solenoid operated whistle valves wherever

Kahlenberg Push Button Switch

- Tapped one way for 1/2" conduit connection.
- 3 contact.

Kahlen*berg*

electrical whistle control is used.


Order No. Mfg. No. / Description \$323.79 B0-1419200 430280 (M132)

Kahlenberg Manual Valves

430285 (M-313)

Kahlenberg Electric/Manual Combination Valve

Kahlen*berg*



to operate the valve in case of electrical failure.

orientation.

Order No. Mfg. No. / Description

List Price

\$512.49 CO-2653400

Kahlenberg Spare Diaphragms

Kahlenberg







430330

Flotation

Topside

DIAPHRAGM - DIAMETER 5"

For all Kahlenberg #1 Horns; Models S-1, D-1, T-1, etc.

Order No. Mfg. No. / Description **430330** (P28-5)

List Price

\$51.69 CO-4934000



DIAPHRAGM - DIAMETER 6-3/8"

• For all Kahlenberg #2 Horns; Models S-2, D-2, T-2, etc.

Order No. Mfg. No. / Description 430342 (P28-6) **\$66.29** C0-5365000

Comm

Kahlenberg Electric Solenoid Valves



- is ideal for industrial and marine use, and is specifically selected for use with certain Kahlenberg Horns based on air flow requirements.
- Brass valve body.
- Kahlenberg Horns.
- Can be installed in any vertical or horizontal orientation.
- Power consumption: 12 watts.

Order No. Mfg. No. / Description List Price \$361.99 CO-9670300 430269 (V-150D) 3/8" Female NPT \$391.29 CO-0623300 430276 (V-151D) 1/2" Female NPT





Order No. Mfg. No. / Description **430289** (V102)


\$177.49 C0-7805100

www.repuestoselnavegante.com El Navegante












• Watertight for marine use.

Order No. Mfg. No. / Description

\$197.79 B0-1087100

. This normally closed combination



Brass valve body.


• Maximum operating air pressure: 200 PSI, 14 bar.


• Can be installed in any vertical or horizontal

• Power consumption: 6.1 watts on 60 Hz.

• 3/8" female NPT.

430271 (V150AL-110)





Engine

Cleaning & Care

> Paint & Paint Acc

Fun &

Cockpit

& Deck

Hardware. Fasteners









List Price



Order No. Mfg. No. / Description List Price 430291 (V-11) 1/4" NPT \$172.69 CO-9764100 \$198.39 CO-3686100 430304 (V-12) 3/8" NPT \$217.89 CO-1258100 430316 (V-13) 1/2" NPT


Kahlen*berg*





- Tested for air flow requirements of
- Maximum operating air pressure: 200 PSI, 14 bar.


Kahlenberg Pneumatic Switch











Current maximum: 500 volts @ 2 amps.

List Price

Trolling Motors

HORN



Lighting

Anchor & Dock

Electronics

Instruments

Safety

Steering, Controls

Pumps Fuel

System Seating & Pedestals

Trailering

Perform.

Tops &

Propellers

& Care













Buell Self-Powered Horn



- Creates deep-toned signals from a 22" chrome plated brass instrument bell.
- A pull of the handle is all that is required to produce the blast, making it an excellent standby signal for power failures.
- Frequency: 261 Hz.
- Dimensions: 23" L x 8" H x 7" diameter flare.

Order No. Mfg. No. / Description **265531** (5400)

List Price **\$555.19** G0-8917300

List Price

Trolling Motors

Lighting

Anchor

& Dock

Safety

Steering,

Controls

Electronics

Buell Horn Duplex Bracket



Flectrical

Brass construction with chrome finish.

 Combine Buell single note horns with a horn bracket to produce a distinctive, powerful signal - a beautifully blended musical chord.

• A mounting kit consisting of gaskets, stainless steel mounting screws, lockwashers and tube fitting is included.

Order No. Mfg. No. / Description

\$87.98 F0-9516000 **265428** (1085)

Buell Accessories for Buell Strombos Air Horns

Pumps

Fuel System 80800

Seating & Pedestals

Trailering

Tops &

Perform

Engine

& Care

Paint & Paint Acc. Fun & Flotation Topside Acc. Cockpit & Deck

Hardware, Fasteners

Camouflage

Misc

Propellers 265416 (1069) Diaphragm

Order No. Mfg. No. / Description List Price

265404 (1068) Gasket **\$1.98** F0-9310000 \$4.98 F0-9430000

Buell Air Compressor - Moderate Duty

80800 Cleaning & Care



 Oil-less air compressor mount in any position and have no outside moving parts.

- The automatic pressure switch maintains air pressure levels.
- 125 PSI, 18 amps, 1.1 CFM.
- Dimensions: 8.5" L x 4" W x 7" H.

• 12 volt.

Order No. Mfg. No. / Description List Price **265534** (5440 12 VOLT) **\$679.79** G0-6455400


Buell Strombos Air Horns



- Low pressure single note air horns with tremendous power... operates on 50- 150 PSI
- Made of solid brass with a chrome plate finish.
- Flare diameter: 6-1/2". Inlet dimensions: 1/8" NPT.

Order No.	Mfg. No. / Description		List Price
265365	(1061) Length 10"	Frequency: 493 Hz	\$308.19 H0-1948100
265377	(1062) Length 12"	Frequency: 392 Hz	\$312.19 H0-1378100
265389	(1063) Length 15"	Frequency: 311 Hz	\$315.19 H0-1198100
265391	(1064) Length 18"	Frequency: 246 Hz	\$317.99 H0-9709100

Buell Manual Air Valve



Buell Electric Solenoid Valve



- · For remote control of air horns.
- Fiberglass filled nylon body.
- 1/4" NPT ports and molded coil.
- Intermittent duty not rated for continuous duty.
- 12 volt.

Order No. Mfg. No. / Description

265466 (42076)

80800

\$85.19 F0-3695000

List Price

Buell Air Tank



- Made of steel, welded construction with a gray paint finish and (3) 1/4" NPT ports.
- Includes: (2) Steel mounting straps and brass tubing fittings.
- Capacity: 3 Gallons.
- Dimensions: 6" diameter x 25" long.

Order No. Mfg. No. / Description **265505** (2242) \$155.98 G0-1540100



Trolling

Motors

Instruments

Electrical

Lighting Anchor & Dock

Steering,

Controls

Pumps

Fuel System

Pedestals

Trailering Tops &

Perform.

Propellers

Engine



Falcon SuperSound Signal Horn





- Provides up to 105 blasts.
- 8 oz.
- Marine safety essential.
- Produces a piercing 120dB blast at 10'.
- Can be heard up to 1 mile away.
- Meets every signaling need.
- For boats up to 65'.
- Refill available.

Order No.	Description	List Price
7-0655	Complete Kit	\$17.89 G0-9911000
7-0656	Refill Canister	\$11.69 G0-3870000

Marpac Push Button Signal Horn

Perko Fig. 349 Ball Type Whistle





- Orange polymer. 3/4" OD stainless steel ring.
- Length 2-1/4", width 3/4".
- This item conforms to A.B.Y.C. Standard A-23 in accordance with the '72 COLREGS and U.S. Inland Rules for use on vessels under 5 meters (16.4 ft.) in length.

Order No. Mfg. No. / Description **531496** (0349 DP) \$3.99 G0-7620000

Datrex Whistle with Lanyard





- Orange whistle with clip and lanyard.
- Accepted by USCG/SOLAS/MED/ISO for lifejackets and immersion suits.
- Weight: 12 grams.
- Individually packed in plastic bag.

Order No.	Mfg. No. / Description	List Price
200335	(DX0276M)	\$3.99 G0-7620000





- Palm-size convenience with unlimited uses.
- 100% ozone-safe non flammable.
- Compact only 4-1/2" tall.
- Stainless steel, non-corrosive diaphragm.
- Guaranteed unbreakable.
- Meets USCG recommendations for boats up to 39' (12 meters).

Order No. Mfg. No. / Description List Price 811960 (FSA1) 1.5 oz. \$14.79 G0-1990000

Marpac Police Style Whistle





List Price

- International Orange plastic.
- Length 2-3/8".
- Includes: Ring for lanyard.

Order No. Description 7-0240 Police Style Whistle

\$1.79 G0-0210000

Jet Logic Safety Whistles on Floating Lanyard





- An audible signal device is required on boats and personal watercraft in
- A high pitch pealess whistle is a good choice.
- Clip it onto your life jacket or safety lanyard.

order No.	ivirg. No. / Description	LIST Price	
598409	(W-1) Purple/Yellow	\$4.99	F0-9430000
5960302	(W-2) Red/Black	\$4.99	F0-9430000

& Care Cleaning & Care

> Paint & Paint Acc

Fun & Flotation

Topside Cockpit

& Deck Hardware.

Fasteners Camouflage

Misc.

Comm







Marpac Ship's Bells



- Uses #6 fasteners.
- · Complete with bracket.

HEAVY CAST CHROME PLATED				
Order No.	Description	Bracket	List Price	
215118	Diameter 8"	1-1/2" x 1-3/4"	\$105.09 G0-1407000	

HEAVY CAST POLISHED BRASS				
Order No.	Description	Bracket	List Price	
215067	Diameter 6"	1-7/16" x 1-13/16"	\$82.09 G0-0055000	
215106	Diameter 8"	1-1/2" x 1-3/4"	\$98.39 G0-2956000	

Perko Removable Fog Bells

Perko Fig. 150 Fog Bell









Safety

Fuel

System

Seating &

Pedestals

Trailering

Tops & Covers

Perform.

Propellers Engine

Electronics

Trolling Motors

Flectrical

Lighting Anchor & Dock

 Polished cast bronze. Steering, Controls · Heavy weight.

· Removable. Pumps

• Bottom diameter 8", overall height 8".

• Uses 1/4" fasteners.

• This bell is for use on vessels under 20 meters (65.6 ft.) in length.

 This bell has been reviewed by the USCG and comply with C.G. 169 regulations for sound signal appliances as required by Annex III, Paragraph 2 of the '72 COLREGS.

Order No. Mfg. No. / Description

\$1,767.09 H0-5206010 **534811** (0150 008 POL)

List Price

· Polished cast bronze.

• Medium weight.

• Removable.

• Bottom diameter 6", overall height 5".

• Uses #8 fasteners.

Order No. Mfg. No. / Description List Price 538390 (0420 006 POL) **\$769.39** H0-3616400

Perko Fixed Mount Fog Bells

Perko Fig. 158 Fog Bell





Paint & Paint Acc.

Fun & Flotation

Topside Acc.

Cockpit & Deck Hardware,

Fasteners

Camouflage

Misc

Order No. Mfg. No. / Description 535041 (0158 012 PLB)

• Uses 1/4" fasteners.

 This bell has been reviewed by the USCG and comply with C.G. 169 regulations for sound signal appliances as

required by Annex III, Paragraph 2 of the '72 COLREGS.

This bell is for use on vessels of any length.

\$3,743.69 H0-1264220





- Plain wrought brass.
- · Light weight.
- Fixed mounting.
- Bottom diameter 12", overall height 8".
- Uses #12 fasteners.
- This bell is for use on vessels of any length.
- This bell has been reviewed by the USCG and comply with C.G. 169 regulations for sound signal appliances as required by Annex III, Paragraph 2 of the '72 COLREGS.

Order No. Mfg. No. / Description **535332** (0179 012 PLB)





Orion Weekender First Aid Kit





Orion Coastal First Aid Kit

 Packed in double zipper, PVC coated nylon bags with room to add additional safety products.

• Contains: (10) 1" x 3" adhesive strips, (2) Knuckle bandages, (2) Fingertip bandages, (2) Extra large strips, (4) Large butterfly closures, (2) 3" x 3" gauze pads, Adhesive tape, (1) 5" x 9" Sterile large wound dressing, (4) 4" gauze pads, (4) 4" Sterile gauze pads, (1) Sterile 4" gauze bandage with clips, (1) 4" elastic bandage, (1) Non-Sterile triangular bandage, (4) Motion sickness tablets, (2) Triple antibiotic ointment, (2) First Aid/Burn cream, (20) Antiseptic wipes, (4) Extra strength Non-Aspirin tablets, (1) Sting relief wipes, (6) Latex exam gloves, (1) Instant cold pack and (6) Antiseptic towelettes

Order No. Mfg. No. / Description **436272** (840)

List Price

\$54.29 F0-0083000

Includes: A wall-mountable, waterproof plastic storage case for your • Contains: (50) Adhesive strips, (5) X-large adhesive strips, (5) Knuckle

bandages, (5) Fingertip bandages, (5) 3" gauze pads, (1) 4" gauze bandage, (1) Adhesive tape, (2) Eye pads, (6) First Aid/Burn cream, (30) Antiseptic wipes, (6) Sting relief wipes, (3) Sunscreen packets, (10) Aspirin, (12) Motion sickness tablets, (1) Scissors, (1) Forceps, (1) First aid instructions and (2) Latex exam gloves.

Order No. Mfg. No. / Description

339526 (964)

\$42.89 F0-2003000

List Price

Flectrical





List Price

\$15.59 F0-1901000

Orion Runabout First Aid Kit

• Contains: (10) Adhesive strips, (1) X-large adhesive strips, (1) Knuckle bandages, (1) Fingertip bandages, (2) 3" gauze pads, (1) Adhesive tape,

(6) First Aid/Burn cream, (6) Antiseptic wipes, (3) Sting relief wipes, (6)

Survitec Group Life Raft First Aid Kit

Steering, Controls **Pumps**

Electronics

Trolling

Motors

Instruments

Lighting Anchor & Dock

Fuel System

Pedestals

Trailering

Tops &

Perform.

Propellers

Engine

& Care

Cleaning & Care

Paint & Paint Acc

Fun & Flotation

Topside

Cockpit & Deck

Hardware. Fasteners

Camouflage

Misc

Comm

Orion Fish 'N Ski First Aid Kit





 Contains: (20) Adhesive strips, (2) X-large adhesive strips, (2) Knuckle bandages, (2) Fingertip bandages, (2) 3" gauze pads, (1) 2" gauze bandage, (1) Adhesive tape, (6) First Aid/Burn cream, (10) Antiseptic wipes, (3) Sting relief wipes, (12) Aspirin, (12) Motion sickness tablets and (1) First aid instructions.

Order No. Mfg. No. / Description **436276** (963)

List Price

\$25.59 F0-1971000

Survitec Group Life Boat First Aid Kit for Commercial Vessels

survitecgroup



- Comes in a heavy duty plastic container with a watertight O-ring.
- Contains: Adhesive bandages, large gauze compress, 4" gauze bandage, 4" bandage compress, burn creams, 2" bandage compress, eye washes, triangular bandage, ammonia inhalants, eye dressing packs, Povidonelodine swabs, Tourniquet, wire splint and aspirin tablets.
- Container dimensions: 10-1/2" x 10-1/2" x 3-1/2".
- USCG Approval 160.054/9/1.

Order No. Mfg. No. / Description

339730 (50-8010)

List Price

\$139.49 G0-6439000

• Comes in a transparent zip pouch.

Aspirin and (1) First aid instructions.

Order No. Mfg. No. / Description

436274 (962)

Survitecgroup

• Case dimensions: 7" x 9" x 3".

• Includes: Adhesive bandages, gauze compress, 4" gauze bandages, 4" bandage compress, ammonia inhalants, eye dressing packs, wire splint, aspirin tablets, 2" bandage compresses, triangular bandage, eye washes and tourniquet.

USCG Approved.

Order No. Mfg. No. / Description

436421 (50-8020)

\$77.09 G0-5615000

List Price

\$2,753,98 B0-8587420

\$105.98 CO-8009000

Electronics

Trolling

Motors

Instruments

Electrical

Lighting

Anchor & Dock

Safety

Steering,

Controls

Pumps

Fuel

System

Seating &

Pedestals

Trailering

Tops &

Perform

Propellers

Engine

& Care

Cleaning

& Care

Paint &

Fun & Flotation

Topside Acc.

Cockpit & Deck

Hardware, Fasteners


Camouflage

Misc

Paint Acc.

Bridger™ Model 85 Line Throwing Gun





• Kit includes: (1) Bridger Shoulder Line Gun, (1) red wooden box with solid brass hardware, (10) solid brass line projectiles, (4) 700' 140 lb. test nylon shot lines, (1) Aero metal line canister, (3) rewinding spindles, (25) blank cartridges - heavy load, (1) can gun

oil, (1) cleaning solvent, (1) cleaning rod, (1) cleaning brush, (1) package patches and (1) set plastic instructions and gun lock.

USCG Approval #160.031/6/3.

• Dimensions: 34" L x 12" W x 8" H.

Order No. Mfg. No. / Description


502686 (HL25)

\$23.98 CO-8302000 **502695** (45170P) Cleaning Patches, 40 Per Pack \$4.74 CO-3040000

502698 (SL700T) 700' 140 lb. Test Nylon Shot Line, Tan **\$79.98** B0-8917000

45/70 Blank Cartridges, 25 Per Box

Datrex Rescue Quoit with Heaving Line



DATREX

Quoit.

Floats.

• For use in: Liferafts, Lifeboats and Rescue Boats.

• 100' 5/16" of twisted polypropylene heaving line List Price

Order No. Mfg. No. / Description

436472 (DX1512M/1421) **\$60.99** CO-4815000

Datrex Sea Dye Marker - Yellow/Green



• Dye weight: 3.5 oz.

Minimum solubility: 85%.

• Dimensions of pack: 5" x 6-1/8".

Sea dye marker meeting the MIL standard 17980D.

Order No. Mfg. No. / Description

436318 (DX1517M) Yellow/Green

List Price

\$30.99 H0-9581000

Datrex IKAROS Line Thrower Complete



· A self contained portable line-throwing appliance incorporating integral rocket and lighter.

• The unit projects a line 300 meters in calm weather.


- Line length: 300 metres. Line diameter: 4 mm. Line strength: >2,300 N.
- For used as pilot lines for cables and ropes in rescue operations at sea.

436105

- Can be use between vessels, from ship to shore or for rescuing people.
- BV-SOLAS certified. USCG Approved to SOLAS.
- Global Approvals: USCG, CA-DOT, BV/MED/SOLAS.

Order No.	Mfg. No. / Desc	ription	List Price	
436105	(CI 3461P)	4 Pack	\$733.79	F0-5631500
436107	(CI3461SNG)	Single	\$869.09	H0-5412500
436117	(CI3462SP)	Repl. Rocket with Integral Igniter	\$391.09	F0-6737200
436128	(CI 3463P)	Buoyant Head (2 Per Ship Set Required)	\$120.09	F0-6048000

Jim-Buoy Day Mark Signals - Black



- · All units manufactured from heavy duty vinyl coated nylon fabric with stainless steel or galvanized framing.
- Fully collapsible when stored.
- Simplicity of design offers rapid and rigid display when required.

Order No.	Mfg. No. / Description		List Price
267775	(1900) Ball Shape	Diameter 24"	\$122.39 F0-7658000
267787	(1901) Cone Shape	Diameter 24" x 24"	\$87.59 H0-5525000
267799	(1902) Diamond Shape	Diameter 24" x 48"	\$138.79 H0-7238000

Datrex Signal Mirror with Lanyard





- · For use in lifeboats and life rafts.
- Weight: 225 grams.
- USCG Approval #160.020/14/0.

Order No. Mfg. No. / Description **436445** (DX1502M)

\$20.79 CO-7671000







List Price

\$25.49 H0-9251000

\$70.59 H0-5324000



• Light intensity: 15,000 candela.

436371 (NH341501SNG) Sold Each

• Meets SOLAS requirements. USCG Approved.

• Burn time: 60 seconds.

Order No. Mfg. No. / Description

436370 (CI3415P)

Datrex IKAROS Hand-Held Red Flares

For short range distress signalling on ships, lifeboats and liferafts.

Sold 6 Per Case



 For long range distress signaling on ships, lifeboats and liferafts.

Flare ejection height: 300 meters.

DATREX

- Light intensity: 30,000 candela, burn time: 40 seconds.
- Meets SOLAS requirements. USCG Approvals #160.036/12/0 & #160.136/2/0.
- · Comes packed in watertight flare box.

• Burn time: Up to 3 minutes. • Brightness: Up to 700 candela. USCG Approved for day and night use.

Order No. Mfg. No. / Description

(865SNG)

436280 (901SNGL) Single Flare

Mfg. No. / Description

436279 (901)

436003 (865)

436004

order No.	Description	LIST PIICE	
320800	Complete Kit with 12 Flares	\$989.99 H0-993	39500
320802	Complete Kit with 6 Flares	\$421.99 H0-913	35200

Orion Handheld Red Flare Signal

Easy to use, waterproof and safe, with a built in protective handle.

SINGLE FLARE - COMMERCIAL USE ONLY, NOT FOR RETAIL SALE

Single Flare

INCLUDES: (4) HANDHELD RED FLARE SIGNALS

4 Pack

4 Pack

Datrex IKAROS Red Parachute Rockets

Orion Locator PLUS - 4 Marine Signal Kit





List Price

List Price

\$17.79 F0-5421000

\$22.69 F0-8851000

\$36.99 F0-9852000

\$48.59 F0-1043000

- Kit contains: (4) USCG Approved Handheld Red Flare Signals, SOLAS Approved safety whistle with lanyard as an audible signal and USCG Approved distress flag for effective daytime signaling.
- Packed in a waterproof, floating, compact case that lays flat and stores
- USCG Approved for day and night use.

Urder No.	IVITg. INO. / Des	cription		List Price	
518995	(534)	Single Kit	Sold Case of 4	\$71.09	F0-6794000
518996	(534SNGL)	Single Kit		\$83.29	F0-0385000

Orion Commercial Vessel Distress Signal Kit

Sold Case of 6

Sold Case of 4



- Contains: (3) Red parachute flares, (6) Red handheld flares, (3) Orange smoke signal.
- · Heavy duty dry box high visibility orange polypropylene construction, corrosion resistant and floats.
- Meets USCG Regulations for Vessels traveling in the ocean more than 50 miles from coastline.

Order No. Mfg. No. / Description List Price **519148** (826) \$576.39 E0-9223400

Orion Alert/Locate Commercial Distress Signal Kit



- Contains: (3) Parachute flares, (6) Red handheld flares, (3) Orange smoke signals and (1) Heavy duty, waterproof, dry box - high visibility orange polypropylene is corrosion resistant.
- Meets USCG Regulations for Ocean Vessels traveling 3 50 miles from coastline or Great Lakes Vessels traveling more than 3 miles from coastline.

Order No. Mfg. No. / Description **519136** (820)

List Price \$399.49 F0-4697200

SPECIAL HAND



Trolling Motors Instruments

Electronics

Flectrical

Lighting Anchor

& Dock

Steering, Controls

Pumps Fuel

System Seating & Pedestals

Trailering

Tops &

Perform

Propellers

Engine & Care

& Care

Paint & Paint Acc

Fun &

Flotation Topside

Acc. Cockpit & Deck

Hardware. Fasteners

Camouflage

Misc.

www.repuestoselnavegante.com

Datrex IKAROS Manoverboard Smoke Marker







- Produces dense orange smoke for more than 15 minutes.
- Once installed, it is automatically activated when separated from its bracket.
- Comes complete with bracket.
- USCG Approvals #160.057/6/0 and #160.157/2/0.
- Meets SOLAS 74/83 requirements.

Order No. Mfg. No. / Description



Datrex IKAROS 3 Minute Buoyant Orange Smoke Signal





Electronics

Flectrical

Lighting

Anchor

& Dock

Fuel System

Perform

Propellers

Engine & Care

Cleaning

& Care

Paint & Paint Acc.

Fun & Flotation

Topside

Cockpit

& Deck

Hardware. Fasteners

Camouflage

Misc

Acc.

Safety

• For daylight distress signaling purposes on ships, lifeboats, liferafts and recreational vessels.

 The case is made of corrosion resistant steel and has clear and simple instructions.

• Dimensions: 3.7" x 4".

• Weight: 18 oz.

- USCG Approvals #160.022/12/0 and #160.122/2/0.
- Meets SOLAS 74/83 requirements.

Steering, Order No. Mfg. No. / Description Controls

436293 (NH342121/1) Sold Case of 3 **\$83.19** H0-1994000 436294 (NH342121/1SN) Sold Each \$131.59 H0-5987000

Pumps

Orion Skyblazer II Red Aerial Signal Kit

Seating & Pedestals

Trailering

Tops & • Altitude: Up to 450 feet.

• Burn time: Up to 7 seconds each.

• Brightness: Up to 16,000 candela.

 Includes: (4) Skyblazer II Self-Contained Alert Signals.

· Packaged in a resealable plastic bag.

• USCG Approved as a day or nighttime signal.

Order No. Mfg. No. / Description Sold Case of 4

519403 (859) 4 Pack

519404 (859SNGL) 4 Pack

List Price

List Price

\$52.99 F0-9073000 \$66.19 FO-3364000

Datrex IKAROS Manoverboard Combined Smoke and Light





- Produces dense orange smoke for more than 15 minutes.
- Two lights operating at 2 hours at 2 candela.
- Once installed, it is automatically activated when separated from its bracket.
- Maintenance free, lithium batteries.
- Comes complete with bracket.
- Meets SOLAS 74/83 requirements.

Order No. Mfg. No. / Description List Price

436358 (CI13451P) \$1,105.99 H0-9536600

Orion Orange Smoke Handheld Signal



- Each signal produces a large dense cloud and is perfect for boaters everywhere.
- Burn time: Up to 1 minute each.
- USCG Approved daytime signal.



SINGLE - COMMERCIAL USE ONLY, NOT FOR RETAIL SALE Order No. Mfg. No. / Description List Price

436281 (913) Sold Case of 6 \$26.59 F0-1681000 436282 (913SNGL) Sold Each \$34.59 F0-1242000

3 PACK

Order No. Mfg. No. / Description

List Price **436285** (958) **\$72.09** F0-6405000 Sold Case of 6 436286 (958SNGL) **\$84.39** F0-7095000

Orion Coastal Alert/Locate Signal Kit



- Includes:
- (2) Red Handheld Signals
- (2) Skyblazer Self-Contained Red Meteors
- (1) Signaling mirror with lanyard
- (1) Whistle with lanyard
- (1) Fluorescent mesh storage bag
- USCG Approved as a day or nighttime signal.

Order No. Mfg. No. / Description

List Price **519488** (856) **\$69.79** F0-5884000 Single Kit Sold Case of 6 519487 (856SNGL) Single Kit \$85.89 F0-2106000

Orion Alert/Locate PLUS Signaling Kit with First Aid





- Kit contains: 12-Gauge Safety Launcher with bandolier that can hold up to 6 High Performance Signals, (4) 12-Gauge High Performance Red Aerial Signals, (4) Handheld Red Signal Flares, (2) Handheld Orange Smoke Signal, General First Aid Module - Bandages, Ointments, Gauze, etc. and Medication Module - Aspirin, non-Aspirin, motion sickness, etc. stored in an International Orange bag Foam Floating, Zippered Storage Bag.
- USCG Approved for day and nighttime signal.

Order No. Mfg. No. / Description

518900 (549) Single Kit Sold Case of 2 **518901** (549SNGL) Single Kit

List Price

\$177.09 F0-6932100 \$189.79 F0-5823100







Trolling Motors Instruments

Flectrical

Lighting

Anchor & Dock

Steering,

Pumps

Safety

Marine Emergency



Orion Coastal Alerter Kit with Accessories







• When combined with handheld flares make the perfect kit for Coastal

Order No. Mfg. No. / Description


518973 (572) Sold Case of 2

List Price

\$96.69 F0-8676000

Orion 12-Gauge High Performance Aerial Signal Pack





- Burn time: Up to 7 seconds each.
- Brightness: Up to 16,000 candela.
- Includes: (4) 12-Gauge High Performance Red Aerial Signals.
- Packaged in a resealable plastic bag.
- USCG Approved as a day or nighttime signal.

Order No. Mfg. No. / Description

519124 (539) 4 Pack

518891 (539SNGL) 4 Pack

List Price

\$32.39 F0-7622000 \$39.19 F0-3472000

Orion 25MM High Performance Alert/Locate PLUS Signal Kit

Sold Case of 6



 Kit contains: 25mm Launcher with bandolier that can hold up to (6) 25mm Signals, (4) 25mm High Performance Red Aerial Signals, (4) Handheld Red Signal Flares, (2) Handheld Orange Smoke Signals, (1) Signal mirror with lanyard,

(1) SOLAS and USCG Approved whistle with lanyard, (1) USCG

Approved distress flag and storage case.

USCG Approved as a day or nighttime signal.

Order No. Mfg. No. / Description List Price

519105 (511) Single Kit Sold Case of 2 \$285.79 F0-5000200 \$332.09 F0-6423200 **519106** (511-SNGL) Single Kit

Watertight Flare Box



- Water resistant 0-ring seal.
- · Five section lid compartment.
- Full size lift out tray. Large comfortable handle. Double padlock tabs.
- Thick sidewall construction.
- Dimensions: 15" L x 8.8" W x 9.4" H.
- Orange.

Order No. Mfg. No. 772233 (SPUD1-35) List Price \$28.99 F0-9202000

Orion Alert/Locate PLUS Signaling Kit





• Kit contains: 12-Gauge Safety Launcher with bandolier that can hold up to 6 High Performance Signals, (4) 12-Gauge High Performance Red Aerial Signals, (4) Handheld Red Signal Flares, (2) Handheld Orange Smoke Signals in waterproof floating storage case.

USCG Approved for day and nighttime signal.

Order No. Mfg. No. / Description

519112 (544) Sold Case of 2

List Price

\$165.79 F0-5061100

Orion Alerter Basic - (4) 12-Gauge Launcher and Aerial Signal Pack





• Includes: 12-Gauge Safety Launcher with bandolier that can hold up to 6 High Performance Signals and (4) 12-Gauge High Performance Red Aerial Signals.

USCG Approved for day and nighttime signal.

Order No. Mfg. No. / Description

519470 (584) Single Pack Sold Case of 4 **519471** (584SNGL) Single Pack

List Price


\$76.19 F0-3335000 \$79.49 F0-4655000

Controls

Orion 25MM High Performance Aerial Signal Pack







- Can be seen for over 25 miles.
- · Altitude: Up to 375 feet.
- Average burn time: Up to 7 seconds.
- Brightness: Up to 33,000 candela.
- Includes: (4) 25MM High Performance Red Aerial Signals.
- USCG Approved as a day or nighttime signal.

Order No. Mfg. No. / Description

519150 (589) 4 Pack 519151 (589SNGL) 4 Pack

Sold Case of 12 \$70.99 F0-9694000 **\$82.19** F0-3575000

Orion 25MM Launcher with Bandolier





List Price

25mm plastic launcher with bandolier.

Order No. Mfg. No. **519225** (583)

List Price

\$157.69 F0-8301100





www.repuestoselnavegante.com





Fuel System Seating & Pedestals

Trailering

Tops &

Perform

Propellers

Engine

& Care

Cleaning & Care

Paint & Paint Acc

Fun & Flotation

Topside

Cockpit & Deck

Hardware.

Fasteners

Camouflage Misc.





Orion Distress Flag





- Heavy duty vinyl construction.
- Measures 3' x 3' square.
- Comes complete with (4) 12" nylon ties for easy display.

ACR GlobalFix™ V4 EPIRB - Category I

USCG Approved as a daytime signal.

Order No. Mfg. No. / Description **267573** (925)

List Price

\$8.29 F0-0850000

Orion Locator Electronic S.O.S. Beacon Kit









Flectrical

Trolling Motors Instrument

Lighting Anchor

& Dock

Safety

Steering, Controls

Pumps Fuel

System Seating & Pedestals

Trailering

Tops &

Perform.

Propellers

Engine & Care

& Care Paint & Paint Acc.

Fun & Flotation Topside

Acc. Cockpit & Deck

Hardware, Fasteners Camouflage

Misc

Order No. Mfg. No. / Description 201486 (9490.1) HRU-100

• Patented rod system allows release of the beacon from a Category I bracket when submerged in water between 1.5 - 4 meters (4.9 - 13.1 feet). Designed to work with Sea Shelter, Sea Shelter 2 and Sea Shelter 3

brackets. • Dimensions: 2.5" x 3.4" x 2.0".



- USCG Compliant nighttime visual distress signal.
- High impact ABS plastic, International Orange.
- Flashes bright "SOS" distress signal in Morse Code.
- Uses (2) D-Cell Batteries (not included).
- Intuitive ON/OFF switch.
- Visible for 3 nautical miles.
- Microprocessor provides an even light source for an extended period of
- Low battery indicator function (category exclusive feature).
- Use as a handheld, floating or hanging safety signal with provided lanyard.
- SOLAS Grade reflective tape for a full 360 degree sighting (category exclusive feature).
- The rugged locator light floats and is completely waterproof.
- Includes FREE Distress Flag Daytime Signal.
- Light complies with U.S. Coast Guard requirements in 46 CFR 161.013 Nighttime Signaling. Flag complies with U.S. Coast Guard requirements in 33 CFR 175.130 Daytime Signaling.

Order No. Mfg. No. / Description **518905** (547)

List Price

\$110.29 F0-0277000

ACR HydroFix™ Hydrostatic Release Unit



\$117.39 CO-8799000






- Weight (beacon only): 27 oz.
- Waterproof: 33 ft. (10 m) for 5 min.
- Operational Life: 48 hours minimum @ -4° F (-20° C).

Order No. Mfg. No. / Description 200426 (2830) RLB-41

\$559.95 A0-5995500



- A full-featured EPIRB loaded with high-efficiency electronics for performance you can count on, including an internal 66 channel GPS for faster acquisition from a cold start.
- A protective keypad cover helps prevent false activation, and the all-new, user-replaceable battery pack has a 10 year replacement interval.
- Has two functional self-tests to monitor the beacon's transmission, power and battery performance and GPS acquisition.
- Highly visible LED strobe Energy efficient.
- Size (no antenna): 8.13" x 4.28".
- Battery: Class 2 (Non-Hazmat) lithium battery.



Electronics Trolling

Motors

nstruments

Flectrical

Lighting

Anchor

& Dock

Steering,

Controls

Pumps

Fuel

System

edestals

McMurdo Fastfind 220 406 MHz Personal Locator Beacon with GPS







- · A Personal Location Beacon (PLB) is a personal safety device designed to alert search and rescue services and allow them to quickly locate you in the event of an emergency, on land or sea.
- · When activated it transmits a coded message on the 406 MHz distress frequency which is monitored by the Cospas-Sarsat satellite system.
- The alert is then relayed via an earth station to the nearest Rescue Coordination Centre (RCC).
- As the satellites are in a polar orbit they offer true global coverage - with a PLB you can summon help wherever you are on the planet, no matter how remote.
- As small as an average mobile phone.
- Works anywhere on earth.
- No subscription fees required.
- Built-in GPS.
- Unique flashing SOS feature.
- · Built-in operational indicator lights.
- Global alert to Cospas-Sarsat satellites.
- Frequency (Alert): 406.037 MHz.
- Frequency (Homer): 121.5 MHz.
- · Positional accuracy to within 100 feet.
- · Waterproof to 32 feet.
- FCC approved.

Order No. Mfg. No. / Description 496377 (1091001220AC)

List Price

\$522.19 CO-6834400

Davis Emergency Radar Reflector





- It is a compact, lightweight and economical unit that disassembles and stows flat for storage.
- When needed, it pops open to 11-1/2" diameter and installs in seconds
- Its three perpendicular planes reflect radar from all directions.
- Made of special plastic-metal foil laminate.
- Resists corrosion and peeling.

Order No. Mfg. No. / Description List Price **322407** (151)

\$28.09 F0-6691000

Britmar MKV Signalling Lantern







- Fulfills the requirements of the SOLAS (1997) Regulations.
- The 5" handheld signalling light can be used on all vessels, for ship to ship signalling using Morse Code.
- Aluminum, lightweight construction and is fully waterproofed.
- Can be used as a spotlight if the signalling trigger and lamp switch are both left on.
- Capable of maximum daylight signalling range of 8 miles.
- Beam divergence of 5 degrees.
- 5.5 meters of supply cable.

Order No. Mfg. No. / Description

233713 (108008)

- Semi-gloss black stoved enamel paint finish.
- Handle mounted switch to operate the lantern.
- Includes a wood carrying case.
- · Please note: Battery and bulb not included.

233700	(A4023/C01424)		\$2,543.98	D0-8153020
ACCES	SORIES			
Order No.	Mfg. No. / Description	on	List Price	
233701	(202640)	Aldis Battery in Battery Box	\$1,162.79	H0-7679600
233703	(C20169-01)	Battery Charger - 110V/12V	\$522.98	D0-8381400
233705	(CO2681-00)	3 Pin Socket and Cap	\$73.98	D0-8195000
233712	(108006)	Spare Bulb, 12 volt, 60 watts	\$45.98	D0-8763000

Trailering Tops & Perform. Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc

Fun & Flotation

Topside

Cockpit

& Deck Hardware.

List Price


\$45.98 D0-8763000

Fasteners



Misc.





Spare Bulb, 24 volt, 60 watts





Kidde ProLine Fire Extinguishers - Multipurpose Dry Chemical









Electronics

Trolling Motors

Instruments Flectrical

Lighting

Anchor & Dock Safety

Steering, Controls

Fuel System Seating &

Pumps

Pedestals Trailering

Tops & Covers Perform

Propeller Engine & Care

Paint &


Paint Acc Fun & Flotation

Topside Acc.

Cockpit & Deck Hardware,

Fasteners Camouflage

Misc





- Suitable for use on Class A (trash, wood and paper), Class B (liquids and gases) and Class C (energized electrical equipment) fires.
- Fitted with a pressure gauge that provides at-a-glance status.
- Manufactured from lightweight aluminum and a tough metal valve assembly.
- · Supplied with wall hanger.

LIGHTV	WEIGHT ALUMINUM CYLINDER - POWD	R COATE
Order No.	Mfg. No. / Description	List Pr

3-A, 40-B:C **435051** (46611201) Case of 4 **\$90.89** H0-3545000 **435052** (466112-01SNG) 3-A, 40-B:C \$101.29 H0-7706000

IMPACT RESISTANT STEEL CYLINDER - POWDER COATED

Urder No.	Mfg. No. / Description		List Price
435077	(466204) 4-A, 60-B:C	10#	\$111.39 H0-3866000
435092	(466206) 6-∆ 80-B·C	18#	\$210 49 H0-9262100

FIRE EXTINGUISHER BRACKETS

• USCG Approved only when equipped with proper bracket.

Urder No.	Mfg. No. / Description	List Price
435128	(366242) For Use with 435077	\$62.89 H0-3773000
435136	(292474) For Use with 435092	\$70.09 H0-5024000

FIRE EXTINGUISHER KITS

Includes: Fire extinguisher and bracket.

	Order No.	Description		List Price
ì	435078	4-A, 60-B:C	10#	\$171.59 H0-5920100
	435093	6-A. 80-B:C	18#	\$292.39 H0-3457100

Kidde ProLine Fire Extinguishers - Carbon Dioxide



Class C (energized electrical equipment) fires.

- Environmentally safe and ideal for protecting delicate electronic equipment as the clean agent leaves no residue.
- Manufactured from lightweight aluminum and a tough metal valve assembly.
- Supplied with wall hanger.

Order No.	Mfg. No. / Description			List Price
435152	(466180) Pro 5 CD	5-B:C	5#	\$282.19 H0-1396100
435176	(466181) Pro 10 CD	10-B:C	10#	\$361.89 H0-3171200
435190	(466182) Pro 15 CD	10-B:C	15#	\$428.59 H0-5175200

FIRE EXTINGUISHER RUNNING BOARD BRACKETS

USCG Approved only when equipped with proper bracket.

Order No.	Mfg. No. / Description	List Price
435280	(270191) For Use with 435152	\$47.39 H0-3482000
435279	(290511) For Use with 435176 and 435190	\$64.19 H0-1583000

FIRE EXTINGUISHER KITS

• Includes: Fire extinguisher and bracket.

Order No.	Description		List Price
435153	5-B:C	5#	\$307.49 H0-9448100
435177	10-B:C	10#	\$428.79 H0-7275200
435191	10-R·C	15#	\$492.69 H0-1659200

ADAPTER RING

Order No.	Mfg. No. / Description	List Price
435278	(320659) For Use with CO2 Bracket	\$3.98 H0-9320000

Wheeled Dry Chemical Fire Extinguisher



- Designed for one man operation these units are easily transportable through doorways and over rough terrain.
- Rechargeable and meet relevant UL, ULC, TC and DOT requirements.
- USCG Approval.
- Typical uses: Offshore rigs, ship docks, refineries, chemical plants, aircraft ramps, remote construction sites, large laboratories, processing plants, storage and loading areas.
- Not for use on sensitive electronic equipment.
- Agent capacity: 50 lbs.
- Hose dimensions: 25' long x 1/2" diameter.
- Wheel type: Rubber, 12.3" diameter x 3.5" wide.
- Operating temperature range for all wheeled dry chemical fire extinguishers is -65° to 120° F (-54° to 49° C).

Order No. Mfg. No. Discharge Range UL/ULC Rating Discharge Time List Price **562125** (30010) ABC Dry Chemical 10-A:160-B:C 35 sec 25-35 ft. \$2,090.79 F0-5536410





Trolling

Motors nstruments

Flectrical

Lighting Anchor & Dock

Steering, Controls Pumps Fuel System Seating & Pedestals

Trailering

Tops &

Perform.

Propellers Engine & Care Cleaning & Care Paint & Paint Acc Fun &

Flotation

Topside

Cockpit

& Deck

Hardware.

Fasteners

Camouflage

Comm

Kidde Mariner Fire Extinguishers

Saltwater Exclusive



- Easy-to-read gauge tells you fire extinguisher is charged and ready for use.
- · Clear instruction label using graphics to show steps required to operate extinguisher.
- · Easy-to-pull safety pin.
- Metal discharge valve.
- UL approved strap retention bracket.
- Coast Guard (U.S.C.G) approved when fitted with supplied mounting bracket.
- Powder coated cylinder for corrosion protection.
- 6 year limited warranty.



PWC FI	RE EXTINGUIS	SHER - 5-B	:C	
Order No.	Mfg. No. / Descrip	otion		List Price
561785	(21028230)	White	Sold Each	\$20.79 G0-3931000

5-B:C - 2 LB. OF FIRI	EXTINGUI	SHING AGENT			
Order No. Mfg. No. / Desc	ription		List Price		
561782 (466636SNG) Red	Sold Each	\$19.99 G0-9331000		
561889 (466635MTL	White	Sold Case of 6	\$21.19 G0-0241000		
561890 (466635MTL) White	Sold Each	\$23.79 G0-4951000		
10-B:C - 2.5 LB. OF F	IRE EXTING	BUISHING AGEN	Τ		

Order No.	Mfg. No. / Descripti	on		List Price
561857	(466628SNG)	Red	Sold Each	\$26.19 G0-5571000
561887	(466628MTL)	White	Sold Case of 6	\$25.69 G0-1271000
561888	(466628MTL)	White	Sold Each	\$28.39 G0-2091000

1-A, 1U-	B:C - 2.5 LB. UF	LIKE EXII	INGUISHING AGENT		
Order No.	Mfg. No. / Description	in		List Price	
561882	(46622701)	Red	Sold Case of 6	\$54.39	G0-4463000
561883	(466627SNG)	Red	Sold Each	\$58.49	G0-9193000
561885	(466627MTL)	White	Sold Case of 6	\$35.99	G0-1142000
561886	(466627MTL)	White	Sold Each	\$37.99	G0-5452000

First Alert Rechargeable Fire Extinguisher





- Durable metal head designed to meet demanding needs.
- Corrosion resistant metal gauge easy-to-read color coded gauge provides accurate measurement.
- Metal pull pin with safety seal to help prevent accidental discharge and discourage tampering.
- · Secure garage extinguisher mount, bracket and strap are included for secure placement of extinguisher.
- Easy instructions with a chemical resistant and waterproof label with 4-step instructions won't deteriorate.
- If used, unit can be recharged by a certified professional.
- 10-year limited warranty.
- · Meets UL standards.

Order No. Mfg. No. / Description List Price **561900** (GARAGE10) 10-B:C **\$23.79** E0-4871000

	Minimum number of B-1 hand portable fire extinguishers required*			
Length, feet	No fixed fire extinguishing system in machinery space	Fixed fire extinguishing system in machinery space		
Under 16	1	0		
16 & over, but under 26	1	0		
26 & over, but under 40	2	1		
40 & over, but not over 65	3	2		

* One B-11 hand portable fire extinguisher may be substituted for two B-1 hand portable fire extinguishers.

First Alert Rechargeable Multi-Purpose Fire Extinguisher





- Marine white.
- Commercial-grade metal valve and trigger.
- Easy-to-read pressure gauge.
- Metal pull pin with safety seal prevents accidental discharges.
- If used, unit is rechargeable by a certified professional.
- Includes mounting bracket with strap for easy mounting.
- Monoammonium phosphate extinguishing agent.
- 10-year limited warranty.
- · Meets UL standards.

Order No. Mfg. No. / Description **561902** (FE1A10GOWA) 1-A:10-B:C

\$24.89 E0-7681000

Misc.

El Navegante

www.repuestoselnavegante.com

Trolling

Motors

Instruments

Electrical

Lighting

Anchor

& Dock

Safety

Steering, Controls Pumps Fuel System Seating & Pedestals

Trailering

Tops &

Perform

Propellers

Engine

& Care

Cleaning

& Care

Paint &

Fun &

Paint Acc.

Flotation

Topside


Cockpit

& Deck

Hardware,

Acc.





- · Engine rooms up to 1,500 cubic feet.
- Vertical or horizontal mounting allowed.
- Each Fireboy system comes complete with a powder coated cold rolled steel shelf bracket system, status indicator light & owner's manual.

HIGH-TEMPERATURE MANUAL DISCHARGE CABLES


- Fireboy High-Temperature Manual Discharge Cables allow for the manual discharge of an MA2 or GA Series system when smoke or flames are detected and meet the U.S. Coast Guard flame-test guidelines.
- Determine the length of cable needed by measuring from the extinguisher head to the desired location where the red T-handle can be easily pulled.
- Use the shortest allowable cable when possible.
- Maximum allowed bending of the cable (in degrees) should not exceed 360° and should be taken into consideration when selecting the cable length.

		3	
Model	Cable Length	Model	Cable Length
E-4209-06	6'	E-4209-20	20'
E-4209-08	8'	E-4209-22	22'
E-4209-10	10'	E-4209-24	24'
E-4209-12	12'	E-4209-26	26'
E-4209-14	14'	E-4209-28	28'
E-4209-16	16'	E-4209-30	30'
E-4209-18	18'		

Fireboy-Xintex Carbon Monoxide Detector

BOY - XINIEX.





- Ultra-low current draw: 4 mA.
- Long sensor life: Approx. 7 year end of life.
- Compact design with high gloss finish.
- · Audible alarm.
- 12/24 volt.

Order No. Mfg. No. / Description

List Price 435286 (CMD5-MD-R) **\$117.89** E0-2488000

Fasteners

Camouflage



FILPEBOY: - XINTEX.

	Dia.	Height	Agent Wt.	Ship Wt.	Model #
75 cu. ft.	4.3"	11.9"	2.5 lbs.	9 lbs.	(MA2-075)
100 cu. ft.	4.3"	14.5"	3.4 lbs.	13 lbs.	(MA2-100)
125 cu. ft.	4.3"	14.5"	4.2 lbs.	14 lbs.	(MA2-125)
150 cu. ft.	5.1"	13.1"	5.1 lbs.	16 lbs.	(MA2-150)
175 cu. ft.	5.1"	15.5"	5.9 lbs.	18 lbs.	(MA2-175)
200 cu. ft.	5.1"	15.5"	6.8 lbs.	19 lbs.	(MA2-200)
225 cu. ft.	6.4"	14.7"	7.6 lbs.	28 lbs.	(MA2-225)
250 cu. ft.	6.4"	14.7"	8.5 lbs.	29 lbs.	(MA2-250)
275 cu. ft.	6.4"	14.7"	9.3 lbs.	30 lbs.	(MA2-275)
300 cu. ft.	7.2"	15.1"	10.1 lbs.	35 lbs.	(MA2-300)
325 cu. ft.	7.2"	15.1"	11 lbs.	36 lbs.	(MA2-325)
350 cu. ft.	7.2"	15.1"	11.8 lbs.	37 lbs.	(MA2-350)
375 cu. ft.	7.2"	18.8"	12.7 lbs.	38 lbs.	(MA2-375)
400 cu. ft.	7.2"	18.8"	13.5 lbs.	39 lbs.	(MA2-400)
450 cu. ft.	7.2"	18.8"	15.2 lbs.	41 lbs.	(MA2-450)
500 cu. ft.	7.2"	25.7"	16.9 lbs.	47 lbs.	(MA2-500)
550 cu. ft.	7.2"	25.7"	18.6 lbs.	49 lbs.	(MA2-550)
600 cu. ft.	7.2"	25.7"	20.3 lbs.	51 lbs.	(MA2-600)
650 cu. ft.	7.2"	25.7"	22 lbs.	53 lbs.	(MA2-650)
700 cu. ft.	10"	21.6"	23.7 lbs.	77 lbs.	(MA2-700)
750 cu. ft.	10"	21.6"	25.4 lbs.	79 lbs.	(MA2-750)
800 cu. ft.	10"	21.6"	27 lbs.	82 lbs.	(MA2-800)
850 cu. ft.	10"	21.6"	28.7 lbs.	84 lbs.	(MA2-850)
900 cu. ft.	10"	21.6"	30.4 lbs.	86 lbs.	(MA2-900)
950 cu. ft.	10"	21.6"	32.1 lbs.	88 lbs.	(MA2-950)
1,000 cu. ft.	10"	21.6"	33.8 lbs.	90 lbs.	(MA2-1000)
1,050 cu. ft.	10"	21.6"	35.5 lbs.	92 lbs.	(MA2-1050)
1,100 cu. ft.	10"	21.6"	37.2 lbs.	95 lbs.	(MA2-1100)
1,150 cu. ft.	10"	21.6"	38.9 lbs.	97 lbs.	(MA2-1150)
1,200 cu. ft.	10"	27.7"	40.6 lbs.	105 lbs.	(MA2-1200)
1,250 cu. ft.	10"	27.7"	42.3 lbs.	107 lbs.	(MA2-1250)
1,300 cu. ft.	10"	27.7"	60.8 lbs.	109 lbs.	(MA2-1300)
1,350 cu. ft.	10"	27.7"	63.2 lbs.	111 lbs.	(MA2-1350)
1,400 cu. ft.	10"	27.7"	65.5 lbs.	113 lbs.	(MA2-1400)
1,450 cu. ft.	10"	27.7"	67.9 lbs.	116 lbs.	(MA2-1450)
1,500 cu. ft.	10"	27.7"	70.2 lbs.	118 lbs.	(MA2-1500)

Safe T Alert Carbon Monoxide Detector/Alarm

SAFE-T-ALERT

- Microprocessor technology programmed to detect Carbon Monoxide levels using Time Weighted Average (TWA) at 10% COHb curves.
- . No false alarms from new boat smell or outgassing.
- Full 5 year service life.
- End of Life clock starts when power is applied, not in inventory or on retail
- Eliminates nuisance alarms caused by temporary background levels of CO encountered while boating.
- Memory scan. Retains the CO level that activated the alarm. After ventilation, it is impossible to know what the CO level was unless your detector has memory.
- Alarm mute button silences alarm while boat is ventilated.
- Rapid recovery sensor resets when silenced or reactivates alarm if dangerous levels of CO remain.
- Low current draw. Innovative micro current circuit saves precious battery
- Include normally closed relay. Use to turn on exhaust fans, remote horns/ lights/signals or connect to alarm systems.
- NMMA Listed Component. Listed to UL 2034 Marine Use & CSA 6.19-01.

Order No. Mfg. No. / Description 400105 (62-541-RLYNO) White

Surface Mount **\$133.19** H0-1997000



Trolling

Motors

Instruments

Flectrical

Lighting

Anchor

& Dock

Controls

Pumps

Fuel

System

Seating &

Pedestals

Trailering

Fireboy-Xintex ES Series Automatic Marine Engine Shutdown Systems

FUPEBOY,- XINTEX.



- Three models are available for shutting down up to 8 circuits with relays featuring an operating range of 100 mÅ to 10 amps at 12 VDC unless
- The 5000 and 8000 series are available with a 15 second delay for GM diesels
- Each system comes with a round helm station display with integrated audible alarm, "Charged/Discharged" status lights and manual override switch necessary for engine re-start.
- · All can be special ordered to operate on 24 VDC.
- Standard voltage is 12 volts. (Required for diesel engines).

Mfg. No. / Description

Special Order (ES-3000-01) 3 Circuit Engine Shutdown **Special Order** (ES-5000-01) 5 Circuit Engine Shutdown **Special Order** (ES-8000-01) 8 Circuit Engine Shutdown

MSA Explosimeter® Combustible Gas Indicator







- Detects & measures concentrations of combustible gases or vapors in the
- Can be used in the immediate environment or for remote sampling of
- UL approval is for Class 1, Group D, Divisions 1 and 2; and Class 1, Groups A, B and C, Division 2, Division 1 excluded, hazardous atmospheres.

Order No. Mfg. No. / Description

773122 (11955) 10' Sampling Line for Explosimeter

\$85.98 CO-8037000

Safe T Alert Smoke and Fire Alarm

- Mute button that temporarily silences alarm.
- 24 hour continuous protection.
- · Easy installation.
- No wiring required.
- Meets RVIA/NFPA requirements.
- Listed to UL 217 RV.
- 9V battery included.

Order No. Mfg. No. / Description

400100 (SA-775) White, Surface Mount

List Price

\$22.09 H0-5231000

MSA Calibration Testing Gas Cylinders







Model R

Steering,

- MSA offers a complete line of calibration gas cylinders to calibrate all instruments.
- The gas mixture in calibration gas cylinders is certified to be prepared gravimetrically, using NIST traceable weights.

Aluminum 500 psig cylinder contains approximately 34 liters at

• 1.45% Methane, 15% Oxygen, 300 ppm Carbon Monoxide, 10 ppm

• Measures: 13-3/4" x 3" and weighs 1 pound and 11 ounces.

MODEL R

• 400 psig.

MODEL RP

• Measures: 10-3/4" x 2-3/4" and weighs 1.4 lbs.

Order No. Mfg. No. / Description

atmospheric pressure.

Order No. Mfg. No. / Description

Hydrogen Sulfide.

773223 (804770) 58L

773158 (459945) 27L 2.0% Methane 773172 (459942) 27L 2.5% Methane

QUANTITIES List Price

LIMITED /

\$96.98 B0-8278000

List Price

\$585.79 CO-2979400

\$96.98 B0-8278000 Tops &

Perform.

Propellers

Engine & Care

Cleaning & Care Paint &

Paint Acc

Fun & Flotation

Topside Acc.

Cockpit & Deck

Hardware. Fasteners



Misc.











To pressure test and inspect suits. Suits must be in serviceable condition at all times. The pressure test can reveal leaks that can not be seen with the

naked eye. A well maintained suit increases your chance of survival, lasts

longer and saves you time and money. An experienced service technician

It is made of neoprene and attached by zippers making it easy for you to

replace yourself. Most other suits have air bladders (high rider rings) that

SOLAS-grade reflective tape provides extra visibility of wearer to rescue

USCG/SOLAS APPROVED - INTERNATIONAL APPROVAL CHART/MODEL NO.

1409-A

Jumbo

1409-J

Adult

One piece, sealed construction made of inherently buoyant 5mm

can find seemingly minor defects that can cause major problems.

must be brought into a certified station to be replaced.

Three fingered mitt to keep your fingers warmer.

- Wide shoulders and legs for quick donning.

Snug-fitting face seal helps keep water out. Back straps keep the ring in place.

Comes in sturdy storage bag with two handles.

Jumbo



Electronics Trolling Motors

Flectrical Lighting

Anchor & Dock

Safety

Steering, Controls

Pumps Fuel

The High Rider Ring.

neoprene.

Dual-zipper pull tabs.

Suits are true to size. Equipped with whistle.

Order No. Mfg. No. / Description

400313 (80-1409-J3)

Ship's Registry

USA

USA

USA

USA

400325 (80-1409-A-3) Adult

USCG #160.171/2/0

USCG #160.171/3/0

USCG #160.171/21/0

USCG #160.171/4/0

Features includes: High Rider Ring and storage bag

System Seating & Pedestals

Trailering

Tops &

Perform Propellers

Engine & Care

Cleaning & Care Paint &

Paint Acc Fun &

Flotation Topside Acc.

Cockpit & Deck Hardware, Fasteners

Camouflage Misc Comm.

Height Range Weight Range Jumbo Over 1.9 Over 6' 3" Over 100 Over 220 Adult 1.5 to 1.9 4' 11" to 6' 3" 50 to 150 110 to 330 Intermediate 1.5 to 1.8 4' 11" to 5' 10' 50 to 80 110 to 180 3' 3" to 4' 2" Child 1 to 1.3 20 to 50 44 to 110

Stearns Immersion Suits - Type S





 Cold Water Immersion Suit - Type S (USCG/MED /SOLAS Approved).

- 5mm, stretchable, flame-retardant neoprene for protection from hypothermia in the water.
- Face shields and five-fingered, integrated gloves for easy maneuvering.
- Inflatable neck support keeps a head in a better position to search for help.
- Immersion suit pocket fits most brands of approved lights.
- SOLAS Approved whistle to alert rescue crews.
- 3M Scotchlite Reflective Material SOLAS grade 3150-A PS with adhesive backing.
- Stainless steel lifting harness for easy recovery from high seas.
- Buddy line with snap hook to attach to other survival suits.
- Durable, non-slip soles for safer walking on deck.
- Each suit comes in its own color-coded storage bag

Mfg. No List Price 630654 (2000027982) Adult Orange **\$479.99** F0-9953300 630656 (2000027983) Oversized Adult Green **\$522.99** F0-9066300

Stearns Thermal Protective Aid





 Designed for hypothermia protection during prolonged exposure in life rafts or lifeboats.

· Polymer-coated fabric repels moisture and reduces heat loss.

 Attached sleeves and taped seams offer added protection against bitter conditions.

· Reflective material around the head and neck.

• Extra-large fit can be pulled on over clothing and PFDs

USCG Approved, complies with SOLAS 74/83.

Order No. Mfg. No. / Description 436469 (10-100-03) Adult

\$96.89 F0-2876000

List Price

1409-0

\$405.98 C0-8054300

\$413.59 C0-5515300

1409-C

Trolling

Motors

Instruments

Flectrical

Lighting





Datrex Alcares Water Activated L.E.D. Lifejacket Light



- Exceeds the normal specifications of the 8 hr. requirement, typical 16 hours operational life.
- Clip fits almost any lifejacket, up to 2" webbing.
- Water-activated LED flashing survival light with manual deactivation
- Rounded edges to maintain integrity of inflatable lifejackets.
- Very compact, thinnest design available (just 1/4") with 360° bubble light
- Size: 3.5" x 1.7" x .6". Weight: 2.3 oz.
- 5 years shelf-life.
- Non-Hazmat, non lithium, alkaline battery.
- Approved according to SOLAS, MED, USCG, TC, AMSA, RS.

• Activated manually with an easy twist On/Off activation.

• Extensive continuous operating life of greater than 30 hours.

For location assistance during low-light emergencies.

Operates on (2) "AA" Alkaline batteries (Not included).

• Exceedingly bright 20 Lumen White LED.

• Dimensions: 5.06" x 1.38" x 1.2".

340137 (EN91) "AA" Cell Battery

USCG/SOLAS Approved.

Order No. Mfg. No. / Description

200340 (3963)

• Waterproof: Tested for 24 hrs. at 3.3 ft. (1m).

Order No. Mfg. No. / Description 200334 (DA1360CE)

Impact resistant case.

List Price

\$23.49 E0-2671000

ACR C-Light™ Manual Activated Personal Distress Light







Fuel System

Seating & Pedestals

Trailering

Tops &

Perform

Propellers Engine

& Care Cleaning

& Care Paint & Paint Acc.

Fun & Flotation

Topside Acc. Cockpit

& Deck

Hardware, Fasteners Camouflag



\$19.89 E0-2941000

\$0.89 H0-3500000







- Smaller than other approved lights, the HemiLight 3 features rounded edges to maintain the integrity of inflatable life jackets.
- Attachment loops accommodate up to 2" wide webbing, and the marine tough design ensures years of useful service.
- The high-intensity flashing LED light automatically activates for 20+ hours when it comes in contact with salt or fresh water, and can be deactivated simply by pushing the red button. Installation is quick and easy (the HemiLight 3 can be retrofitted to almost any style life jacket in a matter
- Waterproof: Water tight to 10 ft. (3m).
- Dimensions: 2.44" x 1.19" x 1.13".
- USCG/SOLAS Approved.

Order No. Mfg. No. / Description List Price 200245 (3764) HL3 **\$20.89** E0-7651000

ACR L8-3 Water Activated Personal Rescue Light for Life Vests



- Lamp and lens combo produces brilliant light visible for over 1 mile.
- Operates in fresh or salt water.
- Standard length lead wire 18".
- Water activated battery.
- Waterproof: To 10 ft. (3m).
- Operational life: Exceeds 8 hrs.
- Battery life: Replace at 5 years. 5 year storage life.
- Dimensions: 3.1" x 1.8" x 1.6".
- USCG Approved.

Order No. Mfg. No. / Description

200256 (3720.018) L8-3

\$26.29 E0-2791000

Fulton Personal Flotation Device (PFD) Waterproof Light

Orange body, easily attaches to lifevest or jacket.

- Positive on/off switch.
- Required to have at least 3 year battery life.
- Operates on (1) "D" Alkaline battery (Not included).
- USCG Approved.

Order No. Mfg. No. / Description 200090 (1875/102-B)

340163 (EN95) "D" Cell Battery **\$16.79** H0-7001000 \$2.69 H0-1610000



Trolling Motors

Instruments

Flectrical

Lighting Anchor & Dock

Steering,

Controls

Pumps

Fuel

System

Seating &

Pedestals

Trailering

Tops &

Cyalume ChemLight® Coast Guard Approved Personnel Marker Light

Cyalume



- Green chemical light stick with a metal clip for attaching to clothing, lifejackets or personal flotation
- To activate, squeeze plastic covering - housing will break off.
- · Light stick will then be automatically activated.
- Provides up to eight hours of 360° illumination.
- Can be seen up to a nautical mile away on land and up to three miles by
- USCG Approved.

Order No. Mfg. No. / Description 266569 (9-80770)

List Price

\$20.89 H0-3521000

ACR SM-3 Lifebuoy Self-Igniting Marker Light



- Automatically lights itself and activates when in the water and begins strobing.
- Bright light in all directions (360° visibility).
- UV resistant polycarbonate case.
- Bracket is included and maintains same hole pattern as SM-2 for easy retrofit
- High intensity LED strobe. Floats upright in all
- Minimum 40 hours continuous operating life.
- Dimensions: 9.9" length x 2.2" diameter.
- Drop tested 249 ft. (76 m) into water.
- Operates on (2) "AA" Lithium batteries (Not included).
- USCG/MED/SOLAS Approved.

Order No. Mfg. No. / Description 200338 (3947) SM-3


List Price

\$120.09 B0-8080100

ACR Bulkhead Bracket







• Bulkhead bracket for SM-2 Marker Light.

Order No. Mfg. No. / Description **201246** (9438.1)

List Price \$57.39 F0-7104000

Jim-Buoy Man-Overboard Light

CAL-JUNE



- Made from injection molded plastic.
- · When thrown overboard, the light automatically commences to flash a bright flashing strobe light visible for miles.
- Extensively tested to withstand 90 foot drops into the ocean.
- Operates on (4) "D" Alkaline batteries (Not included).
- Includes: Stainless steel mounting rack.
- USCG Approved.

Order No. Mfg. No. / Description

267763 (1820/1821)

340163 (EN95)

"D" Alkaline Battery


List Price

\$243.79 F0-5607100

\$2.69 H0-1610000

Forespar Floating Man Overboard Strobe Light/Buoy Light

FORESPAR



• Unit will flash at the USCG required rate for over 52 hours and will still flash at least every 2 seconds after 7 days of continuous operation.

· Includes: Stainless steel mounting bracket.

• Operates on (1) 6 volt Alkaline Lantern battery (Not included).

Daniamant L162 Lifebuoy Light

- Dimensions: 11-1/2" long and 4" maximum diameter.
- USCG Approved.

Order No. Mfg. No. / Description

353108 (205102)

340125 (1209(EV190)) 6 Volt Spring Battery

List Price

\$210.49 F0-4374100 \$5.69 H0-1430000

Perform.

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc

Fun & Flotation

Topside

Cockpit & Deck

Hardware. Fasteners

Camouflage

Misc

\$91.09 B0-8918000

Order No. Mfg. No. / Description 320788 (1062003AL162)

LED technology.

• 5-year storage life.

· Compact size. Easy fitting.

• Minimum 15-hour duration.

Fully approved to USCG standard UL1196, SOLAS/MED Approval.


• No maintenance or replacement batteries required.

• Passes a 76-metre drop height test, which exceeds SOLAS requirements.





MSA Diamond® Energy-Absorbing Lanyard



- · Highly visible deployment tag.
- Keeps fall arrest forces below 900 lbs.
- Pouchless design for lighter weight and comfortable wear.
- Single leg configuration. 36C steel snap hooks.
- OSHA and ANSI Approved. CSA Certified.

Provides comfortable protection due

Color-contrasting thigh and torso

Bright red polyester webbing for

• Purified water for immediate use.

Easy to dispense from a pre-measured

· Lightweight and extremely compact.

• 1.5 liter overwrap package.

• USCG Approval #160.026/55/0.

• 12 liters per case.

• Meets SOLAS 74/83.

Order No. Mfg. No. / Description

436412 (10-REV022W-P)

• 5 year shelf life.

OSHA and ANSI Approved. CSA Certified.

List Price

\$56.39 CO-3974000

Datrex Emergency Drinking Water - Overwrap

durable webbing.

high visibility.

Order No. Mfg. No.

sachet.

773273 (10072479)

Vest styles with back D-ring.

straps simplify donning.

to its super lightweight features and

Order No. Mfg. No. / Description 773297 (10023932) Length 6 List Price

\$89.79 CO-2367000

MSA FP Pro™ Harness

MSA Electronics

Trolling Motors

Instruments

Flectrical Lighting

Anchor

& Dock Safety

Steering, Controls

Fuel System Seating &

Pumps

Pedestals Trailering

Tops &

Perform.

Propellers Engine

& Care

& Care Paint &

Paint Acc Fun & Flotation

Topside Acc.

Cockpit & Deck

Hardware Fasteners

Camouflage

Misc

Order No. Mfg. No. / Description **436471** (H2006365009)

 Activates on a depth < 4 m. • 6.3 oz. (180 g) weight. BV-SOLAS certified.

 Meets SOLAS 74/83. USCG Approvals #160.062/5/0 and #160.162/3/2.

 Two year disposable. Easy installation.

\$148.98 CO-3662100





MSA EVOTECH® Full-Body Harness

- place.
- Variable width sub-pelvic webbing provides 50% more surface area.
- Dual-color webbing red pattern on outside, black on inside.
- Web management system provides means of storing excess webbing.
- Qwik-Fit buckle hardware on chest and leg straps.
- Single-hand torso adjustment buckles simplify harness adjustment.
- 3-Position back D-ring allows users to determine optimal lanyard connection position.
- RFID enabled RFID chip provides easy means of tracking and inspecting product.
- Web finials prevent fraying on web ends.
- NanoSphere coating on webbing repels dirt, grease, moisture, etc.
- Reflective piping integrated into harness webbing increases visibility in low-light environments.

Datrex Food Ration

OSHA and ANSI Approved.

Order No. Mfg. No. / Description

List Price

\$221.49 C0-7288100

773278 (10113495)





- · Non thirst provoking.
- All natural ingredients.
- · No preservatives.
- Superior coconut flavor.
- Case dimensions: 13-1/4" x 8" x 9-1/2".
- 2,400 kcal/10,000 kj ration per package.
- 5 year shelf life.
- USCG Approval #160.046/21/0.
- Meets SOLAS 74/83

Order No. Mfg. No. / Description 436419 (10-REV022-P)

Datrex Jackknife with Lanyard and Can Opener

El Navegante

\$11.89 CO-1101000

Datrex H20R Hydrostatic Release Unit for Life Rafts



\$6.09 CO-8150000





- · Includes lanyard.
- Weight: 132 grams.
- Approved for use in lifeboats and life rafts.
- USCG Approval #160.043/6/0.

Order No. Mfg. No. / Description **320790** (DX1510M)

\$31.39 F0-7912000

Instruments

Electrical

Lighting Anchor & Dock

Steering,

Controls

Pumps

Fuel

System

Pedestals

Trailering Tops &

Perform.

Propellers





Datrex Fishing Kit







DATREX

survitecgroup



List Price

\$17.09 CO-3541000

• Packaged in individual cellophane strip packs.

• 12 pills per strip pack and heat-sealed with instructions in plastic bag.

Order No. Mfg. No. / Description List Price **436394** (50-20-912B) \$5.39 CO-8540000

Datrex Bailer with Lanyard

Survitec Group Anti-Seasick Tablets

· For use in lifeboats and life rafts.

- Weight: 287 grams.
- USCG Approval #160.061/8/1.

Order No. Mfg. No. / Description

436433 (DX1514M) **\$55.79** C0-2474000

Trolling Motors

Ocenco Emergency Escape Breathing Device



List Price

• It is a self-contained, compressed oxygen, emergency escape breathing device.

 Instantly provides breathable air, independent of the surrounding atmosphere, to a person escaping from any area of toxic gas or an oxygen deficient.


• A belt worn or stored, compressed-oxygen, self-contained self-rescuer.

List Price

Order No. Mfg. No. / Description **773261** (940077-KIT) \$924.59 D0-7693700

Billy Pugh Windsock





• For use in lifeboats and life rafts.

· Weight: 224 grams.

851015 (BN0088M)

Order No. Mfg. No. / Description

- High quality rip stop nylon wind socks.
- Galvanized brackets and extended brackets resist corrosion and wear.
- · Standard 18" opening.
- Length 60".

Order No. Mfg. No. / Description List Price 484523 (WS-18) \$123.00 B0-0701100 484535 (WS-18B) Bracket **\$113.00** B0-0710100



Engine & Care

Cleaning & Care

Paint & Paint Acc Fun &

Flotation Topside Acc.

Cockpit & Deck

Hardware, Fasteners

Camouflage

Misc.







Trolling

Motors

Instruments

Flectrical

Lighting

Anchor

& Dock

Safety

Steering,

Controls

Fuel

Trailering

Tops &

Perform

Propellers

Engine

& Care

& Care

Paint &

Paint Acc.

Topside

& Deck

Hardware, Fasteners Camouflage

Night Stick Intrant[®] Intrinsically Safe Dual-Light[™] Angle Light



cETLus, ATEX, IECEx and INMETRO certified Intrinsically Safe.

- Flashlight floodlight Dual-Light.
- LED technology 50,000 + hours LED life.
- 8 user-selectable brightness settings for the Flashlight and Floodlight including a 20 Lumen Survival Mode.
- High-efficiency deep parabolic reflector creating a sharp focused flashlight
- Dual-Light (flashlight & floodlight at same time) for maximum versatility.
- Glass-filled nylon polymer housing.
- Dual body switches.
- Heavy duty stainless steel pocket clip.
- Battery charge status indicator (for use only with rechargeable battery).
- IP-67 Dustproof/waterproof. Impact and chemical resistant.
- Operates on (3) "AA" Alkaline batteries (Included).
- Length 6.6".

Pumps Order No. Mfg. No. / Description

List Price

578160 (XPP5566GX) Yellow **340137** (EN91) "AA" Cell Battery System

\$81.89 D0-1556000 \$0.89 H0-3500000

Seating & Pelican SabreLite™ 2010 L.E.D. Flashlight Pedestal



beam that's as bright as an incandescent light and provides 10,000 hours of lamp life and extended battery burn time.

- The rugged, lightweight EXL body is submersible and a twist on/off lens shroud eliminates accidental discharge.
- Operates on (3) "C" Alkaline batteries (Not included).
- Light modes: On/Off.
- Length 8.11".

Order No. Mfg. No. / Description Fun & Flotation

List Price 511249 (2010C) Yellow \$99.59 H0-5795000 340151 (EN93) "C" Cell Battery \$1.69 HO-1010000

Acc. **Pelican Lamp Module** Cockpit






Misc Lamp module for use with SabreLite 2000 Flashlight.

Order No. Mfg. No. / Description 511243 (2004) Lamp Module \$19.19 H0-1511000

Night Stick Intrinsically Safe Permissible Dual-Light™ L.E.D. Flashlight

NIGHT STICK





- cETLus, ATEX, IECEx, INMETRO and MSHA listed Intrinsically Safe Permissible.
- Flashlight floodlight Dual-Light.
- LED technology 50,000 + hours LED life.
- Momentary or constant-on flashlight.
- Sharp focused flashlight beam for distance illumination.
- Unfocused wide-beam floodlight for close-up illumination.
- Dual-Light (flashlight & floodlight at same time) for maximum versatility.
- · Engineered polymer housing.
- Non-slip grip. Dual body switches.
- IP-67 Dustproof/waterproof. Impact and chemical resistant.
- Built-in pocket/belt clip.
- Includes removable lanyard.
- Operates on (3) "AA" Alkaline batteries (Not included).
- Length 7".

Order No. Mfg. No. / Description 578140 (XPP-5422G) Yellow List Price

\$37.29 D0-3892000

DUAL-LIGHT™ L.E.D. FLASHLIGHT WITH DUAL MAGNETS

• Powerful integrated magnets built into the base and pocket clip for multiple hands-free options.

Order No. Mfg. No. / Description

578145 (XPP-5422GM) Yellow **\$38.99** D0-9113000

Marpac Water Resistant L.E.D. Flashlight





- 3 LEDs.
- Water resistant.
- Operates on (2) "AA" batteries (Not included).

Order No. Description

List Price

7-57602 L.E.D. Flashlight

\$6.89 G0-2640000

Pelican Lamp Module





Lamp module for use with MityLite 1900 Flashlight.

Order No. Mfg. No. / Description **511229** (1904) Lamp Module

\$8.98 G0-2060000



Energizer Intrinsically Safe® 2D L.E.D. Handheld Flashlight

Energizer

- Features LED technology.
- · Shatterproof lens.
- Ribbed casing for secure grip.
- Brightness: 150 lumens.
- · Runtime: 65 hours.
- Beam distance: 175m.
- Waterproof up to 1m.
- Impact resistant up to 1m.
- Built for safe use in environments with water, gas and dust (IP67).
- Class I Groups A, B, C and D, Class II Groups E, F and G and Class III rated.
- Operates on (2) "D" Alkaline batteries (Not included).

Order No. Mfg. No. / Description 340238 (ENISHH25E) Safety Orange \$45.29 H0-7172000

Energizer Industrial Heavy Duty L.E.D. Flashlight

Energizer



- Weatherproof and shockproof.
- An impact-resistant housing reduces the chance of breakage from dropping and abuse and the chemical-resistant polypropylene body protects it from staining and corrosion.
- A built-in hanger ring makes it easy to keep this sturdy light within reach.
- Runtime (h:mm): 113.
- One white LED provides 35 lumens of light.
- Operates on (2) "D" Alkaline batteries. (Not included).

Urder No.	Mtg. No. / I	Description	List Price
340226	(1251L)	Yellow	\$11.29 H0-7760000
340163	(EN95)	"D" Cell Battery	\$2.69 H0-1610000

Pelican Nemo™ 4300 Dive Light





- The ultimate dive light.
- Unbreakable ABS body with thermoplastic overmolded accents and polycarbonate lens.
- It uses a clever magnetic switch that operates outside of the body to prevent leaking.
- A spare Xenon lamp is included and stored underneath the reflector.
- The battery compartment design allows for optimal space utilization and negative buoyancy.
- Submersible to 500 feet (100 meters).
- Operates on (8) "C" Alkaline batteries (Not included).
- Length 7.5".

Order No. Mfg. No. / Description **511258** (4300N) Black \$100.29 H0-7106000 **340151** (EN93) "C" Cell Battery \$1.69 H0-1010000

Night Stick Intrinsically Safe L.E.D. Penlight

NIGHT STICK





• cETLus, ATEX & IECEx listed Intrinsically Safe.

- LED technology 50,000 + hours LED life.
- · Momentary or constant-on flashlight.
- Sharp focused beam for distance illumination.
- Engineered polymer housing.
- Non-slip grip. Single body switch.
- IP-67 dustproof/waterproof. Impact and chemical resistant.
- Built-in pocket/belt clip.
- Operates on (3) "AAAA" Alkaline batteries (Included).
- Length 6.8".

List Price

Order No. Mfg. No. / Description

\$20.89 D0-1761000 **578135** (XPP-5412G) Yellow

Fulton Waterproof Flashlight



Lighting Anchor & Dock

Electronics

Trolling

Motors

Instruments

Flectrical

Safety

Steering,

Controls

Pumps

Fuel

System

Seating & Pedestals

Trailering

Tops &

Perform.

Propellers Engine & Care Cleaning & Care Paint & Paint Acc

Fun &

Flotation

Topside

Cockpit

& Deck

Hardware.

Fasteners

Acc.

Class II Group G and Class I Group C, D Approved.

• Approved for hazardous areas of atmosphere.

- Orange body with black lens ring and end cap.
- · Waterproof.
- 3 position switch, switch guard and spare bulb.
- Operates on (3) "D" Alkaline batteries (Not included).

Order No. Mfg. No. / Description List Price **261736** (932-1B) Orange

\$20.19 H0-1121000 **340163** (EN95) "D" Cell Battery \$2.69 H0-1610000

Pelican Mini Flasher™ Specialty Light







- The 2130 is a high-visibility LED flashlight that can be seen over half a
- Just twist to turn on.
- Submersible it is also ideal for marking your dive team.
- Operates on (2) L1154 1.2V alkaline coin cells that last over 100 hours before replacing. (Included).
- Light modes: On/Off.
- Length 1.73".

Order No. Mfg. No. / Description List Price 511263 (2130C) Yellow \$20.79 H0-7421000

Camouflage

Misc

Comm



Trolling

Motors

Flectrical

Lighting

Anchor

& Dock

Safety

Steering, Controls Pumps Fuel System Seating & Pedestal Trailering Tops &

Perform

Propeller

Engine & Care

& Care

Paint &

Fun &

Paint Acc.

Flotation

Topside

Cockpit & Deck Hardware, Fasteners

Camouflage

Misc

Comm.

Acc

3M 6000 Series Full Facepiece Respirators - Reusable Offers versatility for many environments and applications and helps provide respiratory protection against a wide

variety of gases and vapors when used approved cartridges and filters. Unique center adapter to direct exhaled breath and moisture downward, helps reduce debris from depositing in the valve

and allows for quick and easy cleaning.

- Large lens for wide field of view and excellent visibility.
- 3M Cool Flow Valve for cooler, drier comfort.
- Lightweight, well-balanced design with silicone faceseal for enhanced comfort and durability.
- Air purifying respirator (APR), supplied air (SA) and powered air purifying respirator (PAPR) modes.
- NIOSH Approved.

Order No.	Mfg. No. / Description	List Price
857053	(54146) Medium (6800)	\$198.29 F0-0883100
857054	(54159) Large (6900)	\$198.29 F0-0883100
856655	(07142) Face Shield Cover (6885)	\$64.29 F0-0054000
857035	(37004) Nose Cup Assembly (6894)	\$44.29 F0-0013000

3M 6000 Series Half Facepiece Respirators - Reusable



- The 6000 Series Respirator is a NIOSH/MSHA approved half-mask respirator that is adaptable to a wide range of respiratory protection.
- Its low maintenance, comfortable design allows greater worker flexibility by the use of five different type cartridges and two types of pre-filters for a variety of work environments.
- Cartridges are simply twisted on or off of the facepiece for easy replacement which allows the facepiece to be used over and over.
- Supplied with a storage bag.

	Order No.	Mfg. No. / I	Description	List Price	
9,	857044	(07025)	Medium (6200)	\$18.19	F0-3721000
'S	857046	(07026)	Large (6300)	\$18.19	F0-3721000
je 🗐	854287	(54356)	Particulate Filter (2071), 2 Per Pack	\$6.29	F0-0440000
<u> </u>	854299	(07000)	Particulate Filter (2091), 2 Per Pack	\$9.79	F0-5860000
	854984	(46464)	Particulate Filter (5N11), 10 Per Pack	\$20.59	F0-1441000
	854996	(17668)	Filter Retainer, Sold 20 Per Pack	\$55.89	F0-2193000
	857041	(21674)	Organic Vapor Cartridge (6001)	\$16.09	F0-6211000
	857039	(07047)	Organic Vapor/Acid Gas Cart. (6003)	\$17.99	F0-9521000



- Advanced silicone material for increased comfort and greater durability.
- 3M Cool Flow Valve for cooler, drier comfort.
- Dual-mode head harness that adjusts so users can wear the respirator in either standard or drop-down mode.
- · Solid exhalation valve cover which directs exhaled breath and moisture downward while helping protect the valve area from debris while also making for easier cleaning.

Order No. Mfg. No. / Description **857051** (7503) Large **\$39.89** F0-2972000

PARTICULATE FILTER WITH NUISANCE LEVEL ORGANIC VAPOR RELIEF

Order No. Mfg. No. / Description List Price 854300 (07184) Sold 2 Per Pack **\$13.39** F0-7390000

3M Half Facepiece Disposable Respirator Assemblies - Dual Cartridge



- NIOSH approved for respiratory protection against certain organic vapors and particulates.
- · Lightweight, well-balanced design enhances comfort.
- Disposable model helps reduce maintenance issues for greater convenience.
- Multi-purpose respirator assembly works in a variety of workplace applications.
- Half facepiece design is ideal for intermittent use.

Order No.	Mfg. No. / Description	List Price	
856611	(66069) Medium (52P71)	\$30.79	F0-5512000
856623	(66070) Large (53P71)	\$29.99	F0-9902000
856625	(07194) Particulate Filter, Sold 10 Per Box	\$25.59	F0-1971000

DUAL CARTRIDGE RESPIRATOR PACK-OUT

• Includes the 3M Low Maintenance Half Facepiece, (1) pair Organic Vapor Cartridges - 07046, (1) pair Filter Retainers - 07054 and (2) pairs of P-95 Filters - 07194.

Urder No.	Mfg. No. / Description	List Price	
857048	(07178) Medium	\$48.29	F0-0833000
857049	(07179) Large	\$49.69	F0-8743000





3M 8212, N95 Particulate Welding Respirator with Foam Faceseal

3M 8247, R95 Particulate Respirator

- Disposable.
- This respirator helps provide comfortable protection against certain oil and non-oil based particles - including those with nuisance levels of organic vapors, such as solvents, degreasers and resins.



- Collapse resistant shell.
- Carbon filter provides relief against nuisance levels of organic vapors.
- Compatible with a variety of protective eyewear and hearing protection.
- Adjustable noseclip reduces potential for eyewear fogging and helps ensure a better seal and fit.
- Two-strap design with dual point attachment helps provide a secure fit.
- NIOSH Approved R95.

Order No. Mfg. No. / Description 856572 (54358) Sold 20 Per Bag List Price

\$101.09 F0-6707000

3M 8511, N95 Particulate Respirator

- Provide protection against certain non-oil based particles.
- 3M Cool Flow Exhalation Valve.
- Braided headbands two-strap design with dual point attachment helps provide a secure fit.
- Adjustable M-noseclip reduces potential for eyewear fogging and helps ensure a secure seal and fit.
- NIOSH Approved.

Order No. Mfg. No. / Description **856550** (54343) Sold 10 Per Bag List Price

\$29.39 F0-7502000

3M Hard Hats



- · Comfortable, 4-point suspension and standard brow pad.
- Features accessory slots for ear muff attachment and/or headgear and faceshield attachment.
- Meets requirements of ANSI/ISEA Z89.1-2009 Type 1, Class C, G and E.
- · White.

Order No. Mfg. No. / Description

854330 (64187) Pinlock Suspension **854340** (64197) Ratchet Suspension \$14.89 H0-3980000 \$18.99 H0-9311000

3M Impact Safety Goggles

- Economical goggles.
- Direct venting system that circulates air and helps minimize fogging.
- Over-the-glass coverage.
- · Clear lens.
- Adjustable elastic strap.

Order No. Mfg. No. / Description **856558** (62137)

\$3.29 F0-0320000

- Designed to help provide respiratory protection for applications such as welding or soldering where metal fumes may be present.
- Cake resistant filter media.
- Flame resistant per ASTM D2859.
- Comfortable foam faceseal.
- Fully adjustable headstraps help provide a secure kit.
- 3M Cool Flow Exhalation Valve.
- Adjustable noseclip reduces potential for eyewear fogging and helps ensure a better seal and fit.

3M 8210, N95 Particulate Respirator

NIOSH Approved.

Disposable.

Order No. Mfg. No. / Description

· Cushioning nose foam.

non-oil based particles.

Order No. Mfg. No. / Description

· Advanced electrostatic media.

856630 (46457) Sold 20 Per Bag

856560 (54141) Sold 10 Per Bag

· Two-strap design with welded dual point attachment helps provide a secure seal.

List Price

\$87.59 F0-1316000

\$24.79 F0-5371000

Trolling Motors

Electronics

Instruments

Flectrical

Lighting

Anchor & Dock

Safety

Steering,

Controls Pumps

Fuel

System Seating & Pedestals

Trailering

Tops &

Perform.

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc

Fun & Flotation

Topside

Cockpit & Deck

Hardware. Fasteners

Camouflage

Misc. Comm

\$2.49 F0-4710000

3M Respirator Cleaning Wipes

\$64.79 F0-5354000

• NIOSH Approved for at least 95 percent filtration efficiency against certain

Adjustable noseclip to helps provide a custom fit and secure seal.

- Used to clean 3M Elastomeric Facepiece Respirators.
- Individually packed 8" x 10" towelettes are alcohol free and will not damage the facepiece materials.
- Conveniently packaged in a dispenser style box that can be wall mounted for easy access.
- Sold 100 per box.

Order No. Mfg. No. / Description

856659 (07065)

3M Virtua™ Protective Eyewear






- Lightweight, unisex Virtua protective eyewear combines versatility and value with high wraparound coverage, polycarbonate construction and a hard coat, scratch-resistant lens for a comfortable, contoured fit.
- Polycarbonate lens absorbs 99.9% UV.
- Meets the High Impact Requirements of ANSI Z87.1-2003.

Order No. Mfg. No. / Description

812506 (62105) Clear Anti-Fog Lens, Temple **856652** (11815) Gray Anti-Fog Lens, Temple

\$3.29 H0-7910000



Trolling Motors

Flectrical

Lighting

Anchor

& Dock

Steering,

Pumps

Fuel

System Seating & Pedestals Trailering Tops &

Perform

Propeller

Engine & Care

& Care

Paint & Paint Acc.

Fun & Flotation

Topside

Cockpit

& Deck

Hardware Fasteners

Camouflag

Acc.

• Earmuff provide hearing protection against high-frequency noise up to 95 dBA. • Ultra-light hearing protectors are less

• Over-the-head earmuffs feature a stainless

steel headband for consistent force and









• Soft, disposable, comfortable ear plugs that conform to the unique shape of each ear for excellent hearing protection and comfort.

3M Ear Plugs

- Tapered to comfortably fit the ear canal.
- Bright orange color for visibility.

Order No. Mfg. No. / Description List Price \$44.99 H0-9962000 856596 (29008) 200 Pairs

Airhead Kayak Paddle

Order No. Mfg. No. / Description

effective hearing protection.

\$24.29 H0-7541000

\$33.99 F0-9732000

856584 (093045-08061)


596684 (AHTK-P3)

noticeable to wear.

Airhead Kayak Paddle



- 86" Paddle, 4 sections for compact storage.
- The blades are asymmetrical to equalize the force on both sides of the blade when paddling, which in turn results in less twisting of the paddle.
- The high impact plastic blades are lightweight and reinforced with fiberglass for added durability.
- Blade angles are adjustable with a simple release of the spring loaded pin and a twist of the lightweight anodized aluminum shaft.



Safety

7' Paddle, 2 sections for convenient stowing.

• You can easily adjust the blade angle for standard or offset paddling. • The lightweight and durable aluminum shaft has drip rings and foam hand

- grips for comfort and to ensure that the paddle will float if dropped.
- The large ABS blades are curved for greater paddling efficiency.

Order No. Mfg. No. / Description Controls **596682** (AHTK-P2) \$31.99 F0-9322000

Airhead Kayak Paddle



- The 3 section aluminum and plastic paddle is 86" long.
- Break it down for compact storage (stows in a 6" x 22" x 3" space).

Order No. Mfg. No. / Description List Price **586405** (AHTK-P1) **\$18.99** F0-9231000 Airhead Stand Up Paddleboard Paddle



• Lightweight 3-section SUP paddle is the perfect companion to our Na Pali stand up paddleboard.

- This is truly a one-size-fits-all paddle.
- The length is easily adjustable from 160 to 210 cm.
- The paddle weighs less than 2 lbs. 3 oz.
- The shaft is 100% fiberglass, the "duck foot" shape blade is designed for maximum paddling efficiency and is fiberglass reinforced ABS.

Order No. Mfg. No. / Description **5960160** (AHSUP-P1) **\$71.99** F0-9305000

Marpac Collapsible Paddle



- This lightweight paddle adjusts easily to variable lengths with a simple twist.
- A section of the aluminum shaft disappears inside the blade to allow for compact storage under boat seats or in PWC storage compartments.
- The corrosion resistant aluminum shaft, high-impact molded blade and boat hook handle, and hassle-free locking device ensure years of service.
- The bright orange blade is great for signaling in emergencies.
- For low profile boats and PWCs.

Order No. Description **7-0603** Adjustable Length: 20" - 45" **\$13.39** G0-7980000

Trolling Motors

Instruments

Electrical

Lighting Anchor & Dock

> Steering, Controls

Pumps

Fuel

System

Trailering Tops &

Perform.

Propellers Engine & Care Cleaning & Care Paint &

Paint Acc

Fun &

Flotation

Topside

Camco New Zealand Pine Wood Paddles CYINICO



- Lightweight but built for performance.
- Multi-ply laminated construction for strength.
- Waterproof polyurethane finish.
- · Brown epoxy blade tip for durability.
- Traditional shaft and palm grip.

O I NI ME NI (D. : :

Urder No.	IVITG. INO. / Description	LIST Price	
689058	(50431) Length 4'	\$17.49	F0-4221000
689060	(50433) Length 5'	\$20.39	F0-7241000

Camco Synthetic Paddles - Orange CAIMICO

- Anodized aluminum shaft with thick rubber sleeve.
- High impact ABS polymer blade.
- Hybrid grip supports the full palm and promotes a more natural hand and wrist motion.
- Blade dimensions: 7-1/2" W x 18" L. Shaft dimensions: 1-1/4".

Order No.	Mfg. No. / Description	List Price	
272330	(50457) Length 4'	\$30.29	F0-0212000
272333	(50458) Length 5'	\$25.49	F0-4871000

Camco New Zealand Pine Wood Oars



- Lightweight but built for performance.
- Multi-ply laminated construction for strength.
- Brown epoxy blade tip for durability.
- Traditional 1-piece shaft with comfort grip.
- Waterproof polyurethane finish.
- · Sold each.

Order No.	Mfg. No. / Description	List Price
232607	(50402) Length 6'	\$40.59 F0-1482000
232619	(50404) Length 7'	\$48.09 F0-6633000
222621	(50406) Longth 8'	\$55.10 FD 3693000



- Anodized aluminum shaft with thick rubber sleeve.
- High impact ABS polymer blade.
- Hybrid grip supports the full palm and promotes a more natural hand and wrist motion.
- Blade dimensions: 7-1/2" W x 18" L. Shaft diameter: 1-1/4".

Order No.	Mfg. No. / Description	List Price	
232746	(50455) Length 4'	\$23.19	F0-3261000



Corrosion resistant aluminum shaft boat paddles.

• High impact handle and molded blade.

Order No. Mfg. No. / Description	List Price
1-56010 (56010) Length 3'	\$12.69 H0-1670000
7-56014 (56014) Length 4'	\$13.29 G0-0980000
7-56022 (56022) Length 5'	\$15.09 G0-1101000

Boater Sports Aluminum Oar



- Lightweight and durable.
- Will not warp.
- · Corrosion resistant aluminum shaft and high impact, cupped, molded
- Shaft dimensions: 1-1/4".

	Order No.	Mfg. No. / Description	List Price
Н	7-56030	(56030) Length 5'	\$23.89 G0-1061000

Cockpit & Deck Hardware. Fasteners











Marpac Oarlock Horns - Clamp-On





- Shank OD 1/2".
- 1-5/16" to 2-1/8" diameter oar shafts.

Order No. Description

List Price

7-56110 Oarlock Horns - Clamp-On

\$8.99 GO-2060000

Perko Fig. 1227 North River Type Rowlock Horns





• Shank OD 1/2".

Electronics Trolling Motors

Instruments

Flectrical

Lighting

Anchor

& Dock

Pumps

Engine & Care

Paint &

Fun &

Flotation

Hardware, Fasteners Camouflage

Misc

Paint Acc.

Safety

- Shank length 1-3/4".
- Between horns 1-3/4".
- Sold per pair per skin packed card

Order No. Mfg. No. / Description

533578 (1227 DP0 CHR)

List Price **\$23.19** G0-4551000

List Price

\$23.69 H0-1241000

Perko Fig. 1262 Ribbed Open Type Rowlock Horns



Fuel Chrome plated zinc alloy.

- System Shank OD 1/2".
- Seating & Shank length 1-3/4". Pedestals
 - Between horns 1-3/4".

 Sold per pair per skin packed card. Trailering

Order No. Mfg. No. / Description

Tops & **533871** (1262 DP0 CHR)

Perko Fig. 1187 Side Mount Rowlock Sockets Perform.





- Cleaning & Care • Chrome plated zinc alloy.
 - · Black polymer bearings.
 - Length 4", depth 1-1/4".
 - Uses #10 fasteners.
 - Sold per pair per skin packed card.

Order No. Mfg. No. / Description Topside Acc.

533023 (1187 DP0 CHR)

Cockpit & Deck

Marpac Oarlock Bushings



\$25.39 G0-1071000



- Shank OD 1/2".
- For Wooden Oars ONLY!

Order No. Description

7-56106 Oarlock Horns

List Price

\$11.49 G0-0770000

Perko Fig. 1267 Round Open Type Rowlock Horns

Marpac Oarlock Horns - Chrome Zamak





- Shank length 1-3/4".
- Horn ID 2".
- Sold per pair per skin packed card.

Order No. Mfg. No. / Description

533946 (1267 DP0 CHR)

List Price

\$20.69 G0-6831000

Boater Sports Oarlock Sockets







- Chrome plated oarlock sockets.
- 1/2" shank.
- Sold per pair.

Order No. Mfg. No. / Description **1-56108** (56108)

List Price

\$14.39 H0-3680000

Perko Fig. 1185 Top Mount Rowlock Sockets







- Chrome plated zinc alloy.
- Black polymer bearings.
- Length 2-7/8", width 1-1/8", depth 1-1/8".
- Uses #10 fasteners.
- Sold per pair per skin packed card.

Order No. Mfg. No. / Description **533009** (1185 DP0 CHR)

List Price

\$22.79 H0-7631000



List Price

- One pair of nylon injection molded oarlock bushings.
 - 5/8" outside diameter, 1/2" inside diameter.

Order No. Description 7-56107 Oarlock Bushings

\$1.99 G0-3310000

www.repuestoselnavegante.com

