

# Catálogo de accesorios Náuticos



**2025**

El Navegante

[www.repuestoselnavegante.com](http://www.repuestoselnavegante.com)



Marpac Elite Domed Gauges with Stainless Bezel



- Made in USA.
- CE Certified.
- All gauges perimeter lighted.
- Stylish graphics.
- Contoured pointers.
- Domed glass lens.
- Fully sealed construction with Fog-resistant lens, built to military specifications.
- Fit standard 2-1/16" and 3-3/8" gauge mounting holes.
- Easy installation.
- OEM replacements are also available.



Order No.	Gauge Type	Description	Size	List Price	Part No.
7-1986	Fuel Gauge	E - 1/2 - F	2-1/16"	\$38.39	F0-7862000
7-1988	Hourmeter	100K Hours	2-1/16"	\$89.79	F0-5826000
7-1990	Oil Pressure Gauge	80 PSI	2-1/16"	\$38.39	F0-7862000
7-1982	Speedometer	10 - 65 MPH	3-3/8"	\$93.79	F0-5656000
7-1980	Tachometer	0 - 7,000 RPM	3-3/8"	\$131.89	F0-2329000
7-1998	Trim Gauge	Johnson/Evinrude	2-1/16"	\$38.39	F0-7862000
7-1996	Trim Gauge	Mercury/Yamaha - 2001 to Current	2-1/16"	\$38.39	F0-7862000
7-1984	Voltmeter	10 - 16 Volts	2-1/16"	\$38.39	F0-7862000
7-1994	O/B Water Pressure Gauge Kit	30 PSI	2-1/16"	\$114.59	F0-1208000
7-1992	Water Temperature	1/0	2-1/16"	\$38.39	F0-7862000

Marpac Elite Domed Gauges



- Made in USA.
- CE Certified.
- All gauges perimeter lighted.
- Stylish graphics.
- Contoured pointers.
- Domed glass lens.
- Fully sealed construction with Fog-resistant lens, built to military specifications.
- Fit standard 2-1/16" and 3-3/8" gauge mounting holes.
- Easy installation.
- OEM replacements are also available.



Order No.	Gauge Type	Description	Size	List Price	Part No.
7-2025	Fuel Gauge	E - 1/2 - F	2-1/16"	\$38.39	F0-7862000
7-2035	Hourmeter	100K Hours	2-1/16"	\$78.89	F0-2255000
7-2066	Oil Pressure Gauge	80 PSI	2-1/16"	\$38.39	F0-7862000
7-2015	Speedometer	10 - 65 MPH	3-3/8"	\$71.79	F0-5205000
7-2010	Tachometer	0 - 7,000 RPM	3-3/8"	\$114.29	F0-0008000
7-2044	Trim Gauge	Johnson/Evinrude	2-1/16"	\$31.29	F0-0912000
7-2042	Trim Gauge	Mercury/Yamaha - 2001 to Current	2-1/16"	\$38.39	F0-7862000
7-2020	Voltmeter	10 - 16 Volts	2-1/16"	\$35.19	F0-3642000
7-2040	O/B Water Pressure Gauge Kit	30 PSI	2-1/16"	\$105.29	F0-0737000
7-2067	Water Temperature	1/0	2-1/16"	\$38.39	F0-7862000

- Electronics
- Trolling Motors
- Instruments
- Electrical
- Lighting
- Anchor & Dock
- Safety
- Steering, Controls
- Pumps
- Fuel System
- Seating & Pedestals
- Trailering
- Tops & Covers
- Perform.
- Propellers
- Engine & Care
- Cleaning & Care
- Paint & Paint Acc.
- Fun & Flotation
- Topside Acc.
- Cockpit & Deck
- Hardware, Fasteners
- Camouflage
- Misc.
- Comm.

Marpac Performance Domed Gauges

- Made in USA.
- CE Certified.
- All gauges perimeter lighted.
- Stylish graphics.
- Contoured pointers.
- Domed glass lens.
- Fully sealed construction with Fog-resistant lens, built to military specifications.
- Fit standard 2-1/16" and 3-3/8" gauge mounting holes.
- Easy installation.
- OEM replacements are also available.



- Electronics
- Trolling Motors

Instruments

- Electrical
- Lighting
- Anchor & Dock
- Safety
- Steering, Controls
- Pumps

Order No.	Gauge Type	Description	Size	List Price	
7-2065	Fuel Gauge	E - 1/2 - F	2-1/16"	\$35.29	FO-0742000
7-2075	Hourmeter	100K Hours	2-1/16"	\$76.09	FO-6235000
7-2036	Oil Pressure Gauge	80 PSI	2-1/16"	\$35.19	FO-3642000
7-2055	Speedometer	10 - 65 MPH	3-3/8"	\$71.79	FO-5205000
7-2050	Tachometer	0 - 7,000 RPM	3-3/8"	\$114.29	FO-0008000
7-2084	Trim Gauge	Johnson/Evinrude	2-1/16"	\$35.19	FO-3642000
7-2082	Trim Gauge	Mercury/Yamaha - 2001 to Current	2-1/16"	\$35.19	FO-3642000
7-2060	Voltmeter	10 - 16 Volts	2-1/16"	\$35.19	FO-3642000
7-2080	O/B Water Pressure Gauge Kit	30 PSI	2-1/16"	\$103.09	FO-6127000
7-2037	Water Temperature	1/0	2-1/16"	\$35.19	FO-3642000

Marpac Red Series Gauge

- Made in USA.
- CE Certified.
- All gauges perimeter lighted.
- Stylish graphics.
- Contoured pointers.
- Domed glass lens.
- Easy installation.
- Fully sealed construction with Fog-Resistant Lens, built to military specifications.
- Fit standard 2-1/16" and 3-3/8" gauge mounting holes.
- OEM replacements are also available.



- Fuel System
- Seating & Pedestals
- Trailering
- Tops & Covers
- Perform.
- Propellers
- Engine & Care
- Cleaning & Care
- Paint & Paint Acc.
- Fun & Flotation
- Topside Acc.
- Cockpit & Deck
- Hardware, Fasteners
- Camouflage
- Misc.
- Comm.

Order No.	Gauge Type	Description	Size	List Price	
7-2092	Water Temperature	1/0	2-1/16"	\$24.19	GO-1261000

LIMITED QUANTITIES

**Faria Chesapeake Black Stainless Steel Gauges**



- Perimeter-lighted black dial with stylish blue and white graphics, polished stainless steel bezel, contoured white pointer and domed glass lens.
- CE Certified. Made in USA.



Order No.	Mfg. No. / Description	Size	List Price	
1763263	(13751) Depth Sounder (In-Hull Mounted Transducer)	2-1/16"	<del>\$373.49</del>	G1-7724200
3511385	(13701) Fuel Level Gauge (E - 1/2 - F)	2-1/16"	<del>\$57.99</del>	FO-9504000
3511435	(13715) Hourmeter - Digital (99,999 hrs., 12 - 32 VDC)	2-1/16"	<del>\$96.29</del>	FO-0476000
3511390	(13702) Oil Pressure Gauge (80 PSI)	2-1/16"	<del>\$57.99</del>	FO-9504000
3512000	(33704) Speedometer (60 MPH) Pitot	3-3/8"	<del>\$110.99</del>	FO-9677000
3512010	(33710) Tachometer (Gas, Inboard and I/O, 6,000 RPM)	3-3/8"	<del>\$174.19</del>	FO-3912100
3512015	(33718) Tachometer (All Outboard, 7,000 RPM)	3-3/8"	<del>\$166.79</del>	FO-5761100
3512035	(33750) Tachometer with SystemCheck Indicator (J/E, 7,000 RPM)	3-3/8"	<del>\$359.89</del>	FO-2915200
1763254	(33732) Tachometer with Hourmeter (Gas, Inboard, 6,000 RPM)	3-3/8"	<del>\$268.99</del>	G1-4847100
3511425	(13709) Trim Gauge (J/E and Suzuki Outboard)	2-1/16"	<del>\$57.99</del>	FO-9504000
3511415	(13707) Trim Gauge (OMC Cobra - 1993-94, Volvo SX - MD Models Only)	2-1/16"	<del>\$65.39</del>	FO-7754000
3511405	(13705) Voltmeter (10 - 16 VDC)	2-1/16"	<del>\$58.49</del>	FO-4904000
3511430	(13712) Water Pressure Gauge Kit (30 PSI)	2-1/16"	<del>\$129.19</del>	FO-3409000
3511400	(13704) Water Temperature Gauge (100° - 250° F)	2-1/16"	<del>\$58.49</del>	FO-4904000



**INBOARD BOXED SET INCLUDES:**

- Inboard Speedometer (60 MPH) Pitot
- Tachometer (6,000 RPM)
- Fuel Level Gauge
- Voltmeter (10 - 16 VDC)
- Water Temperature Gauge (100° - 250° F)
- Oil Pressure Gauge (80 PSI)

Order No.	Mfg. No. / Description	List Price	
351003	(KTF003)	<del>\$460.59</del>	FO-1422300

**OUTBOARD BOXED SET INCLUDES:**

- Outboard Speedometer (60 MPH) Pitot
- Tachometer (7,000 RPM)
- Fuel Level Gauge
- Voltmeter (10 - 16 VDC)

Order No.	Mfg. No. / Description	List Price	
351004	(KTF004)	<del>\$354.89</del>	FO-2484200

**Faria Chesapeake White Stainless Steel Gauges**



- Perimeter-lighted white dial with stylish blue and black graphics, polished stainless steel bezel, contoured black pointer and domed glass lens.
- CE Certified. Made in USA.



Order No.	Mfg. No. / Description	Size	List Price	
3511540	(13831) Ammeter (60-0-60)	2-1/16"	<del>\$41.69</del>	G0-3972000
3511510	(13806) Cylinder Head Temperature with Sender (60° - 220° F)	2-1/16"	<del>\$82.79</del>	FO-5975000
3511485	(13801) Fuel Level Gauge (E - 1/2 - F)	2-1/16"	<del>\$58.69</del>	FO-8014000
3511535	(13815) Hourmeter - Digital (99,999 hrs., 12 - 32 VDC)	2-1/16"	<del>\$96.39</del>	FO-7476000
3511490	(13802) Oil Pressure Gauge (80 PSI)	2-1/16"	<del>\$58.49</del>	FO-4904000
3512055	(33811) Speedometer (60 MPH) Pitot	3-3/8"	<del>\$113.19</del>	FO-3297000
3512065	(33819) Speedometer (80 MPH) Pitot	3-3/8"	<del>\$115.79</del>	FO-5018000
3512045	(33807) Tachometer (Gas, Inboard and I/O, 6,000 RPM)	3-3/8"	<del>\$166.69</del>	FO-8661100
3512060	(33817) Tachometer (All Outboard, 7,000 RPM)	3-3/8"	<del>\$170.59</del>	FO-1491100
3512085	(33850) Tachometer with SystemCheck Indicator (J/E, 7,000 RPM)	3-3/8"	<del>\$353.49</del>	FO-4474200
3511565	(13889) Trim Gauge (Honda)	2-1/16"	<del>\$159.19</del>	FO-3411100
3511525	(13809) Trim Gauge (J/E and Suzuki Outboard)	2-1/16"	<del>\$59.19</del>	FO-3414000
3511515	(13807) Trim Gauge (Mer/Mar/Merc, Vol DP, Yam, 2001 & Newer)	2-1/16"	<del>\$59.19</del>	FO-3414000
3511520	(13808) Trim Gauge (OMC Cobra - 1993-94, Volvo SX - MD Models Only)	2-1/16"	<del>\$59.49</del>	FO-4614000
3511505	(13805) Voltmeter (10 - 16 VDC)	2-1/16"	<del>\$59.19</del>	FO-3414000
3511530	(13812) Water Pressure Gauge Kit (30 PSI)	2-1/16"	<del>\$129.19</del>	FO-3409000
3511555	(13875) Water Pressure Gauge Kit (60 PSI)	2-1/16"	<del>\$99.99</del>	G0-9966000
3511500	(13804) Water Temperature Gauge (100° - 250° F)	2-1/16"	<del>\$58.49</del>	FO-4904000



**INBOARD BOXED SET INCLUDES:**

- Inboard Speedometer (60 MPH) Pitot
- Tachometer (6,000 RPM)
- Fuel Level Gauge
- Voltmeter (10 - 16 VDC)
- Water Temperature Gauge (100° - 250° F)
- Oil Pressure Gauge (80 PSI)

Order No.	Mfg. No. / Description	List Price	
351001	(KTF001)	<del>\$429.69</del>	FO-8700300

**OUTBOARD BOXED SET INCLUDES:**

- Outboard Speedometer (60 MPH) Pitot
- Tachometer (7,000 RPM)
- Fuel Level Gauge
- Voltmeter (10 - 16 VDC)

Order No.	Mfg. No. / Description	List Price	
351002	(KTF002)	<del>\$350.49</del>	FO-4354200

- Electronics
- Trolling Motors
- Instruments
- Electrical
- Lighting
- Anchor & Dock
- Safety
- Steering, Controls
- Pumps
- Fuel System
- Seating & Pedestals
- Trailering
- Tops & Covers
- Perform.
- Propellers
- Engine & Care
- Cleaning & Care
- Paint & Paint Acc.
- Fun & Flotation
- Topside Acc.
- Cockpit & Deck
- Hardware, Fasteners
- Camouflage
- Misc.
- Comm.

- Electronics
- Trolling Motors
- Instruments
- Electrical
- Lighting
- Anchor & Dock
- Safety
- Steering, Controls
- Pumps
- Fuel System
- Seating & Pedestals
- Trailing
- Tops & Covers
- Perform.
- Propellers
- Engine & Care
- Cleaning & Care
- Paint & Paint Acc.
- Fun & Flotation
- Topside Acc.
- Cockpit & Deck
- Hardware, Fasteners
- Camouflage
- Misc.
- Comm.

Faria Coral Gauges



- Perimeter-lighted black dial with stylish white and blue graphics, black aluminum bezel with burnished leading edge, contoured white pointer and flat glass lens.
- CE Certified. Made in USA.

Order No.	Mfg. No. / Description	Size	List Price	
3511220	(13009) Cylinder Head Temperature with Sender (60° - 220° F)	2-1/16"	\$74.19	FO-3915000
3511200	(13001) Fuel Level Gauge (E - 1/2 - F)	2-1/16"	\$46.89	FO-2823000
3511235	(MH0244) Hourmeter (10,000 hrs., 12 - 32 VDC)	2-1/16"	\$113.99	GO-7367000
3511205	(13002) Oil Pressure Gauge (80 PSI)	2-1/16"	\$46.79	FO-5723000
3511905	(33009) Speedometer (55 MPH) Pitot	3-3/8"	\$95.49	FO-4866000
3511895	(33004) Tachometer (Gas, Inboard and I/O, 6,000 RPM)	3-3/8"	\$139.29	FO-0579000
3511900	(33005) Tachometer (All Outboard, 7,000 RPM)	3-3/8"	\$132.29	FO-0629000
3511245	(13016) Trim Gauge (J/E and Suzuki Outboard)	2-1/16"	\$53.59	GO-1953000
3511250	(13017) Trim Gauge (Mer/Mar/Merc, Vol DP, Yam, 2001 & Newer)	2-1/16"	\$46.79	FO-5723000
3511225	(13010) Voltmeter (10 - 16 VDC)	2-1/16"	\$46.79	FO-5723000
3511210	(13003) Water Pressure Gauge Kit (30 PSI)	2-1/16"	\$118.69	FO-8038000
3511215	(13004) Water Temperature Gauge (100° - 250° F)	2-1/16"	\$48.39	FO-7833000

Faria Dress White Gauges



- Perimeter-lighted white dial with bold black graphics, white aluminum bezel, contoured black pointer and flat glass lens.
- CE Certified.
- Made in USA.

Order No.	Mfg. No. / Description	Size	List Price	
3511340	(13149) Ammeter (60-0-60)	2-1/16"	\$36.29	GO-1342000
3511305	(13113) Cylinder Head Temperature with Sender (60° - 220° F)	2-1/16"	\$76.69	FO-8635000
3511285	(13101) Fuel Level Gauge (E - 1/2 - F)	2-1/16"	\$46.39	FO-7423000
3511315	(13130) Hourmeter (10,000 hrs., 12 - 32 VDC)	2-1/16"	\$85.49	FO-4895000
3511290	(13102) Oil Pressure Gauge (80 PSI)	2-1/16"	\$46.39	FO-7423000
3511945	(33112) Speedometer (55 MPH) Pitot	3-3/8"	\$97.59	FO-1386000
3511950	(33113) Speedometer (80 MPH) Pitot	3-3/8"	\$94.89	FO-2466000
3511935	(33103) Tachometer (Gas, Inboard and I/O, 6,000 RPM)	3-3/8"	\$134.19	FO-3939000
3511940	(33104) Tachometer (All Outboard, 7,000 RPM)	3-3/8"	\$134.49	FO-4149000
3511975	(33150) Tachometer with SystemCheck Indicator (J/E, 7,000 RPM)	3-3/8"	\$317.59	FO-1322200
3511325	(13123) Trim Gauge (J/E and Suzuki Outboard)	2-1/16"	\$48.69	FO-8043000
3511320	(13122) Trim Gauge (Mer/Mar/Merc, Vol DP, Yam, 2001 & Newer)	2-1/16"	\$46.39	FO-7423000
3511310	(13120) Voltmeter (10 - 16 VDC)	2-1/16"	\$46.39	FO-7423000
3511295	(13108) Water Pressure Gauge Kit (30 PSI)	2-1/16"	\$118.29	FO-0828000
3511300	(13110) Water Temperature Gauge (100° - 250° F)	2-1/16"	\$46.39	FO-7423000

INBOARD BOXED SET INCLUDES:

- Inboard Speedometer (55 MPH) (Mech)
- Tachometer (6,000 RPM)
- Fuel Level Gauge
- Voltmeter (10 - 16 VDC)
- Water Temperature Gauge (100° - 250° F)
- Oil Pressure Gauge (80 PSI)

Order No.	Mfg. No. / Description	List Price	
351009	(KT9797)	\$407.39	FO-7158200

OUTBOARD BOXED SET INCLUDES:

- Outboard Speedometer (55 MPH) (Mech)
- Tachometer (7,000 RPM)
- Fuel Level Gauge
- Voltmeter (10 - 16 VDC)

Order No.	Mfg. No. / Description	List Price	
351005	(KT9794)	\$369.19	FO-3485200



**Faria Euro Gauges**



- Perimeter-lighted black dial with bold white graphics, black aluminum bezel, contoured white pointer and flat glass lens.
- CE Certified. Made in USA.

Order No.	Mfg. No. / Description	Size	List Price	
3511035	(12822) Ammeter (60-0-60)	2-1/16"	\$43.49	FO-4403000
3511050	(12825) Clock (Quartz, Analog)	2-1/16"	\$179.29	FO-0552100
3511025	(12819) Cylinder Head Temperature with Sender (60° - 220° F)	2-1/16"	\$68.89	FO-2284000
3511000	(12801) Fuel Level Gauge (E - 1/2 - F)	2-1/16"	\$43.69	FO-8503000
3511045	(12835) Hourmeter (10,000 hrs., 12 - 32 VDC)	2-1/16"	\$85.49	FO-4895000
3511005	(12803) Oil Pressure Gauge (80 PSI)	2-1/16"	\$43.49	FO-4403000
3511820	(32810) Speedometer (55 MPH) Pitot	3-3/8"	\$91.19	FO-3836000
3511825	(32812) Speedometer (80 MPH) Pitot	3-3/8"	\$91.19	FO-3836000
3511805	(32804) Tachometer (Gas, Inboard and I/O, 6,000 RPM)	3-3/8"	\$131.99	FO-9329000
3511810	(32805) Tachometer (All Outboard, 7,000 RPM)	3-3/8"	\$132.19	FO-3529000
3511845	(32850) Tachometer with SystemCheck Indicator (J/E, 7,000 RPM)	3-3/8"	\$272.39	FO-7609100
3511835	(32832) Tachometer with Hourmeter (Gas, Inboard, 6,000 RPM)	3-3/8"	\$236.99	FO-9856100
3511055	(12827) Trim Gauge (J/E and Suzuki Outboard)	2-1/16"	\$44.29	FO-0013000
3511060	(12828) Trim Gauge (Mer/Mar/Merc, Vol DP, Yam, 2001 & Newer)	2-1/16"	\$43.49	FO-4403000
3511030	(12821) Voltmeter (10 - 16 VDC)	2-1/16"	\$43.49	FO-4403000
3511010	(12810) Water Pressure Gauge Kit (30 PSI)	2-1/16"	\$113.69	FO-8597000
3511085	(12875) Water Pressure Gauge Kit (60 PSI)	2-1/16"	\$118.79	FO-5138000
3511015	(12812) Water Temperature Gauge (100° - 250° F)	2-1/16"	\$42.29	FO-0692000



**INBOARD BOXED SET INCLUDES:**

- Inboard Speedometer (55 MPH) Pitot
- Tachometer (6,000 RPM)
- Fuel Level Gauge
- Voltmeter (10 - 16 VDC)
- Water Temperature Gauge (100° - 250° F)
- Oil Pressure Gauge (80 PSI)

Order No.	Mfg. No. / Description	List Price	
351012	(KT9799)	\$404.29	FO-0038200

**OUTBOARD BOXED SET INCLUDES:**

- Outboard Speedometer (55 MPH) Pitot
- Tachometer (7,000 RPM)
- Fuel Level Gauge
- Voltmeter (10 - 16 VDC)

Order No.	Mfg. No. / Description	List Price	
351008	(KT9796)	\$368.59	FO-1085200

**Faria Euro White Gauges**



- Perimeter-lighted white dial with bold black graphics, black aluminum bezel, contoured black pointer and flat glass lens.
- CE Certified. Made in USA.

Order No.	Mfg. No. / Description	Size	List Price	
3511125	(12910) Cylinder Head Temperature with Sender (60° - 220° F)	2-1/16"	\$68.89	FO-2284000
3511105	(12901) Fuel Level Gauge (E - 1/2 - F)	2-1/16"	\$44.29	FO-0013000
3511140	(12913) Hourmeter (10,000 hrs., 12 - 32 VDC)	2-1/16"	\$101.39	FO-7907000
3511110	(12902) Oil Pressure Gauge (80 PSI)	2-1/16"	\$44.29	FO-0013000
3511870	(32909) Speedometer (55 MPH) Pitot	3-3/8"	\$89.29	FO-0526000
3511855	(32904) Tachometer (Gas, Inboard and I/O, 6,000 RPM)	3-3/8"	\$139.29	FO-0579000
3511860	(32905) Tachometer (All Outboard, 7,000 RPM)	3-3/8"	\$132.19	FO-3529000
3511890	(32950) Tachometer with SystemCheck Indicator (J/E, 7,000 RPM)	3-3/8"	\$319.69	FO-8732200
3511145	(12915) Trim Gauge (J/E and Suzuki Outboard)	2-1/16"	\$44.29	FO-0013000
3511150	(12916) Trim Gauge (Mer/Mar/Merc, Vol DP, Yam, 2001 & Newer)	2-1/16"	\$44.29	FO-0013000
3511130	(12911) Voltmeter (10 - 16 VDC)	2-1/16"	\$44.29	FO-0013000
3511115	(12903) Water Pressure Gauge Kit (30 PSI)	2-1/16"	\$110.79	FO-5577000
3511120	(12904) Water Temperature Gauge (100° - 250° F)	2-1/16"	\$42.99	FO-9003000



**INBOARD BOXED SET INCLUDES:**

- Inboard Speedometer (55 MPH) (Mech)
- Tachometer (6,000 RPM)
- Fuel Level Gauge
- Voltmeter (10 - 16 VDC)
- Water Temperature Gauge (100° - 250° F)
- Oil Pressure Gauge (80 PSI)

Order No.	Mfg. No. / Description	List Price	
351010	(KT9798)	\$411.19	FO-3878200

**OUTBOARD BOXED SET INCLUDES:**

- Outboard Speedometer (55 MPH) (Mech)
- Tachometer (7,000 RPM)
- Fuel Level Gauge
- Voltmeter (10 - 16 VDC)

Order No.	Mfg. No. / Description	List Price	
351006	(KT9795)	\$366.79	FO-5765200

- Electronics
- Trolling Motors
- Instruments
- Electrical
- Lighting
- Anchor & Dock
- Safety
- Steering, Controls
- Pumps
- Fuel System
- Seating & Pedestals
- Trailering
- Tops & Covers
- Perform.
- Propellers
- Engine & Care
- Cleaning & Care
- Paint & Paint Acc.
- Fun & Flotation
- Topside Acc.
- Cockpit & Deck
- Hardware, Fasteners
- Camouflage
- Misc.
- Comm.

Faria Kronos Gauges



- Polished stainless steel bezel, flat lens, perimeter lighted spun aluminum dial with gold and black graphics. Gold increments and logo on dial are embossed. All instruments include two piece Newport Pointer with black hub.
- CE Certified. Made in USA.

INBOARD BOXED SET INCLUDES:

- Inboard Speedometer (60 MPH) (Mech)
- Tachometer (6,000 RPM)
- Fuel Level Gauge
- Voltmeter (10 - 16 VDC)
- Water Temperature Gauge (100° - 250° F)
- Oil Pressure Gauge (80 PSI)

Order No.	Mfg. No. / Description	List Price	
<b>351014</b>	(KTF024)	<b>\$443.99</b>	FO-9701300

Order No.	Mfg. No. / Description	Size	List Price	
<b>351065</b>	(19001) Fuel Level Gauge (E - 1/2 - F)	2-1/16"	<b>\$61.99</b>	FO-9334000
<b>351090</b>	(19020) Hourmeter (10,000 hrs., 12 - 32 VDC)	2-1/16"	<b>\$131.59</b>	FO-1129000
<b>351070</b>	(19002) Oil Pressure Gauge (80 PSI)	2-1/16"	<b>\$62.99</b>	FO-9044000
<b>351060</b>	(39009) Speedometer (60 MPH) Pitot	3-3/8"	<b>\$117.49</b>	FO-4228000
<b>351050</b>	(39005) Tachometer (All Outboard, 7,000 RPM)	3-3/8"	<b>\$190.89</b>	FO-2633100
<b>351055</b>	(39040) Tachometer with Hourmeter (Gas, Outboard, 7,000 RPM)	3-3/8"	<b>\$277.89</b>	FO-2549100
<b>351085</b>	(19005) Trim Gauge (Mer/Mar/Merc, Vol DP, Yam, 2001 & Newer)	2-1/16"	<b>\$71.99</b>	FO-9305000
<b>351095</b>	(19004) Voltmeter (10 - 16 VDC)	2-1/16"	<b>\$60.19</b>	FO-3124000
<b>351075</b>	(19007) Water Pressure Gauge Kit (30 PSI)	2-1/16"	<b>\$123.19</b>	FO-3268000
<b>351080</b>	(19003) Water Temperature Gauge (100° - 250° F)	2-1/16"	<b>\$62.99</b>	FO-9044000

Faria Professional Red Gauges



- Perimeter-lighted black dial with stylish red and white graphics, black aluminum bezel, teardrop white pointer and flat glass lens.
- CE Certified. Made in USA.

**LIMITED QUANTITIES**

Order No.	Mfg. No. / Description	Size	List Price	
<b>3511675</b>	(14606) Cylinder Head Temperature with Sender (60° - 220° F)	2-1/16"	<b>\$70.89</b>	FO-2694000
<b>3511655</b>	(14601) Fuel Level Gauge (E - 1/2 - F)	2-1/16"	<b>\$55.49</b>	FO-4883000
<b>3511660</b>	(14602) Oil Pressure Gauge (80 PSI)	2-1/16"	<b>\$55.39</b>	FO-7783000
<b>3512150</b>	(34611) Speedometer (60 MPH) Pitot	3-3/8"	<b>\$112.39</b>	FO-7687000
<b>3512140</b>	(34607) Tachometer (Gas, Inboard and I/O, 6,000 RPM)	3-3/8"	<b>\$137.99</b>	FO-9569000
<b>3512155</b>	(34617) Tachometer (All Outboard, 7,000 RPM)	3-3/8"	<b>\$142.29</b>	FO-0699000
<b>3512175</b>	(34650) Tachometer with SystemCheck Indicator (J/E, 7,000 RPM)	3-3/8"	<b>\$314.69</b>	FO-8202200
<b>3511690</b>	(14609) Trim Gauge (J/E and Suzuki Outboard)	2-1/16"	<b>\$40.29</b>	FO-0282000
<b>3511680</b>	(14607) Trim Gauge (Mer/Mar/Merc, Vol DP, Yam, 2001 & Newer)	2-1/16"	<b>\$55.39</b>	FO-7783000
<b>3511670</b>	(14605) Voltmeter (10 - 16 VDC)	2-1/16"	<b>\$55.39</b>	FO-7783000
<b>3511695</b>	(14612) Water Pressure Gauge Kit (30 PSI)	2-1/16"	<b>\$113.69</b>	FO-8597000
<b>3511715</b>	(14675) Water Pressure Gauge Kit (60 PSI)	2-1/16"	<b>\$93.59</b>	FO-1556000
<b>3511665</b>	(14604) Water Temperature Gauge (100° - 250° F)	2-1/16"	<b>\$55.39</b>	FO-7783000

Sierra Eclipse Gauges



- Smart white and blue graphics on a black dial background, these very low profile bezels follow the curve of the lens to eliminate water trapping. Design with domed glass sheds water and resists scratching.
- Instruments available for most outboards, stern drives and gasoline-powered inboards.
- Scratch-resistant domed glass lenses.
- Enhanced illumination: Through-dial and perimeter lighting for excellent readability at night.
- U.S. and metric scales, with ISO symbols, where appropriate.

Order No.	Mfg. No. / Description	Size	List Price	
<b>8020318</b>	(68391P) Hourmeter	10,000 hrs.	<b>\$75.04</b>	Z0-3525000
<b>8020334</b>	(68410P) Systems Check, Evinrude/Johnson	2"	<b>\$158.41</b>	Z0-9801100
<b>8020331</b>	(68406P) Trim Gauge, Yamaha Outboards, pre 2001	2"	<b>\$41.17</b>	Z0-2882000
<b>8020327</b>	(68402P) Water Temperature Kit (Outboard)	100-220° F	<b>\$85.99</b>	Z0-9106000

- Electronics
- Trolling Motors
- Instruments
- Electrical
- Lighting
- Anchor & Dock
- Safety
- Steering, Controls
- Pumps
- Fuel System
- Seating & Pedestals
- Trailering
- Tops & Covers
- Perform.
- Propellers
- Engine & Care
- Cleaning & Care
- Paint & Paint Acc.
- Fun & Flotation
- Topside Acc.
- Cockpit & Deck
- Hardware, Fasteners
- Camouflage
- Misc.
- Comm.

## Sierra Premier Pro Black Gauges

- Full automotive type lighting, no "halo" around dial edges. When lit, white dial grads become red, pointer lights white.
- Black dial, white graduations/numerals (metrics in blue), white pointer staff.
- Scratch resistant curved glass lenses with black, near-flush bezels.
- U.S. and metric scales, with ISO symbols, where appropriate.
- Fog-resistant design. Complies with SAE J-1810.

Order No.	Mfg. No. / Description	Size	List Price	
<b>8020273</b>	(62718P) Fuel Gauge	E - 1/2 - F	<b>\$58.87</b>	Z0-1214000
<b>8020274</b>	(62720P) Oil Pressure Gauge	0 - 80 PSI	<b>\$51.79</b>	Z0-5263000
<b>8020277</b>	(62723P) Speedometer (Pitot Type)	20 - 80 MPH	<b>\$82.94</b>	Z0-6085000
<b>8020278</b>	(62724P) Tachometer, O/B and 4-Stroke Gas Engines	0-6,000 RPM	<b>\$124.31</b>	Z0-1078000
<b>8020281</b>	(62727P) Trim Gauge, Yamaha, 2001 and On	2"	<b>\$53.67</b>	Z0-7573000
<b>8020275</b>	(62721P) Water Pressure Kit, Outboard	2"	<b>\$67.44</b>	Z0-1274000
<b>8020285</b>	(62748P) Water Temperature Kit, For All Electric-Start Outboards	2"	<b>\$83.75</b>	Z0-3685000
<b>8020283</b>	(62729P) Water Temperature Gauge (I/O, I/B)	120-240° F	<b>\$57.96</b>	Z0-7504000

SIERRA



## Sierra Amega Gauges

- Black dial, red graduations, white numerals, vivid white pointer staff.
- Scratch resistant curved glass lenses with black, near-flush bezels.
- U.S. and metric scales, with ISO symbols, where appropriate.
- Perimeter and thru-dial lighting.
- A comprehensive array of outboard water pressure instrument kits.

Order No.	Mfg. No. / Description	Size	List Price	
<b>8020245</b>	(57902P) Fuel Gauge	E - 1/2 - F	<b>\$39.62</b>	Z0-4772000
<b>8020251</b>	(58342P) Speedometer (Pitot Type)	5 - 35 MPH	<b>\$81.65</b>	Z0-5175000
<b>8020241</b>	(57898P) Speedometer (Pitot Type)	10 - 50 MPH	<b>\$95.87</b>	Z0-1176000
<b>8020243</b>	(57899P) Speedometer (Pitot Type)	20 - 80 MPH	<b>\$95.87</b>	Z0-1176000
<b>8020289</b>	(65205P) System Check, Evinrude/Johnson	2"	<b>\$158.41</b>	Z0-9801100
<b>7001436</b>	(69044P) Tachometer, Force	0-7000 RPM	<b>\$103.63</b>	Z0-4527000
<b>8020254</b>	(58935P) Tachometer (BRP Systems Check)	0-7000 RPM	<b>\$285.58</b>	Z0-0999100
<b>8020340</b>	(68443P) Tach/Hourmeter	0-7,000 RPM	<b>\$179.27</b>	Z0-9452100
<b>8020313</b>	(68359P) Trim Gauge, Honda Outboards	2"	<b>\$110.48</b>	Z0-3377000
<b>8020247</b>	(57905P) Trim Gauge, Mer/Mar/Force/Cobra/Volvo DP & SX/Yam, 2001 & up	2"	<b>\$41.17</b>	Z0-2882000
<b>8020265</b>	(61748P) Trim Gauge, Yamaha Outboards, pre 2001	2"	<b>\$41.17</b>	Z0-2882000
<b>8020264</b>	(61238P) Water Pressure Kit (Outboard)	0 - 30 PSI	<b>\$104.23</b>	Z0-6927000
<b>8020312</b>	(68357P) Water Pressure Kit (Outboard)	0 - 40 PSI	<b>\$104.23</b>	Z0-6927000

SIERRA



## Sierra Sahara Gauges

- Tan dial and retainer, black graduations and numerals, black pointer with fire-orange tip.
- Scratch resistant curved glass lenses with black matte, near-flush bezels.
- White perimeter and red thru-dial lighting.
- U.S. and metric scales with ISO symbols, where appropriate.

Order No.	Mfg. No. / Description	Size	List Price	
<b>8020260</b>	(59707P) Fuel Gauge	E - 1/2 - F	<b>\$39.62</b>	Z0-4772000
<b>8020258</b>	(59705P) Oil Pressure Gauge	0 - 80 PSI	<b>\$41.45</b>	Z0-1092000
<b>8020257</b>	(59704P) Speedometer (Pitot Type)	10 - 65 MPH	<b>\$95.87</b>	Z0-1176000
<b>8020269</b>	(61901P) Tachometer (E/J Systems Check)	0-7,000 RPM	<b>\$241.99</b>	Z0-9617100
<b>8020256</b>	(59703P) Tachometer, O/B & 4-Stroke Gas Engines	0-7,000 RPM	<b>\$103.63</b>	Z0-4527000
<b>8020271</b>	(62369P) Trim Gauge, Honda Outboards	2"	<b>\$80.65</b>	Z0-6465000
<b>8020262</b>	(59709P) Trim Gauge, Yamaha, 2001 and On	2"	<b>\$41.17</b>	Z0-2882000
<b>8020261</b>	(59708P) Voltmeter (12 volt)	8 - 18 VDC	<b>\$43.27</b>	Z0-9203000
<b>7001438</b>	(69870P) Water Pressure Kit (Outboard)	0 - 30 PSI	<b>\$104.23</b>	Z0-6927000
<b>8020259</b>	(59706P) Water Temperature Gauge (I/O, I/B)	120-240° F	<b>\$52.04</b>	Z0-3463000

SIERRA



- Sahara gauge kit includes: Instrument display box, **8020256** (59703P) Tachometer, **8020257** (59704P) Speedometer, **8020261** (59708P) Voltmeter and **8020260** (59707P) Fuel Gauge.

Order No.	Description	List Price	
<b>SIE-65481P</b>	Sahara Gauge Kit	<b>\$249.09</b>	Z0-9094200

Electronics

Trolling Motors

Instruments

Electrical

Lighting

Anchor &amp; Dock

Safety

Steering, Controls

Pumps

Fuel System

Seating &amp; Pedestals

Trailering

Tops &amp; Covers

Perform.

Propellers

Engine &amp; Care

Cleaning &amp; Care

Paint &amp; Paint Acc.

Fun &amp; Flotation

Topside Acc.

Cockpit &amp; Deck

Hardware, Fasteners

Camouflage

Misc.

Comm.



SIERRA



- White graphics and black background on spun aluminum dial.
- Black pointer with fire orange tip.
- Elite stainless steel bezel.
- Perimeter lit dial.
- Scratch-resistant domed glass lenses.
- U.S. and metric scales, with ISO symbols, where appropriate.
- Fits most sterndrive and outboard applications.

Order No.	Mfg. No. / Description	Size	List Price	
8020303	(67021P) Fuel Gauge	E - 1/2 - F	2" <b>\$39.62</b>	Z0-4772000
8020304	(67022P) Oil Pressure Gauge	0 - 80 PSI	2" <b>\$51.79</b>	Z0-5263000
8020336	(68960P) Speedometer (Pitot Type)	15 - 50 MPH	3" <b>\$95.87</b>	Z0-1176000
8020307	(67285P) Speedometer (Pitot Type)	20 - 70 MPH	3" <b>\$95.87</b>	Z0-1176000
8020308	(67363P) Tachometer, O/B and 4-Stroke Gas Engines	0-7,000 RPM	3" <b>\$103.63</b>	Z0-4527000
8020309	(67365P) Trim Gauge, E/I & Suz 4-Stroke (2002 to Date)		2" <b>\$41.17</b>	Z0-2882000
8020305	(67023P) Trim Gauge, Mar/Mer and Yam (2001 to Date)		2" <b>\$41.17</b>	Z0-2882000
8020301	(67019P) Voltmeter	8 - 18 VDC	2" <b>\$43.27</b>	Z0-9203000
8020310	(67382P) Water Pressure Kit (Outboard)	0 - 40 PSI	2" <b>\$104.23</b>	Z0-6927000
8020302	(67020P) Water Temperature Gauge (Electric)	100-240° F	2" <b>\$57.96</b>	Z0-7504000

## Sierra Lido Gauges

SIERRA



- White dial, black numerals, black pointer with fire-orange tip.
- Scratch resistant curved glass lenses with polished stainless steel, near-flush bezels.
- White perimeter and red thru-dial lighting.
- U.S. and metric scales, with ISO symbols, where appropriate.
- Comprehensive line includes tachometers for diesel alternator and magnetic pickup PLUS synchronizer gauge (Suitable for gas or diesel engines with appropriate module. Module required, not included with gauge).

Order No.	Mfg. No. / Description	Size	List Price	
818825	(65496P) Fuel Gauge	E - 1/2 - F	2" <b>\$39.62</b>	Z0-4772000
818837	(65497P) Hourmeter	10,000 hrs.	2" <b>\$75.04</b>	Z0-3525000
8020292	(65501P) Oil Pressure Gauge	0 - 80 PSI	2" <b>\$41.45</b>	Z0-1092000
8020298	(65510P) Speedometer (Pitot Type)	10 - 65 MPH	3" <b>\$95.87</b>	Z0-1176000
818801	(61752P) Speedometer (Pitot type)	10 - 50 MPH	3" <b>\$95.87</b>	Z0-1176000
816642	(64477FP) Tachometer - Systems Check (E/I)	0-7,000 RPM	3" <b>\$285.58</b>	Z0-0999100
818813	(65693P) Tachometer, O/B and 4-Stroke Gas Engines	0-7,000 RPM	3" <b>\$103.63</b>	Z0-4527000
818814	(65129P) Tach/Hour, O/B and 4 Stroke Gas Engines	0-7,000 RPM	3" <b>\$179.27</b>	Z0-9452100
818875	(65503P) Trim Gauge, Honda Outboards		2" <b>\$95.02</b>	Z0-1566000
818887	(65504P) Trim Gauge, Mar/Merc/Cobra/Vol DP, SX, Yam (2001 & On)		2" <b>\$41.17</b>	Z0-2882000
818863	(65502P) Trim Gauge, E/I and Suzuki 4-Stroke (2002 to Date)		2" <b>\$41.17</b>	Z0-2882000
818849	(65506P) Voltmeter (12 volt)	8 - 18 VDC	2" <b>\$43.27</b>	Z0-9203000
818851	(65507P) Water Pressure Kit (Outboard), w/20' Tubing	0 - 30 PSI	2" <b>\$104.23</b>	Z0-6927000
8020296	(65508P) Water Temperature Kit, For All Electric-Start Outboards		2" <b>\$85.99</b>	Z0-9106000
8020297	(65509P) Water Temperature Gauge (I/O, I/B)	120-240° F	2" <b>\$52.04</b>	Z0-3463000

## Sierra Lido Gauge Kit

SIERRA



- Lido gauge kit includes: Instrument display box, **818813** (65693P) Tachometer, **818801** (61752P) Speedometer, **818849** (65506P) Voltmeter and **818825** (65496P) Fuel Gauge.

Order No.	Description	List Price	
818768	Lido Gauge Kit	<b>\$249.09</b>	Z0-9094200

Electronics

Trolling Motors

Instruments

Electrical

Lighting

Anchor &amp; Dock

Safety

Steering, Controls

Pumps

Fuel System

Seating &amp; Pedestals

Trailering

Tops &amp; Covers

Perform.

Propellers

Engine &amp; Care

Cleaning &amp; Care

Paint &amp; Paint Acc.

Fun &amp; Flotation

Topside Acc.

Cockpit &amp; Deck

Hardware, Fasteners

Camouflage


Misc.

Comm.

# Leading manufacturer of high-quality analog and NMEA2000 certified gauges, displays, sensors and modules

## Veratron Flex Gauge

- 2 1/8" gauge with 1.4" TFT, Single and Dual layout pages
- 1 Gauge SKU fits a variety of gauge functions
- Easy programming via "Veratron Configurator" mobile app



## Veratron LinkUp

- Single Function NMEA2000 Gateway
- Converts sensor and engine signals to NMEA2000
- Easy programming via "Veratron Configurator" mobile app
- 2020 IBEX Innovation Award Winner



## Veratron GO

- NMEA2000 Certified GPS receiver
- Compact GPS, measuring 60 mm in diameter
- Available with Bluetooth LE 5.1 interface for wireless connection to NMEA bus



VDO ViewLine Gauges



155080



155090



155060



155165



155055



155125

- Fully sealed dual lens, lifetime LED lighting and warning indicators assure that Viewline can easily withstand even open cab environments.
- VDO patented stepper motors and resistive movements ensure accuracy, while testing to 25 G continuous vibration and 100 G shock assure long life reliability.
- IP67 water resistance means, that no matter how wet it gets, our gauges keep on working.
- Anti-corrosion materials mean no oxidation or rust will develop.
- Choose between two dial face colors of Ivory or Onyx.
- Next choose a rounded bezel profile - available in white, black or chrome finish.
- Speedometer - the pitot tubes are sold separately.
- Programmable tachometers accept signal inputs from 2,4,6,8,10,12 & 16 cylinder standard coil ignition. ViewLine programming software (available separately) allows use with alternator and 12V square signals, as well as activate the user defined rev. limit warning .

**LIMITED QUANTITIES**

VIEWLINE IVORY SERIES - WHITE FACE

Order No.	Mfg. No.	Gauge Type	Description	Volts	Size	List Price	
155080	(A2C59514190)	Fuel Gauge	240-33 Ohm	12/24	2-1/16"	\$51.29	Z0-4724000
155060	(A2C59514202)	Oil Pressure Gauge	150 PSI	12/24	2-1/16"	\$51.29	Z0-4724000
155090	(A2C59512546)	Voltmeter	8 - 16 VDC	12	2-1/16"	\$51.29	Z0-4724000

VIEWLINE ONYX SERIES - BLACK FACE

Order No.	Mfg. No.	Gauge Type	Description	Volts	Size	List Price	
155165	(A2C59512328)	Ammeter	60-0-60	12/24	2-1/16"	\$59.39	Z0-9494000
155125	(B00005302)	Hourmeter	100K Hours	12/24	2-1/16"	\$36.89	Z0-4703000
155055	(A2C59514118)	Oil Pressure Gauge	150 PSI	12/24	2-1/16"	\$51.29	Z0-4724000
155020	(A2C59513645S)	Speedometer (Pitot Type)	80 MPH	12	3-3/8"	\$72.59	Z0-1364000

VDO Dropping Resistor



- Without connector.
- 24 volt.

**LIMITED QUANTITIES**

Order No.	Mfg. No. / Description	List Price	
155175	(A2C59510221)	\$8.46	Z0-0450000

Sierra Small Engine Tachometer/Hourmeter



- Small Engine Tach/Hourmeter.
- Fits 2 or 4 stroke, 2 cylinders or less.
- No power or ground required.
- With 5' sensor wire.

Order No.	Mfg. No. / Description	List Price	
816334	(56969P)	\$49.05	Z0-3343000

Sierra Small Engine Hourmeter



- Small Engine Hourmeter.
- Replaces: Yamaha ENG-METER-2C-01.
- Fits 2 or 4 stroke gasoline.
- No power or ground required.
- With 5' sensor wire.

Order No.	Mfg. No. / Description	List Price	
816330	(56968P)	\$46.33	Z0-3423000

- Electronics
- Trolling Motors
- Instruments
- Electrical
- Lighting
- Anchor & Dock
- Safety
- Steering, Controls
- Pumps
- Fuel System
- Seating & Pedestals
- Trailering
- Tops & Covers
- Perform.
- Propellers
- Engine & Care
- Cleaning & Care
- Paint & Paint Acc.
- Fun & Flotation
- Topside Acc.
- Cockpit & Deck
- Hardware, Fasteners
- Camouflage
- Misc.
- Comm.

**Marpac Universal Pitot Tube**



- Calibrated for standard marine speedometers like Sierra, Faria, Marpac and others.
- Consistent pressure for accurate readings.
- Stable, yet flexible design prevents impact damage.
- Resists barnacle growth.
- Works from 5 - 80 mph.

Order No.	Description	List Price	
<b>7-0893</b>	Universal Pitot Tube	<b>\$9.79</b>	FO-5860000

**Faria Pitot Tube Assembly Kits**



- Complete transom mount speedometer pick-up with escutcheon plate and mounting hardware for use with all marine speedometers.

Order No.	Mfg. No. / Description	List Price	
<b>3512325</b>	(91106) With 20' Tubing	<b>\$47.19</b>	FO-3033000
<b>3512330</b>	(91109) Without Tubing	<b>\$20.89</b>	FO-2641000


**Gauge Hole Plugs**



- Snap-in design installs easily.
- Black plastic with attractive textured finish.

Order No.	Mfg. No. / Description	List Price	
<b>2000069</b>	(9656-B) Fits Standard 2-1/16" Gauge Hole	<b>\$3.29</b>	HO-7910000
<b>2000070</b>	(9703-B) Fits Standard 3-3/8" Gauge Hole	<b>\$10.19</b>	HO-1160000

**Marpac Wedge Base Bulb**



- Sold 2 per card, box of 5 cards only.

Order No.	Description	List Price	
<b>7-3951</b>	Wedge Base Bulb	<b>\$3.19</b>	FO-3220000

**EMP Temperature Switch**



- 3/8-18.
- Replaces: MC 806490T, 18-5897.

Order No.	Mfg. No. / Description	List Price	
<b>4-5897</b>	(75-01942)	<b>\$21.59</b>	Z0-9161000

**Sierra Pitots**



- Universal speedometer pick-ups.
- For speeds 30 - 80 MPH.
- Unique slotted design replaces most brands without drilling.
- Automatic kick-up feature.

Order No.	Mfg. No. / Description	List Price	
<b>815362</b>	(56973P) Sold Each	<b>\$12.29</b>	FO-0680000
<b>8020255</b>	(59677P) Package of 12	<b>\$83.37</b>	Z0-6385000

**MPI Products Speedometer Pitot Tubing**



- Black PVC tubing for connection between speedometer pickup and gauge.
- Temperature range is -40° F to 150° F.
- Size ID: 4 mm.
- Size OD: 6.2 mm.

Order No.	Mfg. No. / Description	List Price	
<b>7680033</b>	(151-0405) Length 25'	<b>\$12.09</b>	FO-6480000
<b>772207</b>	(151-0407) Length 100'	<b>\$42.09</b>	FO-6492000

**Sierra Gauge Light Kit**



- Fits all Sierra gauges, except Heavy Duty and 2" Mechanical Units.
- Includes: 12 volt clear 2-CP bulb with wedge base socket.
- OEM #6299573.

Order No.	Mfg. No. / Description	List Price	
<b>815209</b>	(IA62995)	<b>\$8.79</b>	Z0-5160000

**Wedge Base Bulb**



- Pack of 10.

Order No.	Mfg. No. / Description	List Price	
<b>219483</b>	(181135)	<b>\$1.49</b>	FO-4010000

**Faria Temperature Sender**



- Single station, 10-32 stud.
- 1/8" NPT thread.
- American resistance.
- Ground: Standard.

Order No.	Mfg. No. / Description	List Price	
<b>3512265</b>	(90401)	<b>\$24.69</b>	FO-8271000

- Electronics
- Trolling Motors
- Instruments
- Electrical
- Lighting
- Anchor & Dock
- Safety
- Steering, Controls
- Pumps
- Fuel System
- Seating & Pedestals
- Trailering
- Tops & Covers
- Perform.
- Propellers
- Engine & Care
- Cleaning & Care
- Paint & Paint Acc.
- Fun & Flotation
- Topside Acc.
- Cockpit & Deck
- Hardware, Fasteners
- Camouflage
- Misc.
- Comm.

Electronics

Trolling Motors

Instruments

Electrical

Lighting

Anchor & Dock

Safety

Steering, Controls

Pumps

Fuel System

Seating & Pedestals

Trailering

Tops & Covers

Perform.

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc.

Fun & Flotation

Topside Acc.

Cockpit & Deck


Hardware, Fasteners

Camouflage

Misc.

Comm.

**Sierra Temperature Senders**



- Terminal type: 10-32 stud.
- Temperature: 240°

**SINGLE STATION**

Order No.	Mfg. No. / Description	List Price	
185896	(18-5896) 1/8" - 27 NPT	\$32.59	ZO-1591000
367525	(TS26611) 1/4" - 18 NPT	\$18.23	ZO-6721000
367549	(TS26621) 3/8" - 18 NPT	\$20.26	ZO-8141000
367587	(TS26631) 1/2" - 14 NPT	\$20.04	ZO-3041000

**DUAL STATION**

Order No.	Mfg. No. / Description	List Price	
367626	(TS26651) 1/4" - 18 NPT	\$24.59	ZO-9941000
185897	(18-5897) 3/8" - 18 NPT	\$35.59	ZO-3312000
185898	(18-5898) 1/2" - 14 NPT	\$27.09	ZO-5261000

**Faria Oil Pressure Senders**



- 1/8" NPTF thread.
- American resistance.
- Single station.
- Ground: Standard.

Order No.	Mfg. No. / Description	List Price	
3512290	(90512) 80 PSI	\$62.79	F0-5934000
3512295	(90519) 100 PSI	\$68.79	F0-5184000

**Sierra Outboard Tachometer Harness**



- Mercury/Mariner, 5-wire plug.
- Permits fast installation of tachometers.
- Eliminates field wiring problems.
- BIA color-coded harness.

Order No.	Mfg. No. / Description	List Price	
815499	(IH15105)	\$101.51	ZO-6017000

**Barksdale Econ-O-Trol Pressure Switch**



- Superior resolution.
- Long life.
- Easy setpoint adjustment.
- Ideal for pressure or vacuum applications.
- NEMA 1, 3 and 4.
- 10 amps @ 125/250 VAC; 3 amps @ 480 VAC (standard).
- Maximum PSI 90.

Order No.	Mfg. No. / Description	List Price	
645759	(E1H-H90)	\$340.80	BO-2760300

**Sierra Z Bracket**



- Outboard temperature sender.

Order No.	Mfg. No. / Description	List Price	
8020461	(IA55009)	\$10.50	ZO-5370000

**Sierra Adapter for Water Pressure/Temperature Sender**



- For Yamaha.
- I.D. 1/8" NPT.

Order No.	Mfg. No. / Description	List Price	
815108	(61886P)	\$71.45	ZO-1005000

**Sierra Oil Pressure Senders**



- For 80 PSI gauge.
- 1/8"-27 NPT thread.
- Terminal type: 10-32 stud.

**SINGLE STATION - REPLACES 700425, OE NO. 90806**

Order No.	Mfg. No. / Description	List Price	
185899	(18-5899)	\$42.99	ZO-5752000

**DUAL STATION**

Order No.	Mfg. No. / Description	List Price	
815160	(OP24891)	\$40.42	ZO-9282000

**Barksdale Remote Mount Temperature Switch**



- Provides unmatched performance, quality and reliability in a mechanical thermostat.
- Can switch, measure and control temperatures from -50° to 650° F (-45° to 343° C).
- Electrically rated for 10 amps @ 125/250V AC and 3 amps @ 480V AC.
- Standard 3- and 6-pin terminal strips simplify installation.
- Rated NEMA 4 and 13.
- UL, CSA and CE approved.

Order No.	Mfg. No. / Description	List Price	
645777	(MT1HH35112A)	\$513.98	CO-8863400


**World-Class Instrumentation for Modern Electronic Engines**

**The PowerView**

- For modern electronic engines and equipment applications using the SAW J1939 Controller Area Network.
- Displays over 30 standard SAW J1939 parameters broadcast by engine and transmission Electronic Control Units (ECU's).
- Graphical display features wide operating temperature range for viewing (-40 to 167° F/75° C).
- Displays active and ECU-Stored faults with text description for diagnosing equipment malfunctions.
- Simple connection to optional components.

**The PowerView Gauges**

- Display SAE J1939 parameters broadcast by the PowerView System.
- Feature cutting-edge, stepper motor technology and robust functionality.
- Microprocessor-driven for high accuracy.
- Simple installation and wiring design.



**Enhanced Gauge Readout**

A quick glance and you have all the details.

**Call for Prices and Availability**

**High-Resolution Display**

A large display provides immediate viewing of critical engine data.



**Frank W. Murphy EG21 Series Electric Gauges**



- Case: Polyester (PBT), impact and weather resistant with screw-on mounting clamp.
- Lens: Clear polycarbonate and UV stabilized.
- Bezel: Polished 316 stainless steel.
- Dial: Black with white markings; back-lite; dual scale with mirror band to reduce parallax reading errors.
- Air core movement: Silicon dampened pointer.
- Fits standard 2-1/16" opening.

Order No.	Mfg. No. / Description		List Price
772330	(05702381) Oil Pressure, 0-80 PSI	12 volt	\$71.59 HO-5924000
772332	(05702397) Oil Pressure, 0-100 PSI	12 volt	\$51.59 HO-5903000
772334	(05702429) Oil Pressure, 0-300 PSI	12 volt	\$53.89 HO-3323000
772336	(05702445) Oil Pressure, 0-400 PSI	12 volt	\$51.59 HO-5903000
772338	(10701286) Temperature, 100-250° F	12 volt	\$51.59 HO-5903000
772344	(65700106) Ammeter, 0-60	12 volt	\$54.59 HO-5723000
772346	(65700112) Ammeter, 0-100	12 volt	\$87.49 HO-9425000
777415	(65700259) Ammeter, 0-60	12 volt	\$68.19 HO-1904000
772348	(65700118) Voltmeter	12 volt	\$54.29 HO-7523000
772350	(65700124) Voltmeter	24 volt	\$55.39 HO-3233000
772351	(05006166) Wire/Connector Assembly	24 volt	\$66.29 HO-7793000

**INDICATING ONLY**

Order No.	Mfg. No. / Description	List Price
772342	(10701290) Temperature, 100-250° F	\$88.39 HO-3035000

**Frank W. Murphy EG Series Temperature Senders**



- 250/300° F.

**1-WIRE-TO-GROUND SENDER**

Order No.	Mfg. No. / Description	List Price
772497	(10702009) EST-250/300-1/2 1/2-14 NPT	\$31.49 HO-9881000
772500	(10702010) EST-250/300-1/8 1/8-27 NPT	\$31.49 HO-9881000

**2-WIRE UNGROUNDED SENDER**

Order No.	Mfg. No. / Description	List Price
772512	(10702013) ES2T-250/300-1/2 1/2-14 NPT	\$41.89 HO-3152000

**Frank W. Murphy EGS21 Series Electric Gauges**



- The EGS21 Series Swichgage instrument has all of the features of the EG21 Series Gauge plus an adjustable set point Power Hall Effect switch output for operating alarms or equipment shutdown.
- The trip point is adjustable over 90% of the scale and has a set point indicator visible from the gauge face.
- Pressure, fuel, volts set on decreasing scale.
- Temperature and amps set on increasing scale.
- Fits standard 2-1/16" opening.

Order No.	Mfg. No. / Description	List Price
772352	(05702389) Oil Pressure, 0-80 PSI	12 volt \$108.99 HO-9356000
772354	(05702405) Oil Pressure, 0-100 PSI	12 volt \$102.89 HO-3716000
772356	(05702437) Oil Pressure, 0-300 PSI	12 volt \$149.19 HO-1598000
772358	(05702451) Oil Pressure, 0-400 PSI	12 volt \$102.89 HO-3716000
772360	(10701292) Temperature, 100-250° F	12 volt \$102.89 HO-3716000
772370	(65700121) Voltmeter	12 volt \$104.89 HO-3926000

**Frank W. Murphy EG Series Pressure Senders**



- The ESPM Series recommends mounting off-equipment.

**1-WIRE-TO-GROUND SENDER**

Order No.	Mfg. No. / Description	List Price
772396	(05701860) ESP-80 0-80 PSI	\$62.69 HO-1673000
772411	(05701857) ESP-100 0-100 PSI	\$62.69 HO-1673000
772428	(05701751) ESPM-300 0-300 PSI	\$211.99 HO-9172100
772435	(05702566) ESPMK-400 0-400 PSI	\$305.79 HO-7438100

**2-WIRE UNGROUNDED SENDER**

Order No.	Mfg. No. / Description	List Price
772409	(05701867) ES2P-80 0-80 PSI	\$62.59 HO-5573000
772423	(05701858) ES2P-100 0-100 PSI	\$74.99 HO-9944000
772432	(05701750) ES2PM-300 0-300 PSI	\$245.39 HO-3274100
772447	(05702565) ES2PMK-400 0-400 PSI	\$362.49 HO-9471200

- Electronics
- Trolling Motors
- Instruments
- Electrical
- Lighting
- Anchor & Dock
- Safety
- Steering, Controls
- Pumps
- Fuel System
- Seating & Pedestals
- Trailering
- Tops & Covers
- Perform.
- Propellers
- Engine & Care
- Cleaning & Care
- Paint & Paint Acc.
- Fun & Flotation
- Topside Acc.
- Cockpit & Deck
- Hardware, Fasteners
- Camouflage
- Misc.
- Comm.

**Frank W. Murphy 2" Temperature Switchgages®**



- Diaphragm-actuated, temperature-indicating gages, with built-in electrical switches for tripping alarms and/or shutdown devices.
- These vapor actuated gages feature a sealed capillary tube and a sensing bulb. When subjected to heat, the liquid in the sensing bulb changes to vapor creating pressure against the diaphragm mechanism. The diaphragm translates this vapor pressure into a mechanical gage reading.
- The gage pointer acts as a temperature indicator and as one switch pole which completes a circuit when it touches the adjustable limit contact. Contact(s) are grounded through the Switchgage case.
- Dial: Black with white markings.
- Case: Plated steel with polycarbonate, high-impact lens.
- Bezel: Polished stainless steel.
- 1/2" N.P.T.

**Frank W. Murphy A20T Series Temperature Switchgages®**



- Diaphragm-actuated, temperature-indicating gages, with built-in electrical switches for tripping alarms and/or shutdown devices.
- These vapor actuated gages feature a sealed capillary tube and a sensing bulb. When subjected to heat, the liquid in the sensing bulb changes to vapor creating pressure against the diaphragm mechanism. The diaphragm translates this vapor pressure into a mechanical gage reading.
- Dial: Black with white markings.
- The gage pointer acts as a temperature indicator and as one switch pole which completes a circuit when it touches the adjustable limit contact. Contact(s) are isolated from ground.
- Case: Glass filled/Polycarbonate, corrosion-resistant with polycarbonate, high-impact lens.
- Bezel: Polished stainless steel.
- Temperature: 130-250° F.
- 1/2" N.P.T.
- Fits standard 2-1/16" opening.

- Electronics
- Trolling Motors

**TEMPERATURE: 130-250° F - FITS STANDARD 2-1/16" OPENING**

Order No.	Mfg. No. / Description	List Price
772302	(10702524) 20BTG-250-6 Indicating Only 6'	\$131.19 HO-1787000
772303	(10702525) 20BTG-250-8 Indicating Only 8'	\$135.99 HO-9518000
772304	(10702527) 20BTG-250-12 Indicating Only 12'	\$134.99 HO-9908000
772306	(10702571) 20BTG-250-20 Indicating Only 20'	\$162.09 HO-5279000
772308	(10702581) 20BTG-250-30 Indicating Only 30'	\$185.09 HO-5011100
772310	(10702569) 20BTG-250-50 Indicating Only 50'	\$237.99 HO-9724100
772325	(10702042) 20T-250-4 Switchgage 4'	\$135.99 HO-9518000
772316	(10702043) 20T-250-6 Switchgage 6'	\$140.59 HO-5348000
772318	(10702046) 20T-250-12 Switchgage 12'	\$158.59 HO-5159000
772320	(10702050) 20T-250-20 Switchgage 20'	\$175.39 HO-3250100
772322	(10702055) 20T-250-30 Switchgage 30'	\$202.09 HO-5212100
772323	(10702056) 20T-250-35 Switchgage 35'	\$229.99 HO-9973100
772324	(10702058) 20T-250-50 Switchgage 50'	\$260.49 HO-9265100

Order No.	Mfg. No. / Description	List Price
772313	(10703160) A20T-250-6 6'	\$243.49 HO-9064100
772314	(10703163) A20T-250-12 12'	\$261.59 HO-5965100
772315	(10703167) A20T-250-20 20'	\$285.59 HO-5317100
772321	(10703221) A20T-OS-250-25 25', Oil Sealed	\$348.59 HO-5190200

**Frank W. Murphy 2" Temperature Switchgage® with Snap-Switch**

- Same as 20/25T with internal SPDT snap-switch for pre-alarm.
- Temperature: 130-250° F.
- Cable length 6'.

**LIMITED QUANTITIES**

Order No.	Mfg. No. / Description	List Price
772714	(10702113) 20TABS-250-6	\$105.99 HO-9536000

**Frank W. Murphy 2" Pressure Switchgages®**



- Diaphragm-actuated, pressure-indicating gages, with built-in electrical switches for tripping alarms and/or shutdown devices.
- Dial: Black with white markings.
- The gage pointer acts as a pressure indicator and as one switch pole which completes a circuit when it touches the adjustable limit contact. Contacts are grounded through the Switchgage case and have self-cleaning motion to ensure electrical continuity.
- Case: Plated steel with polycarbonate, high-impact lens.
- Bezel: Polished stainless steel.
- Fits standard 2-1/16" opening.

**TEMPERATURE: 130-220° F - FITS STANDARD 2-1/16" OPENING**

Order No.	Mfg. No. / Description	List Price
772311	(10702501) 20BTG-220-4 Indicating Only 4'	\$126.99 HO-9167000
772312	(10702502) 20BTG-220-6 Indicating Only 6'	\$130.39 HO-3287000
772340	(10702504) 20BTG-220-10 Indicating Only 10'	\$135.09 HO-5018000
772720	(10702383) 20TG-OS-220 w/o Contacts 4'	\$135.09 HO-5018000
772724	(10702387) 20TG-OS-220 w/o Contacts 12'	\$223.99 HO-9343100

**Frank W. Murphy 2" Pressure Switchgages®**



- Diaphragm-actuated, pressure-indicating gages, with built-in electrical switches for tripping alarms and/or shutdown devices.
- The gage pointer acts as a pressure indicator and as one switch pole which completes a circuit when it touches the adjustable limit contact. Contacts have self-cleaning motion to ensure electrical continuity.
- Dial: Black with white markings.
- Case: Glass filled/Polycarbonate, corrosion-resistant with polycarbonate, high-impact lens.
- Bezel: Polished stainless steel.
- Fits standard 2-1/16" opening.

Order No.	Mfg. No. / Description	List Price
772677	(05703160) 20BPG-75 Indicating Only 0-75 PSI	\$84.89 HO-3905000
772684	(05703161) 20BPG-100 Indicating Only 0-100 PSI	\$85.49 HO-9215000
772687	(05703164) 20BPG-300 Indicating Only 0-300 PSI	\$94.29 HO-7565000
772679	(05702501) 20BPG-400 Indicating Only 0-400 PSI	\$215.29 HO-7192100
772650	(05703110) 20P-75 Switchgage 0-75 PSI	\$103.89 HO-3326000
772651	(05703115) 20P-100 Switchgage 0-100 PSI	\$101.79 HO-7016000
772663	(05703122) 20P-200 Switchgage 0-200 PSI	\$114.89 HO-3986000
772675	(05703124) 20P-300 Switchgage 0-300 PSI	\$114.59 HO-5786000
772722	(05702508) 20PG-OS-400 w/o Contacts 0-400 PSI	\$247.39 HO-3484100

**20P7 - LOCKOUT SWITCHGAGES**

- Same as 20P and 25P Series.
- They also include a front, semi-automatic lockout for startup override.
- This built-in device holds the pointer away from the contact on startup.
- When pressure exceeds the set point, the lockout is automatically disengaged.

Order No.	Mfg. No. / Description	List Price
772652	(05090101) 20P7-75 0-75 PSI	\$120.09 HO-5027000

- Perform.
- Propellers
- Engine & Care
- Cleaning & Care
- Paint & Paint Acc.
- Fun & Flotation
- Topside Acc.
- Cockpit & Deck
- Hardware, Fasteners
- Camouflage
- Misc.
- Comm.

## Frank W. Murphy Direct Mount Temperature Swichgages®



- The SDB Series are direct-mounting Temperature Swichgage devices.
- They provide an accurate direct-reading gauge with an adjustable limit switch to activate alarms and/or shutdown.
- A knob on front of the Swichgage allows you to adjust the limit switch trip point.
- Pointer movement is actuated by a bi-metallic sensing element.
- When the indicating pointer on the SDB touches the adjustable contact, a one-wire-to-ground circuit is completed to shut down the equipment and/or actuate audible or visual alarms.
- When the temperature rises to the preset trip point, the pointer engages an internal SPDT snap-switch to close/open circuits.
- The most common use of the SDB Series is to monitor gas compressor temperatures.
- Engine exhaust temperature can also be monitored to indicate overloading or lean fuel mixtures; or use the SDB to help coordinate loads on twin-engine installations.

Order No.	Mfg. No. / Description	List Price
772634	(10701038) 100-500° F Without Thermowell	\$913.29 H0-7974500
772648	(10050025) Thermowell for 1/2" NPT	\$421.59 H0-5925200

## SDB500EX

- Enclosure is explosion-proof and CSA listed for Class I, Group C and D hazardous locations.

Order No.	Mfg. No. / Description	List Price
772636	(10701071) 100-500° F 3/4" NPT Thermowell	\$1,380.69 H0-1482800

## Frank W. Murphy Electronic Speed Switch



- A single set point speed switch with SPDT relay dry contact output.
- The trip point is set by a potentiometer.
- An LED indicates when the signal source is present. A second LED turns on when the trip point is reached.
- For installation within a weatherproof enclosure to protect it from rain, dust, etc.
- 12 volt.

Order No.	Mfg. No. / Description	List Price
777396	(20700166) SS300-12	\$305.69 H0-1438100

## Newmar Temperature Gauge with Sensor



- Provides an accurate digital display of temperature for up to three different areas such as mobile air fill stations/medical supply compartments.
- Degrees F or C can be displayed.
- Operating temperature: 32° to 122° F.
- You can set Low and High temperature alarms for each sensor independently and the TG-3 continuously monitors the temperature of each sensor at all times.
- Diameter 2-1/2".

Order No.	Mfg. No. / Description	List Price
700206	(TG-3)	\$548.19 E0-4111400

LIMITED QUANTITIES

## Frank W. Murphy Model PSB Direct Mount Pressure Switches



- For critical pressure points.
- It has one limit contact that can be used to activate an alarm, actuate indicator lights or shut down equipment.
- The single-pole, double-throw (SPDT) snap switch is operated directly from the diaphragm, for quick acting and positive switching.
- Housing is weather sealed to prevent entry of moisture, dust, etc.
- Pressure connection: 1/8-27 NPT, brass.

Order No.	Mfg. No. / Description	List Price
772388	(05704427) 0-75 psi Set To Trip: 15 PSI	\$171.89 H0-3130100
772345	(05704428) 0-100 psi Set To Trip: 20 PSI	\$171.89 H0-3130100

## Frank W. Murphy Clamp Lite Assembly



- A20 Series Clamp Lite Assembly.
- 12 volt.

Order No.	Mfg. No. / Description	List Price
772301	(05702176)	\$49.89 H0-3992000

## Frank W. Murphy EL150K1 Series Liquid Level Swichgage®



- A combination liquid level gauge and low limit switch; each unit includes a chamber with pivotal float, an indicating dial with pointer and a low level contact.
- When properly installed and maintained, the float operates the pointer which, in turn, both indicates level during normal operation, and closes a switching circuit if the level falls to the low-limit set point.
- Built for low pressure systems with maximum of 25 psi.
- Snap-switch: SPDT rated 10 amps @ 125V AC.
- Case: Die cast aluminum, poly-urethane coated.
- Float: Brass. Lens: Polycarbonate.

Order No.	Mfg. No. / Description	List Price
772380	(15700116)	\$228.99 H0-9373100

Electronics

Trolling Motors

Instruments

Electrical

Lighting

Anchor &amp; Dock

Safety

Steering, Controls

Pumps

Fuel System

Seating &amp; Pedestals

Trailering

Tops &amp; Covers

Perform.

Propellers

Engine &amp; Care

Cleaning &amp; Care

Paint &amp; Paint Acc.

Fun &amp; Flotation

Topside Acc.

Cockpit &amp; Deck

Hardware, Fasteners

Camouflage



Misc.

Comm.



- Electronics ■
- Trolling Motors ■
- Instruments ■
- Electrical ■
- Lighting ■
- Anchor & Dock ■
- Safety ■
- Steering, Controls ■
- Pumps ■
- Fuel System ■
- Seating & Pedestals ■
- Trailing ■
- Tops & Covers ■
- Perform. ■
- Propellers ■
- Engine & Care ■
- Cleaning & Care ■
- Paint & Paint Acc. ■
- Fun & Flotation ■
- Topside Acc. ■
- Cockpit & Deck ■
- Hardware, Fasteners ■
- Camouflage ■
- Misc. ■
- Comm. ■

**Frank W. Murphy L129 Series Lube Level Switchgag<sup>®</sup>**



- A combination lube level indicating gauge and adjustable low and high limit switches.
- It provides protection against low oil level or high level caused by overfill or fuel or water seepage into the crankcase.
- A 6-3/4" deep sight gauge allows you check the condition and level of your oil without shutting down the equipment.
- Fingertip adjustable limit contacts, thru 4-7/8" range, make it simple to set high and low limit contacts.
- If the float touches the high or low limit contact, a normally open circuit will be completed which can activate alarms and/or shutdown the equipment.

**L129 - LUBE LEVEL SWITCHGAGE**

- Designed for grounded, low voltage electrical systems.
- It features a one-wire-to-ground electrical circuit.

Order No.	Mfg. No. / Description	List Price	
<b>772379</b>	(15700104)	<b>\$285.49</b>	H0-9217100

**L129CK1 - LUBE LEVEL SWITCHGAGE**

- Designed for applications requiring a three-wire, above ground electrical circuit.
- It features ungrounded contacts and a conduit hub to protect electrical wiring.

Order No.	Mfg. No. / Description	List Price	
<b>772381</b>	(15700107)	<b>\$335.49</b>	H0-9210200

**Frank W. Murphy Level Control for Scrubbers**



- BUOYGLAS float operates to 0.5 specific gravity.
- Stainless steel models meet NACE Requirements and carry Canadian registration numbers.
- Models rated for 2,000 psi (13.8 MPa) [138 bar] vessels.
- Models listed for Class I, Division 1 Locations.

**LIMITED QUANTITIES**

Order No.	Mfg. No. / Description	List Price	
<b>772382</b>	(15700060) Model L1200	<b>\$296.99</b>	H0-9187100

**Frank W. Murphy DF Series Hydrostatic Head Level Switch**



- The DF Series are diaphragm-operated hydrostatic head pressure level switches.
- A pressure sensitive diaphragm operates a snap-switch that can be wired directly to electric pilot circuits to control pumps at predetermined levels.
- Typical application is to start and stop electric driven pump(s) to maintain tank levels.
- It is also applicable to engine driven pumps.
- Suitable for atmospheric tanks in a non-hazardous area.
- Aluminum case.
- Maximum pressure rating: 25 psi.
- Dimensions: 5-1/2" x 6-5/32".
- Process connection: 1" NPT.

Order No.	Mfg. No. / Description	List Price	
<b>772384</b>	(15700001) Model DF755	<b>\$599.19</b>	H0-1595300

**Frank W. Murphy Selectronic<sup>®</sup> Tattletale<sup>®</sup> Remote Alarm Annunciators**



- A simple and inexpensive answer to your remote alarm annunciator needs.
- General purpose alarms suitable for a variety of applications.
- These compact Tattletale annunciators tell you by a flashing LED which variable malfunctioned.
- Many feature a pulsating Mini-Siren to audibly alert you to the malfunction.
- The audible alarm is silenced by depressing the Alarm Silence push button, but the visual signal remains in operation until the fault is corrected and the contacts are cleared.
- Use individually or gang for multiple applications.
- Flange mount.
- Accepts N.O. and/or N.C. contacts.
- Input voltage 8-32V AC or 8-40V DC.


Order No.	Mfg. No. / Description	List Price	
<b>772374</b>	(25700001) ST5AS-F 5 Alarm Points	<b>\$851.29</b>	H0-7701500
<b>772376</b>	(25700009) ST10AS-F 10 Alarm Points	<b>\$1,083.49</b>	H0-9005600

**SINGLE POINT ITEM DELAYS**


- Inhibit sensor input to ST Series annunciators.
- Compensators for momentary contact operation due to vessel movement, etc.
- Time delay: 8 - 10 seconds.

Order No.	Mfg. No. / Description	List Price	
<b>772375</b>	(20700002) TDST8-10	<b>\$355.29</b>	H0-7131200


## Frank W. Murphy Tattletale® Annunciators and Magnetic Switch




772395



777409



772300



772560

- The nerve centers that translate Switchgagge contact operations into decisions and operate the alarm or shutdown device.
- They are the electrical load carrying devices for the alarm or shutdown device.
- Tattletale annunciators indicate which monitored function failed leading to the alarm or shutdown whereas magnetic switches do not.
- Magnetic switches operate basically as a latching relay.

## MODEL 518APH

- Allows for Switchgagge and/or N.C. contacts to be wired "Closed Loop".
- Any contact open or Switchgagge contact close in the circuit shunt trips the 518APH.
- 12 volt.

Order No. Mfg. No. / Description List Price  
**772395** (25700147) **\$116.39** HO-3896000

## MODEL 760A/761APH - RESETS AUTOMATICALLY

- Use for distributor ignition or diesel.
- Time delay lockout of Switchgagge contacts on start-up only; customer wired for delayed or immediate trip on shutdown.
- Breaks and makes circuits when tripped.
- Time delay: 30 seconds.
- 12 volt. 14 amp fuse.

Order No. Mfg. No. / Description List Price  
**777409** (25700169) **\$250.79** HO-7405100

## MODEL 117 - MANUAL NON-INDICATING

- Use to shutdown 12 volt thru 32 volt distributor ignition or diesel engines.
- Breaks circuit when tripped.
- Opens distributor coil circuit or power circuit to diesel run device.
- Automatically disconnects from battery after trip.
- 12 volt. 14 amp fuse.
- No time delay

Order No. Mfg. No. / Description List Price  
**772300** (25700071) **\$90.49** HO-9245000

## MODEL MS2100 - MANUAL INDICATING

- Multi purpose Tattletale with dry contacts that can be used to make two circuits and break another when tripped.
- Operates from 120 VAC or Capacitor Discharge Ignition.
- The operating coil is intermittent duty and must be disconnected by an external circuit when tripped.
- 120 VAC.
- No time delay

Order No. Mfg. No. / Description List Price  
**772560** (25700415) **\$131.99** HO-9197000

## Frank W. Murphy Tachometers and Tach/Hourmeters - AT and ATH Series



- A rugged instrument with solid-state circuitry for indication of engine RPM.
- It is equipped with a ring nut for mounting into a standard 3-3/8" dash mounting hole.
- A full 240° sweep of the pointer gives an accurate indication on a large easy-to-read scale and the dial can be illuminated for night reading.
- The ATH Series model is also equipped with hourmeter to record the elapsed running time of an engine.
- These instruments are designed to function with Alternator, Magnetic Pickup or Ignition signals from:
  - pulses generated by an alternator with 4, 8, 12, 14 or 16 poles on the rotor.
  - pulses obtained from the ring gear of an engine by means of an electromagnetic sensor (magnetic pickup). The instrument is designed to function with flywheels having anywhere from 50 to 300 teeth.
  - 2 - 10 cylinder, 4 cycle spark-ignited engines.
- Power input: 10-32 VDC.
- Backlight: LED, red.

## TACHOMETER WITH BRIGHT STAINLESS STEEL BEZEL

Order No. Mfg. No. / Description List Price  
**772586** (20700245) AT-30 0 - 3,000 RPM **\$194.89** HO-3961100

## TACHOMETER/HOURMETER WITH BRIGHT STAINLESS STEEL BEZEL

Order No. Mfg. No. / Description List Price  
**772594** (20700249) ATH-30 0 - 3,000 RPM **\$250.09** HO-5005100

## TACHOMETER/HOURMETER WITH BLACK STAINLESS STEEL BEZEL

Order No. Mfg. No. / Description List Price  
**772596** (20700254) ATH-40-A 0 - 4,000 RPM **\$250.09** HO-5005100

## Frank W. Murphy MT90 Selectronic® Digital Tachometer



- Offers high accuracy and dependability resulting from use of a quartz crystal time based and digital, solid-state electronics.
- Back light for night viewing.
- Easy calibration.
- Power supplied by magnetic pickup or 12, 24 or 32V DC battery system.
- Input source can be a magnetic pickup or engine alternator.
- Dial diameter: 3-5/8".
- Mounting hole: 3-7/16".

Order No. Mfg. No. / Description List Price  
**772562** (20700019) **\$726.39** HO-3853400

## Frank W. Murphy Magnetic Pickups



- A magnetic pickup is an AC generator.
- It is normally installed into the flywheel housing of an internal combustion engine, so that the starter ring gear acts upon it to generate a voltage pulse each time a gear tooth passes the end of the sensor.
- Output leads: Two insulated leads, 20AWG, STR/TEF insulated per MIL-W-16878D Type E, 1 White and 1 Black.
- Output voltage: 200 V.P.P. TYP.

Order No. Mfg. No. Threaded Length Thread Size List Price  
**772601** (20700162) MP3298 3" 5/8-18 **\$179.49** HO-9670100  
**772613** (20700160) MP7905 4-1/2" 3/4-16 **\$177.99** HO-9760100

Electronics

Trolling Motors

Instruments

Electrical

Lighting

Anchor &amp; Dock

Safety

Steering, Controls

Pumps

Fuel System

Seating &amp; Pedestals

Trailering

Tops &amp; Covers

Perform.

Propellers

Engine &amp; Care

Cleaning &amp; Care

Paint &amp; Paint Acc.

Fun &amp; Flotation

Topside Acc.

Cockpit &amp; Deck

Hardware, Fasteners

Camouflage

Misc.

Comm.

**Aqualarm Bilge Water Level Warning System**



- The Bilge Water Level Detector, included in the kit, monitors bilge water level and sends a signal to the loud Bell and Bilge Alarm Warning Panel, activating Red Light and Loud Buzzer, when water reaches a predetermined level - indicating Bilge High Water.
- Green "ON" light to indicates power to the system.
- This Bilge Alarm is very easy to install and maintain.
- Panel (3" x 2"), Detector (2-3/8" x 1-1/2" diameter) and Bell (6" diameter).
- 12 volt.

Order No.	Mfg. No. / Description	List Price	
<b>228658</b>	(20131)	<b>\$148.19</b>	G0-9299000

**Aqualarm Cooling Water Flow Detector**



- Monitors raw water flow to prevent engine damage due to overheating.
- It is normally closed two wire, non-polarity switch that opens with flow and closes if you loose flow.
- Activates an immediate and audible or visual boat alarm to prevent engine damage due to overheating.
- 1-1/2" FPT.

Order No.	Mfg. No. / Description	List Price	
<b>228696</b>	(10271)	<b>\$159.29</b>	G0-2760100

**Cole Hersee Flashing Buzzer Alarm**



- Red light and buzzer operate simultaneously to give warning.
- Rugged, bright LED light never needs replacing.
- Many uses; can be used as an in-cab back-up monitor or warning that a truck hoist, dump body, winch or pump is in operation.
- Mounting stem 11/16", 17/32" long. Body size: 1-7/8" L x 1" W x 1-11/32" H.
- 12 volt.

Order No.	Mfg. No. / Description	List Price	
<b>630992</b>	(4112-RC-BP)	<b>\$51.29</b>	G0-6343000

**Jastram Rudder Angle Indicator System**



- The Jastram Rudder Angle Indicator System provides continuous, accurate indication of your rudder's position.
- Every Jastram RAI system requires a feedback unit and at least one rudder angle indicator.
- The 2 main components in a Jastram RAI system are: Rudder Angle Indicator and Rudder Feedback Unit.

**Aqualarm Standard Bell Alarm**



- The boat alarm bell makes a loud clanging noise that can be heard over the loudest boat diesel and ship's noise.
- It is enamel coated and has stainless hardware which makes it ideal for Marine alarm use.
- The bell has an efficient motor driven mechanism that draws an amazingly low current of 0.029 amps.
- Dimension: 6" diameter that mounts on a 4-1/2" base.
- 12 volt.

Order No.	Mfg. No. / Description	List Price	
<b>228665</b>	(20100)	<b>\$99.19</b>	G0-6466000

**Aqualarm Bilge Water Level Detector**



- A two lead, non-polarity, normally open detector that closes when water rises and activates a visual and/or audible device.
- It makes an excellent Boat Alarm Detector for bilge high water alarms.
- Dimensions: 2-3/8" height x 1-1/2" diameter.

Order No.	Mfg. No. / Description	List Price	
<b>228709</b>	(20120)	<b>\$62.59</b>	G0-4914000

**Aqualarm Engine Overheat Detector**



- A two terminal, non-polarity, normally open detector that closes when engine temperature reaches 200° F and activates a visual and/or audible device.
- Multi-voltage, works with 12, 24 and 32 volts.
- It is 1/2" MPT that installs into a 1/2" FPT plugged hole in the engine.

Order No.	Mfg. No. / Description	List Price	
<b>228723</b>	(20118)	<b>\$54.19</b>	G0-1363000

**RUDDER ANGLE INDICATOR**

- 3" face diameter.
- Indicator readings are not affected by low or fluctuating supply voltage.
- Reverse polarity protected.
- Backlight for increased visibility of the scale.
- Each indicator has a gain adjustment for easy synchronization.
- Indication up to 50° port and starboard.
- A high quality construction, anodized housings.

Order No.	Mfg. No. / Description	List Price	
<b>677635</b>	(JB-801068) RAI 300 Indicator	<b>\$1,120.39</b>	E0-9204800

**RFU 300 - RUDDER FEEDBACK UNIT**

- The RFU 300 is built to resist water and damage caused by vibrations from rough seas and mechanical systems.
- Features a high quality, long life potentiometer with heavy duty gears.
- Designed to be used only with the RAI Panoramic 3300 and RAI 301/RAI 300.
- Up to three indicators can operate at the same time.
- Unit operates on any voltage between 10-32 VDC.
- Comes with 50' cable.

Order No.	Mfg. No. / Description	List Price	
<b>677672</b>	(JA701065-1)	<b>\$1,437.99</b>	E0-9487010

Electronics

Trolling Motors

Instruments

Electrical

Lighting

Anchor & Dock

Safety

Steering, Controls

Pumps

Fuel System

Seating & Pedestals

Trailering

Tops & Covers

Perform.

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc.

Fun & Flotation

Topside Acc.

Cockpit & Deck

Hardware, Fasteners

Camouflage

Misc.

Comm.

## Telcor Instruments 7200 Position Sender

Telcor Instruments, Inc.



- Complete with two 1K POT.
- Available in 2K and 5K.
- Completely watertight construction with o-ring seals throughout.
- Mechanically linked to Rudder Tiller Arms or Full Follow-Up/Drop Shafts.
- Feedback Linkage moves with Rudders or Full Follow-Up Sticks.
- Sends Rudder Position Electronically to Indicators.
- Compatible with Telcor Meters/Controls as well as all others.
- Interchangeable housing and POT with Telcor 8200 Full Follow Up Jog Lever.
- Zero epoxy construction.
- Black anodized finish for superior corrosion resistance.
- Mounting dimensions match old Telcor models.

**IN STOCK**

Order No. Description

**679526** Assembly and Link

Price on Request

**679509** Assembly Only

Price on Request

**679514** Link Only

Price on Request

## Telcor Instruments 7300 Feedback/Repeatback Rudder Position Sender

Telcor Instruments, Inc.



- 4 limit switches for steering and flanking Rudders.
- Completely watertight construction with o-ring seals throughout.
- 3 POT built-in for designated Non-Follow-Up, Full Follow-Up and Rudder Angle Indicator.
- Sold with or without mechanical linkage for rudder tiller arms.
- Compatible with Telcor Meters/Controls as well as all others.
- Housing is threaded to allow easy access to internal components.
- Zero epoxy construction.
- Black anodized finish for superior corrosion resistance.
- Mounting dimensions match old Telcor models.
- Custom adapter plates available.

**IN STOCK**

Order No. Description

**679540** Assembly and Link

Price on Request

**679552** Assembly Only

Price on Request

**679538** Link Only

Price on Request

**679564** Standard Adapter Plate f/Bolt Pattern

Price on Request

## Telcor Instruments 2944G Watertight Light Dimmer

Telcor Instruments, Inc.



Order No. Description

**679641** Watertight Light Dimmer

Price on Request

**IN STOCK**

## Telcor Instruments 7003 Rudder Angle Indicator

Telcor Instruments, Inc.



- Stand Alone Meter the does not require Meter Module.
- Slave Meter can be used in Series and requires Module.

Order No. Mfg. No. / Description

**679627** (130100) Stand Alone

Price on Request

**679639** (130105) Slave

Price on Request

**IN STOCK**

## Telcor Digital Alarm and RAI Package

Telcor Instruments, Inc.

**SPECIAL ORDER**

Electronics

Trolling Motors

Instruments

Electrical

Lighting

Anchor &amp; Dock

Safety

Steering, Controls

Pumps

Fuel System

Seating &amp; Pedestals

Trailering

Tops &amp; Covers

Perform.

Propellers

Engine &amp; Care

Cleaning &amp; Care

Paint &amp; Paint Acc.

Fun &amp; Flotation

Topside Acc.

Cockpit &amp; Deck

Hardware, Fasteners

Camouflage

Misc.

Comm.

**Davis Illuminated Hand Bearing Compass - Illuminated**



- Made of high impact, grey plastic housing.
- Simply align front and rear sights on an object and read off bearing.
- The stable, liquid-damped compass card is graduated in 5° segments.
- Bold graduations every 15° for easy reading.
- Large, contoured handle designed for sure, steady grip and angled forward for added control.
- Lanyard and instructions included.
- Solid-state LED illumination system floods the compass capsule and sight vane with soft light.
- Batteries, which are included, will last up to 10 times longer than with regular bulbs.
- Positive "push-on" switching action, with vinyl boot water protection.
- Battery housing has high watertight integrity.

Electronics				
Trolling Motors	Order No.	Mfg. No. / Description	List Price	
	<b>322611</b>	(215)	<b>\$63.49</b>	F0-4444000

**RitchieSport® X-21WW and X21BU Dash Mount Compasses**



574055



574043



- 2" Direct Reading Dial.
- Easily installed, fits standard 2-1/16" instrument hole.
- View adjusts up to 30°.
- Scientifically matched sapphire jewel and hardened steel pivot dial movement.
- Exclusive built-in green NiteVu lighting.
- High temperature composite construction for extended operating range.
- DirectiveForce magnets.
- Exclusive 5-year Ritchie warranty.
- Note: Does not have built-in compensators.

Order No.	Mfg. No. / Description	List Price	
<b>574043</b>	(X-23WW) Designer White with White Dial	<b>\$83.29</b>	F0-0385000
<b>574055</b>	(X-23BU) Traditional Black w/High-Visibility Blue Dial	<b>\$83.29</b>	F0-0385000

**Ritchie V-527 Explorer™ Dash Mount Compass**



- 2-3/4" Direct Reading Dial.
- Traditional Black.
- Easily installed, fits 3" installation hole.
- Bezels styled to match popular gauge packages.
- 12V night illumination.
- Viewing is adjustable to 30°.
- Scientifically matched sapphire jewel and hardened steel pivot dial movement.
- Built-in compensators to easily adjust for deviation.
- Hi-Temperature construction.
- 100% repairability.
- Exclusive 5-year Ritchie warranty.

Order No.	Mfg. No. / Description	List Price	
<b>574168</b>	(V-57.2)	<b>\$133.09</b>	F0-6139000
<b>574942</b>	(EX-0005-2) Replacement Light Bulb - 12 volt	<b>\$16.09</b>	F0-6211000

**RitchieSport® X-10-M Bracket Mount Compasses**



574017



574005



574029



- 2" Direct Reading, High-Visibility Dials.
- Two-sided, self-adhesive mounting pads included.
- Reversible bracket allows a mounting range of over 300° from overhead, through angled and vertical mounts to horizontal surfaces.
- Internal green night lighting.
- High temp composite construction for extended operating range.
- Built-in compensators.
- Hardened steel pivot and sapphire jewel movement.
- Exclusive 5-year Ritchie warranty.

Order No.	Mfg. No. / Description	List Price	
<b>574005</b>	(X-10-M) No-Glare Gray w/High-Visibility Blue Dial	<b>\$65.69</b>	F0-8954000
<b>574017</b>	(X-10B-M) Traditional Black	<b>\$65.69</b>	F0-8954000
<b>574029</b>	(X-10W-M) Designer White	<b>\$65.69</b>	F0-8954000

**RitchieAngler Bracket Mount Compass**



- 2-3/4" Direct Reading Dial.
- Easily adjustable bracket mount with thumbscrews.
- No-Glare Gray Finish with High-Visibility Blue Dial.
- Distinctive RitchieAngler Graphics.
- Scientifically matched sapphire jewel and hardened steel pivot dial movement.
- Internal green night lighting.
- Built-in compensators to easily adjust for deviation.
- DirectiveForce magnets.
- Movable sun shield.
- 100% repairability.
- Exclusive 5-year Ritchie warranty.
- No-Glare Gray.

Order No.	Mfg. No. / Description	List Price	
<b>574081</b>	(RA-91)	<b>\$127.69</b>	F0-8398000
<b>574942</b>	(EX-0005-2) Replacement Light Bulb - 12 volt	<b>\$16.09</b>	F0-6211000

**RitchieAngler Surface Mount Compass**



- 2-3/4" Direct Reading Dial.
- Surface mount with push-button removal for quick storage and security.
- No-Glare Gray Finish with High-Visibility Blue Dial.
- Distinctive RitchieAngler Graphics.
- Scientifically matched sapphire jewel and hardened steel pivot dial movement.
- Internal green night lighting.
- Built-in compensators to easily adjust for deviation.
- DirectiveForce magnets.
- Movable sun shield.
- 100% repairability.
- Exclusive 5-year Ritchie warranty.

Order No.	Mfg. No. / Description	List Price	
<b>574093</b>	(RA-93)	<b>\$127.69</b>	F0-8398000
<b>574942</b>	(EX-0005-2) Replacement Light Bulb - 12 volt	<b>\$16.09</b>	F0-6211000

- Electronics
- Trolling Motors
- Instruments
- Electrical
- Lighting
- Anchor & Dock
- Safety
- Steering, Controls
- Pumps
- Fuel System
- Seating & Pedestals
- Trailering
- Tops & Covers
- Perform.
- Propellers
- Engine & Care
- Cleaning & Care
- Paint & Paint Acc.
- Fun & Flotation
- Topside Acc.
- Cockpit & Deck
- Hardware, Fasteners
- Camouflage
- Misc.
- Comm.

## Ritchie Explorer™ Compasses



574118



574110



574106

574119



574132



574144



- Designed for powerboats up to 24'.
- 2-3/4" Direct Reading Dial.
- Internal green night illumination.
- Built-in compensators to easily adjust to deviation.
- Scientifically matched sapphire jewel and hardened steel pivot dial movement.
- Powerful DirectiveForce magnets for fast heading lock-on.
- Movable sun shield.
- High temperature construction.
- Bezels styled to match popular gauge packages.
- **574144** (F-50) and **574132** (F-50W) fits 3-3/4" hole.
- 100% repairability.
- Exclusive 5-year Ritchie warranty.

Order No.	Mfg. No. / Description	List Price	
<b>574106</b>	(B-51) Bracket Mount Traditional Black	<b>\$127.69</b>	F0-8398000
<b>574110</b>	(B-51-W) Bracket Mount Designer White	<b>\$127.69</b>	F0-8398000
<b>574118</b>	(S-53) Surface Mount Traditional Black	<b>\$127.69</b>	F0-8398000
<b>574119</b>	(S-53W) Surface Mount Designer White	<b>\$127.69</b>	F0-8398000
<b>574144</b>	(F-50) Flush Mount Traditional Black	<b>\$129.79</b>	F0-5809000
<b>574132</b>	(F-50W) Flush Mount Designer White	<b>\$129.79</b>	F0-5809000
<b>574942</b>	(EX-0005-2) Replacement Light Bulb - 12 volt	<b>\$16.09</b>	F0-6211000

## Ritchie Helmsman™ Compasses - Traditional Black



574346



574360



574308

- 3-3/4" Dial.
- Designed for power or sailboats 25' to 35'.
- Exclusive built-in green NiteVu night illumination.
- Built-in compensators to easily adjust for deviation.
- Scientifically matched sapphire jewel and hardened steel pivot dial movement.
- Powerful DirectiveForce magnets for fast heading lock-on.
- Movable sun shield.
- 45 Degree lubber lines.
- High temperature composite construction for extended operating range.
- Custom fitted protective covers available.
- 100% repairability.
- Exclusive 5-year Ritchie warranty.

Order No.	Mfg. No. / Description	List Price	
<b>574308</b>	(HB-741) CombiDial Bracket Mount	<b>\$424.19</b>	F0-3969200
<b>574346</b>	(HF-742) Flat-Card Dial Flush Mount	<b>\$382.89</b>	F0-2086200
<b>574360</b>	(HF-743) CombiDial Flush Mount	<b>\$382.89</b>	F0-2086200

## Ritchie Voyager® Compasses



574257



574170



574208



574233



574245



574209

- Designed for powerboats up to 28'.
- Exclusive built-in green NiteVu night illumination.
- Built-in compensators to easily adjust for deviation.
- Scientifically matched sapphire jewel and hardened steel pivot dial movement.
- Powerful DirectiveForce magnets for fast heading lock-on.
- Movable sun shield.
- High temperature composite construction for extended operating range.
- 45 Degree lubber lines.
- 100% repairability.
- Exclusive 5-year Ritchie warranty.

## VOYAGER COMPASSES WITH 3" COMBIDAMP DIAL

Order No.	Mfg. No. / Description	List Price	
<b>574170</b>	(S-87) Surface Mount Traditional Black	<b>\$262.09</b>	F0-6438100
<b>574208</b>	(B-81) Bracket Mount Traditional Black	<b>\$274.69</b>	F0-8229100
<b>574257</b>	(F-83) Flush Mount Traditional Black	<b>\$262.09</b>	F0-6438100
<b>574233</b>	(F-83W) Flush Mount Designer White	<b>\$262.09</b>	F0-6438100

## VOYAGER COMPASS WITH 3" POWERDAMP FLAT DIAL

Order No.	Mfg. No. / Description	List Price	
<b>574245</b>	(F-82) Flush Mount Traditional Black	<b>\$262.09</b>	F0-6438100

## WHEELMARK COMPASS

- The Wheelmark approval is for Lifeboat and Rescue boat compasses. These compasses are also suitable for sailboats, power boats and motor sailing vessels.

Order No.	Mfg. No. / Description	List Price	
<b>574209</b>	(B-81-WM) Bracket Mount Traditional Black	<b>\$290.19</b>	F0-3130200

## Ritchie Navigator Compass



- 4-1/2" CombiDamp dial with large numerals.
- Designer White.
- Flush mount.
- Ideal for both power or sailboats.
- Fits all popular sailboats steering pedestals.
- 12V green LED lighting standard.
- Built-in compensators to easily adjust for deviation.
- Movable sun shield.
- 45 Degree lubber lines.
- High temperature construction for extended operating range.
- 100% repairability.
- Exclusive 5-year Ritchie warranty.



Order No.	Mfg. No. / Description	List Price	
<b>574548</b>	(FNW-203)	<b>\$659.19</b>	F0-3416400

Electronics

Trolling Motors

Instruments

Electrical

Lighting

Anchor &amp; Dock

Safety

Steering, Controls

Pumps

Fuel System

Seating &amp; Pedestals

Trailering

Tops &amp; Covers

Perform.

Propellers

Engine &amp; Care

Cleaning &amp; Care

Paint &amp; Paint Acc.

Fun &amp; Flotation

Topside Acc.

Cockpit &amp; Deck

Hardware, Fasteners

Camouflage

Misc.

Comm.

Ritchie SuperSports® Flush Mount Compasses



574562



574586



574563



574577

574574

- PowerDamp Plus, High-Visibility Blue Dial with extra large white numerals.
- Exclusive built-in green NiteVu night illumination.
- Built-in compensators to easily adjust for deviation.
- Scientifically matched sapphire jewel and hardened steel pivot dial movement.
- Internal gimbal systems for maximum stability during adverse pitch and roll conditions.
- Powerful DirectiveForce magnets for fast heading lock-on.
- Movable sun shield.
- 45 Degree lubber lines.
- High temperature composite construction for extended operating range.
- Custom fitted protective covers available.
- Easily installed.
- 100% repairability.
- Exclusive 5-year Ritchie warranty.

3-3/4" DIAL - MOUNTING HOLE 4"

Order No.	Mfg. No. / Description	List Price	
574562	(SS-1002) Black	\$433.29	F0-0330300
574563	(SS-1002W) White	\$433.29	F0-0330300

4-1/2" DIAL - MOUNTING HOLE 4-3/4"

Order No.	Mfg. No. / Description	List Price	
574574	(SS-2000) Black	\$750.19	F0-3152500
574577	(SS-2000W) White	\$750.19	F0-3152500

5" DIAL - MOUNTING HOLE 6-1/4"

Order No.	Mfg. No. / Description	List Price	
574586	(SS-5000) Black	\$1,359.79	F0-5815900

Ritchie Replacement Bulb



- For Explorer and RitchieAngler (except Model V-57).
- Clear bulb.
- 12 volt.
- Sold 2 per package.

Order No.	Mfg. No. / Description	List Price	
574942	(EX-0005-2)	\$16.09	F0-6211000

Ritchie HB-845 Helmsman™ Steel Boat Compass



- 3-3/4" PowerDamp Dial.
- Traditional Black.
- Exclusive built-in green NiteVu lighting.
- 45 Degree lubber lines.
- Special reinforced bracket with quadrantal correctors.
- Hardened steel pivot and sapphire jewel movement.
- Full internal gimbals.
- Built-in standard compensators and booster magnets on base.
- Movable sun shield.
- 100% repairability.
- Exclusive 5-year Ritchie warranty.

Order No.	Mfg. No. / Description	List Price	
574396	(HB-845)	\$885.39	F0-7791600

Ritchie Globemaster® Shock-Mounted Binnacle Compasses



- PowerDamp Performance Dial.
- A practical combination of compass and special mounting bracket is offered in this model.
- Special one piece cast bronze bracket mount model with black finish.
- Includes quadrantal correction spheres.
- Bracket mount steel boat. 5" dial has 2° with points.
- Built-in semi-circular compensators.
- Full internal gimbals.
- Night lighting - 12 volt.
- High capacity roller diaphragm for extended temperature operating ranges.
- Hardened steel pivot and sapphire jewel movement.
- 90° lubber lines for easy reading of reciprocal headings.
- 100% repairability.
- Exclusive 5-year Ritchie warranty.

5" DIAL - BASE DIAMETER: 6-7/8" x 19" x 8-1/4"

Order No.	Mfg. No. / Description	List Price	
574601	(YB-500)	\$2,060.99	F0-9624410

6" DIAL - BASE DIAMETER: 8" x 20-1/2" x 9-5/8"

Order No.	Mfg. No. / Description	List Price	
574613	(YB-600)	\$2,462.89	F0-2042710