# Catálogo de accesorios Náuticos



2025



www.repuestoselnavegante.com



#### Wire & Cable

We offer a complete line of marine wire and cable products. All wire and cable is RoHS compliant and built to meet SAE, UL, and/or CSA specifications. All wire is made in the USA

#### 105° C Tinned Wire

UL-Listed, tinned wire is ideal for use in the highly corrosive environment of marine applications. Special electro-tinned, copper strands also increase protection against corrosion for recreational vehicles, automotive, trucks, and trailers. Tinned copper stranding is extremely flexible for easy routing through marine applications and easier to solder than bare copper. Flame retardant, PVC insulation is highly resistant to water, oil, grease, gasoline and other damaging solvents. High voltage tolerance of up to 600 volts adds versatility to its use in multiple marine and other sustainable applications.

- Voltage: Rated at 600 volts.
- Temperature: Rated at 105° C (221° F) dry and 75° C (167° F) wet.
- Specifications: Meets DOT and Coast Guard specs for electrical systems.









#### 80° C Bonded Parallel Wire

Multiple primary wire parallel bonded with color-coding for identification purposes. Especially ideal for use in RVs, marine, and utility trailer applications. Built to stay together under the toughest operating conditions yet easy to separate at the end of a run for final terminal connection. All-copper stranded core is highly conductive maximizing current transfer while remaining flexible for easy installation.

- Voltage: Rated at 600 volts or less.
- $\bullet$  Temperature: Rated at  $-30^\circ$  C ( $-22^\circ$  F) to  $80^\circ$  C ( $176^\circ$  F).

Item

Ground

**Bonding System** 

Main Power Feeds

Generator or Alternator Field

Starting Circuit

**Bilge Blowers** 

Tachometer

**Pumps** 

Ignition

Navigation Lights

**Generator Armature** 

Accessory Feed

Instrument Feed

Water Temperature

Oil Pressure

Fuel Gauge

Alternator Charge Light

• Specifications: SAE J1128.

Color

Black

Red

Yellow

Brown

Orange

Purple

Tan

Pink

Dark Blue

Dark Gray

Dark Green

Yellow with a Red Stripe



Electronics

Trolling Motors

Instruments

#### Floetrical

Lighting

Anchor & Dock

Safety

Steering,

Controls

Pumps

Fuel

Seating & Pedestals

Trailering
Tops &

Perform.

Propellers

Engine

& Care
Cleaning
& Care

Paint & Paint Acc.

Fun & Flotation

Topside

Acc. Cockpit

& Deck
Hardware,

Fasteners

Camouflage

Misc.

Comm.

105° C Tinned Single-Conductor UL Listed 1426 Wire	105° C Tinned Multi-Conductor UL Listed 1426 Cable
TO WAR AND THE RESIDENCE OF CAMPULATION OF CAMPULAT	TOTAL DAY SAND WITH THE
TABLE DATE TO THE TRANSPORT OF THE TRANS	
Coloresta Maria - Coloresta de Japan des Lina de La Lina de Lina d	
to the advance and the substance of the substance of the	105° C Tinned Bonded Parallel Wire
105° C Tinned Single-Conductor UL Listed 1426 Cable	
THE WATER OF THE CONSTRUCT OF A LIGHT CONTRACT OF	
THE MATTER PARTY IS NOT THE THE THE THE THE THE THE THE THE TH	80° C Bonded Parallel Wire
ON MAIN MOSSEY IN MAIN TAKE CONSIDER AND THAT COMPANY AND THAT THE	
1 miles Miles in an artist to provide the first in the sale.	
the second manufact to the print point desire on the contract of the second of	

Wiring Color Code - Direct Current Systems - Under 50 Volts

Bonding Wires (if insulated)

Return Wires (if insulated)
Positive Mains, Particularly Unfused

Starting Switch to Solenoid

Fuse or Switch to Lights

Fuse or Switch to Pumps

Oil Pressure Sender to Gauge

Fuel Gauge Sender to Gauge

Tachometer to Gauge

Fuse or Switch to Bilge Blowers

Generator Armature to Regulator

Distribution Panel to Accessory Switch

Water Temperature Sender to Gauge

Ignition Switch to Coil and Electrical Instruments

Generator to Alternator Field to Regulate Field Terminal

Generator Terminal/Alternator Auxiliary Terminal to Light to Regulator

Ammeter to Alternator or Generator Output & Accessory Fuses or Generator Switches

Electronics Trolling Motors Instruments

**Electrical** 

Lighting Anchor & Dock Safety Steering Controls Pumps Fuel System Seating &

Pedestals

Trailering

Tops &

Perform.

Propellers

Engine & Care

Paint & Paint Acc Fun &

Flotation

#### Marpac Primary Marine Wire - Single Conductor



UL)LISTED



- Electro-tinned, copper strands increase corrosion protection.
- Rated 600 volts. Rating 221° F (105° C) dry and 167° F (75° C) wet.
- Flame retardant PVC insulation.
- RoHS complaint.
- Meets USCG, DOT, ABYC, NMMA and UL 1426 Specifications.

N	E	L	
M	OD	EĽ	S

Order No.	Description			List Price	1	Order No.	Description
7-4408	6 Gauge	Black	100' Spools	\$254.09	H0-5425100	7-4333	12 Gauge
7-4406	6 Gauge	Red	100' Spools	\$254.09	H0-5425100	7-4341	12 Gauge
7-4405	6 Gauge	Yellow	25' Spools	\$65.79	G0-8044000	7-4343	12 Gauge
7-4409	6 Gauge	Black	50' Spools	\$110.19	G0-3837000	7-4316	14 Gauge
7-4407	6 Gauge	Red	50' Spools	\$110.19	G0-3837000	7-4326	14 Gauge
7-4401	6 Gauge	White	50' Spools	\$110.19	G0-3837000	7-4324	14 Gauge
7-4403	6 Gauge	Green	25' Spools	\$72.09	H0-5234000	7-4314	14 Gauge
7-4402	6 Gauge	Green	100' Spools	\$223.79	H0-7243100	7-4312	14 Gauge
7-4358	8 Gauge	Green	100' Spools	\$133.19	F0-3239000	7-4330	14 Gauge
7-4361	8 Gauge	White	100' Spools	\$74.49	F0-4125000	7-4310	14 Gauge
7-4357	8 Gauge	White	100' Spools	\$177.49	H0-9460100	7-4331	14 Gauge
7-4356	8 Gauge	Red	100' Spools	\$133.19	F0-3239000	7-4318	14 Gauge
7-4359	8 Gauge	Red	250' Spools	\$308.59	F0-1061200	7-4320	14 Gauge
7-4354	8 Gauge	Black	100' Spools	\$133.19	F0-3239000	7-4322	14 Gauge
7-4360	8 Gauge	Black	250' Spools	\$308.59	F0-1061200	7-4328	14 Gauge
7-4350	10 Gauge	Green	100' Spools	\$76.19	G1-2594000	7-4308	14 Gauge
7-4349	10 Gauge	Dark Blue	100' Spools	\$76.19	G1-2594000	7-4309	14 Gauge
7-4348	10 Gauge	White	100' Spools	\$76.19	G1-2594000	7-4306	16 Gauge
7-4346	10 Gauge	Red	100' Spools	\$76.19	G1-2594000	7-4293	16 Gauge
7-4352	10 Gauge	Red	250' Spools	\$224.09	H0-5443100	7-4290	16 Gauge
7-4344	10 Gauge	Black	100' Spools	\$76.19	G1-2594000	7-4304	16 Gauge
7-4353	10 Gauge	Black	250' Spools	\$224.09	H0-5443100	7-4302	16 Gauge
7-4355	10 Gauge	Yellow	25' Spools	\$21.29	G0-6241000	7-4301	16 Gauge
7-4351	10 Gauge	Yellow	100' Spools	\$93.39	H0-3065000	7-4300	16 Gauge
7-4347	10 Gauge	Brown	100' Spools	\$76.19	G1-2594000	7-4299	16 Gauge
7-4345	12 Gauge	Orange	100' Spools	\$51.39	G1-0433000	7-4307	16 Gauge
7-4340	12 Gauge	Green	100' Spools	\$51.39	G1-0433000	7-4288	16 Gauge
7-4342	12 Gauge	Dark Blue	100' Spools	\$51.39	G1-0433000	7-4294	16 Gauge
7-4338	12 Gauge	White	100' Spools	\$62.09	H0-5273000	7-4296	16 Gauge
7-4336	12 Gauge	Red	100' Spools	\$51.39	G1-0433000	7-4292	16 Gauge
7-4332	12 Gauge	Red	500' Spools	\$284.89	H0-3907100	7-4298	16 Gauge

	000, 001, 1101	o,	zo spotmeanons.		MODELC
Order No.	Description			List Price	MODELS
7-4333	12 Gauge	Black	500' Spools	\$284.89	H0-3907100
7-4341	12 Gauge	Yellow	100' Spools	\$51.39	G1-0433000
7-4343	12 Gauge	Brown	100' Spools	\$51.39	G1-0433000
7-4316	14 Gauge	Green	100' Spools	\$36.89	H0-3122000
7-4326	14 Gauge	Dark Blue	100' Spools	\$36.89	H0-3122000
7-4324	14 Gauge	Light Blue	100' Spools	\$36.89	H0-3122000
7-4314	14 Gauge	White	100' Spools	\$36.89	H0-3122000
7-4312	14 Gauge	Red	100' Spools	\$36.89	H0-3122000
7-4330	14 Gauge	Red	500' Spools	\$197.59	H0-5581100
7-4310	14 Gauge	Black	100' Spools	\$36.89	H0-3122000
7-4331	14 Gauge	Black	500' Spools	\$197.59	H0-5581100
7-4318	14 Gauge	Yellow	100' Spools	\$36.89	H0-3122000
7-4320	14 Gauge	Brown	100' Spools	\$36.89	H0-3122000
7-4322	14 Gauge	Orange	100' Spools	\$36.89	H0-3122000
7-4328	14 Gauge	Pink	100' Spools	\$36.89	H0-3122000
7-4308	14 Gauge	Gray	100' Spools	\$36.89	H0-3122000
7-4309	14 Gauge	Purple	100' Spools	\$31.59	G0-7112000
7-4306	16 Gauge	Green	100' Spools	\$26.69	H0-1061000
7-4293	16 Gauge	Dark Blue	100' Spools	\$26.69	H0-1061000
7-4290	16 Gauge	Blue	100' Spools	\$28.79	H0-7271000
7-4304	16 Gauge	White	100' Spools	\$26.69	H0-1061000
7-4302	16 Gauge	Red	100' Spools	\$26.69	H0-1061000
7-4301	16 Gauge	Red	500' Spools	\$102.99	F0-9027000
7-4300	16 Gauge	Black	100' Spools	\$26.69	H0-1061000
7-4299	16 Gauge	Black	500' Spools	\$102.99	F0-9027000
7-4307	16 Gauge	Yellow	100' Spools	\$21.89	F0-2351000
7-4288	16 Gauge	Brown	100' Spools	\$26.69	H0-1061000
7-4294	16 Gauge	Orange	100' Spools	\$26.69	H0-1061000
7-4296	16 Gauge	Pink	100' Spools	\$26.69	H0-1061000
7-4292	16 Gauge	Gray	100' Spools	\$26.69	H0-1061000
	1 / 0	D 1	100/0	****	110 10 / 1000

#### Ancor Marine Grade® Primary Wire

100' Spools

Black

## ancor

Tinned copper.

ABYC standards.

and is resistant to heat and abrasion.

Mfg. No. / Description

**7-4334** 12 Gauge



#### Marpac Bonded Parallel Plastic Primary Wire - 2-Conductor

100' Spools



**\$51.39** G1-0433000



Electro-tinned, copper strands increase corrosion protection.

Purple

- $\bullet$  Rating -22° F (-30° C) to 176° F (80° C). Rated 60 volts.
- RoHS compliant. Meet SAE J1128 specifications.

Order No.	Description			List Price	
7-4369	10/2 Gauge	Red/Black	Length 100'	\$199.19	H0-1591100
7-4504	12/2 Gauge	Red/Black	Length 100'	\$127.69	F0-8398000
7-4500	16/2 Gauge	Red/Black	Length 100'	\$66.29	F0-0464000

#### **Ancor Bonded Cable**

## ANCOR



- Tinned copper.
- $\bullet$  Ancor's proprietary premium vinyl insulation stays flexible even in extreme cold (-40° F/-40° C) and resists salt water, battery acid, oil, gasoline and ultra-violet radiation.
- Exclusive insulation is rated at 600 volts, 221° F / 105° C dry and 167° F / 75° C wet, and is resistant to heat and abrasion.
- Exceeds all UL 1426, US Coast Guard Charter boat (CFR Title 46), and ABYC standards.

	) (	M JAN	ITI	E	D ES	
٥1	,	O 4	^1	^	^	

**\$26.69** H0-1061000

<b>1171427</b> (112010)	6 Gauge	Black	Length 100'	\$213.99	H0-9382100
<b>1171428</b> (112510)	6 Gauge	Red	Length 100'	\$228.99	H0-9373100
<b>1171424</b> (111010)	8 Gauge	Black	Length 100'	\$142.49	H0-9458000
<b>1171425</b> (111510)	8 Gauge	Red	Length 100'	\$133.09	H0-5897000
<b>1171419</b> (108010)	10 Gauge	Black	Length 100'	\$91.59	H0-5945000
<b>1171420</b> (108810)	10 Gauge	Red	Length 100'	\$91.59	H0-5945000

Ancor's proprietary premium vinyl insulation stays flexible even in extreme cold (-40° F/-40°

Exclusive insulation is rated at 600 volts, 221° F / 105° C dry and 167° F / 75° C wet,

C) and resists salt water, battery acid, oil, gasoline and ultra-violet radiation.

Exceeds all UL 1426, US Coast Guard Charter boat (CFR Title 46), and

LIMITED **QUANTITIES** List Price

00	715 C Grandarusi
00	Order No. Mfg. No. / Description
00	1171057 (121810) 8/2 G
ΛΛ	1171050 (101000) 0 /0 0

List Price Red/Black Length 100' \$299.79 G1-6849100 Gauge Red/Black \$91.59 H0-5945000 1171058 (121802) 8/2 Gauge Length 25' **\$76.19** G1-2594000

#### Topside Acc. Cockpit & Deck

Hardware,

Fasteners Camouflage

Misc.

Comm.

Electronics

Trolling Motors

Instruments

Lighting

Anchor & Dock

Safety

Steering

Controls

Pumps

Fuel System Seating & Pedestals Trailering

Tops & Covers

Perform

Propellers

Engine

Cleaning & Care

> Paint & Paint Acc

Fun & Flotation


Topside

Cockpit & Deck

Hardware, Fasteners

Camouflage

NEW





4-Conductor - White/Brown/Yellow/Green

- All copper strand core.
- Heavy duty PVC jacket with color-coded conductors.
- Rating  $176^{\circ}$  F ( $80^{\circ}$  C), nominal cold temperature rating of - $22^{\circ}$  F (- $30^{\circ}$  C).
- Rated 60 volts or less.
- RoHS compliant.
- Conductors meet SAE J1128 specifications.



2-CONDUCTOR						
Order No.	Description				List Price	
7-4386	14 Gauge	Red/Black		100'	\$72.39	G0-0584000
7-4385	14 Gauge	Red/Black		250'	\$129.49	F0-4609000
7-4384	16 Gauge	Red/Black		500'	\$244.09	H0-5464100
7-4382	16 Gauge	Red/Black		100'	\$58.39	G0-2193000
7-4380	18 Gauge	Red/Black		100'	\$48.69	G0-2623000
		,				
3-CONDUCTOR						

	Description 14 Gauge 16 Gauge	Brown/Yellow/Green Brown/Yellow/Green	100′ 100′		G0-1736000 G0-4694000		
4-CONDUCTOR							
Order No.	Description			List Price			

Order No.	Description			List Price	
7-4400	14 Gauge	White/Brown/Yellow/Green	100′	\$117.39	G0-5687000
7-4398	16 Gauge	White/Brown/Yellow/Green	100′	\$89.79	G0-6106000
7-4396	18 Gauge	White/Brown/Yellow/Green	100'	\$70.29	G0-9074000
	·				

#### Marpac Multi-Conductor Marine Wire - Triplex







- Electro-tinned, copper strands increase corrosion protection.
- $\bullet$  Rating 221° F (105° C) dry and 167° F (75° C) wet.
- Flame retardant PVC insulation.
- Rated 600 volts.
- RoHS complaint.
- Meets USCG, DOT, ABYC, NMMA and UL 1426 Specifications.
- Length 100'.
- Made in USA.

Order No.	Description	List Price	
7-4376	10 Gauge	\$236.49	F0-4556100
7-4374	12 Gauge	\$212.49	H0-9472100
7-4372	14 Gauge	\$119.49	F0-4638000
7-4378	16 Gauge	\$91.89	F0-2346000



Premium tinned bonded copper.

LIMITED **QUANTITIES** Mfg. No. / Description List Price **1171012** (153110) 16/2 Gauge Red/Black Length 100' \$75.09 G1-1884000

#### Marpac Multi-Conductor Marine Wire - Duplex





105°C DRY 75°C WET (UL)

- Electro-tinned, copper strands increase corrosion protection.
- Rating 221° F (105° C) dry and 167° F (75° C) wet.
- Flame retardant PVC insulation.
- Rated 600 volts.
- RoHS complaint.
- Meets USCG, DOT, ABYC, NMMA and UL 1426 Specifications.
- Made in USA.

mado in	05/1.				MODELS
Order No.	Description			List Price	MODELS
7-4470	10/2 Gauge	Red/Black	Length 100'	\$217.49	H0-9403100
7-4472	10/2 Gauge	Red/Black	Length 250'	\$510.89	H0-3560300
7-4370	10/2 Gauge	Black/White	Length 100'	\$217.49	H0-9403100
7-4371	10/2 Gauge	Yellow/Red	Length 100'	\$217.49	H0-9403100
7-4474	12/2 Gauge	Red/Black	Length 100'	\$118.29	F0-0828000
7-4476	12/2 Gauge	Red/Black	Length 250'	\$353.39	H0-3021200
7-4368	12/2 Gauge	Black/White	Length 100'	\$118.29	F0-0828000
7-4362	12/2 Gauge	Yellow/Red	Length 25'	\$50.09	G0-6533000
7-4475	12/2 Gauge	Yellow/Red	Length 100'	\$129.09	F0-6309000
7-4478	14/2 Gauge	Red/Black	Length 100'	\$92.29	F0-0646000
7-4480	14/2 Gauge	Red/Black	Length 250'	\$262.99	H0-9775100
7-4366	14/2 Gauge	Black/White	Length 100'	\$92.29	F0-0646000
7-4367	14/2 Gauge	Yellow/Red	Length 100'	\$92.29	F0-0646000
7-4482	16/2 Gauge	Red/Black	Length 100'	\$76.19	G0-5015000
7-4484	16/2 Gauge	Red/Black	Length 250'	\$157.19	G0-2350100
7-4364	16/2 Gauge	Black/White	Length 100'	\$76.19	G0-5015000
7-4365	16/2 Gauge	Yellow/Red	Length 100'	\$76.19	G0-5015000
7-4486	18/2 Gauge	Red/Black	Length 100'	\$67.59	G0-9254000
	, 0	•	Ţ.		

#### **Ancor Duplex Cable - Flat Cable**



- Ancor Duplex cables are made to surpass the highest UL Boat Cable standards.
- Ultra-flexible (Type 3/Class K) stranding resists fatigue due to vibration and flexing.
- Outer jacket is made for easy removal and provides the best abrasion resistance available.
- Inner conductors are correctly color-coded to ABYC standards.

**QUANTITIES** Order No. Mfg. No. / Description List Price 1171010 (121310) 12/2 Gauge Red/Black Length 100' \$138.19 HO-1928000



Misc.

Paint &

Paint Acc.

Fun &

Flotation

Topside

Cockpit

& Deck

Hardware,

Fasteners

Camouflage

Misc

Comm.

Acc.

**7-4420** 2 Gauge

**7-4422** 2 Gauge

**7-4421** 2 Gauge

**7-4418** 2 Gauge

7-4417 4 Gauge

**7-4415** 4 Gauge

**7-4416** 4 Gauge

**7-4413** 4 Gauge

**7-4412** 4 Gauge

**7-4414** 4 Gauge

**7-4411** 4 Gauge

**7-4410** 4 Gauge

#### **Marpac Starter Cable**







\$130.59 GO-0578000

\$586.39 HO-3815300

\$251.39 GO-3486100

\$130.59 G0-0578000

\$387.49 HO-9423200

\$198.99 H0-9391100

\$375.19 H0-1152200

**\$198.99** H0-9391100

\$88.69 G0-2495000

\$375.19 H0-1152200

\$198.99 HO-9391100

\$88.69 G0-2495000

- Electro-tinned, copper strands increase corrosion protection.
- Rated 600 volts.
- Rating 221° F (105° C) dry and 167° F (75° C) wet.
- Flame retardant PVC insulation.
- RoHS complaint.

Flectronics		•	Meets USCG,	DOT,	ABYC,	NMMA	and UL	1426	Specification	ns
-------------	--	---	-------------	------	-------	------	--------	------	---------------	----

Electronics	• Meets U	JSCG, DOI, ABI	rc, NMMA and UL	. 1426 Specifications	S.	NEW
	Order No.	Description			List Price	MODELS
Trolling Motors	7-4468	4/0 Gauge	Yellow	Length 25'	\$330.19	F0-3113200
1/101012	7-4467	4/0 Gauge	Yellow	Length 50'	\$928.59	H0-5175500
Instruments	7-4466	4/0 Gauge	Black	Length 25'	\$330.19	F0-3113200
	7-4465	4/0 Gauge	Black	Length 50'	\$897.29	H0-7383500
Electrical	7-4464	4/0 Gauge	Red	Length 25'	\$330.19	F0-3113200
Electricul	7-4463	4/0 Gauge	Red	Length 50'	\$897.29	H0-7383500
Lighting	7-4460	3/0 Gauge	Yellow	Length 25'	\$284.79	F0-5399100
Lighting	7-4459	3/0 Gauge	Yellow	Length 50'	\$730.49	H0-9283400
Anchor	7-4458	3/0 Gauge	Black	Length 25'	\$284.79	F0-5399100
& Dock	7-4457	3/0 Gauge	Black	Length 50'	\$705.59	H0-5332400
	7-4456	3/0 Gauge	Red	Length 25'	\$284.79	F0-5399100
Safety	7-4455	3/0 Gauge	Red	Length 50'	\$705.59	H0-5332400
Ctearing	7-4433	2/0 Gauge	Yellow	Length 25'	\$239.99	G0-9706100
Steering, Controls	7-4436	2/0 Gauge	Black	Length 100'	\$1,137.09	H0-5228600
	7-4432	2/0 Gauge	Black	Length 25'	\$240.49	G0-3116100
Pumps	7-4434	2/0 Gauge	Red	Length 100'	\$1,137.09	H0-5228600
	7-4430	2/0 Gauge	Red	Length 25'	\$239.99	G0-9706100
Fuel	7-4443	1/0 Gauge	Yellow	Length 25'	\$209.39	G0-9204100
System	7-4442	1/0 Gauge	Yellow	Length 50'	\$473.79	H0-7248200
Seating &	7-4441	1/0 Gauge	Black	Length 25'	\$209.39	G0-9204100
Pedestals	7-4440	1/0 Gauge	Black	Length 50'	\$473.79	H0-7248200
Trailering	7-4439	1/0 Gauge	Red	Length 25'	\$209.39	G0-9204100
Hullething	7-4438	1/0 Gauge	Red	Length 50'	\$473.79	H0-7248200
Tops &	7-4437	1 Gauge	Yellow	Length 25'	\$270.69	F0-8498100
Covers	7-4431	1 Gauge	Yellow	Length 50'	\$383.69	H0-1203200
D (	7-4429	1 Gauge	Black	Length 50'	\$383.69	H0-1203200
Perform.	7-4428	1 Gauge	Black	Length 25'	\$158.89	G0-6460100
	7-4427	1 Gauge	Red	Length 50'	\$383.69	H0-1203200
Propellers	7-4426	1 Gauge	Red	Length 25'	\$194.89	H0-3961100
	7-4419	2 Gauge	Yellow	Length 25'	\$130.59	G0-0578000
Engine & Care	7-4425	2 Gauge	Yellow	Length 50'	\$312.89	H0-3778100
	7-4424	2 Gauge	Black	Length 100'	\$586.39	H0-3815300
Cleaning & Care	7-4423	2 Gauge	Black	Length 50'	\$251.39	G0-3486100
Cr CUIT						

Black

Red

Red

Red

Yellow

Yellow

Black

Black

Black

Red

Red

Red

Length 25'

Length 100'

Length 50'

Length 25'

Length 100'

Length 50'

Length 100'

Length 50'

Length 25'

Length 100'

Length 50'

Length 25'

#### **East Penn Manufacturing Starter Cable**

#### **EASTPENIN**

- Full-gauge copper conductor wire ideal for connecting a battery to switch, starter and ground.
- Tough, high temperature resistant PVC insulation is durable enough to handle heavy duty automotive demands.
- Copper stranding is highly conductive maximizing current transfer while remaining flexible for easy installation.
- Voltage: Rated at 60 volts or less.
- Temperature: Rated -50 $^{\circ}$  C (-58 $^{\circ}$  F) to 105 $^{\circ}$  C (221 $^{\circ}$  F).



LIMITED **QUANTITIES** 

PRICED BY THE FOOT AND CU	T TO ORDER	
Order No. Mfg. No. / Description		List Price
<b>2000585</b> (04616) 2 Gauge	Red	\$6.79 H0-7040000
<b>2000586</b> (04611) 4 Gauge	Black	\$4.29 H0-7520000
<b>2000587</b> (04610) 4 Gauge	Red	\$4.29 H0-7520000
<b>2000588</b> (04605) 6 Gauge	Black	\$2.99 H0-9710000
<b>2000589</b> (04604) 6 Gauge	Red	\$2.99 H0-9710000

#### **Marpac Starter Cable**





NEW

- Full-gauge copper conductor wire ideal for connecting a battery to switch, starter and ground.
- Tough, high temperature resistant PVC insulation is durable enough to handle heavy duty automotive demands.
- · Copper stranding is highly conductive maximizing current transfer while remaining flexible for easy installation.
- Voltage: Rated at 60 volts or less.
- Temperature: Rated -50 $^{\circ}$  C (-58 $^{\circ}$  F) to 105 $^{\circ}$  C (221 $^{\circ}$  F).

Order No.	Description			List Price	PRODUCT
7-4120		Red	Length 25'		H0-7973000
7-4140		Black	Length 25'		H0-7973000
7-4123	4 Gauge	Red	Length 25'		H0-3974000
7-4143	4 Gauge	Black	Length 25'	\$79.89	H0-3974000
7-4127	2 Gauge	Red	Length 25'	\$118.49	H0-3974000
7-4146	2 Gauge	Black	Length 25'	\$118.49	H0-9017000

#### **Ancor Tinned Copper Lugs**

## ANCOR





1171826

- Ancor Marine Grade lugs are manufactured from heavy duty annealed tinned copper, providing for maximum current flow.
- 100% tin plated copper resists corrosion from salt and moisture.
- Seamless barrel design allows for maximum strength when crimped.

<ul> <li>Closed end design seals out moisture so cables stay dry and corrosion free.</li> </ul>							LIMITED
	Order No.	Mfg. No.		Screw Size		List Price	QUANTITIES
	1171809	(252236)	8 AWG	3/8"	2 Per Pack	\$3.99	J0-9120000
	1171810	(252245)	6 AWG	5/16"	2 Per Pack	\$5.99	J0-9230000
	1171356	(242246)	6 AWG	3/8"	25 Per Pack	\$45.99	H0-9572000
	1171814	(252256)	4 AWG	3/8"	2 Per Pack	\$6.99	H0-9140000
	1171358	(242256)	4 AWG	3/8"	25 Per Pack	\$58.99	H0-9353000
				•			

90° BEN	D FOR EAS	E OF WIRE	ROUTING			
Order No.	Mfg. No.		Screw Size		List Price	
1171826	(262245)	6 AWG	5/16"	2 Per Pack	\$7.69	G1-0050000
1171828	(262255)	4 AWG	5/16"	2 Per Pack	\$7.89	G1-3150000
1171829	(262256)	4 AWG	3/8"	2 Per Pack	\$9.09	G1-1950000
1171830	(262265)	2 AWG	5/16"	2 Per Pack	\$10.49	G1-2860000
1171831	(262266)	2 AWG	3/8"	2 Per Pack	\$10.49	G1-2860000



#### Sold by box of 5 Packages only! Priced per Package.

Sold 2 per display package.

	1			
Order No.	Description		List Price	
7-3450	8 AWG	#1/4	\$4.39	F0-7030000
7-3455	8 AWG	#5/16	\$4.39	F0-7030000
7-3460	8 AWG	#3/8	\$4.39	F0-7030000
7-3465	6 AWG	#1/8	\$7.39	F0-7150000
7-3470	6 AWG	#1/4	\$5.09	F0-6530000
7-3475	6 AWG	#5/16	\$5.09	F0-6530000
7-3480	6 AWG	#3/8	\$5.09	F0-6530000
7-3490	4 AWG	#5/16	\$6.49	F0-4540000
7-3500	4 AWG	#3/8	\$6.49	F0-4540000
7-3510	2 AWG	#5/16	\$8.39	F0-7850000
7-3520	2 AWG	#3/8	\$9.49	F0-4660000
7-3525	1 AWG	#5/16	\$8.39	F0-7850000
7-3530	1 AWG	#3/8	\$8.39	F0-7850000
7-3535	1/0 AWG	#5/16	\$10.69	F0-8470000
7-3540	1/0 AWG	#3/8	\$11.89	F0-2380000
7-3545	1/0 AWG	#1/2	\$11.89	F0-2380000
7-3550	2/0 AWG	#1/4	\$15.59	F0-1901000
7-3555	2/0 AWG	#5/16	\$14.79	F0-5301000
7-3560	2/0 AWG	#3/8	\$14.79	F0-5301000
7-3565	2/0 AWG	#1/2	\$15.59	F0-1901000
7-3570	4/0 AWG	#3/8	\$21.49	F0-4051000
7-3575	4/0 AWG	#1/2	\$21.49	F0-4051000

#### East Penn Manufacturing Extra Heavy Duty Tin-Plated Copper Lugs



- Thicker walls for greater strength and conductivity.
- Lugs can be crimped or soldered and are stackable.
- Used for severe-duty applications. Gauge stamped on Jun for easy identification.

<ul> <li>Used for</li> </ul>	severe-auty applications.	Jauge stampea on IU	g for easy lae	entification	
Order No.	Mfg. No. / Description			List Price	MODELS
277877	(05491) 6 Gauge	Stud Hole 5/16"	Each	\$2.99	H0-9710000
278603	(05491) 6 Gauge	Stud Hole 5/16"	10 Pack	\$2.99	H0-9710000
277885	(05490) 6 Gauge	Stud Hole 3/8"	Each	\$2.99	H0-9710000
278615	(05490) 6 Gauge	Stud Hole 3/8"	10 Pack	\$17.89	F0-2521000
277879	(05486) 4 Gauge	Stud Hole 5/16"	Each	\$3.99	H0-9320000
278639	(05486) 4 Gauge	Stud Hole 5/16"	10 Pack	\$23.89	F0-2761000
277887	(05342) 4 Gauge	Stud Hole 3/8"	Each	\$3.99	H0-9320000
278641	(05342) 4 Gauge	Stud Hole 3/8"	10 Pack	\$23.89	F0-2761000
277881	(05480) 1-2 Gauge	Stud Hole 5/16"	Each	\$5.19	H0-1130000
278665	(05480) 1-2 Gauge	Stud Hole 5/16"	10 Pack	\$31.39	F0-7912000
277889	(05343) 1-2 Gauge	Stud Hole 3/8"	Each	\$5.19	H0-1130000
278677	(05343) 1-2 Gauge	Stud Hole 3/8"	10 Pack	\$31.39	F0-7912000
277899	(05344) 1-2 Gauge	Stud Hole 1/2"	Each	\$5.19	H0-1130000
277891	(05345) 1/0 Gauge	Stud Hole 3/8"	Each	\$6.39	H0-3830000
277883	(05482) 2/0 Gauge	Stud Hole 5/16"	Each	\$6.49	H0-9830000
277893	(05347) 2/0 Gauge	Stud Hole 3/8"	Each	\$6.49	H0-9830000
277901	(05349) 2/0 Gauge	Stud Hole 1/2"	Each	\$6.49	H0-9830000
277895	(05352) 4/0 Gauge	Stud Hole 3/8"	Each	\$7.89	H0-3740000
277897	(05353) 4/0 Gauge	Stud Hole 1/2"	Each	\$7.89	H0-3740000

#### Sierra Battery Cable

#### SIERR&

• Gauge cable with soldered lug terminals on each end to accept a 3/8" stud.

Order No.	Mfg. No. / Desc	ription			List Price	
8020343	(BC88533)	4 Gauge	Black	Length 2'	\$14.68	Z0-8201000
8020344	(BC88543)	2 Gauge	Red	Length 4'	\$32.50	Z0-5722000

#### **East Penn Manufacturing Copper Lugs**

## **EASTPENN**

- Lugs can be crimped or soldered and are stackable.
- Gauge stamped on lug for easy identification.
- Flared ends for easy entry.

Order No.	Mfg. No. / Description			List Price	MODELS
278108	(05472) 8 Gauge	Stud Hole #10	50 Pack	\$47.59	F0-1333000
278110	(05474) 8 Gauge	Stud Hole 5/16"	50 Pack	\$47.59	F0-1333000
278122	(05473) 8 Gauge	Stud Hole 3/8"	50 Pack	\$47.59	F0-1333000
278134	(05467) 6 Gauge	Stud Hole 5/16"	50 Pack	\$48.79	F0-5143000
277684	(05468) 6 Gauge	Stud Hole 1/4"	Each	\$1.69	H0-1010000
278146	(05468) 6 Gauge	Stud Hole 1/4"	50 Pack	\$48.79	F0-5143000
277699	(05326) 6 Gauge	Stud Hole 3/8"	Each	\$1.69	H0-1010000
278158	(05326) 6 Gauge	Stud Hole 3/8"	50 Pack	\$48.79	H0-1010000
278160	(05465) 4 Gauge	Stud Hole 1/4"	50 Pack	\$49.89	F0-2943000
277687	(05328) 4 Gauge	Stud Hole 5/16"	Each	\$1.69	H0-1010000
278172	(05328) 4 Gauge	Stud Hole 5/16"	50 Pack	\$49.89	F0-2943000
277702	(05327) 4 Gauge	Stud Hole 3/8"	Each	\$1.69	H0-1010000
278184	(05327) 4 Gauge	Stud Hole 3/8"	50 Pack	\$49.89	F0-2943000
277689	(05462) 2 Gauge	Stud Hole 5/16"	Each	\$1.99	H0-9110000
278209	(05462) 2 Gauge	Stud Hole 5/16"	50 Pack	\$59.19	F0-3414000
277714	(05329) 2 Gauge	Stud Hole 3/8"	Each	\$1.99	H0-9110000
278211	(05329) 2 Gauge	Stud Hole 3/8"	50 Pack	\$59.19	F0-3414000
277779	(05330) 2 Gauge	Stud Hole 1/2"	Each	\$3.09	H0-5810000
277691	(05459) 1 Gauge	Stud Hole 5/16"	Each	\$2.09	H0-5210000
277726	(05331) 1 Gauge	Stud Hole 3/8"	Each	\$2.09	H0-5210000
278235	(05331) 1 Gauge	Stud Hole 3/8"	50 Pack	\$61.49	F0-4034000
277790	(05332) 1 Gauge	Stud Hole 1/2"	Each	\$3.89	H0-3320000
277693	(05460) 1/0 Gaug		Each	\$2.39	H0-3410000
277738	(05333) 1/0 Gaug		Each	\$2.39	H0-3410000
278247	(05333) 1/0 Gaug		50 Pack	\$71.99	H0-3410000
277780	(05334) 1/0 Gaug		Each	\$2.39	H0-3410000
277695	(05463) 2/0 Gaug		Each	\$2.79	H0-7610000
277773	(05335) 2/0 Gaug		Each	\$2.79	H0-7610000
278273	(05335) 2/0 Gaug		50 Pack	\$82.39	F0-7675000
277815	(05336) 2/0 Gaug		Each	\$2.79	H0-7610000
278261	(05336) 2/0 Gaug		50 Pack	\$82.39	F0-7675000
278297	(03276) 3/0 Gaug		50 Pack	\$121.79	F0-5258000
278300	(03277) 4/0 Gaug		50 Pack	\$132.19	F0-3529000
278312	(03278) 4/0 Gaug	e Stud Hole 1/2"	50 Pack	\$66.19	F0-3364000

#### **Marpac Tinned Copper Battery Cable**

- Pre-assembled battery cable.
- Made of 100% copper conductor for maximum current flow.
- Copper core extends to the end of the plated lug to give a one piece solid connection.
- Full gauge stranded copper core is flexible for easy installation and allows maximum current for quick starting.
- Wire meets SAE standards.

Order No.	Description				List Price	MODELS
7-4055	4 Gauge	Black	Length 24"	Stud Hole 3/8"	\$12.69	H0-1670000
7-4060	4 Gauge	Red	Length 24"	Stud Hole 3/8"	\$12.69	H0-1670000
7-4065	4 Gauge	Black	Length 36"	Stud Hole 3/8"	\$16.09	H0-5690000
7-4070	4 Gauge	Red	Length 36"	Stud Hole 3/8"	\$16.09	H0-5690000
7-4066	4 Gauge	Black	Length 48"	Stud Hole 3/8"	\$19.79	H0-7811000
7-4071	4 Gauge	Red	Length 48"	Stud Hole 3/8"	\$19.79	H0-7811000
7-4111	2 Gauge	Black	Length 24"	Stud Hole 3/8"	\$17.89	H0-3701000
7-4089	2 Gauge	Red	Length 24"	Stud Hole 3/8"	\$17.89	H0-3701000
7-4085	2 Gauge	Black	Length 48"	Stud Hole 3/8"	\$28.39	H0-3071000
7-4090	2 Gauge	Red	Length 48"	Stud Hole 3/8"	\$28.39	H0-3071000
7-4095	2 Gauge	Black	Length 60"	Stud Hole 3/8"	\$34.39	H0-3602000
7-4100	2 Gauge	Red	Length 60"	Stud Hole 3/8"	\$34.39	H0-3602000
7-4105	2 Gauge	Black	Length 72"	Stud Hole 3/8"	\$39.19	G1-7452000
7-4110	2 Gauge	Red	Length 72"	Stud Hole 3/8"	\$39.19	G1-7452000





Electronics

Trolling Motors Instruments

Lighting

Anchor & Dock

Safety

Steering Controls

> Pumps Fuel

System Seating &

Trailering

Perform.

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc.

NEW

Fun & Flotation

Topside

Cockpit & Deck

Hardware, Fasteners

Camouflage

Misc.

Electronics

Trolling Motors Instruments

**Electrical** 

Lighting

Anchor & Dock

Safety

Steering Controls

Pumps Fuel

System

Seatina &

Perform.

& Care

Paint &

Paint Acc

Acc. Cockpit & Deck Hardware,

Fasteners

Camouflage

Misc.

Comm.

## **Ancor Tinned Copper Battery Cables**

#### ANCOR

- Tinned copper.
- Ultra-flexible (Type 3) stranding resists fatigue due to vibration and flexing.
- Premium vinyl insulation that resists salt water, battery acid, oil, gasoline, and ultra-violet radiation, is rated at 600 volts and 105° C.
- Heavy duty insulation, resistant to heat and abrasion.
- Exceeds all UL 1426, US Coast Guard Charter boat (CFR Title 46), and ABYC standards.

Mfg. No. / Description

1171382 (113010) 4 Gauge **\$266.39** G1-5137100 Black Length 100' Length 100' **\$284.99** G1-4258100 **1171383** (113510) 4 Gauge Red

#### **Wing Nut Terminals**

Clamp type wing nut terminals convert standard post to marine or other special uses.

- Brass plated wing nut.
- Positive terminal stud size is 3/8".
- Negative terminal stud size is 5/16".
- Sold per pair per display pack: 1 positive and 1 negative.

Mfa. No. / Description

List Price 277875 (00354) \$6.89 H0-3140000

#### **Moeller Battery Terminal Covers**

#### M•FLLER

- The flexible PVC covers will accept up to 1/2" OD cable.
- · Meets USCG and BIA safety regulations for anti-short protection.

Pedestals Mfg. No. / Description

Trailering 487505 (099078-10) Per Pair 487507 (099078-02) Red Only Tops & Covers

\$12.89 F0-2090000 **\$3.49** F0-4420000 487509 (099079-02) Black Only **\$3.49** F0-4420000

#### **ProMariner Charger DC Cable Extender**

#### **Pro**Mariner

- Universal design for all marine chargers with ring terminal cables.
- Rated up to 30A.
- Color coded for quick and easy installation.
- Waterproof dual in-line fuses.
- · No cutting, stripping or splicing required.
- Slide & snap fully insulated connection covers.
- Corrosion resistant tinned 12 AWG copper wire and gold plated hardware.
- Dual inline waterproof fuses for maximum wire protection.
- Use with all on-board marine battery chargers when standard battery charger cables do not reach your bow, center mount or stern battery compartment locations.

Mfg. No. / Description 2901764 (51815) Length 15' **\$44.09** F0-6803000

#### **Marpac Battery Terminal Guards**



LIMITED

QUANTITIES





Sold per pair per package.

Order No.	Description	LIST FIICE	
7-4195	For 2 AWG Cable	\$9.49	F0-4660000
7-4200	For 4 AWG Cable	\$9.49	F0-4660000

#### Blue Sea Square CableCap Insulators





- Insulates battery terminals which have in-line dual posts.
- Cable size: 1/0 AWG.
- Sold per pair: Black and red.

Order No. Mfg. No. / Description 1304018 (4018-BSS) **\$6.59** F0-1640000

#### **Marpac Vinyl Butt Connectors**





Vinyl insulated butt connectors.

Sold by box of 5 Packages only! Priced 6 per Package.

Oluei No.	Describitori		FIST LLICE	
7-3110	22-18 AWG	Red	\$3.39	F0-7320000
7-3115	16-14 AWG	Blue	\$3.39	F0-7320000
7-3120	12-10 AWG	Yellow	\$3.59	F0-1520000

#### **Greenlite Vinyl Insulated Butt Splice Connectors**





Vinyl insulation.

- UL rated for 75° C (167° F), 300 volts.
- Sold 100 per pack

'	Sola 100 por pack.			
	Order No. Mfg. No. / Description		List Price	
	<b>7000444</b> (GB-R6V) 22-16 AWG	Red	\$6.49	F0-4540000
	<b>7000446</b> (GB-B6V) 16-14 AWG	Blue	\$6.99	F0-9840000
	<b>7000448</b> (GB-Y6V) 12-10 AWG	Yellow	\$11.19	F0-3870000

#### Handi-Man Vinyl Insulated Butt Connectors





- · Vinyl insulated butt connectors are designed for the marine environment.
- Sold bulk.

Order No.	Mfg. No. / Description			List Price	
479320	(110018) 22-18 AWG	Red	100 Per Box	\$16.79	F0-5711000
479508	(110028) 16-14 AWG	Blue	100 Per Box	\$19.99	F0-9931000
479700	(110038) 12-10 AWG	Yellow	100 Per Box	\$29.09	F0-6302000
479801	(110045) 8 AWG	Red	25 Per Box	\$23.19	F0-3261000
479899	(110055) 6 AWG	Rlue	25 Per Rox	\$56.29	F0-0493000

Electronics Trolling

Motors

Lighting

Anchor & Dock

Safety

Steering

Controls

Pumps

Fuel

System

Seating &

Pedestals

Trailering

Tops & Covers

Perform

Propellers

Engine

& Care

Cleaning & Care

Paint & Paint Acc Fun & Flotation

Topside

LIMITED

Instruments

#### **Ancor Nylon Single Crimp Butt Connectors**

## **ANCOR**

- Nylon insulated seamless.
- Tinned copper gives the least electrical resistance but the most corrosion protection.
- Barrels are designed to tightly grip the wirewith the least effort.



0	der No.	Mfg. No. / De	scription			List Price	QUANTITIE
1	171301	(220110)	16-14 AWG	Blue	100 Per Package	\$20.99	H0-9521000
1	171561	(230120)	12-10 AWG	Yellow	5 Per Package	\$3.99	H0-9320000

#### **Marpac Heat Shrink Butt Connectors**





#### Sold by box of 5 Packages only! Priced per Package.

Sold 2 per package. Mini-Blister - 5 per box.

Order No.	Description		List Price	
7-3290	22-18 AWG	Red	\$4.49	F0-4130000
7-3300	16-14 AWG	Blue	\$4.39	F0-7030000
7-3310	12-10 AWG	Yellow	\$4.59	F0-1230000

#### **Ancor Heat Shrink Butt Connectors**

#### ANCOR



- · Heat activated adhesive built into the sleeve of the heat shrink tubing.
- Shrinks to form a water tight seal and ultimate vibration and strain relief.
- Tinned for corrosion resistance.
- Pure copper for maximum current flow.
- Brazed seam for maximum strength.
- UL listed and CSA recognized.
- $\bullet$  Shrinks at 275° F / 135° C.

	•					QUANTITIES
rder No.	Mfg. No. / De	scription			List Price	QUANTITIES
172230	(309003)	22-18 AWG	Red	3 Per Package	\$6.09	H0-5630000
171041	(200000)	00 10 AMC	n. J	100 D D	ČE0 00	110 5 45 2000

<b>1172230</b> (309003)	22-18 AWG	Red	3 Per Package	\$6.09	H0-5630000
<b>1171341</b> (309099)	22-18 AWG	Red	100 Per Package	\$59.09	H0-5453000

#### Ancor Heat Shrink Step-Down Multi-Wire Connectors

## **ANCOR**

- These butt connectors can be used as a step-down from one gauge size to another or as a multi-wire connector for one gauge size wire.
- Offer a sealed alternative for products such as a quick-tap or 3-way connector in areas where corrosion is a concern.
- Flared barrel with uniform copper wall ensures an easy and proper mechanical crimp.
- Colored stripes on the barrel indicate which crimp die to use, regardless of application.

Order No.	Mfg. No. / Description		List Price	
7000848	(320125) 22-18 AWG	Clear Tube with Red Dashes	\$43.29	F0-0303000
7000850	(320225) 16-14 AWG	Clear Tube with Blue Dashes	\$51.49	F0-4063000

#### **Ancor Heavy Duty Butt Connector**

#### **ANCOR**



• 100% tinned copper.

Order No. Mfg. No. / Description

1171836 (242130) 8 AWG 25 Per Package

#### LIMITED **QUANTITIES**

List Price \$55.49 G1-7063000

#### **Handi-Man Heat Shrink Butt Connectors**





• When heated, these connectors form a water tight seal and the ultimate vibration and strain relief.

• Sold 25 per box.

Urder No.	Mfg. No. / Description		List Price	
480018	(120015) 22-18 AWG	Red	\$21.99	F0-9351000
480044	(120025) 16-14 AWG	Blue	\$21.99	F0-9351000
480070	(120035) 12-10 AWG	Yellow	\$29.39	F0-7502000

#### **Greenlite Heat Shrink Insulated Butt Splice Connectors**



- Our adhesive-lined high density PE insulation shrinks and bonds when heated in order to provide a tight water-resistant seal.
- Electro-tin-plated copper ensures maximum conductivity and resistance to corrosion.
- UL rated for 600 volts.
- Sold 100 per pack.

LIMITED

Order No.	Mfg. No. / Description		List Price	
2000800	(GB-R6HS) 22-16 AWG	Red	\$46.69	H0-1082000
2000802	(GB-B6HS) 16-14 AWG	Blue	\$48.29	H0-7982000
2000804	(GB-Y6HS) 12-10 AWG	Yellow	\$73.69	H0-1244000

#### **Marpac Vinyl Spade Fork Connectors**





#### Sold by box of 5 Packages only! Priced per Package.

Vinyl insulated spade fork connectors.

Order No.	Description			List Price	QUANTITIES
7-3190	22-18 AWG - #10	Red	7 Per Package	\$3.49	F0-4420000
7-3195	16-14 AWG - #10	Blue	7 Per Package	\$3.49	F0-4420000
7-3200	12-10 AWG - #10	Yellow	6 Per Package	\$3.59	F0-1520000

#### Greenlite Vinyl Insulated Non-Flanged Block Spades

					MEW Models
Order No.	Mfg. No. / De	scription		List Price	MODELS
2002492	(GS-B6V)	22-16 AWG - #6	Red	\$9.99	G0-9660000
2002469	(GS-R8V)	22-16 AWG - #8	Red	\$9.99	G0-9660000
2000759	(GS-R10V)	22-16 AWG - #10	Red	\$7.59	F0-1350000
2000761	(GS-B8V)	16-14 AWG - #8	Blue	\$7.59	F0-1350000
2000762	(GS-B10V)	16-14 AWG - #10	Blue	\$8.29	F0-0850000
2002536	(GS-Y8V)	12-10 AWG - #8	Yellow	\$17.99	G0-5021000
2002547	(GS-Y10V)	12-10 AWG - #10	Yellow	\$17.99	G0-5021000





Vinyl insulation.

• UL rated for 75° C (167° F), 600 volts.

• Sold 100 per pack.



Cockpit & Deck Hardware. Fasteners

Camouflage

Misc.

#### Handi-Man Vinyl Insulated Spade Fork Connectors



- Vinyl insulated spade fork connectors.
- Terminals are designed for the harsh marine environment, are easy to crimp and designed to tightly grip the wire.
- Sold 100 per box.



Ц	M	П	ī	Г
O	I۸	NΤ	ITI	FC

Order No.	Mfg. No. / De	scription			List Price	QUANTITIES
	,	16-14 AWG	Stud Size: #8	Blue	\$14.29	F0-0001000
479421	(110438)	16-14 AWG	Stud Size: #10	Blue	\$13.99	F0-9790000
479623	(110478)	12-10 AWG	Stud Size: #10	Yellow	\$25.49	F0-4871000

#### **Handi-Man Heat Shrink Spade Fork Connectors**

Electronics

Trolling Motors

Instruments

Lighting

Anchor & Dock

Safety

Steering

Controls

Pumps

Fuel

System

Trailering

Tops &

Propellers

Engine

& Care

Paint & Paint Acc Fun & Flotation Topside Acc. Cockpit & Deck Hardware, Fasteners Camouflage

Comm.



- Spade fork connectors are easy to crimp and designed to tightly grip the wire.
- Heating provides a water tight seal.
- Sold 25 per box.

El

	Order No.	Mfg. No. / Desc	ription
lectrical	480032	(122305)	16-1

0.00	g / 203	en pinon
480032	(122305)	16-14 AW(
	(100015)	70 70 414

**480068** (122315) 12-10 AWG

\$22.69 F0-8851000 G Stud Size: #10 Stud Size: #10 Yellow **\$25.89** F0-2181000

#### **Greenlite Vinyl Insulated Flanged Block Spade**

GREENLITEC



- Vinyl insulation.
- Right-angled flanged teeth help fix the terminals to binding posts before screw-down.
- Electro-tin-plated copper ensures maximum conductivity and resistance to corrosion.
- UL rated for 75° C (167° F), 600 volts.
- Seating & 100 per bag.

Pedestals Order No. Mfg. No. / Description

2000726 (GS2-B10V) 16-14 AWG Stud Size: #10 Blue

List Price \$8.49 F0-4950000

#### **Marpac Vinyl Ring Tongue Terminals**





List Price

#### Sold by box of 5 Packages only! Priced per Package.

Vinyl insulated ring tongue terminals.

i	Order No.	Description			List Price	
	7-3130	22-18 AWG - #8	Red	7 Per Package	\$3.39	F0-7320000
	7-3135	22-18 AWG - #10	Red	7 Per Package	\$3.39	F0-7320000
	7-3140	16-14 AWG - #6	Blue	7 Per Package	\$3.39	F0-7320000
	7-3145	16-14 AWG - #8	Blue	7 Per Package	\$3.49	F0-4420000
	7-3150	16-14 AWG - #10	Blue	7 Per Package	\$3.39	F0-7320000
	7-3155	16-14 AWG - #1/4	Blue	6 Per Package	\$3.49	F0-4420000
	7-3165	16-14 AWG - #3/8	Blue	5 Per Package	\$3.49	F0-4420000
	7-3170	12-10 AWG - #10	Yellow	6 Per Package	\$3.59	F0-1520000
	7-3175	12-10 AWG - #1/4	Yellow	5 Per Package	\$3.59	F0-1520000
	7-3180	12-10 AWG - #5/16	Yellow	5 Per Package	\$3.59	F0-1520000
	7-3185	12-10 AWG - #3/8	Yellow	5 Per Package	\$3.59	F0-1520000

#### **Greenlite Heat Shrink Insulated Spade/Fork**

GREENLITEC



- Our heat-shrink insulated fork terminals are designed for the most secure electrical connectors.
- The adhesive-lined, high-density PE insultation shrinks and bonds to the wire when heated, providing a tight, water-resistent seal.
- UL Rated for 105° C (221° F), 600 volts.

Order No.	Mfg. No. / Descri	ription		List Price	
2000856	(GS-R6HS)	22-16 AWG - #6	Red	\$39.89	H0-3932000
2000858	(GS-R8HS)	22-16 AWG - #8	Red	\$40.99	H0-9542000
2000860	(GS-R10HS)	22-16 AWG - #10	Red	\$42.89	H0-3752000
2000862	(GS-B6HS)	16-14 AWG - #6	Blue	\$43.19	H0-1952000
2000864	(GS-B8HS)	16-14 AWG - #8	Blue	\$44.29	H0-7562000
2000866	(GS-B10HS)	16-14 AWG - #10	Blue	\$46.19	H0-1772000
2000868	(GS-Y8HS)	12-10 AWG - #8	Yellow	\$68.39	H0-3014000
2000870	(GS-Y10HS)	12-10 AWG - #10	Yellow	\$68.39	H0-3014000
2000872	(GS-Y14HS)	12-10 AWG - 1/4"	Yellow	\$46.19	H0-9425000

#### **Greenlite Vinyl Insulated Snap Spades**



- Vinyl insulation.
- Contoured termination cut-outs "click" and secure spades to studs.
- Electro-tin-plated copper ensures maximum conductivity and resistance to corrosion.
- UL rated for 75° C (167° F), 600 volts.
- 100 per bag.

Orde

20

20



LIMITED

ler No.	Mfg. No. / Description			List Price	QUANTITIES
00767	(GS1-B6V) 16-14 AWG	Stud Size: #6	Blue	\$8.49	F0-4950000
00768	(GS1-B8V) 16-14 AWG	Stud Size: #8	Blue	\$8.49	F0-4950000

#### **Greenlite Vinyl Insulated Ring Terminals**



- Vinyl insulation.
- Electro-tin-plated copper ensures maximum conductivity and resistance to corrosion.
- UL rated for 75° C (167° F), 600 volts.
- 100 per bag.



Order No. Mfg. No. / Desc	ription		List Price	
<b>2000740</b> (GR-R6V)	22-16 AWG - #6	Red	\$5.89	F0-2140000
<b>2000741</b> (GR-R8V)	22-16 AWG - #8	Red	\$6.49	F0-4540000
<b>7000450</b> (GR-R10V)	22-16 AWG - #10	Red	\$6.49	F0-4540000
<b>7000452</b> (GR-R14V)	22-16 AWG - 1/4"	Red	\$9.39	F0-7560000
<b>2000744</b> (GR-B6V)	16-14 AWG - #6	Blue	\$6.59	F0-1640000
<b>7000454</b> (GR-B8V)	16-14 AWG - #8	Blue	\$7.69	F0-8350000
<b>2002102</b> (GR-B10V)	16-14 AWG - #10	Blue	\$13.99	G0-7390000
<b>7000456</b> (GR-B14V)	16-14 AWG - 1/4"	Blue	\$10.29	F0-0270000
<b>7000460</b> (GR-B516V)	16-14 AWG - 5/16"	Blue	\$10.09	F0-6070000
<b>7000458</b> (GR-B38V)	16-14 AWG - 3/8"	Blue	\$12.39	F0-7680000
<b>2000750</b> (GR-Y6V)	12-10 AWG - #6	Yellow	\$10.99	F0-9670000
<b>2000751</b> (GR-Y8V)	12-10 AWG - #8	Yellow	\$12.19	F0-3580000
<b>7000462</b> (GR-Y10V)	12-10 AWG - #10	Yellow	\$12.19	F0-3580000
<b>2002180</b> (GR-Y14V)	12-10 AWG - 1/4"	Yellow	\$27.99	G0-5781000
<b>7000466</b> (GR-Y516V)	12-10 AWG - 5/16"	Yellow	\$18.39	F0-7821000
7000464 (GR-Y38V)	12-10 AWG - 3/8"	Yellow	\$18.39	F0-7821000
<b>2000753</b> (GR-Y12V)	12-10 AWG - 1/2"	Yellow	\$24.29	F0-0071000

LIMITED

#### **Handi-Man Vinyl Insulated Ring Tongue Terminals**





- Vinyl insulated ring tongue terminals.
- Designed for the marine environment.
- Easy to crimp and tightly grip the wire.
- Sold bulk.

Order No.	Mfg. No.	Wire Size	Stud Size	Color	Per Box	List Price	
479217	(110088)	22-18 AWG	#8	Red	100	\$16.49	F0-4511000
479229	(110098)	22-18 AWG	#10	Red	100	\$16.39	F0-7411000
479243	(110118)	22-18 AWG	5/16	Red	100	\$21.49	F0-4051000
479368	(110148)	16-14 AWG	#8	Blue	100	\$18.49	F0-4921000
479370	(110158)	16-14 AWG	#10	Blue	100	\$18.49	F0-4921000
479382	(110168)	16-14 AWG	1/4	Blue	100	\$23.09	F0-6161000
479394	(110178)	16-14 AWG	5/16	Blue	100	\$22.69	F0-8851000
479407	(110188)	16-14 AWG	3/8	Blue	100	\$24.79	F0-5371000
479560	(110218)	12-10 AWG	#10	Yellow	100	\$24.99	F0-9471000
479572	(110228)	12-10 AWG	1/4	Yellow	100	\$33.99	F0-9732000
479584	(110238)	12-10 AWG	5/16	Yellow	100	\$33.29	F0-0332000
479596	(110248)	12-10 AWG	3/8	Yellow	100	\$30.89	F0-2612000
479609	(110258)	12-10 AWG	1/2	Yellow	100	\$36.79	F0-5752000
479750	(112255)	8 AWG	#10	Red	25	\$17.99	F0-9521000
479762	(110265)	8 AWG	1/4	Red	25	\$18.39	F0-7821000
479774	(110275)	8 AWG	5/16	Red	25	\$21.49	F0-4051000
479786	(110285)	8 AWG	3/8	Red	25	\$21.49	F0-4051000
479851	(110305)	6 AWG	1/4	Blue	25	\$26.39	F0-7481000
479863	(110315)	6 AWG	5/16	Blue	25	\$28.19	F0-3791000
479875	(110325)	6 AWG	3/8	Blue	25	\$27.69	F0-8391000

#### **Marpac Heat Shrink Ring Tongues**





#### Sold by box of 5 Packages only! Priced per Package.

• Sold 2 per package, except for **7-3325** (Sold 4 per package) Mini-Blister - 5 per box.

Order No.	Description		List Price
7-3320	22-18 AWG - #10	Red	<b>\$4.49</b> F0-4130000
7-3325	22-18 AWG - #1/4	Red	<b>\$4.49</b> F0-4130000
7-3335	16-14 AWG - #8	Blue	<b>\$4.49</b> F0-4130000
7-3345	16-14 AWG - #10	Blue	<b>\$4.49</b> F0-4130000
7-3350	16-14 AWG - #1/4	Blue	<b>\$4.49</b> F0-4130000
	16-14 AWG - #5/16	Blue	<b>\$4.49</b> F0-4130000
7-3365	16-14 AWG - #3/8	Blue	<b>\$4.49</b> F0-4130000
7-3370	12-10 AWG - #10	Yellow	<b>\$5.49</b> F0-4830000
7-3375	12-10 AWG - #1/4	Yellow	<b>\$5.49</b> F0-4830000
7-3385	12-10 AWG - #3/8	Yellow	<b>\$5.49</b> F0-4830000
7-3390	12-10 AWG - #1/2	Yellow	<b>\$5.99</b> F0-9140000
7-3425	12-10 AWG - #5/16	Yellow	<b>\$5.99</b> F0-9140000

#### Handi-Man Heat Shrink Ring Tongue



- When heated, heat shrink ring tongue terminals forma water tight seal.
- Sold 25 per box.

Order No.	Mfg. No. / De	scription			List Price	
479990	(120065)	22-18 AWG	#10	Red	\$21.59	F0-1151000
480020	(120105)	16-14 AWG	#10	Blue	\$22.69	F0-8851000
480056	(120155)	12-10 AWG	#10	Yellow	\$25.39	F0-7771000

#### **Ancor Nylon Insulated Ring Terminals**

## **ANCOR**



- Nylon insulated with insulation grip.
- Tinned copper gives the least electrical resistance but the most corrosion protection.
- Barrels are designed to tightly grip the wire with the least effort.
- Double crimp, funnel entry.

	• •	•					OHANTITIES
Order No.	Mfg. No.	Wire Size	Stud Size	Color	Per Box	List Price	QUANTITIES
1171800	(210202)	22-18 AWG	#8	Red	25	\$12.99	H0-9770000
1171312	(230215)	16-14 AWG	5/16"	Blue	5	\$4.09	H0-5420000
M96-2339	(230234)	8 AWG	1/4"	Red	2	\$2.89	F0-2020000

#### **Greenlite Nylon Insulation Ring Terminals**



- Nylon insulation.
- Electro-tin-plated copper ensures maximum conductivity and resistance to corrosion.
- UL rated for 105° C (221° F), 600 volts.
- 100 per bag.

Order No.	Mfg. No. / Descr	ription		List Price	
2000794	(GR-R8N)	22-16 AWG - #8	Red	\$8.39	F0-7850000
2000793	(GR-R10N)	22-16 AWG - #10	Red	\$8.39	F0-7850000
2000792	(GR-B8N)	16-14 AWG - #8	Blue	\$9.89	F0-2960000
2000788	(GR-B10N)	16-14 AWG - #10	Blue	\$9.89	F0-2960000
2000789	(GR-B14N)	16-14 AWG - 1/4"	Blue	\$12.99	F0-9090000
2000791	(GR-B516N)	16-14 AWG - 5/16"	Blue	\$12.99	F0-9090000
2000790	(GR-B38N)	16-14 AWG - 3/8"	Blue	\$14.29	F0-0001000
		•			

#### **Greenlite Heat Shrink Insulated Ring Terminals**



- Our heat-shrink insulated rings are designed for the most secure electrical connectors.
- The adhesive-lined, high-density PE insultation shrinks and bonds to the wire when heated, providing a tight, water-resistent seal.
- UL Rated for 105° C (221° F), 600 volts.

Order No. Mfg. No. / Descrip	otion	Color	List Price	
<b>2000822</b> (GR-R6HS)	22-16 AWG - #6	Red	\$37.79	H0-7622000
2000824 (GR-R8HS)	22-16 AWG - #8	Red	\$42.09	H0-5252000
<b>2000826</b> (GR-R10HS)	22-16 AWG - #10	Red	\$42.09	H0-5252000
2000828 (GR-R14HS)	22-16 AWG - 1/4"	Red	\$51.59	H0-5903000
<b>2000830</b> (GR-B6HS)	16-14 AWG - #6	Blue	\$42.69	H0-1652000
2000832 (GR-B8HS)	16-14 AWG - #8	Blue	\$47.29	H0-7382000
<b>2000834</b> (GR-B10HS)	16-14 AWG - #10	Blue	\$47.29	H0-7382000
<b>2000836</b> (GR-B14HS)	16-14 AWG - 1/4"	Blue	\$55.59	H0-5333000
<b>2000838</b> (GR-B516HS)	16-14 AWG - 5/16"	Blue	\$55.59	H0-5333000
2000840 (GR-B38HS)	16-14 AWG - 3/8"	Blue	\$58.19	H0-1943000
<b>2000842</b> (GR-Y6HS)	12-10 AWG - #6	Yellow	\$65.79	H0-7493000
2000844 (GR-Y8HS)	12-10 AWG - #8	Yellow	\$73.69	H0-1244000
<b>2000846</b> (GR-Y10HS)	12-10 AWG - #10	Yellow	\$73.69	H0-1244000
2000848 (GR-Y14HS)	12-10 AWG - 1/4"	Yellow	\$79.29	H0-7574000
2000850 (GR-Y516HS)	12-10 AWG - 5/16"	Yellow	\$89.49	H0-9635000
2000852 (GR-Y38HS)	12-10 AWG - 3/8"	Yellow	\$89.49	H0-9635000
<b>2000854</b> (GR-Y12HS)	12-10 AWG - 1/2"	Yellow	\$108.69	H0-1256000

#### **Ancor Adhesive Lined Heat Shrink Ring Terminals**

## **ANCOR**

 Heat activated adhesive built into the sleeve of the heat shrink tubing.

of the float strink lobing.							
Order No.	Mfa. No.	Wire Size	Stud Size	Color	Per Box	List Price	QUANTI
1172245	(312603)	12-10 AWG	3/8"	Yellow	3	\$7.09	H0-52400



Instruments

#### Electrica

Lighting

Anchor & Dock

Safety

Steering, Controls

Pumps

Fuel System

Seating & Pedestals

Trailering
Tops &

Perform.

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc.

Fun & Flotation

Topside Acc.

Cockpit & Deck

Hardware, Fasteners

Camouflage

Misc.

/VIISC.

Comm.

#### **Marpac Vinyl Bullet Connectors**







#### Sold by box of 5 Packages only! Priced per Package.

Vinyl insulated bullet connectors.

Order No.	Description			List Price	
7-3245	Plug	16-14 AWG	Qty. Per Package 7	\$3.59	F0-1520000
7-3250	Receptacle	16-14 AWG	Qty. Per Package 4	\$3.49	F0-4420000

#### **Greenlite Vinyl Insulated Bullet-End Connectors**



- Vinyl insulation. Electro-tin-plated brass ensures excellent conductivity and resistance to corrosion.
- 100 per bag.





Trolling Motors

Instruments

**Electrical** 

Lighting

Anchor & Dock

Safety Steering

Controls Pumps

Fuel System Seatina &

Pedestals Trailering

Tops & Covers

Perform. Propellers

Engine & Care

Paint & Paint Acc


Fun & Flotation Topside Acc.

Cockpit & Deck Hardware Fasteners

Camouflage

Misc

Comm.



- UL rated for 175° C (167° F), 300 volts.

Order No.	Mfg. No. / Descrip	tion			List Price	
2000738	(GBF-R156V)	22-16 AWG156"	Red	Female	\$8.89	F0-2260000
2000737	(GBM-R156V)	22-16 AWG156"	Red	Male	\$6.89	F0-2840000
2000739	(GBF-B156V)	16-14 AWG156"	Blue	Female	\$8.89	F0-2260000
2000736	(GBM-B156V)	16-14 AWG156"	Blue	Male	\$6.89	F0-2840000
2003371	(GBF-B195V)	16-14 AWG195"	Blue	Female	\$11.99	G0-3080000
2003382	(GBM-B195V)	16-14 AWG195"	Blue	Male	\$9.99	G0-9660000
2003393	(GBF-Y195V)	12-10 AWG195"	Yellow	Female	\$17.99	G0-5021000
2003404	(GBM-Y195V)	12-10 AWG195"	Yellow	Male	\$13.99	G0-7390000

#### **Handi-Man Vinyl Insulated Quick Disconnects**





Sold 100 per box.

QUANTITIES Mfg. No. / Description 479445 (110798) 16-14 AWG **\$19.49** F0-4631000 Blue Male Female **479457** (110808) 16-14 AWG Blue **\$19.49** F0-4631000 479647 (110818) 12-10 AWG Yellow Male **\$26.29** F0-0481000 479659 (110828) 12-10 AWG Yellow Female **\$21.49** F0-4051000

#### **Greenlite Vinyl Insulated Quick Slides**





\$7.69 F0-8350000

- Vinyl insulation.
- Electro-tin-plated brass ensures excellent conductivity and resistance to corrosion.
- UL rated for 75° C (167° F), 600 volts.

2000735 (GQM-Y25V) 12-10 AWG - .250 Yellow

100 per baa

100 per	bug.					NEW
Order No.	Mfg. No. / Descript	tion			List Price	MODEL
2002758	(GQF-R11V)	22-16 AWG11	O Red	Female	\$7.99	G0-5350000
2000771	(GQF-R187V)	22-16 AWG18	7 Red	Female	\$6.39	F0-7440000
2000731	(GQM-R187V)	22-16 AWG18	7 Red	Male	\$6.39	F0-7440000
2000770	(GQF-R25V)	22-16 AWG25	O Red	Female	\$7.09	F0-6940000
2000730	(GQM-R25V)	22-16 AWG25	O Red	Male	\$7.09	F0-6940000
2000773	(GQF-B11V)	16-14 AWG11	) Blue	Female	\$6.39	F0-7440000
2000734	(GQM-B187V)	16-14 AWG18	7 Blue	Male	\$7.09	F0-6940000
2000774	(GQF-B187V)	16-14 AWG18	7 Blue	Female	\$6.39	F0-7440000
2000772	(GQF-B25V)	16-14 AWG25	) Blue	Female	\$7.09	F0-6940000
2000732	(GQM-B25V)	16-14 AWG25	) Blue	Male	\$7.09	F0-6940000
2000775	(GQF-Y25V)	12-10 AWG25	) Yellow	Female	\$8,39	F0-7850000

Male

#### Handi-Man Vinyl Insulated Bullet Connectors







- Bullet connectors are used to make a simple connection that snaps together easily and holds
- Sold 100 per box.

Mfg. No. / Description Order No

479469 (110728) 16-14 AWG Blue Male **\$23.59** F0-1561000 479471 (110738) 16-14 AWG Blue Female \$31.79 F0-5222000

#### **Ancor Nylon Insulated Bullet Connector**

#### ancor



List Price

- Nylon insulated with insulation grip.
- Tinned copper gives the least electrical resistance but the most corrosion protection.
- Barrels are designed to tightly grip the wire with the least effort.
- Double crimp, funnel entry.
- Sold 100 per box.

Order No.	Mfg. No.	/ Description

1171335 (220718) 16-14 AWG

\$25.59 HO-5351000

LIMITED QUANTITIES

LIMITED **QUANTITIES** 

#### **Greenlite Heat Shrink Insulated Bullet-End Connectors**







- Our heat-shrink insulated quick-slides are designed for the most secure electrical connectors.
- The adhesive-lined, high-density PE insultation shrinks and bonds to the wire when heated, providing a tight, water-resistent seal.
- 100 per bag.

Order No. Mfg. No. / Description List Price 2000806 (GBM-B180HS) 16-14 AWG **\$55.89** H0-3533000 Blue Male 2000808 (GBF-B180HS) 16-14 AWG Blue \$81.59 H0-5984000 Female

#### **Marpac Vinyl Fully Insulated Quick Disconnects**







#### Sold by box of 5 Packages only! Priced 4 per Package.

Vinyl fully insulated quick disconnects.

Order No.	Description			List Price	
7-3205	22-18 AWG	Red	Male	\$3.49	F0-4420000
7-3210	22-18 AWG	Red	Female	\$3.49	F0-4420000
7-3215	16-14 AWG	Blue	Male	\$3.49	F0-4420000
7-3220	16-14 AWG	Blue	Female	\$3.49	F0-4420000
7-3225	12-10 AWG	Yellow	Male	\$3.49	F0-4420000
7-3230	12-10 AWG	Yellow	Female	\$3.49	F0-4420000

#### **Ancor Nylon Fully Insulated Disconnects**

## **ANCOR**



- Tinned copper gives the least electrical resistance but the most corrosion protection.
- Barrels are designed to tightly grip the wire with the least effort.
- Double crimp, funnel entry.
- .250 tab size. Female.



Order No.	Mfg. No. / Description				QUANTITIES
1171592	(231418) 16-14 AWG	Blue	4 Per Box	\$4.39	H0-3620000
1171594	(231428) 12-10 AWG	Yellow	3 Per Box	\$4.09	H0-5420000

#### **Greenlite Nylon Insulated - Fully Insulated Quick Slides**







- Nylon insulation.
- Electro-tin-plated brass ensures excellent conductivity and resistance to corrosion.
- GFQF quick slides also feature funnel entries for easier wire insertion.
- UL rated for 105° C (221° F), 300 volts.
- 100 per bag.

Order No. Mfg. No. / Description			List Price	
<b>2000779</b> (GFQF-R25N) 22-16 AWG	Red	Female	\$12.09	F0-6480000
<b>2000776</b> (GFQM-R25N) 22-16 AWG	Red	Male	\$12.09	F0-6480000
<b>2000780</b> (GFQF-B25N) 16-14 AWG	Blue	Female	\$12.09	F0-6480000
<b>2000777</b> (GFQM-B25N) 16-14 AWG	Blue	Male	\$12.09	F0-6480000
2000781 (GFQF-Y25N) 12-10 AWG	Yellow	Female	\$14.69	F0-8201000
2000778 (GFQM-Y25N) 12-10 AWG	Yellow	Male	\$14.69	F0-8201000
<b>2000780</b> (GFQF-B25N) 16-14 AWG <b>2000777</b> (GFQM-B25N) 16-14 AWG <b>2000781</b> (GFQF-Y25N) 12-10 AWG	Blue Blue Yellow	Female Male Female	\$12.09 \$12.09 \$14.69	F0-6480000 F0-6480000 F0-8201000

#### **Greenlite Vinyl Insulated Piggy-Backs**



- Vinyl insulation.
- These terminals feature both a female .25" quick-slide with a piggy-backed male .25" tab.
- Electro-tin-plated brass ensures excellent conductivity and resistance to corrosion.
- UL rated for  $75^{\circ}$  C ( $167^{\circ}$  F), 600 volts.
- Tab size: .250.
- 100 per bag.

Order No. Mfg. No. / Desc	ription		List Price	MODEL
2000720 (GPB-R25V)	The state of the s	Red	\$11.49	F0-4080000
<b>2000721</b> (GPB-B25V)	16-14 AWG	Blue	\$11.49	F0-4080000
<b>2003226</b> (GPB-Y25V)	12-10 AWG	Yellow	\$17.99	G0-5021000

#### **Ancor Heat Shrink Flag Disconnect**

#### ANCOR

- Shrinks to form a water tight seal and ultimate vibration and strain relief.
- 90° angle simplifies wire routing and connection.
- .250 (6.4mm) tab size.
- Sold 3 per box

Sold o por box.				TIMILED
Order No. Mfg. No. / Description			List Price	QUANTITIES
<b>1172004</b> (357803) 16-14 AWG	Blue	Female	\$11.69	G1-0670000

#### Marpac Vinyl Scotch Locks





LIMITED

#### Sold by box of 5 Packages only! Priced 3 per Package.

Order No.	Description		List Price	QUANTITIES
Oluei No.	Description		rist title	
7-3235	18-14 AWG	Blue	\$3.49	F0-4420000
7-3240	12-10 AWG	Yellow	\$4.79	F0-5330000

#### Marpac Heat Shrink Insulated Quick Disconnects





#### Sold by box of 5 Packages only! Priced per Package.

• Sold 2 per package. Mini-Blister - 5 per box.

Order No.	Description			List Price	
7-3395	22-18 AWG	Red	Male	\$4.99	F0-9430000
7-3400	22-18 AWG	Red	Female	\$4.99	F0-9430000
7-3405	16-14 AWG	Blue	Male	\$4.99	F0-9430000
7-3410	16-14 AWG	Blue	Female	\$4.99	F0-9430000
7-3415	12-10 AWG	Yellow	Male	\$5.89	F0-2140000
7-3420	12-10 AWG	Yellow	Female	\$5.49	F0-4830000
7-3400 7-3405 7-3410 7-3415	22-18 AWG 16-14 AWG 16-14 AWG 12-10 AWG	Red Blue Blue Yellow	Female Male Female Male	\$4.99 \$4.99 \$4.99 \$5.89	F0-9430000 F0-9430000 F0-9430000 F0-2140000

#### **Greenlite Heat Shrink Insulated Quick-Slides**







Electronics

Trolling Motors

Instruments

**Electrical** 

Lighting

Anchor & Dock Safety

Steering

Controls

**Pumps** 

Fuel System Seating & Pedestals Trailering

- Our heat-shrink insulated quick-slides are designed for the most secure electrical connectors.
- The adhesive-lined, high-density PE insultation shrinks and bonds to the wire when heated, providing a tight, water-resistent seal.
- 100 per bag.

NEW

Order No. Mfg. No. / Descriptio	n			List Price	
2000810 (GFQF-R25HSN)	22-16 AWG	Red	Female	\$60.19	H0-1163000
2000816 (GFQM-R25HSN)	22-16 AWG	Red	Male	\$60.19	H0-1163000
2000812 (GFQF-B25HSN)	16-14 AWG	Blue	Female	\$60.19	H0-1163000
2000818 (GFQM-B25HSN)	16-14 AWG	Blue	Male	\$60.19	H0-1163000
2000814 (GFQF-Y25HSN)	12-10 AWG	Yellow	Female	\$79.29	H0-7574000
2000820 (GFQM-Y25HSN)	12-10 AWG	Yellow	Male	\$79.29	H0-7574000

#### **Marpac Vinyl Closed End Connectors**

Sold by box of 5 Packages only! Priced per Package.

9 Per Package

8 Per Package

• Connectors used to join wires making a clean, insulated electrical connection.

**Handi-Man Vinyl Insulated Quick Splices** 



Order No

Description

**7-3255** 22-14 AWG

**7-3260** 18-10 AWG

• Wire size: 18-14 AWG

• Sold 100 per box.





Propellers

Engine & Care

Cleaning

**\$3.49** F0-4420000

LIMITED **QUANTITIES** List Price \$3.49 F0-4420000

& Care Paint & Paint Acc

Flotation

Topside

Cockpit & Deck

Fasteners

Camouflage

Misc.

Order No. Mfg. No. / Description List Price **479964** (110648) Blue **\$17.19** F0-3021000 479976 (112648) White \$15.19 F0-3601000

#### **Greenlite Vinyl Insulated Quick Splices**





- cover in place.
- 50 per pack.

Order No.	Mfg. No. / Description		List Price	
2000783	(GQS-R6V) 22-16 AWG	Red	\$4.89	F0-2430000
2000782	(GQS-B6V) 16-14 AWG	Blue	\$4.89	F0-2430000
2000784	(GQS-Y6V) 12-10 AWG	Yellow	\$2.99	F0-9020000

#### Electronics

Trolling Motors



**Electrical** 

Lighting Anchor

& Dock Safety

Steering Controls

Pumps Fuel System

Seating & Pedestals

Trailering Tops &

Perform.

Propellers Engine

& Care

Paint & Paint Acc

Fun & Flotation Topside

Acc. Cockpit & Deck

Hardware, Fasteners

Camouflage



Comm.



- · No wire-stripping required.
- The electro-tin-plated brass contacts will penetrate wire insulation when you squeeze down the

Order No.	Mfg. No. / Descrip	otion		List Price	
2000783	(GQS-R6V) 22	-16 AWG	Red	\$4.89	F0-2430000
2000782	(GQS-B6V) 16	-14 AWG	Blue	\$4.89	F0-2430000
2000784	(GQS-Y6V) 12	1-10 AWG	Yellow	\$2.99	F0-9020000

#### Handi-Man Dual Tab Adapter



List Price

- Converts one .250 x .032 male tab to two male tabs.
- Sold 100 per box.

Mfg. No. / Description

**479510** (112301)

**\$30.69** F0-8412000

#### **Handi-Man Electrical Connector Kit**



- Includes: 326 pieces, packed in a durable plastic case.
- Kit contains:
  - (20) 12-10 AWG #8 Fork Connector
  - (20) 22-18 AWG #6 Terminal Ring
  - (20) 22-18 AWG #8 Terminal Ring
  - (20) 16-14 AWG #10 Terminal Rina
  - (20) 22-18 AWG #6 Fork Terminal (20) 16-14 AWG #8 Fork Terminal
  - (20) 22-18 AWG #10 Fork Terminal
  - (20) 16-14 AWG Vinyl Butt Connector
  - (20) 12-10 AWG Vinvl Butt Connector
  - (20) 22-18 AWG Quick Disconnect Male
  - (20) 22-18 AWG Quick Disconnect Female
  - (20) 16-14 AWG Quick Disconnect Male
  - (20) 16-14 AWG Quick Disconnect Female
  - (20) 12-10 AWG Quick Disconnect Male
  - (20) 12-10 AWG Quick Disconnect Female
  - (10) 18-10 AWG Wire Connector Yellow
  - (10) 18-10 AWG Wire Connector Red
  - (6) 18-14 AWG Trailer-to-Car

Mfg. No. / Description List Price

\$101.99 F0-9317000

#### **Marpac 81 Piece Vinyl Electrical Terminal Kit**



- This kit includes 81 pieces in a closable plastic case:
  - (15) 22-18 AWG Butt Connectors
  - (15) 16-14 AWG Butt Connectors
  - 12-10 AWG Butt Connectors
  - (6) 22-18 AWG #10 Ring Tongue Terminals
  - (8) 16-14 AWG #10 Ring Tongue Terminals
  - (5) 16-14 AWG 5/16" Ring Tongue Terminals
  - (5) 12-10 AWG #10 Ring Tongue Terminals

  - 12-10 AWG 3/8" Ring Tongue Terminals (6) (2)
  - 8 AWG 3/8" Ring Tongue Terminals
  - (3) 16-14 AWG Male Quick Disconnects 16-14 AWG Female Quick Disconnects
  - (3) 16-14 AWG Bullet Connector Plugs
  - (2)
  - (2)16-14 AWG Bullet Connector Receptacles
  - (3)14-16 Scotch Locks

Order No.

81 Piece Vinyl Electrical Terminal Kit 7-4205

List Price

**\$29.29** F0-0502000

#### **Marpac Heat Shrink Crimp Terminal Display**





• This display includes 5 display packs of the following:

iiiis dispidy iiiciodes 5 dispidy	pucks of the following.
7-3290 - Butt Connectors	22-18 AWG
7-3325 - Ring Tongue	22-18 AWG - #1/4
7-3300 - Butt Connectors	16-14 AWG
7-3335 - Ring Tongue	16-14 AWG - #8
7-3310 - Butt Connectors	12-10 AWG
7-3345 - Ring Tongue	16-14 AWG - #10
7-3395 - Quick Disconnect	22-18 AWG - Male
7-3350 - Ring Tongue	16-14 AWG - #1/4
7-3400 - Quick Disconnect	22-18 AWG - Female
7-3355 - Ring Tongue	16-14 AWG - #5/16
7-3405 - Quick Disconnect	16-14 AWG - Male
7-3365 - Ring Tongue	16-14 AWG - #3/8
7-3410 - Quick Disconnect	16-14 AWG - Female
7-3370 - Ring Tongue	12-10 AWG - #10
7-3415 - Quick Disconnect	12-10 AWG - Male
7-3375 - Ring Tongue	12-10 AWG - #1/4
7-3420 - Quick Disconnect	12-10 AWG - Female
7-3385 - Ring Tongue	12-10 AWG - #3/8

22-18 AWG - #10

List Price

LIMITED \$420.89 F0-2649200

7-3320 - Ring Tongue Description

7-3004 Heat Shrink Crimp Terminal Display

#### Marpac 80 Item Electrical Display







- This display includes the following:
  - (5) 7-3110 Butt Connectors 22-18 AWG
  - (5) 7-3115 Butt Connectors 16-14 AWG
  - (5) 7-3120 Butt Connectors 12-10 AWG
  - (5) 7-3125 Ring Tongue 22-18 AWG #6
  - (5) 7-3130 Ring Tongue 22-18 AWG #8
  - (5) 7-3135 Ring Tongue 22-18 AWG #10
  - (5) 7-3140 Ring Tongue 16-14 AWG #6
  - (5) 7-3145 Ring Tongue 16-14 AWG #8

  - (5) 7-3150 Ring Tongue 16-14 AWG #10
  - (5) 7-3155 Ring Tongue 16-14 AWG #1/4
  - (5) 7-3165 Ring Tongue 16-14 AWG #3/8
  - (5) 7-3170 Ring Tongue 12-10 AWG #10
  - (5) 7-3175 Ring Tongue 12-10 AWG #1/4
  - (5) 7-3180 Ring Tongue 12-10 AWG #5/16
  - (5) 7-3185 Ring Tongue 12-10 AWG #3/8
  - (5) 7-3190 Spade Fork 22-18 AWG #10
  - (5) 7-3195 Spade Fork 16-14 AWG #10
  - (5) 7-3200 Spade Fork 12-10 AWG #10
  - (5) 7-3205 Quick Disconnect 22-18 AWG Male
  - (5) 7-3210 Quick Disconnect 22-18 AWG Female
  - 7-3215 Quick Disconnect 16-14 AWG Male

  - 7-3220 Quick Disconnect 16-14 AWG Female (5)
  - (5) 7-3225 Quick Disconnect 12-10 AWG Male
  - (5) 7-3230 Quick Disconnect 12-10 AWG Female
  - (5) 7-3235 Scotch Lock 14-18 AWG
  - (5) 7-3240 Scotch Lock 12-10 AWG
  - (5) 7-3245 Bullet Conn. 16-14 AWG Plug
  - (5) 7-3250 Bullet Conn. 16-14 AWG Receptacle
  - (5) 7-3255 Closed End Conn. 22-14 AWG

  - (5) 7-3260 Closed End Conn. 18-10 AWG
  - (5) 7-3290 Heat Shrink Butt Conn. 22-18 AWG
  - (5) 7-3300 Heat Shrink Butt Conn. 16-14 AWG
  - (5) 7-3310 Heat Shrink Butt Conn. 12-10 AWG
  - (5) 7-3320 - Heat Shrink Ring - 22-18 AWG #10
  - (5) 7-3335 - Heat Shrink Ring - 16-14 AWG #8
  - (5) 7-3345 Heat Shrink Ring 16-14 AWG #10
  - (5) 7-3365 Heat Shrink Ring 16-14 AWG #3/8
  - (5) 7-3385 Heat Shrink Ring 12-10 AWG #3/8
  - (5) 7-3450 Tinned Copper Lugs 8 AWG #1/4
  - 7-3455 Tinned Copper Lugs 8 AWG #5/16
- **7-3007** 80 Item Electrical Display

- (5) 7-3460 Tinned Copper Lugs 8 AWG #3/8
- (5) 7-3465 Tinned Copper Lugs 6 AWG #10
- (5) 7-3470 Tinned Copper Lugs 6 AWG #1/4
- (5) 7-3475 Tinned Copper Lugs 6 AWG #5/16
- (5) 7-3480 Tinned Copper Lugs 6 AWG #3/8
- (5) 7-3490 Tinned Copper Lugs 4 AWG #5/16
- (5) 7-3500 Tinned Copper Lugs 4 AWG #3/8
- (5) 7-3510 Tinned Copper Lugs 2 AWG #5/16
- 7-3520 Tinned Copper Lugs 2 AWG #3/8 (5)
- 7-3525 Tinned Copper Lugs 1 AWG #5/16 (5)
- 7-3530 Tinned Copper Lugs 1 AWG #3/8 (5)
- (5) 7-3535 - Tinned Copper Lugs - 1/0 AWG #5/16
- (5) 7-3540 Tinned Copper Lugs 1/0 AWG #3/8
- (5) 7-3545 Tinned Copper Lugs 1/0 AWG #1/2
- 7-3550 Tinned Copper Lugs 2/0 AWG #1/4
- (5) 7-3555 Tinned Copper Lugs 2/0 AWG #5/16
- (5) 7-3560 Tinned Copper Lugs 2/0 AWG #3/8
- (5) 7-3565 Tinned Copper Lugs 2/0 AWG #1/2
- (5) 7-3570 Tinned Copper Lugs 4/0 AWG #3/8
- (5) 7-3575 Tinned Copper Lugs 4/0 AWG #1/2
- (5) 7-3665 Vinyl Hole Grommets 1/4
- (5) 7-3670 Vinyl Hole Grommets 1/2
- (10) 7-3785 Waterproof Fuse Holder
- (5) 7-3800 ATO Fuse 3 amp
- (5) 7-3805 ATO Fuse 4 amp
- (5) 7-3810 ATO Fuse 5 amp
- (5) 7-3815 ATO Fuse 7.5 amp
- (5) 7-3820 ATO Fuse 10 amp
- (5) 7-3825 ATO Fuse 15 amp
- (5) 7-3830 ATO Fuse 20 amp
- (5) 7-3835 ATO Fuse 25 amp
- (5) 7-3936 (90) Double Contact Bayonet Base
- (5) 7-3946 (94) Double Contact Bayonet Base
- (5) 7-3951 (194) Wedge
- (5) 7-3966 (1004) Double Contact Bayonet Base
- 7-3980 (1142) Double Contact Bayonet Base
- 7-3986 (1156) Single Contact Bayonet Base (5)
- (5) 7-3991 (1157) Double Contact Bayonet Base
- 7-4010 (70 DP1 CLR) Festoon (5)
- (5) 7-4020 (71 DP CLR) Festoon

Sierra Protective Flex Tubing

List Price

**\$2,663.59** F0-1546810

#### Black Polyethylene Heli-Tube® Spiral Cable Wrap

- Ultraviolet-resistant black polyethylene.
- Bundles wires, cables, hoses and tubing firmly, but allows flexibility.
- Ideal for outdoor use in direct sunlight and is resistant to saltwater, oils, fuels and detergents.
- · RoHS-compliant, offer complete organization of cables, while still permitting breakouts in any direction
- Removable and reusable.
- Available in 100' rolls.



## SIERR&



- This black flex tubing provides protection for various wiring situations.
- Diameter 3/8".
- Sold in 3' lengths per poly bag. Standard pack 10.

Mfg. No. / Description Order No. 363426 (EC01620)

List Price

\$10.97 Z0-8670000





Trolling Motors Instruments

Electronics

Electrica

Lighting

Anchor & Dock

Safety

Steering Controls

Pumps

Fuel System Seatina &

Pedestals Trailering

Tops &

Perform

Propellers

Engine & Care Cleaning

& Care Paint &

Paint Acc Fun &

Flotation

Topside

Cockpit & Deck

Hardware. Fasteners

Camouflage

Misc.

Electronics Trolling Motors

Instruments

Lighting

Anchor

& Dock

Steering

Controls

Pumps

Fuel

System

Seatina &

Pedestals

Trailering

Covers

Engine

& Care


Cleaning

Paint & Paint Acc Fun & Flotation Topside Acc.

**Electrical** 

#### **T-H Marine Zippered Rigging Sleeve**





- Made of rugged Sunbrella fabric, this sleeve will withstand the elements and resist fading.
- Easily zips on and off to access cables or hoses when needed.

 Our premium light-weight wire, cable, and hose conduit features a corrugated

Mfg. No. / Description

**768804** (122-1125) 1-1/2" ID

768828 (122-3000) 3" ID

exterior for maximum flexibility.

Ends are secured by cable ties sewn into pockets.

Lenath 48"

**MPI Products Series 122 Cable Guard** 

Ultra smooth interior surface provides easy installation of hose, cables or wire harnesses.

Marpac Heat Sh

Mfg. No. / Description 640950 (ZRS-1DP) Black

**E**MPI

List Price \$70.09 E0-7525000





- Braided from high temperature yarns.
- · Chemical resistant.
- The sleeving cuts easily and cleanly with a hot knife.

Order No. Mfg. No. / Description

**642344** (FLX-25-DP)

\$60.89 F0-2624000

LIMITED **QUANTITIES** 

Diameter 1/4" Length 100'

#### MPI Products Series 123 Split Conduit Tubing





List Price

**\$48.09** F0-6633000

\$64.99 F0-9454000

\$49.49 F0-4643000

\$37.39 F0-7162000

**\$69.69** F0-8784000

\$40.59 F0-1482000

\$75.19 F0-3625000

\$101.29 F0-0907000

**\$120.19** F0-3148000

IN AV

T-H Marine Flex™ Expandable Braided Sleeving



- Corrugated, slit polyethylene provides excellent conduit for multiple wire or cable routing.
- Flexible and specially formulated in accordance with UL94 V-2 tests for flammability.

Lenath 100'

Length 100'

Length 100'

Length 50'

Length 100'

Length 50'

Length 100'

Length 100

Length 50'

- Meets tough ABYC standards.
- Is formulated for maximum resistance to UV and ozone.

1/4" ID

 $1/2'' \, ID$ 

3/8" ID

5/8" ID

5/8" ID

3/4" ID

3/4" ID

Temperature range is -40° F to 200° F.


Mfg. No. / Description

768549

eat Shrink Tubing		
Length 50'	\$323.19	F0-3262200
Length 100'		F0-7447000
	List Price	
,		

# Safety

Order No.



Double wall 8 AWG to 4 AWG.

Includes: 2 pieces red and 1 piece black per card.

Sold 5 bags per box.

Order No. Description **7-4040** Heat Shrink Tubing List Price \$6.89 F0-2840000



#### Ancor Adhesive Lined Heat Shrink Tubing (ALT)

## Tops &

Perform. · Cross Linked polyolefin tubing is much stronger than PVC tubing and will not Propellers burn Tike PVC.

 Heat activated adhesive lining provides impervious seal to salt water, oil, acids, and sunlight as well as providing strain relief.

- Highest shrink ratio shrinks to 1/3 original size.
- Rlack

Order No.	Mfg. No. / De	scription			List Price	
1172202	(303103)	16-10 AWG	Length 3"	3 Per Pack	\$5.09	J0-0820000
1171373	(303106)	16-10 AWG	Length 6"	10 Per Pack	\$31.09	J0-0171000
1172206	(304106)	12-8 AWG	Length 6"	5 Per Pack	\$18.09	J0-5990000
1172207	(304124)	12-8 AWG	Length 12"	5 Per Pack	\$31.09	J0-0171000
1172212	(305106)	8-4 AWG	Length 6"	5 Per Pack	\$20.09	J0-5011000
1172213	(305124)	8-4 AWG	Length 12"	5 Per Pack	\$36.19	J0-0991000



(123-0347)



- Double walled. Adhesive-lined inner wall.
- Shrink ratio 2:1.
- Heat resistant to over 1,000° F.
- Use for insulating terminals and rope whip ends.

Order No.	Mfg. No. / Description			List Price	MODELS
7270141	(190011) 1/8"	Length 3"	Sold 6 Per Pack	\$7.39	F0-7150000
7270142	(190021) 3/16"	Length 3"	Sold 5 Per Pack	\$6.99	F0-9840000
7270143	(190031) 1/4"	Length 3"	Sold 4 Per Pack	\$7.39	F0-7150000
7270144	(190041) 3/8"	Length 3"	Sold 3 Per Pack	\$7.39	F0-7150000
480121	(190038) 1/4"	Length 48"	Sold Each	\$16.39	F0-7411000
480119	(190048) 3/8"	Length 48"	Sold Each	\$16.49	F0-4511000
480082	(190058) 1/2"	Length 48"	Sold Each	\$15.09	F0-6501000
480094	(190078) 3/4"	Length 48"	Sold Each	\$33.99	F0-9732000
480107	(190098) 1"	Length 48"	Sold Each	\$76.89	F0-2835000

#### Sierra Shrink Tubing





- Ideal for electrical insulation, abrasion protection and covering unsightly joints.
- Apply heat and material shrinks tight.
- Sold 7 assorted size pieces per zip-top reclosable bag.

Order No.	Mfg. No. / Description	List Price	
363402	(EC01750)	\$5.24	Z0-7630000



Cockpit

Camouflage

Comm.

#### **CDI Electronics Dielectric Grease**





- Silicone-based grease that's designed to seal out moisture and prevent corrosion on electrical connectors.
- It also disrupts the flow of electrical current, which makes it good for lubricating and sealing the rubber parts of electrical connectors.
- Commonly used for spark plug wires.
- Works with most major engine brands.

Order No. Mfg. No. / Description 7000198 (991-9706) \$67.69 F0-8374000

#### 3M Scotch Super 33+ Premium Vinyl Electrical Tape



- A 7-mil thick, all-weather vinyl insulating tape.
- It has excellent resistance to abrasion, moisture, alkalis, acids, corrosion and varying weather conditions.
- The combination of elastic backing and aggressive adhesive provides moisture-tight electrical and mechanical protection with minimum bulk.
- Black.

Order No. Mfg. No. / Description List Price **2606130** (6130) 3/4" x 20" \$50.59 F0-1453000 **857435** (06133) 3/4" x 52' **\$9.59** F0-1760000

#### Star Brite Liquid Electrical Tape



- Forms a protective, waterproof, UV resistant, dielectric coating.
- · Prevents corrosion on wires and terminals.
- Patented, UL tested, fast drying formula.
- Cap has convenient brush applicator.
- 4 fl. oz.

Order No.	Mfg. No. / Desc	ription	List Price	
628202	(084104B)	Black	\$11.79	F0-5280000
628214	(084105B)	Red	\$11.79	F0-5280000
629868	(84108B)	Clear	\$11.79	F0-5280000

#### **Ancor Nylon Cable Clamps**

## ANCOR

- Made from UV black nylon for maximum strength. • Resistant to solvents, oils, acids and moisture.
- Unique screw hole alignment feature to speed installation.
- Absorbs shock and vibration; reduces unwanted noise.
- Sold 25 per display pack.

Order No.	Mfg. No. / Description	List Price	
211576	(402252) 1/4" ID	\$4.39	F0-7030000
211588	(402312) 5/16" ID	\$4.39	F0-7030000
211590	(402372) 3/8" ID	\$4.39	F0-7030000
211603	(402502) 1/2" ID	\$4.89	F0-2430000
211615	(402622) 5/8" ID	\$6.19	F0-3340000
211627	(402752) 3/4" ID	\$7.29	F0-0150000



- An unique, non-curing compound used for sealing, protecting and electrical insulating. Improves electrical performance by reducing arcing and voltage drop.
- Also ideal for lubricating plastic and rubber.
- Improves electrical performance in adverse weather conditions.
- Patented finger-actuated delivery system for smooth, continuous coverage.
- 3.3 oz.

Order No Mfg. No. / Description List Price **290267** (06113) **\$18.89** F0-2231000

#### 3M Scotch Vinyl Color Coding Electrical Tape 35

**CRC Marine Premium Dielectric Grease** 

- A 7-mil thick polyvinyl chloride (PVC) color-coding tape.
- Outstanding electrical and mechanical properties make this tape excellent for use in phase identification, color coding of motor leads and piping systems.
- Abrasion and weather resistant.
- Flame-retardant; resists UV rays, abrasion, moisture, alkalies, solvents, and many acids.
- UL Listed and CSA Certified.
- 3/4" x 66'.

Order No. Mfg. No. / Description 857447 (10810) Red 857450 (10828) White

List Price

\$11.09 F0-6770000 \$11.09 F0-6770000

#### **General Work Products Electrical Tape**





- For long-lasting performance in tough environments, this vinyl electrical tape is resistant to high voltage, hot/cold temperatures and flame.
- Applications include PVC pipe, temporary surface repair, color coding, safety, décor and wire harnessing.
- Protects against water, voltage and abrasions.
- 7 mil.
- 3/4".

Order No. Mfg. No. / Description **512169** (T3/4E) Black

List Price

\$1.29 F0-0900000

#### **Ancor Stainless Steel Cushion Clamps**

## ANCOR

- Prevents corrosion.
- Resistant to oils, acids and saltwater.
- Temperatures range from -50° to 300° F.
- Absorbs shock and vibration.

**211716** (403902) 1-1/4" ID

**211728** (404152) 1-1/2" ID

• Sold 10 per display pack.

Order No.	Mfg. No. / Description		List Price	
211639	(403182) 3/16" ID	Screw Width 3/8"	\$11.59	F0-1180000
211641	(403252) 1/4" ID	Screw Width 3/8"	\$11.59	F0-1180000
211653	(403312) 5/16" ID	Screw Width 3/8"	\$12.19	F0-3580000
211665	(403372) 3/8" ID	Screw Width 3/8"	\$12.19	F0-3580000
211677	(403502) 1/2" ID	Screw Width 1/2"	\$12.79	F0-5980000
211689	(403622) 5/8" ID	Screw Width 1/2"	\$13.99	F0-9790000
211691	(403752) 3/4" ID	Screw Width 1/2"	\$16.49	F0-4511000
211704	(403892) 1" ID	Screw Width 1/2"	\$18.29	F0-0821000

Screw Width 1/2"

Screw Width 1/2"





Electronics

Trolling Motors

Instruments

**Electrical** 

Lighting

Anchor & Dock

Safety

Steering Controls

**Pumps** 

Fuel System

Seatina & Pedestals

Trailering Tops &

Perform

Propellers

Engine

Cleaning & Care

Paint & Paint Acc

Fun & Flotation

Topside

Cockpit & Deck

Hardware. Fasteners

Camouflage

Misc.

**\$19.89** F0-2931000

\$20.69 F0-8441000



Order No. Mfg. No. / Description 7270115 (162021) 3/16"	12 Per Bag	List Price \$5.79 F0-5040000
<b>7270116</b> (162031) 1/4"	12 Per Bag	<b>\$5.79</b> F0-5040000
<b>7270117</b> (162041) 5/16"	12 Per Bag	<b>\$5.79</b> F0-5040000
<b>7270118</b> (162051) 3/8"	14 Per Bag	<b>\$5.79</b> F0-5040000
<b>7270120</b> (162111) 3/4"	8 Per Bag	<b>\$6.09</b> F0-6240000

**Handi-Man Marine Black Nylon Cable Clamps** 

# **ANCOR**





**Ancor Standard Cable Ties** 

UV resistant.

Black.

• 100 per pack.

Order No.	Mfg. No. / De	scription		List Price	
1172301	(199203)	Length 4"	Tensile Strength: 18 lbs.	\$4.29	H0-7520000
1172304	(199207	Length 8"	Tensile Strength: 75 lbs.	\$7.69	H0-1640000

#### Marpac Black Tie Wraps - UV Resistant



Instruments

Lighting

Safety

Fuel

Tops &

Engine

Cleaning

& Care

Paint &

Paint Acc.

Fun &

Flotation

**Electrical** 

- Heavy duty nylon wire ties. • Super strong and durable.
- Useful in almost any situation.
- 100 per pack.

Order No Description Anchor 7-51048 Length 4" & Dock

7-51049 Length 8"

List Price \$5.89 G0-5930000 \$7.29 GO-8840000

#### T-H Marine Radiused Cable Ties - Black



 UV stabilized, high tensile strength, light weight, flexible, all nylon, and non-corrosive cable ties.

• 100 per pack.

Order No. Mfg. No. / Description 6400060 (075B-RAD-C-DP) Length 7-1/2"

LIMITED **QUANTITIES** 

List Price

List Price

List Price

\$4.19 G1-2720000

\$33.89 F0-2732000

\$4.89 G1-8130000

\$5.59 G1-3630000

\$44.69 F0-8213000

\$8.39 G1-5450000

\$66.99 F0-9864000

**\$10.39** G1-5760000

**\$78.29** F0-0845000

\$37.49 F0-4262000

\$30.99 F0-9612000

#### **Ancor Mounting Cable Ties**





System UV resistant.

Seatina & · With mounting holes. Pedestals

Black.

• 100 per pack. Trailering

> Order No. Mfg. No. / Description 1171366 (199229) Length 8"

Tensile Strength: 50 lbs.

**\$20.09** J0-5011000

#### **Ancor Self-Cutting Cable Ties**





- from Ancor, a self-cutting cable tie.
- Simply lock and twist to finish the job, with no need for additional tools!
- Integrated stainless steel blade leaves a clean flush cut, which improves appearance and eliminates the sharp tail while maintaining a tensile strength above industry standards.

50 Per Baa

500 Per Bag

50 Per Bag

500 Per Bag

UV resistant black.

TENSILE STRENGTH: 35 LBS.

200790 (199336) Length 4"

200795 (199337) Length 4"

200800 (199342) Length 6"

200805 (199343) Length 6"

TENSILE STRENGTH: 50 LBS.

200813 (199277) Length 8"

200815 (199264) Length 8"

200820 (199281) Length 11"

200825 (199265) Length 11"

200830 (199285) Length 14"

200835 (199266) Length 14"

Mfg. No. / Description

Order No. Mfg. No. / Description

#### **Greenlite Cable Black Tie Wraps** Perform.





& Care UV recognized.

Integrated screw hole head for mounting and securing.

Manufactured from 100% virgin-grade Nylon 6/6.

Length 8".

Black.

100 per pack.

Order No. Mfg. No. / Description Topside 2000795 (GS-50S-0) Acc.

PD W

#### **Ancor Cable Tie Screw Mounting Base**





**\$10.59** F0-1470000

- Natural.
- Base dimensions: 7/10" x 1/2".
- #8 screw.
- 25 per pack.

LIMITED QUANTITIES Order No. Mfg. No. / Description **1172335** (199231) \$4.89 F0-2430000

**ANCOR** 



Camouflage

Comm.

#### Marpac Alligator Clips - Insulated





• Sold 2 per display card.

Order No. Description List Price 7-0135 Length 2" \$2.79 GO-7810000

#### **Marpac Heavy Duty Battery Clips**



- Spring loaded copper plated 3" battery clips.
- Color coded coated handles.
- Connectors included.
- Fits up to 6 gauge wire.
- 20 amp.
- Sold per pair.

Order No. Description List Price 7-51011 Heavy Duty Battery Clips \$8.39 F0-7850000

#### Marpac Corrosion Resistant Deluxe Socket with Alligator Clips





- Made from corrosion resistant marine grade materials.
- This portable socket extends over 6' with its heavy duty coiled wire.

Description List Price

**7-0869** Deluxe Socket with Alligator Clips \$23.59 GO-1851000

#### **Blue Sea Side-Entry CableClams**







- Provides a water-resistant side-entry for cables without requiring removal of the factory installed connector.
- Simple one-piece design for easy side mount installations.
- Low profile, contoured edge reduces the risk of tangling lines.
- Stainless steel fasteners included.
- UV stabilized thermoplastic ring.
- UV stabilized burna-N rubber seal.

Order No Mfg. No. Max. Connector Diameter Max. Cable Diameter List Price 379990 (1007-BSS) 1" 0.28" \$6.89 F0-2840000

#### INCLUDES A 316 STAINLESS STEEL DRESS CAP

• Dress cap conceals mounting hardware and matches other deck hardware.

Max. Connector Diameter Max. Cable Diameter List Price Mfg. No. 380010 (1007100-BSS) 1" 0.28" \$13.89 F0-2790000

#### Marpac Gator Battery Clips



- Spring loaded copper plated battery clips commonly used for aerators and portable lights.
- 30 amp.
- Sold per pair.

Order No. Description

7-51010 Gator Battery Clips



List Price

LIMITED **QUANTITIES** \$4.69 F0-8230000

#### **Marpac Battery Clips**

- Spring loaded copper plated 3" battery clips.
- Color coded coated handles.
- 15 amp.
- Sold per pair.

Order No. Description **7-51008** Battery Clips List Price

\$4.19 GO-1820000

#### Blue Sea CableClams



- Provides a waterproof pass-through for antenna cables without requiring removal of the factory installed connector.
- Save the expense of removing and replacing connectors.
- Avoid poor connections from removing factory connectors.
- Stainless steel fasteners included.
- UV stabilized thermoplastic ring.
- UV stabilized burna-N rubber seal.

Order No.	Mfg. No.	Max. Connector Diameter	Max. Cable Diameter	List Price	
379998	(1001-BSS)	0.68"	0.31"	\$21.49	F0-4051000
380004	(1002-BSS)	0.83"	0.44"	\$216.29	F0-0415100
380016	(1003-BSS)	1.40"	0.56"	\$250.19	F0-3157100

#### INCLUDES A 316 STAINLESS STEEL DRESS CAP

- Dress cap conceals mounting hardware and matches other deck hardware.
- Includes pre-drilled and slit rubber seals for easier installation.

Order No.	Mfg. No.	Max. Connector Diameter	Max. Cable Diameter	List Price	
379995	(1001100-BSS)	0.68"	0.31"	\$29.39	F0-7502000
380001	(1002100-BSS)	0.83"	0.44"	\$34.29	F0-0042000

Electronics

Trolling Motors

Instruments

Lighting

Anchor & Dock

Safety

Steering Controls

**Pumps** 

Fuel System

Seating &

Pedestals Trailering

Tops &

Perform

Propellers

Engine & Care

Cleaning & Care

Paint &

Paint Acc

Fun & Flotation

Topside

Cockpit & Deck

Hardware, Fasteners



Misc

Comm.

Electronics

Trolling

Motors

Safety

Steering

Trailering

Engine & Care

& Deck

Comm

Instruments

#### **Newmar DX Series Feed-Thru Waterproof Fittings**





List Price

\$72.79 E0-9545000

 Provided with solid neoprene cable gland, installer drills holes and slits as required to accommodate cable with or without factory installed connector.

- Multiple cables may be passed through a single fitting.
- Installer will need to drill holes in seal to accommodate cable(s).
- Drill-thru aperture: 1.2".
- Maximum connector diameter: 1.2".

Order No Mfg. No. / Description **699820** (DX-2)

**Electrical** 

#### Perko Fig. 339 Clam Shell Vent

PERKO Lighting (OSA)

Anchor Chrome plated brass. & Dock

- Width opening 2-1/2", height opening 1-5/8".
- Base dimension 4" x 3-3/4".
- Uses #6 fasteners.

 Sold one per pack. Controls

Order No. Mfg. No. / Description List Price Pumps 537487 (0339 DPO CHR) \$50.99 F0-9653000

Fuel **T-H Marine Clam Shell Vent** System

Seatina & Pedestals

 UV and weather resistant. Tops &

Opening 9/16" H x 1-7/8" W. Base 2" x 2".

Perform.

• Sold one per pack.

Order No. Mfg. No. / Description Propellers

List Price 640806 (CS-1-DP) \$10.49 F0-4370000

#### Perko Fig. 315 Midget Clam Shell Vents

Cleaning **PERKO** & Care

USA : Paint & Paint Acc.

Fun & .040 thickness. Flotation

 Sold one per pack. Topside Acc.

**DIMENSIONS BASE: 1-5/8" x 1-1/2".** Cockpit

Height opening 7/16", width opening 7/8". Uses #4 fasteners.

Order No. Mfg. No. / Description List Price Hardware, **537247** (0315 DP1 CHR) Chrome Plated Brass **\$8.79** G0-9850000 Fasteners 537248 (0315 DP1 STS) Polished Stainless Steel \$8.09 F0-6650000

Camouflage DIMENSIONS BASE: 2" x 2"

• Height opening 9/16", width opening 1-7/8". Uses #6 fasteners. Misc

> Order No. Mfg. No. / Description List Price **537261** (0315 DP2 CHR) Chrome Plated Brass \$11.99 GO-3080000 **537262** (0315 DP2 STS) Polished Stainless Steel \$10.79 F0-5570000

#### **Marpac Watertight Cable Outlets**

- Heavy duty chrome plated brass.
- Rubber gasket for watertight seal.
- Uses #6 fasteners.

Order No Description

**7-0451** Cable Opening 5/16" Base Diameter 1-5/16" \$4.39 F0-7030000 **7-0452** Cable Opening 3/8" Base Diameter 1-1/2" \$5.29 F0-0730000

#### **Marpac Vinyl Hole Grommets**



#### Sold by box of 5 Packages only! Priced per Package.

Mini-Blister - 5 per box.

Order No. Description List Price **7-3665** 1/4" 6 Per Package \$4.09 F0-6820000 **7-3670** 1/2" 4 Per Package **\$6.19** F0-3340000

#### **Marpac Clam Shell Vents**



- Polished stainless steel.
- This streamlined ventilator has many uses, including shielding gas tank vents.
- Sold one per pack.

Order No. Description List Price **7-0089** 1-3/4" x 1-5/8" \$2.39 GO-0610000 \$2.59 G0-4710000 **7-0090** 2" x 2"

#### Whitecap Midget Ventilator





- 304 stainless steel.
- Dimensions: 1-1/2" x 1-3/4".
- Vent area 19/64".
- Uses (3) #6 fasteners.

Order No. Mfg. No. / Description List Price 3802545 (S-1388C) **\$3.89** F0-4370000

#### **T-H Marine Decorative Wire Cover**





- Gives boat that finished look, covers unsightly wire pass-thru holes.
- Covers holes up to 1-1/4" in diameter.
- Comes complete with mounting screws.
- Black.

Order No. Mfg. No. / Description List Price 639940 (DWC-1-DP) \$8.59 F0-1060000

Electronics

Trolling

Motors Instruments

Lighting

Anchor

& Dock

#### Perko Fig. 1190 Watertight Deck Connection



- Chrome plated zinc alloy.
- Polarized double contact connector.
- Includes flange gasket with integral waterproof cap for base when plug is removed.
- Rated: 15 amps at 12, 24 and 32 volts.
- Accepts up to #14 gauge stranded wire.
- Diameter 1-5/8", height 1-3/16".
- Uses #6 fasteners.

Order No. Mfg. No. / Description 533124 (1190 DP0 CHR)

List Price

\$41.59 F0-1192000

#### **Marpac Polarized Power Outlet**







- Polarized double contact connector.
- Watertight snap-on cover.
- Chrome plated brass base.
- Diameter 1-1/2".
- Uses #8 fasteners.

Order No Description 7-0448 Polarized Power Outlet List Price

**\$7.39** F0-7150000

#### Sierra 2-Wire Flat Connector

## SIERRA

- Constructed of rugged plastic with molded-in terminals for durability.
- These polarized connector sets plug together only one way to prevent cross connections.
- Length 12", 16 GA, 2 Plugs.
- Ready Wired #E301120.

Mfg. No. / Description 815500 (WH10300)

\$10.20 Z0-4170000

#### **Sea-Dog Polarized Electrical Outlet**

## SEMDOGLIME

- Chrome plated cast brass.
- Designed for use as a 2-conductor deck cable
- Pins are sized differently, ensuring only one way to connect the plug, avoiding reverse polarity issues.
- Includes a rubber gasket and water resistant cap.
- Installs with (3) #6 RH fasteners.
- Rated: 3-5 amps.
- Maximum 14 gauge wire attaches with brass set screws.
- 12/24 volt.

Mfg. No. / Description Order No

**214940** (426262-1)

List Price

\$22.19 GO-7841000

#### **Cole Hersee Polarized Electrical Connector**

## Cole Hersee





• Polarized connector pair meant for marine applications.

Made from corrosion resistant marine grade materials.

• With moisture resistant sealing ring.

**7-0862** Deluxe Accessory Plug

- Black thermoplastic housing.
- Circuitry: 2.
- Brass input terminals.
- Completed assembly with male and female connectors, this ships without leads and requires wire insertion and termination before installation.

**Marpac Deluxe Accessory Plug** 

Mfg. No. / Description Order No **300549** (M-121-BP)

List Price

\$25.29 GO-4961000

Safety

Steering

LIMITED

QUANTITIES

**\$7.09** F0-6940000

Controls

Pumps Fuel

> System Seatina &

Pedestals

Trailering

Tops &

Perform

Propellers

Engine & Care Cleaning & Care Paint & Paint Acc Fun & Flotation Topside

#### **Marpac Deluxe Power Socket**



- Moisture resistant marine grade materials.
- Mounts in a 1-1/8" hole from the front using the face plate or from the rear using the locking ring.
- Includes: (2) mounting screws, electrical connectors and a boot for protecting the wires.
- Not for use with cigarette lighters.
- 12 volt.

Order No Description 7-0863 Deluxe Power Socket \$9.99 F0-9960000

#### Marpac Marine Quality Power Socket and Plug

• 12 volt.

Order No.

Sold each.



- Universal mate socket and plug.
- Nickel plated phosphor bronze metal parts help reduce corrosion.
- O-ring and molded cap help reduce corrosion.
- Mounts in a 1-1/8" hole from the front using the face plate.
- Includes: (2) mounting stainless steel screws and electrical connectors.
- Not for use with cigarette lighters.
- 12 volt.

Order No. **7-0867** Power Socket and Plug **7-0868** Power Socket Only

List Price

\$8.19 G0-9450000 \$5.79 GO-8830000

#### Marinco SeaLink® Deluxe 12 volt Receptacle & Plug

List Price



- The SeaLink 12 volt family of products are manufactured from corrosion resistant marine grade materials.
- Exclusive to SeaLink products is an unique interconnecting system that securely locks the plug into the receptacle resulting in a positive and moisture-proof connection.
- The plug and receptacle feature optimized metal connection points for maximum conductivity.

Order No. Mfg. No. / Description **217946** (12VPK) Receptacle & Plug **\$24.69** F0-8271000 **217947** (12VRC) Receptacle Only **\$14.59** FO-1201000 217948 (12VPG) Plug Only **\$13.49** F0-4490000 Camouflage

Cockpit

& Deck

Hardware,

Fasteners

Comm.

Misc.

#### Marpac Stainless Steel Chart Light and Combo Cigarette Lighter





- · Easily switch between chart light and cigarette lighter with the flick of a switch.
- Uses #8 fasteners.

BĻŲĘ SĘA

and constant vibration.

379310 (1011200-BSS)

Corrosion resistant with

Charge two devices at the same time.

• Input: 12/24 volt, output: 5 volt/3 amp total.

• For charging of phones, tablets

and other mobile devices.

Description

Intelligent device recognition

Over temperature protection.

**379000** (1045-BSS)

maximizes charge rate for phones,

• Charges at the speed required by specific devices.

Internal filtering for reduced electronic interference.

• Protective dust cap keeps debris and moisture out.

tablets, or other mobile devices.

Mounts in a common 1-1/8" hole.

Mfg. No. / Description

7-0821 Dual USB Charger Socket

weatherproof cover.

Hardware included.

BLUE SEA

• Internal strain relief and cord seal.

• Front panel, rear panel or surface mount.

Mfa. No. / Description

12 volt.

Order No. Description 7-0112 Chart Light and Combo Cigarette Lighter

· Features watertight cap, easy installation and twist locks securely with plug.

Designed to withstand the rigors of wet environments

Nickel plated copper alloy used for all current carrying components.

Twist lock system - plug locks securely into socket.

List Price

List Price

\$12.79 F0-5980000

\$25.09 GO-1861000

1301046

379000

\$17.49 F0-4221000

#### Blue Sea 12 volt Dash Socket - White

Marpac Dual USB Charger Socket

Blue Sea Dual USB Chargers - Socket Mount



Trolling Motors

Instruments

**Electrical** 

Lighting

Anchor & Dock

Safety

Steering Controls Pumps

Fuel System

Seatina & Pedestals

Trailering Tops &

Perform.

Propellers Engine & Care

Cleaning & Care Paint &

Paint Acc Fun & Flotation

Topside Acc.

Cockpit & Deck

Hardware Fasteners

Camouflage

Misc



Comm

Order No. Mfg. No. / Description 1301046 (1046-BSS)

Spring-hinged cover keeps debris and moisture out.

MAXIMUM OUTPUT CURRENT: 4.8A DC. INPUT VOLTAGE: 9-32V DC

MAXIMUM OUTPUT CURRENT: 4A DC. INPUT VOLTAGE: 32-64V DC

**\$66.29** F0-0464000

\$56.39 F0-7493000

#### Marpac Stainless Steel Power Socket

# MARPAC

- Ideal for additional power outlets.
- Corrosion-free molded cap.
- Mounts in a 1-1/8" hole from the front using the stainless steel face plate.
- Includes: (2) mounting stainless steel screws and electrical wiring.
- Not for use with cigarette lighters.
- 12 volt.

Order No. 7-0866 Stainless Steel Power Socket

List Price

**\$13.89** GO-1390000

#### Marpac PD (Power Delivery) 45W USB 1A + 1C Charger



- PD 45W USB 1A + 1C Charger.
- Type A port 5V 2.4A compatible with most smartphones in market.
- Type C port PD 45W compatible with latest PD devices in market.
- Fast charges your iPhone/Android phones from 0% to 50% within 30 minutes.
- Also charges ultrabooks, MacBooks and MacBook Air (after 2018) in 20V mode.

Marpac Switch Mount USB Charger Socket

- Blue color: Standby/charging at 5V.
- Amber color: Charging at 9V or higher (PD Mode).

Order No. Description 7-0823 PD (Power Delivery) List Price

\$26.89 F0-2881000



- Compatible with iPad, iPhone and Android devices.
- Blue LED power indicator.
- Short circuit/overheat protected.
- Enhanced uni-body water resistant design.
- Unique water-proof cap splash resistant to IP66 standards (when sealed).
- 1.45" x 0.83" cut-out replaces contura style switches in existing panels.
- Easy to install, just snaps in.

Description

7-0822 Switch Mount USB Charger Socket

**\$19.49** G0-6031000

**Blue Sea Dual USB 2.1A Chargers** 

#### BLŲĘ SEĄ





- Charge two mobile devices on the go.
- Made with corrosion resistant materials which ensure a solid contact and low voltage drop.
- Compatible with most mobile devices including Apple products.
- Protective dust cap with tether keeps dust and spray from shortening the life of the charger.
- 2A Supply fuse is not included.
- Fits in same mounting hole as a traditional 12 volt outlet.
- Cut out dimensions: 1-1/8".
- 12/24V input.

Order No. Mfg. No. / Description 379314 (1016200-BSS) White \$29.89 F0-2902000 **1301016** (1016-BSS) Black \$29.89 F0-2902000

#### Blue Sea WeatherDeck™ Waterproof Switch Panels

#### BLUE SEA





379612

• Waterproof and rated IP67 (for temporary immersion in water) and use materials that won't deteriorate in the harsh sun, salt, and water.

- Panels can be mounted in four different orientations.
- Panel front rated IP67 when properly mounted with watertight mounting gasket.
- Integrated switch guards reduce the risk of accidental switching.
- UV stabilized weather-resistant faceplate snaps on and off providing access to components and concealing mounting screws.
- Panel cumulative rating: 45 amp.
- Gray.
- Width 3.88", depth 2.5".
- 12 volt.

Order No.	Mfg. No. / Descri	iption		List Price	
379612	(4305-BSS)	Positions 4	Height 4.3"	\$64.99	F0-9454000
379617	(4307-BSS)	Positions 6	Height 6"	\$85.39	F0-7795000
379622	(4309-BSS)	Positions 8	Height 7.7"	\$106.59	F0-1647000

#### Marpac Water Resistant Aluminum Switch Panels







List Price



- Compact, modern design can be mounted vertically or horizontally.
- Corrosion resistant 0.1" (2.54mm) thick coated aluminum alloy faceplate.
- Splash resistant to IP66 standards.

**7-1245** 6 Switches

- Push-to-reset circuit breakers with rubber boots.
- Illuminated contura style rocker switches.
- Replaceable on-off rocker switches rated at 20 amps.
- Easy to read labels with included backlight module.
- Includes: Watertight mounting gasket and (4) mounting screws.

<b>ACCESSO</b>	DRIES		
Order No.	Description	List Price	
7-1145	Contura Style Illuminated Rocker Switch - On-Off	\$7.69	F0-8350000
7-0822	Dual Port USB Charger Socket	\$19.49	G0-6031000
7-1258	Label Kit	\$5.99	G0-1040000

Dimensions: 4-31/64" x 7-33/64" \$102.39 F0-7617000

#### Blue Sea WeatherDeck™ Waterproof Circuit Breaker Panels

#### BLUE SEA





• Rated IP67 - temporary immersion for 30 minutes.

- Designed for flybridge and open cockpit applications.
- Independent label backlighting allows switching and dimming.
- Compatible with all Blue Sea Systems Digital Dimmers.
- Each panel can be mounted in four different orientations.
- Green LEDs aid low-light readability. All labels will be lit when the panel is powered, regardless of individual switch position.
- Panel cumulative rating: 45 amp.
- Gray.
- Width 4.25", depth 3.5".
- 12 volt.

Order No.	Mfg. No. / Descri	iption		List Price	
379608	(4374-BSS)	Positions 4	Height 4.3"	\$131.79	F0-5229000
379609	(4376-BSS)	Positions 6	Height 6"	\$163.09	F0-6141100
379610	(4378-BSS)	Positions 8	Height 7.7"	\$227.29	F0-0195100
			•		

#### Blue Sea Contura Switch Water Resistant Fuse Panels



379657

#### See page 210 for replacement rocker switches.

- Two-part polyurethane slate gray finish.
- ON-OFF water resistant Contura Switches.
- On indicating LEDs embedded in switch.
- Switch rating 20 amp maximum.
- Panel cumulative rating: 45 amps.
- Comes with set of 30 common DC labels.
- Fuse holders accept commonly available AGC and MDL glass fuses.
- 12 volt.

VERTICA	L				
Order No.	Mfg. No.	<b>Positions</b>		List Price	
379645	(8054-BSS)	3	3.75" H x 5.25" W x 3" D	\$123.09	F0-6168000
379633	(8053-BSS)	6	7.5" H x 5.25" W x 3" D	\$198.29	F0-0883100
HORIZO	NTAL				

HORIZONTAL						
Order No.	Mfg. No.	Positions		List Price		
379669	(8262-BSS)	4	3.75" H x 5.25" W x 3" D	\$149.79	F0-5840100	
379657	(8261-BSS)	8	3.75" H x 9.37" W x 3" D	\$250.29	F0-0257100	

Trolling Motors Instruments

Electronics

Lighting

Anchor & Dock

Safety

Steering Controls

> Pumps Fuel

System Seating & Pedestals

Trailering Tops &

Perform

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc

Fun &

Flotation Topside

Cockpit & Deck

Hardware, Fasteners

Camouflage

Misc

#### Blue Sea Contura Water Resistant Circuit Breaker Panels

#### BLUE SEA

- Two-part polyurethane black finish.
- Panel front is rated IP66.
- Ignition protected.
- ON-OFF water resistant Contura Switches.
- ON indicating LEDs embedded in switch.
- Push button reset only circuit breakers with waterproof boots.
- Switch rating 20 amp maximum.
- Panel cumulative rating: 45 amps.
- Comes with set of 60 common DC labels.

Mfg. No. / Description

- Horizontal.
- Height 4.25", depth 3.25".
- 12 volt.



379668

379667

Electronics

Order No. Trolling

379668 (8372-BSS) 4 Positions **379667** (8371-BSS) 8 Positions

Width 5.25" Width 9.37" List Price

\$174.59 F0-1222100 \$298.49 F0-4980200

#### **Marpac Marine Grade Power Panels**



Motors

Anchor

& Dock

Safety

Steering

Controls

Pumps

Seatina & Pedestals

Trailering

Instruments

Lighting







See page 184 for replacement breakers.

7-0513

Fuel Marine grade aluminum panel. System

Description

- Modern style illuminated rocker switches glow "White" when "ON" easy to see day or
- Includes: Weatherproof breaker boots, (30) easy to read labels and mounting screws.
- For extra flexibility, add Marpac 7-1144 On-Off-On Rocker Switches.
- 12 volt. Order No.

**7-0514** 3 Gang **7-0513** 6 Gang

& Care Paint & Paint Acc Fun &

Flotation

Topside

& Deck

Hardware,

Fasteners

Camouflage

Misc

Comm

Acc.

Propellers

Dimensions: 5-1/4" W x 3-3/4" H

**\$57.29** F0-0104000 Dimensions: 5-1/4" W x 7-1/2" H F0-6446000 \$92.09 7-1134 Spare Weatherproof Breaker Boots - 3 per package **\$6.09** F0-6240000

#### **Marpac Fused Switch Panels**

Engine & Care Cleaning



7-0519







7-0518

- Corrosion proof black bakelite panel. Cockpit
  - Chrome plated togale switches and screw cap fuse holders.
  - Corrosion resistant tinned wires.
  - Includes: (8) easy to read labels and mounting screws.
  - Rated: 15 amps at 12V DC.

Order No.	Description		List Price	
7-0516	3 Gang	Dimensions: 4-1/2" W x 3-5/8" H	\$20.09	F0-6041000
7-0518	6 Gang	Dimensions: 4-1/2" W x 6-1/4" H	\$34.99	F0-9442000
7-0534	Spare Toggle S	Switch	\$4.59	F0-1230000
7-0519	Spare Toggle I	Boot Seal	\$3.29	F0-0320000

#### Marpac Water Resistant Curved Switch Panels













7-0822



- Compact, modern design can be mounted vertically or horizontally.
- Constructed from corrosion proof ASA plastic with reinforced corners.
- Splash resistant to IP66 standards.
- Push-to-reset circuit breakers with rubber boots.
- Illuminated contura style rockers alow "Blue" when "ON".
- Replaceable on-off rocker switches rated at 20 amps.
- Easy to read labels with included backlight module.
- Includes: Watertight mounting gasket and (4) mounting screws.

Order No.	Description		List Price	
7-1250	4 Switches	Dimensions: 4-31/64" x 5-15/64"	\$65.19	F0-3654000
7-1251	6 Switches	Dimensions: 4-31/64" x 7-33/64"	\$93.89	F0-2756000

SWITCH PANEL WITH USB CHARGER Order No. Description

List Price **7-1252** 5 Switches Dimensions: 4-31/64" x 7-33/64" \$103.09 F0-6127000

#### **ACCESSORIES** List Price 7-1145 Contura Style Illuminated Rocker Switch - On-Off \$7.69 F0-8350000 **7-0822** Dual Port USB Charger Socket **\$19.49** GO-6031000

## Marpac Fused Switch Panel with Toggle Boot Seals



7-1258 Label Kit





**\$5.99** G0-1040000

Corrosion proof black bakelite panel.

- Chrome plated toggle switches with boots and screw cap fuse holders.
- Corrosion resistant tinned wires.
- Dimensions: 4-1/2" W x 6-1/4" H.
- Includes: (8) Easy to read labels and mounting screws.
- Rated: 15 amps at 12V DC.

Order No.	Description	List Price	
7-0517	6 Gang with Toggle Boot Seals	\$45.79	F0-5023000
7-0534	Spare Toggle Switch	\$4.59	F0-1230000
7-0519	Spare Toggle Boot Seal	\$3.29	F0-0320000

#### **Marinco - BEP Products Waterproof Series Sprayproof Switch Panels**


#### • Compact panel size.

- Sprayproof inline fuse holders with fuses included.
- Waterproof to IP56.
- Switches rated at 20A DC.
- Waterproof power receptacles (16A) in five and three way models.
- Dimensions: 3.75" H x 4.25" W x 2.9" H.
- Panel supplied with label LBL-WP.
- Black.

Order No. Mfg. No. / Descri	ption	List Price	
<b>702115</b> (900-4WP)	4 Switches	\$55.49	F0-4883000
<b>702125</b> (900-5WPS)	5 Switches	\$97.69	F0-8386000
<b>702135</b> (900-6WP)	6 Switches	\$76.79	F0-5735000

#### Marpac Switch Panel Label Kit





- Fits all Marpac switch panels.
- Includes: Accessory, Aerator, Anchor Light, Bait Pump, Baitwell, Bilge Pump, Bilge Pump
  Aft, Bilge Pump Fwd, Cabin Lights, Deck Lights, Fish Finder, Flood Lights, GPS, Nav Lights,
  Running Lights, Spreader Lights, VHF, Wash Down, Water Pressure, Wipers.

Order No. Description 7-0509 Switch Panel Label Kit \$1.99 F0-9310000

#### Marpac Label Kit for Marpac Aluminum Switch Panels





- Replacement labels for Marpac switch panels with Backlit: 7-1245, 7-1250, 7-1251 and 7-1252
- Labels can be used for horizontal or vertical applications.
- 30 waterproof labels.

Description **7-1258** Label Kit for Marpac Aluminum Switch Panels \$5.99 GO-1040000

# **BEP PRODUCTS**









702135

#### Bernard Identi-Plates™





254108 (ACTUAL SIZE)



254069 (ACTUAL SIZE)



254071 (ACTUAL SIZE)



254083 (ACTUAL SIZE)



25110 (ACTUAL SIZE)

- White lettering and beveled edge on black plastic plates.
- Comes with two screws/nail holes on 1-3/16" centers.
- Can be glued mounted or mounted with brads or screws.
- Dimensions: 1/2" x 1-1/2".

**ALL** 

Identi-Plates

Pricad anch standard nack 5

<ul> <li>Priced ea</li> </ul>	ch, standard pack 5.			& Care
Order No.	Mfg. No. / Description	Order No.	Mfg. No. / Description	Cleaning
254069	(IP-01) Anchor Light	254362	(IP-31) Aerator	& Care
254071	(IP-02) Bilge Pump	254398	(IP-34) Bait Pump	
254083	(IP-03) Blower	254401	(IP-35) Baitwell	Paint & Paint Acc.
254108	(IP-05) Compass	254425	(IP-37) Bow Light	ruiii Acc.
254110	(IP-06) Deck Lights	254437	(IP-38) Cabin Light	Fun &
254122	(IP-07) Depth Sounder	254487	(IP-43) Courtesy Lights	Flotation
254146	(IP-09) Horn	254538	(IP-48) Engine Shutoff	Topside
254160	(IP-11) Light	254540	(IP-49) Fan	Acc.
254184	(IP-13) Masthead Light	254564	(IP-51) Flood Light	Cockpit
254209	(IP-15) Off	254590	(IP-54) Fuel Pump	& Deck
254235	(IP-18) Radio	254677	(IP-62) Manual	Hardware,
	(IP-20) Running Lights	254691	(IP-64) Navigation	Fasteners
	(IP-21) Search Light	254716	(IP-66) Oil Pressure	
	(IP-23) Stern Light	254766	(IP-71) Port	Camouflage
	(IP-26) Wiper	254893	(IP-84) Spreader Lights	
	(IP-28) 12 Volt	254982	(IP-93) Trim	Misc.
Order No.	Description		List Price	Comm



702115

Electronics Trolling

Motors

Instruments

Lighting

Anchor & Dock

Safety Steering

Controls Pumps

> Fuel System

Seating & Pedestals

Trailering Tops &

Perform

Propellers

**\$3.19** H0-1910000

#### **Blue Sea Square Format Labels**

#### BLUE SEA



#### 30 LABEL SET

Accessory Electronics **Aerator** Anchor Light Trolling Motors Autopilot Bait Pump Bilge Pump Instruments

Blower Cabin Lights Depth Sounder Electronics **GPS** Horn

Mfg. No. / Description

**379671** (4215-BSS)

Instruments Knotmeter Nav Lights Radar Refrigerator Running Lights

Search Light Spare Spreader Lights Streaming Light Stereo Trim Tabs

Gas Alarm

VHF Wash Down Water Pressure Water Pump Windlass Wipers

Seawater Wash

Shower Sump

Down

Pump

Stern Light

Strobe Light

Tricolor Light

Trolling Motor

Washdown

Water Maker

SSB

List Price

Electric Hatch

\$18.59 F0-1031000

**Electrical** 

Order No.

Lighting (Blank) 12 Volt DC Anchor 12 Volt DC & Dock Outlets Anchor Wash Safety Down Baitwell Steering Batterv Controls Battery Parallel Bilge Pumps Bilge Pump 2

Bilge Pump

Bow Light

Cabin CB Radio Cellular Phone Chart Light Chart Plotter Cockpit Lights Compass Light Courtesy Lights Davit DC Outlets DC Sub Panel Deck Lights On-Off-Auto **Docking Lights** Down Rigger Mfg. No. / Description **379672** (4216-BSS)

**Engine Room Blower Engine Room** Lights Fan Fish Finder Fishing Light Fishwell Pump Flood Lights Fresh Water Pump Fuel Pump **Galley Outlets** 

GPS/Plotter Head lanition Instrument Lights Lights Livewell Macerator Pump Nav Light Anchor-Off-Nav Outlets **Pumpout** Radio

Wiper Stbd List Price \$20.69 F0-8441000

Winches

Wiper Port

Reinforced, weatherproof material.

Square format labels.

Used on WeatherDeck waterproof panels and battery management panels.

Dimensions: 5/8" x 3/8".

Black.

#### 120 LABEL SET

(Blank) Chart Light 12 Volt DC Chart Plotter 12 Volt DC Cockpit Lights Outlets Compass Light Air Horn Courtesy Lights Anchor Liaht Davit DC Outlets Main Anchor Light DC Sub Panel Deck Lights Missen Anchor Wash Defroster Down Depth/Speed Appliances Dimmer Arch Lights Discharge Pump Auto/Man Docking Lights Baitwell Docking Light Battery Port Battery Parallel Docking Light Bilge Álarm STBD Down Rigger Bilge Pump 2 Bilge Pump Electric Hatch On-Off-Auto Engine Hatch Bow Light Engine Bow Thruster Instruments **Engine Room** Bridge Instruments Blower Bridge Lights Engine Room Cabin Lights **CB** Radio Engine **CD Player** 

Shutdown

Mfg. No. / Description

Entry Step Fan Fan 2 Fire Alarm Fire Ext Fish Finder Fishing Light Fishwell Pump Flood Lights Flybridge Flybridge Electonics Flybridge Lights Fog Lights Foredeck Light Fresh Water Pump Fresh Water Wash Down Fuel Pump Fuel Transfer Furler lib Furler Mainsail Gallev Gas Álarm GPS/Plotter Hailer Ham Radio Head

Heater lanition Instrument Lights Intercom Hailer Lazarette Liahts Lights Lighter Livewell Locker Lights LPG Control Main Mast Lights Masthead Liaht Mizzen Flood Naviaation Electronics Navigation Instruments Nav Light Anchor-Off-Nav On-Off Outlets Pump Pumpout Radio Rod Locker Rudder Anale Indicator`

Sailing Controls Sailing Instruments Salt Water Pump Seawater Wash Down Shower Sump Pump Solar Panel SSB Start-Stop Stern Light Strobe Liaht Sump Pump Transfer Tricolor Light Trolling Motor Washdown Winches Wind Generator Wind Instruments Windshield Washer Wiper Center Wiper Port Wiper Stbd

\$26.89 F0-2881000

#### Newmar Elite Series Electrical Panels

#### **Newmar DC Master Panel**

#### NEWMAR

Perform Propellers

Engine & Care

Fuel

System

Seatina &

Pedestals

Trailering

Tops &

Covers

Paint &

Paint Acc Fun &

Flotation Topside

Acc. Cockpit & Deck

Hardware Fasteners

Camouflage

Misc

Comm

Order No.

 Analog DC volt and ammeter, back illuminated with dimmer.

• 4 battery bank test switch.

- DC master breaker: 100 amp.
- 22 branch circuit capacity, 20 installed standard: (3) 5 amp, (5) 10 amp, (6) 15 amp and (6) 20 amp.
- Red circuit ON indicator lights.
- LS-III Label Set included.
- Dimensions: 10" W x 15" H x 4" D.

Mfg. No. / Description

12 volt.

699790 (ES-1)

**\$1,986.19** E0-4698410

#### **Newmar Compact AC-DC Load Center Panel**



**379673** (4217-BSS)



- DC circuits: 16 breaker capacity; 12 installed standard: (2) 5 amp, (3) 10 amp, (4) 15 amp and (3) 20 amp.
- AC circuits: Master (D.P.) 30 amp standard plus 6 S.P. branch capacity, 5 installed standard: (1) 10 amp, (2) 15 amp and (2) 20 amp.
- Dimensions: 13.7" W x 10" H x 4" D.

Mfg. No. / Description

**699794** (ES-3)

**\$2,126.69** E0-2059510

Electronics

Trolling Motors

Instruments

Lighting

Anchor

& Dock

Safety

Steering

Controls

**Pumps** 

Fuel

System

Seatina &

Pedestals

Trailering

Tops &

Perform

Propellers

Engine

& Care

Cleaning

& Care

Paint &

Paint Acc Fun &

Flotation Topside

Cockpit

& Deck

Hardware.

Fasteners

#### **Newmar Elite Series Electrical Panels**

#### **Newmar AC-DC Master Control Panel**



- Large 3-1/2" scale meters and an ample circuit breaker capacity makes this the panel of choice for boats in the 35' - 45' range.
- DC Circuits: 20 breaker capacity, 16 installed standard; (2) 5 amp, (3) 10 amp, (4) 15 amp, (3) 20 amp or specify.
- AC Circuits: Master (D.P.) 50 amp standard plus 8 S.P. branch capacity, 6 installed standard; (1) 10 amp, (3) 15 amp, (2) 20 amp or specify.
- Dimensions: 17" W x 12" H x 4" D.

Order No. Mfg. No. / Description **699881** (ES-4)

List Price

\$1,502.79 E0-9072110

#### **Newmar Electrical Panels - AC Master**









699770

• Essential control/protection whenever AC from shorepower or generators is on board.

- A double pole master breaker with power on indicator light protects both hot and neutral legs of the AC circuit.
- A reverse polarity light provides clear warning when wiring is reversed and poses a shock hazard.
- LS-I Label Set included.

#### AC-II - AC MASTER PANEL - DIMENSIONS: 5-1/4" W x 3-3/4

• 30 amp master breaker.

Order No. Mfg. No. / Description List Price

\$247.09 HO-5284100 699756 (AC-II)

#### AC-IX - AC MASTER PANEL - DIMENSIONS: 5-1/4" W x 7-1/2" H

• 30 amp master breaker, 5 branch circuit capacity 4 installed standard (1) 10 amp, (2) 15 amp, (1) 20 amp or specify.

Order No. Mfg. No. / Description

List Price

**699770** (AC-IX)

\$512.39 F0-7685300

#### Newmar Panel Meters - Analog



- Assemble an electrical monitoring system using these analog, panel mount meters.
- Easy to read graphics with unit divisions give precise readouts at a glance.
- Stud mount with push-on terminals.
- Designed for easy front panel mounting.
- DC ammeters require external shunts which are provided.

Order No.	Mfg. No. / Description	1		List Price	
700016	(023-9161-0)	8-16 DC Voltmeter	Size: 2-1/2"	\$134.69	E0-2010100
700019	(023-1500-0)	0-150 AC Voltmeter	Size: 2-1/2"	\$248.29	H0-7984100
700027	(023-3002-5)	0-300 AC Voltmeter	Size: 3-1/2"	\$213.09	H0-5872100
700028	(DCVOLT 16-32)	16-32 DC Voltmeter	Size: 2-1/2"	\$118.99	E0-4298000
700030	(023-0502-0)	0-50 DC Ammeter	Size: 2-1/2"	\$277.29	H0-7366100



#### Newmar Electrical Panel - Accessory AC/DC

## NEWMAR

- Ideal when only a limited number of electrical circuits are needed or for larger systems where their modular design makes for an easy and attractive expansion of existing system capacity.
- 8 breaker capacity, 5 installed standard; (2) 5 amp, (1) 10 amp, (1) 15 amp, (1) 20 amp or specify.
- 8 DC circuit "ON" indicator lights installed, AC indicator lights installed on special order basis.
- Dimensions: 5-1/4" W x 7-1/2" H.
- LS-I Label Set included.

Order No. Mfg. No. / Description **699782** (ACCY-IX)

List Price

\$409.89 F0-2968200

#### Newmar Deluxe Label Set (182 Labels)





• Ideal for custom labeling of switch or circuit breaker positions on any Newmar or similarly constructed electrical panel.

• White lettering on black peel-and-stick mylar.

• Label size: 1-3/4" W x 1/2" H.

Order No 699744 (LS-III)

Mfg. No. / Description

List Price

\$251.69 H0-1015100

#### **Newmar DCV: DC Voltmeter**





- Monitors three battery banks, 12 and/or 24 volt systems.
- Reads to the nearest 1/10 volt.
- Features a programmable high/low voltage alarm circuit for each bank.
- 2-1/2" face.

Order No. Mfg. No. / Description 700681 (DCV)

\$454.69 E0-2014300

Camouflage Misc

Fasteners

Misc.

Comm.

Camouflage

Custom Electrical I	Panel Easy Quote Form
Project;	
Contact Number/E-mail for Questions:	
DC	AC
1) DC Voltage: 12, 24, 32	1) AC Voltage: 120, 240
2) DC Master Breaker: Yes or No If Yes: Amps, Poles	2) AC Master Breaker: Yes or No If Yes: Amps, Poles
3) # of DC Branch: Breakers, Poles List of Breakers: 5A, 10A, 15A, 20A 30A 40A, 50A, 75A, 100A	3) # of AC Branch: Breakers, Poles, Poles, Elist of Breakers: 5A, 10A, 15A, 240A, 50A
4) Meters: Yes or No If Yes: Digital or Analog Type of Meters: Volts, Amps Other_	4) Meters: Yes or No If Yes: Digital or Analog Type of Meters: Volts, Amps Other
(TES	FREE COLOR
	5) Gen-Shore Power Selector Switch: Yes If Yes: # of Poles, # of Switch Pos
Options  1) Power "ON" Indication Lights: Yes or No  3) Specific Panel Size Requirement:	2) Backlit Circuit ID Labels: Yes or No 4) Sketch Panel Below (Optional):
Customer Contact Information: NameE-mail:	Phone #
	alleghies Very to 214 052 1401
Email this sheet to Kap@newmarpower.com or fax	@ €

DC Power Onboard www.newmarpower.com

379539

Electronics

Trolling Motors Instruments

Lighting Anchor & Dock Safety

> Steering Controls

Pumps Fuel System

Seating &

Trailering

Tops & Covers

Perform.

Propellers

Engine

& Care

Cleaning

& Care Paint & Paint Acc Fun & Flotation Topside

#### Marpac High Amp Circuit Breakers







- Type III switchable with yellow manual reset lever.
- Waterproof.
- Stainless steel M6 threaded stud terminal, nuts and washers.
- Meets the stringent requirements for the SAE J1117 standard for ignition protection.
- Maximum voltage 48V DC.

PANEL N	IOUNT		
Order No.	Description	List Price	
7-1720	50 Amp	\$30.99	F0-9612000
7-1725	80 Amp	\$30.99	F0-9612000
<b>SURFACE</b>	MOUNT		
Order No.	Description	List Price	
7-1731	30 Amp	\$30.99	F0-9612000
7-1732	40 Amp	\$30.99	F0-9612000
7-1733	50 Amp	\$30.99	F0-9612000
7-1736	60 Amp	\$30.99	F0-9612000
7-1734	70 Amp	\$30.99	F0-9612000
7-1735	100 Amp	\$30.99	F0-9612000

#### **Marpac Circuit Breakers with Switch Function**







- Type III manual reset circuit breaker with On/Off switch capability.
- Weatherproof.
- Switch is capable of 3,000 On/Off cycles @ 48V DC.
- Easily mounted to any flat surface.
- External ignition protected to ABYC E-11 standards.
- 5/16-18 threaded copper studs are plated for corrosion resistance.

SURFACE	MOUNT		
Order No.	Description	List Price	
7-1741	30 Amp	\$65.99	F0-9164000
7-1742	40 Amp	\$65.99	F0-9164000
7-1743	50 Amp	\$65.99	F0-9164000
7-1746	60 Amp	\$65.99	F0-9164000
7-1744	70 Amp	\$65.99	F0-9164000
7-1745	100 Amp	\$65.99	F0-9164000
	*		

#### **Blue Sea 285 Series Circuit Breakers**

# BLUE SEA



• Drop in replacement for 185-Series Circuit Breakers.

- Visible yellow reset lever shows open condition.
- Trip-free design cannot be held closed after trip.
- Type III switchable/manual reset trip free.
- Ignition protected.
- IP67 protected against immersion up to 1 meter for 30 minutes.
- Maximum voltage: 48V DC.
- Meets SAE J1171 external ignition protection requirements.

PANEL MOUNT	
Order No. Mfg. No. / Description	List Price
<b>1307083</b> (7083-BSS) 50 Amp	<b>\$60.39</b> F0-7224000
<b>387996</b> (7086-BSS) 80 Amp	<b>\$59.39</b> F0-7514000

36/996	(7000-B22) OU AIIIP	\$39.39	FU-7514000
SURFACE	MOUNT		
Order No.	Mfg. No. / Description	List Price	
1307181	(7181-BSS) 30 Amp	\$60.39	F0-7224000
1307182	(7182-BSS) 40 Amp	\$60.39	F0-7224000
1307183	(7183-BSS) 50 Amp	\$60.39	F0-7224000
379539	(7184-BSS) 60 Amp	\$59.49	F0-4614000
		-	

#### Blue Sea 187 Series Circuit Breakers







379533

Visible yellow reset lever shows open condition.

• Trip-free design cannot be held closed after trip.

• Type III - switchable/manual reset - trip free.

- Large clearance around terminal studs accepts up to 1/0 AWG lugs.
- Ignition protected.
- IP66 protected against powerful water jets.
- Maximum voltage: 48V DC.
- Meets SAE J1171 external ignition protection requirements.

SURFACE	MOUNT		
Order No.	Mfg. No. / Description	List Price	
379533	(7135-BSS) 25 Amp	\$93.29	F0-0356000
379534	(7136-BSS) 30 Amp	\$93.29	F0-0356000
379535	(7138-BSS) 40 Amp	\$93.29	F0-0356000
379536	(7139-BSS) 50 Amp	\$93.29	F0-0356000
	·		

#### **Rig Rite Circuit Breaker**





- · Manual reset.
- For 12, 24, and 36 volt trolling motors.
- 60 amp.

00 ap.			
Order No.	Mfg. No. / Description	List Price	
2970360	(360)	\$48.99	G0-2823000



& Deck Hardware, Fasteners

Cockpit

Camouflage

Misc.

#### **Marpac Mini Circuit Breakers**





List Price

List Price

\$6.49

\$4.79

\$4.79

F0-4540000

F0-4540000

F0-4540000

F0-4540000

F0-4540000

F0-5330000

F0-5330000

Manual push to reset operation.

Order No. Description

- Optional waterproof boot available (7-1264).
- Voltage rated: 50V DC, 125V/250V AC.

	7-1260	6 Amp	\$4.89	F0-2430000
	7-1261	10 Amp	\$5.09	F0-6530000
	7-1262	15 Amp	\$5.09	F0-6530000
١	7-1263	20 Amp	\$5.79	F0-5040000
	7-1264	Waterproof Boot	\$3.59	F0-1520000

#### Blue Sea Push Button Reset-Only Circuit Breakers

Branch circuit breakers - also used for 24-hour circuit protection.

Compact design enables high density circuit protection configurations.

Trip Free design cannot be held ON during fault current condition.

1/4" male quick connect terminals.

Mfg. No. / Description

(7052-BSS) 5 Amp

(7054-BSS) 10 Amp

(7056-BSS) 15 Amp

(7057-BSS) 20 Amp

(7059-BSS) 30 Amp

379404 (4137-BSS) Waterproof Boot - Black

(4135-BSS) Waterproof Boot - Clear

• Push-to-reset operation.

Ignition protected.

Order No.

379458

379460

379461

379462

379464

387995

#### BĻŲĘ SEA Instruments

#### **Electrical**

Lighting

Electronics Trolling

Motors

Anchor & Dock

Safety

Steering Controls

Pumps Fuel System

Seating & Pedestals

Trailering

Tops &

Propellers Engine

Perform.

Cleaning Paint &

& Care

Paint Acc Fun & Flotation

Topside Acc. Cockpit

& Deck Hardware, Fasteners

Camouflage

Misc.







Mfg. No. / Description

3' of 8 gauge wire to battery.

· Protects trolling motors from damage. • Contains: 50 amp circuit breaker.

**\$75.99** F0-9135000

Kit includes: Mounting box, fasteners and second ring terminal for attaching trolling motor

**T-H Marine Trolling Motor Circuit Breaker Kit** 

#### Marpac Push Button Circuit Breakers





- Fits 15/32" mounting stem.
- · Optional waterproof boot to protect against dirt and moisture available (7-1134).

Order No.	Description		List Price	
7-1124	6 Amp	2 Per Package	\$10.59	G0-0170000
7-1126	10 Amp	2 Per Package	\$7.09	F0-6940000
7-1128	15 Amp	2 Per Package	\$7.49	F0-4250000
7-1129	20 Amp	2 Per Package	\$7.79	F0-5450000
7-1130	30 Amp	2 Per Package	\$7.79	F0-5450000
7-1131	40 Amp	1 Per Package	\$6.69	F0-8640000
7-1132	50 Amp	1 Per Package	\$9.49	F0-4660000
7-1134	Waterproof Bo	oot - 3 Per Package	\$6.09	F0-6240000

#### **Newmar Circuit Breakers - A Frame Size**

## NEWMAR







- Black toggle handles.
- Feature magnetic-hydraulic "trip-free" mechanism.
- #10 screw terminals on rear for wiring.
- 5-30 amp rated to 65 VDC or 277 VAC; 40 and 50 amp rated to 32 VDC or 120 VAC.
- UL recognized and CSA listed for AC and DC systems and meet USCG requirements as a qualified circuit protection device.

	•				
Order No.	Mfg. No. / Description	l		List Price	
698019	(088-0051-2)	5 Amp	Single Pole	\$87.99	H0-9725000
698021	(088-0101-2)	10 Amp	Single Pole	\$85.49	F0-4895000
698033	(088-0151-2)	15 Amp	Single Pole	\$85.49	F0-4895000
698046	(088-0201-2)	20 Amp	Single Pole	\$88.29	F0-0816000
698057	(088-0251-2)	25 Amp	Single Pole	\$90.89	H0-3545000
698069	(088-0301-2)	30 Amp	Single Pole	\$85.49	F0-4895000
698083	(088-0501-2)	50 Amp	Single Pole	\$88.29	F0-0816000
698108	(089-0151-2)	15 Amp	Double Pole	\$107.39	H0-3446000
698110	(089-0301-2)	30 Amp	Double Pole	\$96.59	F0-1676000
698123	(089-0501-2)	50 Amp	Double Pole	\$99.49	H0-9695000
698007	(SCREWS)	Black, Break	er Mounting Screw	\$0.69	H0-1400000

#### **Boater Sports Breaker Boot**





- Waterproof, clear rubber boot for use with push button breakers.
- Clear.

1-51384 (51384)

Mfg. No. / Description



#### Trac Outdoors Sealed Thermal Circuit Breaker

- Weatherproof sealed thermal circuit breaker.
- High current.
- Manual resetting with visible lever.
- Length 3.95".

Order No. Mfg. No. / Description 3630581 (69420) 60 Amp



\$31.19 F0-3812000



#### Marpac Circuit Breaker Kit



- Includes 50 amp inline circuit breaker, bracket, and boot.
- Manual reset button.
- For use with higher amperage accessories.
- For use with 12V or 24V systems.

Order No. Description List Price 7-1169 Circuit Breaker Kit \$9.09 F0-6360000

#### Marpac Resettable Circuit Breakers with Cycling Automatic Reset



- Single pole thermal type breaker.
- Cycling automatic reset.
- SAE J553 & SAE J1171 compliant.
- For inline use, no mounting bracket required.
- For use with higher amperage accessories.
- For use with 12 volt systems.

Order No.	Description	List Price	
7-1184	40 Amp	\$9.49	G0-6360000
7-1185	50 Amp	\$7.99	G0-5350000

IL Sica

#### **Rig Rite Manual Reset Circuit Breakers**



- Manual reset.
- For installing trolling motors and winches.
- For use with 24V systems.
- Includes keps nuts, mounting hardware, and 8 gauge ring terminal.

Order No. Mfg. No. /	Description	List Price	
<b>2971020</b> (1020)	20 Amp	\$13.59	G1-3880000
<b>2971030</b> (1030)	30 Amp	\$13.59	G1-3880000
<b>2971040</b> (1040)	40 Amp	\$14.79	G1-1690000
<b>2971050</b> (1050)	50 Amp	\$14 <b>.79</b>	G1-1690000

#### Marpac Circuit Breaker Bracket and Boot



- Can be used with most manual or automatic two prong circuit breakers.
- Included cover protects breaker terminals from the elements. reducing corrosion

Order No.	Description	List Price	
7-1170	Bracket and Boot	\$3.60	FN-8520000

#### **Boater Sports Breaker Mounting Bracket**





- For convenient mounting of trolling motor breaker.
- Use with manual or automatic trolling motor breakers.

Order No. Mfg. No. / Description	List Price	QUANTITIES
<b>2000327</b> (BRK-1)	\$5.49	H0-9230000

#### **Marpac Resettable Circuit Breakers**



- Inline circuit breaker.
- Manual reset button.
- For use with higher amperage accessories.
- For use with 12V or 24V systems.

Order No.	Description	List Price	
7-1172	20 Amp	\$6.59	F0-1640000
7-1173	30 Amp	\$6.59	F0-1640000
7-1174	40 Amp	\$6.99	F0-9840000
7-1175	50 Amp	\$6.99	F0-9840000

#### **Cole Hersee Circuit Breakers with Mounting Bracket**

#### Cole Hersee

- Steel housing.
- Comes with integral brackets.
- Breakers have 10-32 studs, blades or wire leads.
- Steel box type is approximately 1-1/4" x 3/4" x 2/3".
- Wire lead type has a 10" wire loop connected to studs and PVC-coated.

Order No.	Mfg. No. / Description		List Price	
330785	(30055-15-BP)	15 Amp	\$11.19	G0-0570000
330794	(30055-20-BP)	20 Amp	\$11.19	G0-0570000
330807	(30055-30-BP)	30 Amp	\$11.39	G0-3670000
330819	(30055-40-BP)	40 Amp	\$10.89	G0-0370000
330821	(30055-50-BP)	50 Amp	\$11.99	G0-3080000
		*		

#### **Rig Rite Automatic Reset Circuit Breakers**



- Will automatically reset itself.
- For installing trolling motors and winches.
- For use with 12V or 24V systems.
- Includes nuts, washers, mounting hardware, and 8 gauge ring terminal.

Order No. Mfg. No. / Description	List Price
<b>2970340</b> (340) 40 Amp	\$12.29 H0-7370000
<b>2970350</b> (350) 50 Amp	\$12.29 H0-7370000

#### Mar-Lan Circuit Breaker Bracket

Insulated brace bracket allows for mounting

breaker				

Order No.	Description	List Price	
205564	Red	\$9.79	G0-6560000

#### Blue Sea ATO/ATC Style Low Profile Circuit Breakers

## BLUE SEA

- Use a manually resettable circuit breaker instead of an ATO or ATC fuse.
- Drop in replacement for ATO and ATC blade style fuses.
- Manual push button reset complies with ABYC circuit protection requirements.
- Compatible with Water-Resistant ST-Blade Fuse Block with cover secured, and with all other ST-Blade Fuse blocks without cover.
- Sold in packs of 2.

Order No.	Mfg. No. / Descrip	tion		List Price	
1307063	(7063-BSS)	7.5 Amp	Brown	\$11.69	F0-8180000
1307064	(7064-BSS)	10 Amp	Red	\$11.69	F0-8180000
1307065	(7065-BSS)	15 Amp	Blue	\$11.69	F0-8180000
1307066	(7066-BSS)	20 Amp	Yellow	\$11.69	F0-8180000
1307067	(7067-BSS)	25 Amp	White	\$11.69	F0-8180000
1307068	(7068-BSS)	30 Amp	Green	\$11.69	F0-8180000
	( ,			#	



Electronics

Trolling Motors

Instruments

Lighting

Anchor & Dock

Safety

Steering Controls

Pumps

Fuel System

Pedestals Trailering

Tops &

Perform

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc

Fun & Flotation

Topside

Cockpit & Deck

Hardware. Fasteners

Camouflage

Misc

#### **Marpac ATC Plug-In Fuses**





BLUESEA

1300112

**\$2.09** F0-6410000

\$2.09 F0-6410000

\$2.09 F0-6410000

\$2.09 F0-6410000

\$2.09 F0-6410000

\$2.09 F0-6410000

Blue Sea ATO / ATC Fuse Kit

F0-6410000

F0-6410000

F0-6410000

F0-6410000

F0-6410000

F0-0531000

List Price

\$2.09

\$2.09

\$2.09

\$2.09

\$2.09

List Price

Sold by box of 5 Packages only! Priced per Package.

• Sold 3 per package.

	D		11	
Order No.	Description		List Price	
7-3800	3 Amp	Violet	\$4.29	F0-0030000
7-3805	4 Amp	Pink	\$4.29	F0-0030000
7-3810	5 Amp	Tan	\$4.29	F0-0030000
7-3815	7.5 Amp	Brown	\$4.29	F0-0030000
7-3820	10 Amp	Red	\$4.29	F0-0030000
7-3825	15 Amp	Blue	\$4.29	F0-0030000
7-3830	20 Amp	Yellow	\$4.29	F0-0030000
7-3835	25 Amp	Clear	\$4.29	F0-0030000
7-3840	30 Amp	Green	\$4.29	F0-0030000
7-3845	40 Amp	Orange	\$4.29	F0-0030000

#### Blue Sea ATO / ATC Plug-In Fuses

## **BLUE SEA**

1305237

· Color-coded for easy identification.

Visible indication of blown condition.

Maximum voltage rating: 32V DC.

Mfg. No. / Description

**1305235** (5235-BSS) 1 Amp

**1305236** (5236-BSS) 2 Amp

**1305237** (5237-BSS) 3 Amp

**1305238** (5238-BSS) 4 Amp

**1305239** (5239-BSS) 5 Amp

1305240 (5240-BSS) 7.5 Amp

1305241 (5241-BSS) 10 Amp

1305242 (5242-BSS) 15 Amp

1305243 (5243-BSS) 20 Amp

1305244 (5244-BSS) 25 Amp

1305246 (5246-BSS) 40 Amp

Mfg. No. / Description

**1300112** (5239100-BSS) 5 Amp **\$19.29** 

1300114 (5241100-BSS) 10 Amp \$19.29 F0-0531000

**1300116** (5243100-BSS) 20 Amp **\$19.29** F0-0531000

25 PER PACKAGE

BĻŲĘ SĘĄ

Order No.

Tin-plated connector blades for

Fast-acting protection.

corrosion resistance.

2 PER PACKAGE

Electrical

Electronics Trolling Motors

Instruments

Lighting

Anchor & Dock

Safety Steering

Controls

Pumps Fuel System

Seatina & Pedestals Trailering

Tops & Perform.

Propellers Engine

& Care Cleaning

Paint & Paint Acc.

Fun & Flotation Topside

Acc. Cockpit & Deck

Hardware Fasteners









Order No. Mfg. No. / Description 1305287 (5287-BSS)

Maximum voltage rating: 32V DC.

15 amp, 20 amp, 25 amp, and 30 amp.

\$4.79 F0-5330000

Includes one of each of the following ATC Fuses: 5 amp, 10 amp,

#### Marpac Mini Plug-In Fuses

#### Sold by box of 5 Packages only! Priced per Package.

• Sold 3 per package.

Order No.	Description		List Price	
7-3855	2 Amp	Gray	\$4.99	F0-9430000
7-3860	3 Amp	Violet	\$4.99	F0-9430000
7-3865	4 Amp	Pink	\$4.99	F0-9430000
7-3870	5 Amp	Tan	\$4.99	F0-9430000
7-3875	7.5 Amp	Brown	\$4.99	F0-9430000
7-3880	10 Amp	Red	\$4.99	F0-9430000
7-3885	15 Amp	Blue	\$4.99	F0-9430000
7-3890	20 Amp	Yellow	\$4.99	F0-9430000
7-3895	25 Amp	Clear	\$4.99	F0-9430000
7-3900	30 Amp	Green	\$4.99	F0-9430000

#### Blue Sea ATM Plug-In Fuses



- Mini blade-type fuse.
- Color-coded for easy identification.
- Tin-plated connector blades for corrosion resistance.
- Visible indication of blown condition.
- Maximum voltage rating: 32V DC.
- Sold 2 per pack.

Order No.	Mfg. No. / Description	List Price	
1305272	(5272-BSS) 15 Amp	\$2.29	F0-0610000
1305273	(5273-BSS) 20 Amp	\$2.29	F0-0610000
1305274	(5274-BSS) 30 Amp	\$2.29	F0-0610000

#### Blue Sea MAXI Plug-In Fuse

#### BLUE SEA



- Color-coded for easy identification.
- Silver-plated connector blades for corrosion resistance.
- Visible indication of blown condition.
- Maximum voltage rating: 32V DC.
- Interrupt capacity: 1,000 amp.
- Sold 1 per pack.

Mfg. No. / Description **379304** (5140-BSS) 50 Amp

List Price \$6.79 F0-5740000

#### Marpac ATC/Mini Fuse Display





- This display includes the following:
  - (5) 7-3800 ATC Plug-In Fuse 3 amp
  - (5) 7-3805 ATC Plug-In Fuse 4 amp
  - (5) 7-3810 ATC Plug-In Fuse 5 amp
  - (5) 7-3815 ATC Plug-In Fuse 7.5 amp
  - (5) 7-3820 ATC Plug-In Fuse 10 amp
  - (5) 7-3825 ATC Plug-In Fuse 15 amp
  - (5) 7-3830 ATC Plug-In Fuse 20 amp
  - (5) 7-3835 ATC Plug-In Fuse 25 amp
  - (5) 7-3845 ATC Plug-In Fuse 40 amp
  - (5) 7-3855 Mini Plug-In Fuse 2 amp
  - (5) 7-3860 Mini Plug-In Fuse 3 amp
  - (5) 7-3865 Mini Plug-In Fuse 4 amp
  - (5) 7-3870 Mini Plug-In Fuse 5 amp

  - (5) 7-3875 Mini Pluq-In Fuse 7.5 amp
  - (5) 7-3880 Mini Plug-In Fuse 10 amp
  - (5) 7-3885 Mini Plug-In Fuse 15 amp
  - (5) 7-3890 Mini Plug-In Fuse 20 amp
  - (5) 7-3895 Mini Plug-In Fuse 25 amp
  - (5) 7-3900 Mini Plug-In Fuse 30 amp
  - (10) 7-3780 Plug-In Fuse Holder

7-3010 Fuse Center **\$476.89** F0-2833300

#### Handi-Man Plug-In ATC Fuse Kit



- Contains an assortment of plug-in ATC fuses, including: 10 amp (Qty. 6), 15 amp (Qty. 4), 20 amp (Qty. 4), and 30 amp (Qty. 3).
- 17 pieces.

Mfg. No. / Description Order No **731580** (970223)

List Price

\$12.69 F0-8880000









Electronics Trolling Motors Instruments

**Electrical** 

Lighting

Anchor

& Dock

Safety

Steering

Controls

Pumps

Fuel System Seating & Pedestals

Trailering

Tops &

Perform.

Propellers

Engine & Care Cleaning & Care

#### Marpac Water Resistant Plug-In Fuse Holder





Order No.	Description	List Price	
7-3780	Plug-In Fuse Holder	\$4.29	F0-003000

#### **In-Line ATC Fuse Holders**

\$9.19 F0-3460000

Blue Sea Waterproof In-Line ATO/ATC Fuse Holder



- Length 4".
- Fuses not included.

BLUE SEA

Waterproof.

For use with ATC or ATO fuses.

• Supplied with 12 AWG pigtails.

• 30A maximum fuse amperage.

• Fuse sold separately. Order No. Mfg. No. / Description

**380020** (5065-BSS)

#### 16 GAUGE YELLOW LEAD WIRE

Maximum Volts/Amps: 32V/20A.

Order No. Mfg. No. / Description List Price **\$4.39** F0-7030000 2000258 (BP/HHF-RP)

#### 12 GAUGE YELLOW LEAD WIRE

Maximum Volts/Amps: 32V/30A.

Order No. Mfg. No. / Description List Price **2000259** (BP/HHG-RP) \$3.99 F0-9720000

#### Marpac SFE Fuses





#### Sold by box of 5 Packages only! Priced per Package.

Order No.	Description	List Price	
7-3755	9 Amp	\$4.59	F0-1230000
7-3760	14 Amp	\$4.39	F0-7030000
7-3765	20 Amp	\$4.39	F0-7030000

#### Blue Sea AGC / MDL In-Line Fuse Holder



- Crimpable in-line fuse holder.
- Accepts 12-16 AWG wire.
- 30A maximum fuse amperage.
- Fuse sold separately.

Order No.	Mtg. No.	List Price	
1305060	(5060-BSS)	\$2.79	F0-5910000

#### Blue Sea In-Line ATO/ATC Fuse Holder



 For use with ATC or ATO fuses.

- Supplied with 12 AWG pigtails.
- 30A maximum fuse amperage.
- Fuse sold separately.

Order No. Mfg. No. / Description List Price 1305064 (5064-BSS) \$4.19 F0-3920000

#### **In-Line ATM Fuse Holders**



removable straps. Lenath 4".

Fuses not included.

Order No. Mfg. No. / Description

List Price \$4.69 F0-8230000 2000261 (BP/HHL-RP)

#### 12 GAUGE RED LEAD WIRE

Maximum Volts/Amps: 32V/30A.

Order No. Mfg. No. / Description List Price **2000262** (BP/HHM-RP) **\$5.09** F0-6530000

#### Blue Sea AGC / MDL Fuses



Visible indication of blown condition.

Maximum voltage rating: 32V DC.

#### AGC - FAST-ACTING GLASS FUSES

• 5 per package.

Order No.	Mfg. No. / Descr	ription	List Price	
1305210	(5210-BSS)	5 Amp	\$2.29	F0-0610000
1305215	(5215-BSS)	10 Amp	\$2.29	F0-0610000
1305217	(5217-BSS)	15 Amp	\$2.29	F0-0610000
1305218	(5218-BSS)	20 Amp	\$2.29	F0-0610000
1305220	(5220-BSS)	30 Amp	\$2.29	F0-0610000

#### **MDL - SLOW BLOW GLASS FUSES**

• 2 per package.

Order No. Mfg. No. / Description List Price 1305232 (5232-BSS) 20 Amp

**\$3.39** F0-7320000

#### Marpac Waterproof Fuse Holder

- Waterproof enclosure for reliable electrical connection.
- For up to 30 amps and 16 gauge wire.
- Includes: 20 amp fuse.

Order No. Description List Price **7-3785** Waterproof Fuse Holder \$4.09 F0-6820000



Paint & Paint Acc Fun & Flotation

Topside

Cockpit

& Deck

Hardware, Fasteners

Camouflage

Misc.



- Water Resistant.
- For ATC/ATO fuses up to 30 amps.
- 12 gauge wire loop.
- Fuse not included.

BEP Waterproof In-Line ATC Fuse Holder



• Length 5".

AGA

Order No. Mfg. No. / Description

2460311 (WAFH-14)

List Price

\$6.99 F0-9840000

**Marpac AGA and AGC Fuses** 





Order No.	Description	List Price	
7-3675	20 Amp	\$4.39	F0-7030000
7-3680	30 Amp	\$4.39	F0-7030000
AGC			
Order No.	Description		List Price
7-3685	1 Amp	\$4.39	F0-7030000
7-3690	1.5 Amp	\$4.39	F0-7030000
7-3695	2 Amp	\$4.39	F0-7030000
7-3700	2.5 Amp	\$4.39	F0-7030000
7-3705	3 Amp	\$4.39	F0-7030000
7-3710	4 Amp	\$4.39	F0-7030000
7-3715	5 Amp	\$4.39	F0-7030000
7-3720	7.5 Amp	\$4.39	F0-7030000
7-3725	10 Amp	\$4.39	F0-7030000
7-3730	15 Amp	\$4.39	F0-7030000
7-3735	20 Amp	\$4.39	F0-7030000
7-3740	25 Amp	\$4.39	F0-7030000
7-3745	30 Amp	\$4.39	F0-7030000
7-3795	40 Amp	\$5.09	F0-6530000
7-3750	50 Amp	\$7.59	F0-1350000
	•		

Electronics

Anchor & Dock

Safety

Pumps

Fuel System

#### Sierra Water Resistant Glass Tube Style Fuse Holders

#### SIERR&

- Weather resistant fuse holder with spare fuse compartment.
- Accepts glass type fuses 1/4" x 1-1/4".
- Length 8".



#### 16 GAUGE WIRE LOOP WITH (2) 10 AMP FUSES

Order No.	Mfg. No. / Description	List Price	
SIE-FS69180	(FS69180)	\$11.29	Z0-7960000

#### 14 GAUGE WIRE LOOP WITH (2) 15 AMP FUSES

Order No. Mfg. No. / Description SIE-FS69170 (FS69170)

List Price \$11.59 ZO-3170000

#### Mar-Lan Industries Watertight Inline Fuse Holders



 A push together watertight inline fuse holder molded of heat resistance non-breakable plastic.

• Fits 1/4" x 1-1/4" fuses.

Order No.	Mfg. No. / Description	List Price	
205599	(2011-08-50C) 50 Amp	\$15.99	G0-1701000
205600	(2011-10-30C) 30 Amp	\$15.49	G0-8301000
205612	(2011-12-20C) 20 Amp	\$15.09	G0-1101000
205624	(2011-14-15C) 15 Amj	\$14.49	G0-1790000
205636	(2011-16-10C) 10 Amp	\$14.19	G0-1590000

#### Marpac Plastic Inline Fuse Holders



 Accepts AGC glass type fuses 1/4" x 1-1/4". Lighting

• Length 8".

#### **18 GAUGE WIRE LOOP**

Fuse not included.

Order No

7-1120 \$2.69 F0-8810000

Steering 14 GAUGE WIRE LOOF Controls

· Includes 20 Amp fuse.

This display includes the following:

(5) 7-3675 - AGA Fuse - 20 amp

(5) 7-3680 - AGA Fuse - 30 amp

(5) 7-3685 - AGC Fuse - 1 amp

(5) 7-3705 - AGC Fuse - 3 amp

(5) 7-3710 - AGC Fuse - 4 amp

(5) 7-3720 - AGC Fuse - 7.5 amp

(5) 7-3725 - AGC Fuse - 10 amp

(5) 7-3730 - AGC Fuse - 15 amp

(5) 7-3735 - AGC Fuse - 20 amp

(5) 7-3740 - AGC Fuse - 25 amp

(5) 7-3690 - AGC Fuse - 1.5 amp (5) 7-3695 - AGC Fuse - 2 amp (5) 7-3700 - AGC Fuse - 2.5 amp

List Price **\$3.49** F0-4420000 7-1122

#### Marpac Plastic Inline Fuse Holder



- Accepts glass type fuses 1/4" x 1-1/4".
- Includes 30 amp fuse.
- 12 gauge wire loop.
- · Positive screw cap.

Order No. List Price 7-0158 **\$3.89** F0-2720000

#### Blue Sea Heavy Duty In-Line AGC/MDL Fuse Holder



- Accepts 12-18 AWG wire.
- 30 AMP maximum fuse amperage.
- Fuse sold separately.

Order No. Mfg. No. / Description List Price 1305063 (5063-BSS) \$4.29 F0-0030000

#### Marpac Glass Fuse Display

List Price



Trailering

Tops &

Perform.

Propellers Engine & Care

Paint & Paint Acc

Fun & Flotation Topside


Acc. Cockpit & Deck

Hardware Fasteners

Camouflage



Comm



Description 7-3003 Glass Fuse Display


(5) 7-3790 - Fuse Puller



**\$628.89** F0-2204400

#### Marpac Panel Mount Fuse Holder





Sold each per card.

Order No. Description

7-0159 Panel Mount Fuse Holder

List Price

LIMITED QUANTITIES \$4.29 F0-0030000

Marpac Square Face Panel Mount Fuse Holder



Square face panel mount fuse holder.

For use with glass type fuses 1/4" x 1-1/4" up to 10 amp.

Sold 2 per card.

Description

7-0154 Square Face Panel Mount Fuse Holder

LIMITED **QUANTITIES** 

\$4.09 GO-4720000

List Price

Blue Sea Panel Mount AGC/MDL Fuse Holder

BLUE SEA

Replaces fuse holder found in Contura Waterproof Fuse Panels.

• Easy to open.

Maximum amperage: 20 amp.

Order No. Mfg. No. / Description 379467 (5021-BSS) 1305022 (5022-BSS) Replacement Cap for 379467





#### **Marpac Fuse Puller**





#### Sold by box of 5 Packages only! Priced per Package.

LIMITED QUANTITIES

Order No. Description List Price **7-3790** Fuse Puller \$6.39 F0-7440000

#### Perko Compact Battery Selector and Disconnect Switches - Cup Mount



- Polycarbonate body with nickel plated terminals.
- Ignition protected.
- For use with alternators and generators 6-50V DC Marine Electrical Systems.
- Small compact size.
- Attractive, durable easy open/close cover hides and protects switch face.
- Allows for easy battery switch access without opening hatches, doors or reaching into tight
- Removable actuator key.
- Uses #6 fasteners.
- Terminal stud size: 3/8".
- Rated: 140 amps continuous, 200 amps 5 min. intermittent, 250 amps 30 second start.

#### SELECTOR SWITCH WITH OFF-WHITE CUP

• Cup diameter: 4-1/2". Installs in 4" diameter hole.

Order No. Mfg. No. / Description List Price **542542** (8521 DPC) **\$78.59** F0-1055000

#### DISCONNECT SWITCH WITH OFF-WHITE CUP

• Cup diameter: 3-1/2". Installs in 3" diameter hole.

Order No. Mfg. No. / Description **542577** (9621 DPC) **\$63.79** F0-5644000

#### Blue Sea Battery Terminal Mount Fuse Block Kit

**Perko Compact Battery Selector and Disconnect Switches** 

#### BLŲĘ SEA

- Easy to install (4) ATO/ATC fused circuits to the terminal of a battery.
- Mounts on the battery terminal stud.
- Screw terminals for securing wires.
- Accepts small format circuit labels.
- Insulating cover meets ABYC/USCG insulation requirements.
- Includes: A 4-circuit negative busbar, write on labels and (4) 16-14 AWG & (4) 12-10 AWG nylon insulated ring terminals.

Mfg. No. / Description

379368 (5024-BSS)



\$41.89 F0-2392000

542552

**Panel Mount with Backing** 

Electronics

Trolling Motors

Instruments

Lighting

Anchor & Dock

Safety

Steering Controls

> **Pumps** Fuel

System Seating &

Pedestals Trailering

Tops &

Perform

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc

Fun &

Flotation Topside

Cockpit & Deck Hardware,

Fasteners

Camouflage

Misc

Comm.

**Bulkhead Mount with** 

**Mounting Legs** 

 Polycarbonate body with nickel plated terminals. lanition protected.

• For use with alternators and generators 6-50V DC Marine Electrical Systems.

542565

Small compact size.

- Two mounting options: Panel mount with backing plate and Bulkhead mount with mounting
- Removable actuator key.
- Uses #10 fasteners.
- Terminal stud size: 3/8".
- Rated: 140 amps continuous, 200 amps 5 min. intermittent, 250 amps 30 second start.

#### SELECTOR SWITCH WITH MOUNTING RING AND LEGS

• Face dimensions: 3-7/8" x 3-1/4". Hole size: 3".

Order No. Mfg. No. / Description

542552 (8521 DP)

DISCONNECT SWITCH WITH MOUNTING RING AND LEGS

• Face dimensions: 3" x 2-1/2". Hole size: 2-1/8".

Order No. Mfg. No. / Description

542565 (9621 DP)

List Price

\$61.09 F0-6724000

**\$76.29** F0-0435000

#### Perko Fig. 8603 Heavy Duty Battery Selector Switch with AFD





- · Ignition protected.
- Alternator Field Disconnect Model.
- Diameter 5-1/4", depth 3-3/8".
- For use with 6, 12, 24 and 32 volt marine electrical systems.
- 380 amps continuous, 850 amps intermittent.
- · When used with Non-Unitized Alternators, these models will interrupt the field current (reducing the possibility of damage) if turned "OFF" with the engine running.

Order No. Mfg. No. / Description

542538 (8603 DP)

\$256.59 F0-1697100

542530

List Price

\$80.59 F0-1465000

**\$38.79** F0-5172000

#### Perko Fig. 8511 Compact Battery Selector Switch



Ignition protected.

• Requires 1/3rd less space to mount.

• Diameter 4-3/4", depth 1-7/8".

Mfg. No. / Description

**542530** (8511 DP)

· Ignition protected.

• Diameter 5-1/4", depth 2-5/8".

• Same bolt patterns as Popular 8500 Series.

Popular 90° easy to identify position rotation.

• For use with 12, 24 and 32 volt marine electrical systems.

**542531** (8511DPOUSA) USA Design - Limited Design

• Higher capacity - 315 amps continuous, 450 amps intermittent.

Four removable skirt panels for easy cable access and mounting.

5315148

• For use with 12, 24 and 32 volt marine electrical systems.

250 amps continuous, 360 amps intermittent.

**Perko Medium Duty Battery Selector Switches** 

#### **Electrical**

Lighting

Electronics

Trolling Motors

Anchor & Dock

Safety

Steering Controls

Pumps

Fuel System

Seatina & Pedestals Trailering

Tops &

Perform

Propellers Engine

& Care

Paint & Paint Acc

Fun & Flotation Topside

Cockpit & Deck

Hardware Fasteners

Camouflage

Misc

Comm



· When used with Non-Unitized Alternators, these models will interrupt the field current

(reducing the possibility of damage) if turned "OFF" with the engine running.

542527

#### Perko Fig. 9703 Heavy Duty Battery Disconnect Switch with AFD





- · Ignition protected.
- Alternator Field Disconnect Model.
- Diameter 5-1/4", depth 3-3/8".
- For use with 6, 12, 24 and 32 volt marine electrical systems.
- 450 amps continuous, 1,200 amps intermittent.
- When used with Non-Unitized Alternators, these models will interrupt the field current (reducing the possibility of damage) if turned "OFF" with the engine running.

Order No. Mfg. No. / Description

543990 (9703 DP)

**\$244.29** F0-0017100

#### Perko Fig. 9611 Compact Main Battery Disconnect Switch







543988

- Ignition protected.
- Requires 1/3rd less space to mount.
- Same bolt patterns as Popular 8500 Series.
- Popular 90° easy to identify position rotation.
- Diameter 4-3/4", depth 1-7/8".
- For use with 12, 24 and 32 volt marine electrical systems.
- Higher capacity 315 amps continuous, 450 amps intermittent.
- Four removable skirt panels for easy cable access and mounting.

Mfg. No. / Description

**543987** (9611 DP)

**\$79.79** F0-5855000 **\$38.79** F0-5172000

List Price

543988 (9611DPOUSA) USA Design - Limited Design

#### **Perko Medium Duty Main Battery Disconnect Switches**



- · Ignition protected.
- Diameter 5-1/4", depth 2-5/8".
- For use with 12, 24 and 32 volt marine electrical systems.
- 250 amps continuous, 360 amps intermittent.
- · When used with Non-Unitized Alternators, these models will interrupt the field current (reducing the possibility of damage) if turned "OFF" with the engine running.

Order No.	Mfg. No. / Description	List Price	
543985	(9601 DP)	\$74.59	F0-1225000
543986	(9603 DP) With Alternator Field Disconnect	\$97.09	F0-6976000

#### Marpac Battery Main Switch - On/Off

# MARPAC

- Unique ergonomic and aesthetic knob design.
- Knobs removable for isolation/safety.
- Robust glass fiber reinforced nylon enclosure.
- Removable windows for unobstructed wiring.
- Terminal studs: M10 (3/8").
- Diameter 2-3/4".
- Cranking rating (30 seconds): 900 amps, continuous rating: 300 amp, intermittent rating (5 minutes): 500 amp.
- 3 mounting options: Surface mount, front panel mount and rear panel mount.
- Voltage rating: 48V DC.

Order No. Description	List Price
<b>7-0381</b> Sold Each	<b>\$33.59</b> F0-1532000
<b>7-0381B</b> Sold Pack of 10	\$32.59 F0-1822000

#### **Marpac Battery Selector Switch**



- Select from battery bank 1, battery bank 2 or both for charging or emergency starting.
- Can be mounted on or behind a panel.
- Nickel plated studs for maximum corrosion resistance.
- Uses up to 4/0 AWG battery cables.
- Copper studs for maximum conductivity. Longer studs for attaching more cable terminals.
- Continuous rating: 300 amps, intermittent rating (5 seconds): 1,000 amps.
- Diameter 2-3/4".
- Voltage rating: 48V DC.

Order No.	Description	List Price	
7-0380	Battery Selector Switch	\$34.29	F0-0042000

#### **Marpac Keyed Battery Cutoff Switch**





- Don't drain the battery, cut it off completely!
- Removable key acts as theft deterrent.
- Weather resistant rubber cap.
- Diameter 2-1/4", depth 2-1/2" (1-1/4" depth behind panel).
- Requires (2) 1/4" diameter bolt mounting holes and a 7/8" mounting switch hole.
- 100 amps continuous @ 12V DC.

Order No Description List Price \$28.79 GO-9291000 **7-51030** Battery Cutoff Switch with Key

#### Cole Hersee Master Disconnect Switch



- Marine grade, brass case with chrome lever.
- 175A, 36V single-pole, single throw (SPST) and can be used to disconnect the battery from the vehicle electrical system.
- 800A intermittent current rating for 15 sec ON, 5 min OFF.
- Sealed options between shaft and insulator.
- Silver plated contact options for high conductivity and low contact resistance.
- Two silver laminated brass studs (3/8-24).
- Voltage: 6-36V DC.

Mfg. No. / Description Order No **300551** (M-284-01-BP) \$90.09 G0-6306000 Marpac Battery Selector Switch - 1-2-Both-Off

- Unique ergonomic and aesthetic knob design.
- Knobs removable for isolation/safety.
- Robust glass fiber reinforced nylon enclosure.
- Removable windows for unobstructed wiring.
- Terminal studs: M10 (3/8").
- Diameter 2-3/4".
- Cranking rating (30 seconds): 900 amps, continuous rating: 300 amp, intermittent rating (5 minutes): 500 amp.
- 3 mounting options: Surface mount, front panel mount and rear panel mount.
- Voltage rating: 32V DC.

Order No.	Description	List Price	
7-0382	Sold Each	\$40.69	F0-8482000
7-0382B	Sold Pack of 10	\$39.69	F0-8772000

#### **Marpac Battery Selector Switch**



- Allows separate and combined battery selection.
- Use as an emergency main disconnect switch in the event of an electrical problem.
- Make before break design.
- lanition protected.
- Manufactured by PERKO, Inc.
- 250 amps continuous, 360 amps intermittent.
- Diameter 5-1/4", depth 2-5/8".
- For use with 6, 12, 24 or 32 volt alternator/generator systems.

Description

**7-0378** Battery Selector Switch

\$61.09 F0-6724000

#### **Newmar AC Source Switches**



- An AC source selector switch is an essential item for any vessel with an on-board AC generator and/or inverter.
- These switches are fitted with a compact escutcheon plate with engraved switch position nomenclature.
- The switches carry cUL approval, are CE marked, and feature heavy duty contacts and a positive step cam mechanism for low resistance contact closure.
- May be rear mounted in panel with thickness up to 1/4".

Mfg. No. / Description Order No

**699984** (SS SWITCH7.5) 63 Amp (7.5 kw)

**699998** (SS SWITCH15) 125 AMP (15.5 kw) 2/4 Poles

2 Poles

List Price \$329.29 F0-0503200 \$531.79 E0-4889300

#### Cole Hersee Battery Selector/Master Disconnect Switch

## Cole Hersee

- Ideal for boats that use one battery for starting the engine and another battery to power auxiliary
- Single-pole, triple-throw (SP3T) circuitry, which gives you four options: batteries OFF, battery 1 ON, battery 2 ON, or both batteries ON simultaneously.
- The battery cutoff position ensures reliable battery disconnection.
- 500A intermittent current at 12V DC for up to 5 minutes and 310A maximum continuous current.
- Terminal size: 3/8".
- Voltage: 6-36V DC.

Order No **300765** (M-750)

Mfg. No. / Description \$87.99 GO-5985000





Electronics

Trolling Motors



Anchor & Dock

Safety

Steering Controls

Pumps

Fuel System Pedestals

Trailering

Tops &

Perform

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc

Fun & Flotation

Topside

Cockpit

& Deck Hardware.

> Fasteners Camouflage

Misc

#### **Blue Sea m-Series Battery Switches**

- 300 amps continuous rating for outboards and small gasoline or diesel engines.
- Tin-plated copper studs for maximum conductivity and corrosion resistance.
- Studs accept 3/8" (M10) ring terminals.
- 7/8" stud length accepts multiple cable terminals.
- One-piece terminal stud design never loosens over time.
- One-piece stainless flange nuts ensure safe and secure connections.
- isolating cover protects rear contacts.
- Breakout tabs allow wire access in any direction.
- Case design allows surface, front panel or rear panel mounting.
- · Ignition protected.
- Dimensions: 2.175" x 2.175".

#### Blue Sea m-Series Single Circuit ON-OFF with Key



Electronics

Trolling Motors

Instruments

Lighting

Anchor & Dock

Safety

Controls

Pumps

Fuel

- Switches a single battery to a single load group.
- Cranking rating (30 sec.): 900A.
- Intermittent rating (5 min.): 500A.
- · Continuous rating: 300A.
- Voltage maximum operating: 48V DC.

Electrica

**379758** (6005)

Mfg. No. / Description

\$36.09 F0-6252000

## Blue Sea m-Series Single Circuit ON-OFF



Steering

- Switches a single battery to a single load group.
- Cranking rating (30 sec.): 900A.
- Intermittent rating (5 min.): 500A.
- · Continuous rating: 300A.

 Voltage maximum operating: 48V DC. System

Seatina &

**379759** (6006)

Pedestals

Mfg. No. / Description

\$36.09 F0-6252000

## **Blue Sea m-Series Selector 4 Position**

Perform.

Trailerina

## Tops &

Propellers

& Care

Cleaning

& Care

Fun &

Flotation

Camouflage

Misc

Comm

 Switches isolated battery banks to all loads or combines battery banks to all loads.

- Cranking rating (30 sec.): 900A. Engine
  - Intermittent rating (5 min.): 500A.
  - Continuous rating: 300A.
  - Voltage maximum operating: 32V DC.

Paint &

Mfg. No. / Description

Paint Acc **379696** (6007)

Blue Sea m-Series Dual Circuit Plus

## Topside

- Cockpit Simultaneously switches two isolated battery banks & Deck or combines battery banks to all loads.
- CAN NOT be used to switch positive and negative Hardware Fasteners conductors because of the combine feature.
  - Cranking rating (30 sec.): 675A per circuit.
    - Intermittent rating (5 min.): 450A per circuit.
  - Continuous rating: 300A per circuit.
  - Voltage maximum operating: 32V DC.

Mfg. No. / Description **379698** (6011) \$59.89 F0-2914000



- 350 amps continuous rating for inboard gasoline or diesel engines.
- Tin-plated copper studs for maximum conductivity and corrosion resistance.
- Accepts up to 4/0 AWG (120 mm<sup>2</sup>) battery cables.
- Studs accept 3/8" (M10) ring terminals.
- 7/8" stud length accepts multiple cable terminals.
- One-piece terminal stud design never loosens over time.
- One-piece stainless flange nuts ensure safe and secure connections.
- Tactile indicator conveys knob position by feel.
- Ignition protected.
- Case design allows surface, front panel or rear panel mounting.
- Dimensions: 3.85" x 3.85".

#### Blue Sea e-Series Single Circuit ON-OFF

## BLŲĘ SEA

- Switches a single battery to a single load group.
- Cranking rating (30 sec.): 1,200A.
- Intermittent rating (5 min.): 600A.
- Continuous rating: 350A.
- Voltage maximum operating: 48V DC.



Mfg. No. / Description **379775** (9003E)

\$54.19 F0-3973000

## Blue Sea e-Series Selector 4 Position

## BLUE SEA

- Switches isolated battery banks to all loads or combines battery banks to all loads.
- Cranking rating (30 sec.): 1,200A.
- Intermittent rating (5 min.): 600A.
- Continuous rating: 350A.
- Voltage maximum operating: 32V DC.

**379771** (9001E)

Mfg. No. / Description

List Price

\$57.89 F0-2504000

#### Blue Sea e-Series Selector 4 Position with AFD

## BLUE SEA

- Switches isolated battery banks to all loads or combines battery banks to all loads.
- Includes AFD (Alternator Field Disconnect) which protects the diodes in the alternator in the event of the switch being switched to the OFF position while the engine is running.
- Cranking rating (30 sec.): 1,200A.
- Intermittent rating (5 min.): 600A. Continuous rating: 350A.
- Voltage maximum operating: 32V DC.

Mfg. No. / Description

**379686** (9002E)

List Price

**\$63.89** F0-2744000

## Blue Sea e-Series Dual Circuit Plus

## BLŲĘ SEĄ

- Simultaneously switches two isolated battery banks or combines battery banks to all loads.
- CAN NOT be used to switch positive and negative conductors because of the combine feature.
- Cranking rating (30 sec.): 700A per circuit.
- Intermittent rating (5 min.): 525A per circuit.
- · Continuous rating: 350A per circuit.
- Voltage maximum operating: 32V DC.

Mfg. No. / Description

**379761** (5511E)

\$73.39 F0-7315000









List Price

\$47.99 F0-9533000

## Blue Sea HD-Series Heavy Duty Battery Switch - Single Circuit ON-OFF

## BLUE SEA

- Up to 600 Amps continuous rating for large diesel engines.
- Tin-plated copper studs for maximum conductivity and corrosion resistance.
- Accepts up to 4/0 (120 mm<sup>2</sup>) AWG battery cables.
- Studs accept 1/2" (M12) ring terminals.
- 7/8" stud length accepts multiple cable terminals.
- One-piece terminal stud design never loosens over time.
- One-piece stainless flange nuts ensure safe and secure connections.
- Case design allows surface or rear mounting options.
- Tactile indicator conveys knob position by feel.
- Ignition protected.
- Switches a single battery to a single load group.
- Cranking rating (30 sec.): 1,750A.
- Intermittent rating (1 min.): 1,325A. Intermittent rating (5 min.): 900A.
- Continuous rating: 600A.
- Voltage maximum operating: 32V DC.
- Dimensions: 3.85" x 3.85".

Mfg. No. / Description Order No List Price \$105.69 F0-8937000 379691 (3000-BSS)

## **Guest Heavy Duty Diesel Power Battery Switches**

## GUEST







378643

- For 6V, 12V, 24V or 36V systems.
- Built with heavy duty copper sweep contacts to ensure positive circuit control.
- Rugged internal components are protected by a tough, impact resistant polycarbonate housing that is impervious to the elements.
- All feature Alternator Field Disconnect (AFD) allowing selection of any position, including "off", without damage to alternator or electrical system.
- Cable lug size: 1/2".

## HEAVY DUTY ON/OFF SWITCH

450A Continuous/800A Momentary.

Order No. Mfg. No. / Description List Price \$284.59 F0-1299100 378655 (2303A)

### EXTRA-DUTY ON/OFF SWITCH

- 600A Continuous/1.000A Momentary.
- Includes 3 studs.

Order No. Mfg. No. / Description List Price \$292.99 F0-9050200 378667 (2304A)

## **BATTERY SELECTOR SWITCH**

• 360A Continuous/600A Momentary.

Order No Mfg. No. / Description 378643 (2300A) **\$209.29** F0-0564100

#### Blue Sea Add-A-Battery Kit

## BLUE SEA





- Simplifies switching and automates charging for a 120A, two battery bank solution for inboard and outboard powered boats.
- For alternators up to 120A.
- Includes: e-Series Dual Circuit Plus Battery Switch (5511E) and the SI-ACR Automatic Charging Relay.
- These components simplify switching and automate charging, so that all you have to do is turn the battery switch ON when you arrive and OFF when you leave.
- · Ignition protected.

Order No Mfg. No. / Description List Price \$203.19 F0-3224100 379773 (7650-BSS)

**Guest Universal Mount Selector Switch without AFD** 

## **GUEST**

- Rugged internal components protected by a tough, impact resistant polycarbonate housing.
- Longer stud lengths for improved assembly and easier cable routing.
- Built with heavy duty copper sweep contacts to ensure positive circuit control.
- Cable lug size: 3/8".
- 230A Continuous/345A Momentary.
- Dimensions: 5" D x 2-3/4" H.

Mfg. No. / Description **378668** (2111A)

\$46.39 F0-7423000

## Marinco - BEP Products Pro Installer Battery Selector Switches



- Power requirements on boats have increased and these Selector switches offer high power capacity (400 amps continuous), the ability to easily fit doubled cables, and conform to the industry standard mounting footprint (Guest, Perko, Blue Sea Systems).
- Ignition protected.
- Removable side plates.
- Ergonomic removable switch knob.
- Operation: 1-2-Both-Off.
- 400A Continuous/600A Intermittent/1,500A Cranking.
- (3) Tinned copper 3/8" (10mm) studs.
- Dimensions: 3.85" x 3.85" x 3.62".
- 48 volts DC maximum.

## STANDARD - THREE MOUNTING OPTIONS: SURFACE, REAR AND FRONT

Order No Mfg. No. / Description List Price **378646** (771-S) \$66.69 F0-8664000

<b>EZ-MOUNT</b>	CHIDEA	CE MOL	NIT ONLY
ET-MOON!	- JUKFA	CE MICO	MI ONL

Order No Mfg. No. / Description **378649** (771-S-EZ)

List Price \$83.89 F0-2785000

Electronics

Trolling Motors

Instruments

Lighting

Anchor

& Dock

Safety

Steering Controls

**Pumps** 

Fuel System Seatina &

Pedestals Trailering

Tops &

Perform

Propellers

Engine & Care

Cleaning & Care Paint &

Paint Acc Fun &

Flotation

Topside

Cockpit & Deck

Hardware. Fasteners

Camouflage

Misc

## **Battery Switches**

## Marinco - BEP Products Contour Battery Master Switch

# BEP PRODUCTS



- Operation: On/Off.
- Ignition protected.
- 275A Continuous/455A Intermittent/1,250A Cranking.
- Control knob can be removed by switching to an counter-clockwise 45° position.
- Three removable side plates on sides for access of up to 1/0 cables plus a rear cover insulating the rear terminals against any short circuits.
- Stud size: (2) 3/8".
- Dimensions: 2.75" x 2.75" x 3".
- 48 volts DC maximum.

Order No. Mfg. No. / Description Electronics **702050** (701)

List Price \$40.29 F0-0282000

## Marinco - BEP Products Heavy Duty Battery Switch

Instruments

Trolling

Motors

Anchor

& Dock

Safety

Steering

Controls

System

## BEPPRODUCTS

Well suited to larger vessels.

Operation: On/Off.

Lighting Ignition protected.

Can be rear panel or surface mounted.

Stud size: (2) 1/2".

600A Continuous/800A Intermittent/2,500A Cranking.

• Can be locked with padlock for safely isolating circuits.

Dimensions: 4" x 4" x 3.5".

48 volts DC maximum.

Order No. Mfg. No. / Description

Pumps **702055** (720) Fuel

## Marinco - BEP Products Easyfit™ Battery Switch

Seatina & Pedestals

# BEP PRODUCTS

Trailering

Tops &

Engine

& Care

Cleaning

Paint &

Paint Acc

Fun &

Flotation

Topside

Cockpit & Deck

Hardware Fasteners

Acc.

Perform. recessed through varying thicknesses of panels. Operation: On/Off.

Propellers · Ignition protected.

Easily removable threaded ring allows for panel thicknesses up to 3/4".

Control knob can be removed by switching to an counter-clockwise 45° position.

Includes removable back cover ensuring that it meets ABYC requirements.

The switch can also be surface mounted.

• Stud size: (2) 3/8".

275A Continuous/455A Intermittent/1,250A Cranking.

Created for installations where switches need to be

• Dimensions: 2.7" x 2.7" x 4.3".

48 volts DC maximum.

Order No. Mfg. No. / Description

**702045** (700)

\$46.69 F0-8623000

List Price

## **Marinco - BEP Products Battery Selector Switch**

# BEP PRODUCTS

- Patented Contour Locking System allows switch to be a stand alone unit or locked together with other switches.
- Operation: 1-2-Both-Off.
- Ignition protected.
- 200A Continuous/300A Intermittent/1,000A Cranking.
- Control knob can be removed by switching to an counter-clockwise 45° position.
- Three removable side plates on sides for access of up to 1/0 cables plus a rear cover insulating the rear terminals against any short circuits.
- Stud size: (3) 5/16".
- Dimensions: 2.75" x 2.75" x 3".
- 48 volts DC maximum.

Order No Mfg. No. / Description **702070** (701S)

List Price

\$52.59 F0-1863000

## Marinco - BEP Products Heavy Duty Battery Selector Switch

BEP PRODUCTS

- Well suited to larger vessels.
- Operation: 1-2-Both-Off.
- Ignition protected.
- Can be rear panel or surface mounted.
- Stud size: (2) 1/2".
- 600A Continuous/800A Intermittent/2,500A Cranking.
- Can be locked with padlock for safely isolating circuits.
- Dimensions: 4" x 4" x 3.5".
- 48 volts DC maximum.

Order No. Mfg. No. / Description

**702060** (721)

List Price

\$86.39 F0-7406000

## **Marinco - BEP Products Remote Operated Battery Switches**

# BEP PRODUCTS



- · Battery switch can be mounted alongside battery, reducing cable lengths and cable sizes.
- Operation: On/Off.
- Manual override option to meet CE/ABYC requirements.
- · LED status identification for remote control switch.
- Can be either surface or rear panel mounted.
- 275A Continuous/455A Intermittent/ 1,250A Cranking.
- Dimensions: 2.7" x 2.7" x 4".
- 9.5-32 volts DC maximum.

Order No. Mfg. No. / Description **702065** (701-MD)

List Price

702065

\$240.89 F0-2686100

#### WITH OPTICAL SENSOR

- Ability to control different voltage circuits.
- Operation: On/Off.
- Can be used to switch positive or negative lines.
- Main contacts can be isolated from control circuit allowing operation via another battery source.
- 500A Continuous/700A Intermittent/ 2,500A Cranking.
- Dimensions: 4" x 4" x 4.33".
- 9.5-32 volts DC maximum.

Order No. Mfg. No. / Description List Price 702095 (720-MD0) \$315.39 F0-7702200

Camouflag

Comm.













#### **Marinco - BEP Products Battery Distribution Clusters**

With the successful release of the BEP battery distribution system, BEP saw the need for ready assembled clusters for different applications to make the installation within the battery area even easier. Following is the range as outlined in each diagram, which are overviews only.

All clusters are completely bused and pre-wired internally for easy installation. These include all connecting points clearly marked with ABC labels as shown in all illustrations.

## Marinco - BEP Products Single Engine, Two Battery Banks





- An ideal replacement for a Battery Selector Switch. Just remove selector switch and connect existing wires to a 716 cluster, no extra wires are required for a fully automatic battery management system.
- No more flat start batteries.
- The 716 cluster is for use on charging systems up to 150A.
- To be used in the following systems: Single outboard dual battery bank and Single alternator inboard engine dual battery bank.
- Replaces battery isolator systems.
- Square base.
- Dimensons: 5.4" x 5.4".

Order No. Mfg. No. / Description
702085 (716-SQ-140A-DVSR)

List Price

**\$280.09** F0-6069100

#### Cole Hersee Continuous-Duty SPST Series - Solenoid Relay





- Plated steel housing.
- Continuous rating: 65 amp.
- Intermittent rating: 750A make, 100A break at 10 second on, 30 minute off.
- Insulated coil design electrically isolates the studs from the housing.
- SPST circuitry and normally open contacts.
- Two large 5/16"-24 copper power studs and two small #10-32 steel coil studs (control
  circuit) are heavy and durable.
- Flat bracket.
- Included hex nuts and lock washers are assembled.
- UL & CE approved.
- 12 volt.

 Order No.
 Mfg. No. / Description
 List Price

 330780
 (24059-08-BP)
 \$52.69
 60-0353000

## Marinco - BEP Products Twin Engine, Three Battery Banks



• This system is designed for twin engine installations.

 It will allow the port engine to charge the port start battery and the house battery when the DVSR is engaged.

 It will also allow the starboard engine to charge the starboard start battery and the house battery when the starboard DVSR is engaged, giving a combined charge from two engines into the house battery until the voltage regulators on both engines control the charge.

- It will also allow the house battery to be charged if steaming on one engine.
- Horizontal base.
- Dimensons: 5.4" x 8.1".

Order No. Mfg. No. / Description **702090** (717-140A-DVSR)

Description

OA-DVSR)

List Price \$484.69 FO-8293300

#### Cole Hersee Continuous-Duty SPST Series - Solenoid Relay





- Plated steel housing with a black PVC coating is sealed to an IP66 rating.
- Continuous rating: 65 amp.
- Intermittent rating: 120A make, 65A break at 10 second on, 30 minute off.
- Insulated coil design electrically isolates the studs from the housing.
- SPST circuitry and normally open contacts.
- Two large 5/16"-24 copper power studs and two small #10-32 steel coil studs (control circuit) are heavy and durable.
- Flat bracket.
- Included hex nuts and lock washers are assembled.
- UL & CE approved.
- 24 volt.

Order No. Mfg. No. / Description **330782** (24063-08)

List Price \$58.69 GO-2393000

Electronics

Trolling Motors

Instruments

Electrical

Lighting

Anchor & Dock

Safety

Steering, Controls

Pumps

Pumps

Fuel System

Seating & Pedestals

Trailering
Tops &

Perform

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc

Fun &

Fun & Flotation

Topside Acc.

Cockpit

& Deck Hardware,

Fasteners
Camouflage

Misc

Camm

Comm.

## **Marpac Standard Fuse Blocks**





- Heavy duty black molded base.
- Use with SFE or AGC fuses up to 20 amps.
- 8-32 terminal screws.
- Tin plated brass fuse clips.

Heavy duty black molded base.

Tin plated brass fuse clips.

Description

Can be used for 24-hour circuits. Screw terminals for securing wires.

stores for spare fuses.

· Fuse type: AGC or MDL Fuses.

Dimensions: 3-1/2" x 5" x 1-1/4".

Voltage maximum operating: 32V DC.

Mfg. No. / Description

cannot be sprung.

Fuses sold separately.

379366 (5015-BSS)

Flame resistant reinforced

Interlocking modules snap

• 1/4" tin plated copper tab

Rated: 30 amps per circuit.

polyester base.

together.

términals.

For ATO/ATC fuses.

6 circuits.

Order No.

Clear insulating cover satisfies ABYC/USCG insulation requirements, accepts Large Format Labels and provides

Tin-plated phosphor bronze fuse clips are encapsulated and

Amperage maximum operating: 100A per block, 30A per circuit.

**7-1116** 6 Gang

**7-1117** 8 Gang

• Use with SFE or AGC fuses up to 20 amps.

Common bus bar connects hot side of fuses for power feed.

• 8-32 terminal screws and stud terminals for power connections.

Order No. Description **7-0478** 4 Gana **7-1111** 6 Gang

LIMITED QUANTITIES

7-1116

LIMITED

**QUANTITIES** 

\$13.59 GO-1190000

\$17.29 GO-8511000

List Price

List Price

\$50.39 F0-7253000

List Price \$9.49 G0-6360000 \$13.29 GO-0980000

### Marpac Hot Feed Fuse Blocks

Blue Sea ST-Glass Fuse Block with Negative Bus and Cover



Trolling Motors

Instruments

**Electrical** 

Lighting

Anchor & Dock

Safety

Steering Controls Pumps

System Seatina & Pedestals

Fuel

Trailering

Tops & Perform.

Propellers Engine

& Care Cleaning & Care

Paint & Paint Acc Fun &

Flotation Topside Acc.

Cockpit & Deck Hardware Fasteners

Camouflage

Misc

Order No. **7-0520** 6 Gang Comm


 With ground bus bar. Description

List Price **\$24.09** F0-6861000 7-0521 10 Gang **\$29.29** F0-0502000

Marpac ATO/ATC Fuse Blocks with Ground Bus Bar

## Sierra Standard Fuse Blocks

## SIERRA



- Heavy duty black molded base.
- 8-32 terminal screws.
- Tin plated brass fuse clips.

Order No. Mfg. No. / Description

7001800 (FS40510-1) 4 Gana 7001802 (FS40520-1) 6 Gang

LIMITED QUANTITIES List Price

7001820

\$18.13 D0-0541000 \$16.99 Z0-6021000

#### Sierra Hot Feed Fuse Blocks

## SIERR&

- · Use with SFE, AGC or MDL fuses up to 20 amps.
- Common bus bar connects hot side of fuses for power lead.
- Heavy duty black molded base.
- 8-32 terminal screws and stud terminal for power connection.
- Tin plated brass fuse clips.

Mfg. No. / Description List Price 7001820 (FS40600-1) 6 Gang **\$26.61** Z0-3681000 7001822 (FS40610-1) 8 Gang \$35.50 Z0-5842000

#### Sierra Hot Feed/Common Ground Fuse Blocks

## SIERR&



- Use with SFE, AGC or MDL fuses up to 20 amps.
- Common bus bar connects hot side of fuses for power lead.
- Heavy duty black molded base.
- Separate bus bar for ground or unfused common hot feed.
- 8-32 terminal screws and stud terminal for power/ground connection.
- Tin plated brass fuse clips.

Order No. Mfg. No. / Description List Price 7001808 (FS40550-1) 4 Gang **\$25.63** Z0-4971000 \$29.76 Z0-3802000 7001810 (FS40560-1) 6 Gang 7001812 (FS40570-1) 8 Gang \$39.94 Z0-6972000

## Sierra ATO/ATC Style Fuse Block

## SIERRA



- Interlocking modules snap together.
- 1/4" tin plated copper tab terminals.
- Flame resistant reinforced polyester base.
- Rated 30 amps per circuit.
- With ground bus bar.
- 10 gang.

Order No. Mfg. No. / Description 7001870 (FS40740)

\$37.54 Z0-8262000

#### Marpac ATP/ATO/ATC Fuse Blocks



- Accepts automotive blade fuses (ATP'/ATO/ATC).
- LED indication of blown fuses.
- Transparent cover for clear view of fuses.
- Recessed area for label stickers.
- Includes: 60 pieces assorted label stickers
- Terminal stud size: M5 (3/16"). Branch terminal: M4 (5/32") screw.
- Maximum amperage: 100A per block, 30A per circuit.
- Maximum voltage: 32V DC.

<b>7-1268</b> 6	Gang	Storage for 2 Spare Fuses	\$34.39	F0-7042000
<b>7-1269</b> 12	2 Gang	Storage for 4 Spare Fuses	\$56.79	F0-5793000

## Blue Sea ST-Blade Common Source Fuse Blocks







List Price

- Common source fuse block.
- Tin-plated copper buses and fuse clips.
- Clear insulating cover with label recesses and storage for two fuses, satisfies ABYC/USCG insulation requirements.
- Includes: 20 write-on circuit labels.
- Screw terminals for securing wires accept ring terminals.
- Screw terminal: #8-32 screws with captive star lock washer.
- Fuse type: ATO or ATC Fuses.
- Amperage maximum operating: 100A per block, 30A per circuit.
- Voltage maximum operating: 32V DC.

Mfa. No. / Description

• Fuses sold separately.

Order No.

<b>2000088</b> (5028-BSS) 6 Circuits	\$46.89	F0-2823000
WITH NEGATIVE BUS		

Order No.	Mfg. No. / Description	List Price	
380017	(5025-BSS) 6 Circuits	\$53.69	F0-8573000
380018	(5026-BSS) 12 Circuits	\$67.19	F0-3074000

## Blue Sea ANL® Fuses

## BLŲĘ SEA

- Silver-plated connector blades for corrosion resistance.
- Visible indication of blown condition.
- · Ignition protected.
- Interrupting capacity: 6,000A @ 32V DC.
- Voltage maximum operating: 32V DC.

Order No.	Mfg. No. / Description		List Price	
379479	(5122-BSS) 50 A	Ampere	\$27.79	F0-5491000
	(5123-BSS) 60 A		\$27.79	F0-5491000
379483	(5124-BSS) 80 A	Ampere	\$27.79	F0-5491000
379495	(5125-BSS) 100	Ampere	\$27.79	F0-5491000
379506	(5127-BSS) 150	Ampere	\$27.79	F0-5491000
379518	(5129-BSS) 200	Ampere	\$27.79	F0-5491000
379280	(5131-BSS) 250	Ampere	\$34.29	F0-0042000
	(5133-BSS) 300		\$34.29	F0-0042000
	(5136-BSS) 400		\$34.29	F0-0042000

#### Blue Sea ST-Blade Split Bus Fuse Block

## BLUE SEA

- Provides two isolated groups of (6) ATO/ATC circuits.
- For use with either two isolated batteries or with a single battery providing a mix of 24-hour and switched circuits.
- Tin-plated copper buses and fuse clips.
- Amperage maximum operating: 100A per block, 30Å per circuit.
- Dimensions: 3.32" x 7.35" x 1.51".
- Voltage maximum operating: 32V DC.
- 12 circuits.
- Fuses sold separately.

Mfa. No. / Description Order No. **379372** (5032-BSS)

BEPPRODUCTS

clip-on cover & label set. • Positions for spare fuses.

**702145** (ATC-6W)

• Allows for multiple fuse holders and bus bars to be joined together, increasing the number of circuits

• Includes patented Contour Lock system, see-thru

protected. Fuse holder inputs can be linked together to form a single continuous fuse holder.

• Max. current/circuit: 30A; Max. current/block: 100A;

• 6 Way fuse holder and screw terminals with cover and link.

Max. voltage: 32V DC; Base and cover material: Polycarbonate.

List Price

\$87.09 F0-6906000

Electronics

Trolling Motors

Instruments

Lighting

Anchor & Dock

Safety

Steering Controls

**Pumps** 

Fuel System

Seatina &

Pedestals

## Marinco - BEP Products ATC Six Way Bus Bar with 5mm Input Stud

Marinco - BEP Products ATC Fuse Holder

# **BEP PRODUCTS**

Mfg. No. / Description

- The expandable ATC negative Bus uses the Contour Lock system to allow it to be joined to the ATC fuse holder.
- This keeps wiring tidy and conveniently located.
- Current rating: 100A.
- 6 Way bus bar with 5mm input stud, cover and joiners.

Mfg. No. / Description

**702100** (80-712-0039-00)

List Price \$27.09 F0-6981000

Blue Sea ANL® Fuse Block with Insulating Cover

## BĻŲĘ SEA





- Swing out design allows replacement of the fuse without removing fasteners.
- Insulating cover satisfies ABYC/USCG insulation requirements.
- Terminal stud size: 5/16"-18 (M8).
- Cable size: Up to 2/0 AWG.
- Amperage maximum operating: 300A.
- Voltage maximum operating: 32V DC.
- Fuse sold separately.

Mfg. No. / Description **379455** (5005-BSS)



\$43.59 F0-1503000

List Price

Trailering

Tops & Perform

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc

Fun & Flotation

Topside

Cockpit & Deck

Hardware. Fasteners

Camouflage

Misc

\$31.09 F0-6712000



Trolling

Motors

Instruments

Lighting

Safety

Steering

Controls

Trailering

Propellers

Engine

& Care

Cleaning & Care

Paint &

Topside Acc. Cockpit & Deck

Fasteners

Camouflage

Misc

Comm.

Electrical

# Blue Sea MEGA® Fuses BLUE SEA Ignition protected. Interrupting capacity: 2,000A @ 32V DC. Voltage maximum operating: 32V DC.

Mfg. No. / Description List Price **379392** (5101-BSS) 100 Ampere \$11.**79** F0-5280000 **379405** (5103-BSS) 150 Ampere \$11.79 F0-5280000

## **Blue Sea PowerPost Cable Connectors**

BLUE SEA Electronics

> Insulated single stainless steel stud terminates multiple large conductors.

- One-piece serrated flange nuts ensure correct and secure connections.
- Voltage maximum operating: 48V DC.
- Mounting hardware for **379864**: #8 screws.
- Mounting hardware for 379863 and 379865: 1/4" screws.

Anchor Mfn No / Description & Dock

**379863** (2003-BSS) Terminal Stud: 3/8"-16 x 7/8" Terminal Stud: 1/4"-20 x 3/4" 379864 (2011-BSS) Terminal Stud: 5/16"-18 x 7/8" **379865** (2002-BSS)

List Price \$16.09 F0-6211000

\$10.79 F0-5570000 **\$16.09** F0-6211000

#### Blue Sea Dual PowerPost Cable Connector

## BLUE SEA

- Provides a termination point for extending the length of outboard harnesses or other conductors.
- Designed for connecting high amp conductors.
- One-piece serrated flange nuts ensure correct and secure connections.
- Includes insulating cover.
- Voltage maximum operating: 48V DC.
- Mounting hardware: #10 screws.

Mfg. No. / Description

**1302016** (2016-BSS) Terminal Studs: (2) 5/16" -18

**\$26.49** F0-4581000

List Price

List Price

#### **Blue Sea PowerPost Plus Cable Connectors**

## BLUE SEA

- Enables connection of multiple smaller wires in spaces where a traditional bus bar may not fit.
- 150 Amp bus allows small wire connections at high amperage cable connections.
- One-piece serrated flange nuts ensure correct and secure connections.
- Continuous rating: 150A DC.
- Voltage maximum operating: 48V DC.
- Terminal screws: (8) #8-32.
- Mounting hardware: 1/4" screws.
- Bus material: Tin-plated copper.

Order No. Mfg. No. / Description

**379859** (2102-BSS) Terminal Stud: 5/16"-18 x 3/4" **\$30.29** F0-0212000 **379861** (2103-BSS) Terminal Stud: 3/8"-16 x 3/4" \$30.29 F0-0212000

## Blue Sea Stud CableCap Insulators

## Pumps Fuel System Seatina & Pedestals

Insulate single stud on alternators, starters, windlasses and

other high amperage termination points. Tops & Covers Order No. Mfa. No. Cable Size List Price Perform.

380050 (4010-BSS) 8-4 AWG \$3.19 F0-3220000 380060 (4012-BSS) 2-2/0 AWG \$3.79 F0-5620000

Order No. Mfa. No. Cable Size List Price 380080 (4011-BSS) 8-4 AWG \$3.19 F0-3220000 380090 (4013-BSS) 2-2/0 AWG \$3.79 F0-5620000

## Blue Sea MRBF Terminal Fuse Block

## BLUE SEA

- Appropriate for DC Main, inverter, windlass, and bow thruster circuit protection.
- Weatherproof suitable for small open-cockpit boats and other harsh environments.
- Insulating cap prevents accidental shorts.
- Ignition protected when used with MRBF fuses.
- Fuses sold separately.
- Voltage maximum operating: 48V DC.
- Amperage maximum operating: 300A.
- Terminal stud: M8 (5/16"-18).
- One fuse.

Order No. Mfg. No. / Description List Price **1305191** (5191-BSS) **\$28.89** F0-2202000

## Marpac Terminal Block with 5 Screw Terminals





- Tin plated copper bus bar gives maximum conductivity.
- Corrosion resistant materials provide excellent protection and performance.
- Tin plated brass nuts.
- 8 x 32 screw terminals.
- Continuous rating: 100 amps AC/DC.
- Maximum rating: 48 volts DC/300 volts AC.

Order No Description List Price

**7-1171** 5 Screw Terminals \$12.69 F0-8880000

## Marpac Common Bus Bars





- Stainless steel studs increase electrical contact. Hardware
  - Tin plated copper bus bar gives maximum conductivity.
  - Corrosion resistant materials provide excellent protection and performance.
  - Tin plated brass nuts.
  - Maximum rating: 48 volts DC/300 volts AC.

Order No.	Continuous Rating	Terminal Studs	List Price	
7-1176	100 Amperes AC/DC	10 x 32	\$13.79	F0-5690000
7-1177	150 Amneres AC/DC	1/4"	\$16.89	F0-2811000

#### Blue Sea MiniBus 100A Common BusBars





- One-piece serrated flange nut ensures correct and secure connections.
- Continuous rating: 100A AC / 100A DC.
- Voltage maximum operating: 300V AC / 48V DC.

l	Order No.	Mfg. No.	Terminal Screws	Terminal Studs	List Price	
l	379784	(2304-BSS)	(5) #8-32	(2) #10-32	\$15.49	F0-4801000
ı	379796	(2305-BSS)		(4) #10-32	\$17.19	F0-3021000
ı	379989	(2713-RSS)	Cover		\$4.49	F0-4130000

#### Blue Sea 150A Common BusBars





- Insert molded stainless steel studs eliminate the need for securing nuts and allow high torquing for excellent electrical contact.
- One-piece serrated flange nut ensures correct and secure connections.
- Continuous rating: 130A AC / 150A DC.
- Voltage maximum operating: 300V AC / 48V DC.

Order No.	Mfg. No.	Terminal Screws	Terminal Studs	List Price	
379782	(2301-BSS)	(10) #8-32	(2) 1/4"-20	\$20.69	F0-8441000
2000083	(2302-BSS)	(20) #8-32	(2) 1/4"-20	\$31.99	F0-9322000
379783	(2303-BSS)	-	(4) 1/4"-20	\$26.79	F0-5781000

## Blue Sea DualBus Plus - 150A Common BusBars





- Secure, clear polycarbonate cover snaps on easily to meet ABYC requirements.
- Combines negative and positive buses on one block.
- Cover release buttons.
- Includes (5) terminal screws per bus, (2) terminal studs per bus.
- Continuous rating: 130A AC / 150A DC.
- Voltage maximum operating: 300V AC / 48V DC.

Order No.	Mfg. No.	Terminal Screws	Terminal Studs	List Price	
379835	(2723-BSS)	#10-32	5/16"-18	\$39.39	F0-7572000
379847	(2722-BSS)	#10-32	1/4″-20	\$34.99	F0-9442000

## Marpac Terminal Junction Block with Solid Brass Bus Bar





- Common hot feed connection.
- Moisture resistant molded plastic insulator base.
- Solid brass bus bar safely carries up to 36 volts.
- 8-32 round head screws for circuit connectors.
- Two brass 1/4" stud power terminals with hex nuts included.
- $\bullet$  Two mounting holes for #10 countersink flat head screws.
- 10 gang.

Order No. Description

7-0168 Terminal Junction Block with Solid Brass Bus Bar

\$16.59 F0-1611000

#### Blue Sea DualBus - 100A Common BusBars





 Combines negative and positive buses for DC Systems and neutral and ground buses for AC Systems.

• Continuous rating: 100A AC / 100A DC.

• Voltage maximum operating: 300V AC / 48V DC.

Order No.	Mfg. No. / Descri	ption	List Price	
379809	(2701-BSS)	Terminal Screws: (5 per bus) #8-32	\$20.29	F0-0241000
379811	(2702-BSS)	Terminal Screws: (10 per bus) #8-32	\$26.39	F0-7481000
379962	(2709-BSS)	Cover for 379809 (2701)	\$15.99	F0-9111000
379974	(2710-BSS)	Cover for 379811 (2702)	\$18.29	F0-0821000

## Blue Sea MaxiBus - 250A Common BusBars



379978

379986

 Insulating cover with breakouts for easy wire access.

Insulating cover meets ABYC insulation requirements.

• One-piece serrated flange nuts ensure correct and secure connections.

• Continuous rating: 250A AC / 250A DC.

Voltage maximum operating: 300V AC / 48V DC.

Order No.	Mfg. No.	Terminal Screws	Terminal Studs	List Price	
379978	(2127-BSS)	-	(4) 5/16"-18	\$46.19	F0-3323000
379982	(2128-BSS)	(6) #10-24	(2) 5/16"-18	\$45.19	F0-3613000
379986	(2719-BSS)	Cover for 379978 of	ind 379982	\$34.89	F0-2442000

## Blue Sea PowerBar - 600A Common BusBar





- High amperage BusBar with 3/8" terminal studs.
- Continuous rating: 545A AC / 600A DC.
- Voltage maximum operating: 300V AC / 48V DC.
- Terminal screws: (4) #8-32, terminal studs: (4) 3/8"-16.

 Order No.
 Mfg. No. / Description
 List Price

 379862
 (2104-BSS)
 \$130.59
 F0-1419000

Electronics

Trolling Motors

Instruments

Electrica

Lighting

Anchor & Dock

Safety

Steering, Controls

Pumps

Fuel System

Seating & Pedestals

Trailering
Tops &

Perform.

\_\_\_\_

Propellers
Engine

& Care
Cleaning

& Care

Paint & Paint Acc.

Fun & Flotation Topside

Acc.
Cockpit

& Deck
Hardware,

Fasteners

Camouflage

Misc.

Comm.

Trolling

Motors

Instruments

Lighting

Anchor

& Dock

Safety

Steering Controls

Pumps Fuel System Seatina & Pedestals Trailering

Tops &

Perform.

Propellers

Engine

& Care

Cleaning

Paint &

Paint Acc

& Deck

Hardware, Fasteners

Camouflage

Electrical

#### Blue Sea PowerBar 1000

# BLUE SEA



Complex wiring systems require a single point to consolidate large and small conductors.

- Offers a 1,000 Amp busbar with various size studs and screws to connect conductors and fuse
- Tin plated pure electrical copper for maximum conductivity.
- Stepped bus design offers two elevations for conductors which doubles the density of the wire loom compared to traditional bus bars.
- Busbar and fuse block elevations match common fuse blocks allowing for multiple fuse block attachment, eliminating the need for connecting cables.
- One-piece serrated flange nuts ensure correct and secure connections.
- Stainless steel 8-32 screws with captive lock washers for securing smaller gauge wires.
- Busbar may be cut to a shorter length to accommodate constricted spaces.
- Bi-directional busbar end caps allow the ganging of additional busbars.
- Snap on insulating cover meets ABYC and USCG requirements and includes label recess.

Mfg. No. / Description

**379322** (1992-BSS) (8) 5/16" Terminal Studs

\$216.89 F0-2815100

List Price

## **Newmar Terminal Strip**





• Use as a common negative/neutral bus for AC or DC systems.

- #8 screw terminals is rated for 100 amps.
- Dual terminal strips in 4 or 8 screw positions on 3/4" centers are secured to a high density insulated base.
- Interlocking bases allow use of multiple terminal strips and bus bars to produce secure and neat wiring assemblies.
- Total # of base terminals: 16.
- Dimensions: 6-1/16" x 1-1/2".

Order No. Mfg. No. / Description

700218 (TS-2X8)

List Price

**\$72.79** E0-9545000

## **Marpac Double Row Terminal Blocks**



Flotation Topside

Acc. Protective insulator barrier strips. Cockpit

- Rated: 30 amp, 300 volts.
- Moisture resistant molded plastic insulator base.
  - Nickel plated brass terminal links and binding screws.
  - RoHS Compliant, CE Certified and UL Listed.

	(	Order No.	Description	List Price
Misc.	7	7-0473	4 Circuit	\$6.49 F0-4540000
	_ 7	7-0474	6 Circuit	\$8.29 FO-0850000
Comm.	7	7-0167	8 Circuit	\$10.59 FO-1470000
	<b>U</b> 7	7-0165	10 Circuit	\$12.79 F0-5980000

#### Blue Sea Battery Terminal Mount Bus Bar



- Easy add positive and negative busbars to the terminal of your battery.
- Tin-plated copper.
- Insulating cover.

Mfg. No. / Description Order No. 379326 (2340-BSS)

List Price

\$29.49 F0-4602000

#### Sierra Dual Brass Bus Bars

## SIERRA

- Combines negative and positive buses in one block.
- Brass terminal bar.
- 8-32 screw terminals.
- 150 amp.

Mfg. No. / Description 7001840 (FS40670) 8 Gang 3" L x 1-1/2" W x .44" H **\$15.02** Z0-1501000

4-1/2" L x 1-1/2" W x .44" H 7001842 (FS40680) 12 Gang 6" L x 1-1/2" W x .44" H 7001844 (FS40690) 16 Gang

List Price

\$18.99 Z0-9231000 **\$22.18** Z0-3551000

#### **Blue Sea Terminal Blocks**





- Closed back design completely insulates power from the mounting surface.
- Each screw pair is one isolated circuit.
- Jumpers allow creation of common circuits.
- Bus material: Nickel-Plated brass.

## 20 AMPERE TERMINAL BLOCKS

Base material: Nvlon, Voltage rating: 300 volts AC/DC maximum.

Order No.	Mfg. No. / Description	List Price	
379916	(2404-BSS) 4 Circuit	\$5.59	F0-1930000
379921	(2406-BSS) 6 Circuit	\$7.59	F0-1350000
379926	(2408-BSS) 8 Circuit	\$8.69	F0-8060000

#### 30 AMPERE TERMINAL BLOCKS

Base material: Phenolic. Voltage rating: 600 volts AC/DC maximum.

Order No.	Mfg. No. / Descrip	otion	List Price	
379866	(2502-BSS)	2 Circuit	\$6.09	F0-6240000
379873	(2504-BSS)	4 Circuit	\$7.49	F0-4250000
379885	(2506-BSS)	6 Circuit	\$10.19	F0-3170000
379897	(2508-BSS)	8 Circuit	\$11.89	F0-2380000
379902	(2510-BSS)	10 Circuit	\$13.29	F0-0390000
379906	(2512-BSS)	12 Circuit	\$15.19	F0-3601000

7-1155

\$32.79 F0-5922000

#### Marpac Push-To-Choke Ignition Switch



- Delrin body with brass back-up nut and hex black plastic.
- 3 positions: Off-Ignition-Start.
- "Push-To-Choke" feature.
- Weatherproof cover included
- 5 screw terminals.
- Maximum panel thickness: 5/8".
- Mounting bushing: 1/2" long, 13/16" diameter.
- Rated: 15 amps at 12V DC.

Cole Hersee

• Brass case.

Replaces: Johnson/Evinrude: 388173, 390129, 390133 and 393301.

**Cole Hersee Ignition Switch** 

**7-0390** Push-To-Choke Ignition Switch

**Cole Hersee Ignition Switch** 

# \$22.19 GO-7841000

# **Marpac Magneto Push-To-Choke Ignition Switches**





- Delrin body with brass back-up nut and hex black plastic.
- 3 positions: Off-Ignition-Start.
- "Push-To-Choke" feature.
- Weatherproof cover included.
- Maximum panel thickness: 5/8".
- Rated: 15 amps at 12V DC.
- Replaces: Mercury 87-88107 and 87-88107A5.

Order No. 7-1155 6 Wires Potted Base

**7-1150** 6 Screw Terminals

List Price

\$59.59 GO-3993000

\$21.09 F0-6741000

**Cole Hersee Protective Boot** 

Trolling Motors

Instruments

Electronics

- · For ignition switches. **Electrical**
- Chrome plated brass.

Cole Hersee

- Thickness: 17/32". Thread: 13/16"-24.
- Mounting nut containing a durable rubber insert that has a self-closing key slot.
- Fits 300668 (M-489-BP) and 300688 (M-550-BP) ignition switches.

Order No. Mfg. No. / Description List Price 300810 (83288-BP)

**\$13.09** G0-7780000

Sierra Ignition Switch

## SIERR&



- Brass switch.
- Back up nut: Brass.
- Face nut: Knurled black chrome with rubber cap.
- 4 Position Conventional: Accessory-Off-Run-Start.
- Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC, Accessory: 15 amp @ 12V DC.
  - Terminal type: 4 Screw tab.
  - Maximum panel thickness: 1".

Hole size: 7/8".

**Sierra Ignition Switch** 

Order No. Mfg. No. / Description

7001456 (MP39070)

Paint Acc Fun &

Flotation

& Deck

Hardware. Fasteners

Camouflage

Misc

\$45.46 Z0-2813000



• Brass mounting stem 13/16"-24, 1-7/32" long.

Mfg. No. / Description Order No 300688 (M-550-BP)

• 3 positions: Off - Ignition - Start.

• 3 brass screw terminals.

• Rated: 10 amps at 12V DC.

List Price

\$59.99 GO-9104000

## Sierra Ignition Switch

## SIERRA



 Marine grade glass-filled polyester switch.

- Back up nut: Brass.
- Face nut: Hex black plastic face nut.
- 4 Position Conventional: Accessory-Off-Run-Start.
- Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC, Accessory: 15 amp @ 12V DC.
- Terminal type: 4 Blade.
- Maximum panel thickness: 1-1/8".
- Hole size: 7/8".

Order No. Mfg. No. / Description

List Price

8020513 (MP39800)

\$25.14 Z0-0671000



Cole Hersee

Brass case.

Order No

• 2 positions: Off - On.

• 2 brass screw terminals.

300668 (M-489-BP)

SIERR&

• Rated: 10 amps at 12V DC.

• Maximum panel thickness 1".

Mfg. No. / Description

• Brass mounting stem 13/16"-24, 1-7/32" long.

**Sierra Ignition Switch** 

- Back up nut: Brass.
- Face nut: Knurled black chrome with rubber cap.
- 4 Position Conventional: Accessory-Off-Run-Start.
- Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC, Accessory: 15 amp @ 12V DC.
- Terminal type: 4 Screw tab.
- Maximum panel thickness: 1-1/8".
- Hole size: 7/8".

Order No. Mfg. No. / Description

8020524 (MP41040)

List Price **\$25.02** Z0-1571000

## **Sierra Ignition Switch**

## SIERRA

- Marine grade glass-filled polyester switch.
- Back up nut: Brass.
- Face nut: Knurled black chrome with rubber cap.
- 4 Position Conventional: Accessory-Off-Run-Start.
- Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC, Accessory: 15 amp @ 12V DC.
- Terminal type: 4 Color coded wires.
- Maximum panel thickness: 1-1/8".
- Hole size: 7/8".

Order No. Mfg. No. / Description 8020506 (MP39700-1) **\$30.48** Z0-3312000



Brass switch.

• Back up nut: Brass.

SIERRA

- Face nut: Hex chrome face nut.
- 4 Position Conventional: Accessory-Off-Run-Start.
- Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC, Accessory: 15 amp @ 12V DC.
- Terminal type: 4 Screw tab.
- Maximum panel thickness: 1".
- Hole size: 7/8".

Order No. Mfg. No. / Description 8020521 (MP41020)

List Price Cleaning \$48.51 Z0-6933000 & Care

Paint &

Topside

Cockpit



Safety Steering

Controls Pumps

Fuel System

Pedestals Trailering

Tops &

Perform Propellers

Engine & Care

Trolling

Motors

Instruments

Lighting Anchor & Dock Safety Steering Controls

Pumps

Fuel

System

Seatina & Pedestals

Trailering

Tops &

Perform.

Propellers

Engine & Care Cleaning

Paint & Paint Acc Fun & Flotation Topside

Acc.

Cockpit

& Deck

Hardware

Fasteners

Camouflage

Misc

Comm

Electrical

## **Sierra Ignition Switch**

## SIERRA



- Die cast zinc switch.
- Back up nut: Die cast zinc.
- Face nut: Knurled chrome face nut.
- 4 Position Conventional: Accessory-Off-Run-Start.
- Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC, Accessory: 15 amp @ 12V DC.

Sierra Ignition Switch

- Terminal type: 4 Threaded stud.
- Maximum panel thickness: 5/8".

Marine grade glass-filled polyester switch.

Face nut: Hex black plastic face nut.

3 Position Conventional: Off-Run-Start.

Maximum panel thickness: 1-1/8".

• Terminal type: 3 Screw tab.

Order No. Mfg. No. / Description

8020474 (MP39120)

SIERR&

Rated - Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @

Sierra Ignition Switch

List Price

**\$23.13** Z0-9161000

Hole size: 9/16".

SIERR&

• Back up nut: Brass.

12V DC.

Hole size: 7/8".

Order No. Mfg. No. / Description 8020681 (UN12140)

\$23.29 ZO-1361000

Order No. Mfg. No. / Description 7001454 (MP39060-1)

Terminal type: 3 Screw tab.

SIERR&

• Brass switch.

12V DC.

• Back up nut: Brass.

• Face nut: Hex chrome face nut.

• 3 Position Conventional: Off-Run-Start.

Maximum panel thickness: 1-1/8".

**\$39.23** Z0-6472000

## Sierra Ignition Switch

• Rated - Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @

**Sierra Ignition Switch** 

## SIERRA

Hole size: 7/8".



- · Marine grade glass-filled polyester switch.
- Back up nut: Brass.
- Face nut: Hex black plastic face nut.
- 3 Position Conventional: Off-Run-Start.
- Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC.
- Terminal type: 3 Screw tab.
- Maximum panel thickness: 5/8".
- Hole size: 7/8".

Order No. Mfg. No. / Description

List Price

**\$23.13** Z0-9161000

#### Sierra Ignition Switch

## SIERRA



- Marine grade glass-filled polyester switch.
- Back up nut: Brass.
- Face nut: Knurled black plastic with rubber cap.
- 3 Position Conventional Off-Run-Start.
- Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC.
- Terminal type: 3 Blade.
- Maximum panel thickness: 1-1/8".
- Hole size: 7/8".

Order No. Mfg. No. / Description 8020511 (MP39770)

**\$24.19** Z0-3961000



8020512 (MP39780)





- Marine grade glass-filled polyester switch.
- Back up nut: Brass.
- Face nut: Knurled black plastic with rubber cap.
- 3 Position Conventional Off-Run-Start.
- Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC.
- Terminal type: 3 Screw tab.
- Maximum panel thickness: 5/8".
- Hole size: 7/8".

Mfg. No. / Description Order No 8020522 (MP41030)

**\$21.94** Z0-6351000

## **Sierra Ignition Switch**

## SIERRA



- Brass switch.
- Back up nut: Brass.
- Face nut: Knurled black plastic with rubber cap.
- 3 Position Conventional: Off-Run-Start.
- Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC.
- Terminal type: 3 Screw tab.
- Maximum panel thickness: 1-1/8".
- Hole size: 7/8".

Order No. Mfg. No. / Description

8020471 (MP39080-1)

**\$43.59** Z0-1503000

## Sierra Ignition Switch

## SIERRA



- Marine grade glass-filled polyester switch.
- Back up nut: Brass.
- Face nut: Knurled black plastic with rubber cap.
- 3 Position Conventional: Off-Run-Start.
- Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC.
- Terminal type: 3 Screw tab.
- Maximum panel thickness: 5/8".
- Hole size: 7/8".

Order No. Mfg. No. / Description

List Price

7001462 (MP39200) **\$23.13** Z0-9161000

## Sierra Ignition Switch

## SIERRA



- Brass switch.
- Back up nut: Brass.
- Face nut: Hex chrome face nut.
- 2 Position Conventional Off-Run.
- Use with separate starter button.
- Rated Ignition: 15 amp @ 12V DC.
- Terminal type: 2 Screw terminals.
- Maximum panel thickness: 1-1/8".
- Hole size: 7/8".

Order No. Mfg. No. / Description 8020466 (MP39020)

List Price

\$39.03 Z0-2372000

Trolling

Motors

Lighting

Anchor & Dock Safety Steering Controls Pumps

Fuel

System

Seatina &

Pedestals

Trailering

Tops &

Perform

Instruments

#### **Sierra Ignition Switch**

## SIERRA



- Brass switch.
- Back up nut: Brass.
- Face nut: Knurled chrome plated with rubber cap.
- 2 Position Conventional: Off-Run.
- Use with separate starter button.
- Rated Ignition: 15 amp @ 12V DC.
- Terminal type: 2 Screw terminals.
- Maximum panel thickness: 1-1/8".
- Hole size: 7/8".

Order No. Mfg. No. / Description 8020514 (MP39820-1)

List Price

**\$37.86** Z0-0562000

## Sierra Ignition Switch - Push to Choke

## SIERRA



- Marine grade glass-filled polyester switch.
- Back up nut: Brass.
- Face nut: Hex black plastic face nut.
- 4 Position Magneto: Accessory-Off-Run-Start, Push to Choke.
- Rated Ignition: 15 amp @ 12V DC. Solenoid: 30 amp @ 12V DC, Accessory: 15 amp @ 12V DC, Choke: 7 amp @ 12V DC.
- Terminal type: 7 Screw tab.
- Maximum panel thickness: 5/8".
- Hole size: 7/8".

SIERRA

• Back up nut: Brass.

12V DC.

• Hole size: 7/8".

Order No. Mfg. No. / Description

8020520 (MP41010)

Marine grade glass-filled polyester switch.

4 Position Magneto: Accessory-Off-Run-Start.

• Face nut: Hex black plastic face nut.

**\$28.47** Z0-3991000

**Sierra Ignition Switch** 

• Rated - Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC, Accessory: 15 amp @

## Sierra Ignition Switch - Push to Choke

## SIERRA



- Marine grade glass-filled polyester switch.
- Back up nut: Brass.
- Face nut: Knurled black plastic with rubber cap.
- 4 Position Magneto: Accessory-Off-Run-Start, Push to Choke.
- Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC, Accessory: 15 amp @ 12V DC, Choke: 7 amp @
- Terminal type: 7 Color coded wires.
- Maximum panel thickness: 5/8".
- Hole size: 7/8".

Order No. Mfg. No. / Description

**8020507** (MP39710-1)

\$33.85 Z0-9632000

List Price

## Sierra Ignition Switch - Push to Choke



- Marine grade glass-filled polyester switch.
- Back up nut: Plastic.
- Face nut: Hex black plastic face nut.
- 4 Position Magneto: Accessory-Off-Run-Start, Push to Choke.
- Rated Ianition: 15 amp @ 12V DC. Solenoid: 30 amp @ 12V DC, Accessory: 15 amp @ 12V DC, Choke: 7 amp @ 12V DC.
- Terminal type: 6 Screw tab, 1 boss screw.
- Maximum panel thickness: 5/8".
- Hole size: 7/8".

Order No. Mfg. No. / Description

8020528 (MP41080)

**\$28.85** Z0-9102000

## **Sierra Ignition Switch**

## SIERRA



- Marine grade glass-filled polyester switch.
- Back up nut: Brass.
- Face nut: Knurled black plastic with rubber cap.
- 4 Position Magneto: Accessory-Off-Run-Start.
- Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC, Accessory: 15 amp @ 12V DC.
- Terminal type: 6 Color coded wires.
- Maximum panel thickness: 5/8".
- Hole size: 7/8".

Order No. Mfg. No. / Description 8020508 (MP39720-1)

List Price

**\$34.29** Z0-0042000

## Sierra Ignition Switch - Push to Choke



- Marine grade glass-filled polyester switch.
- Back up nut: Plastic.
- Face nut: Hex black plastic face nut.
- 3 Position Magneto: Off-Run-Start, Push to Choke.
- Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC, Choke: 7 amp @ 12V DC.
- Terminal Type: 5 Screw tab, 1 boss screw.
- Maximum panel thickness: 5/8".
- Hole size: 7/8".

Order No. Mfg. No. / Description

1909760 (MP39760)

List Price

**\$23.33** Z0-3361000

## Propellers

Engine

& Care Cleaning

& Care Paint &

Paint Acc Fun &

Flotation

Topside

Cockpit & Deck

Hardware,

Fasteners

Camouflage

Misc

Sierra Ignition Switch - Push to Choke

# SIERRA





- Back up nut: Brass.
- Face nut: Hex black plastic face nut.
- 3 Position Magneto: Off-Run-Start, Push to Choke.
- Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC, Choke: 7 amp @ 12V DC.
- Terminal type: 6 Screw tab.
- Maximum panel thickness: 5/8".
- Hole size: 7/8".

Order No. Mfg. No. / Description

8020518 (MP41000)

**\$24.50** Z0-5171000

Order No. Mfg. No. / Description 8020509 (MP39730)

• Terminal type: 6 Screw tab.

Maximum panel thickness: 5/8".

**\$25.42** Z0-9771000

Instruments

Lighting Anchor & Dock Safety Steering Controls Pumps

Fuel

Seatina &

Pedestals

Trailering

Tops &

Perform.

Engine & Care

Cleaning

Paint & Paint Acc Fun & Flotation Topside

Acc.

Cockpit

& Deck

Hardware Fasteners

Camouflage

Misc

Comm

**Electrical** 

#### Sierra Ignition Switch



- Marine grade glass-filled polyester switch.
- Back up nut: Plastic.
- Face nut: Knurled black plastic with rubber cap.
- 3 Position Magneto: Off-Run-Start.
- Rated Ignition: 15 amp @ 12V DC. Solenoid: 30 amp @ 12V DC, Accessory: 15 amp @ 12V DC.
- Terminal type: 5 Color coded wires.
- Maximum panel thickness: 5/8".
- Hole size: 7/8".

Trolling Motors Mfg. No. / Description

List Price 8020510 (MP39740-1)

**\$33.19** Z0-4232000

Sierra Ignition Switch - Push to Choke

## SIERR&



- Marine grade glass-filled polyester switch.
- Back up nut: Plastic. System
  - Face nut: Hex black plastic face nut.
  - Replaces: Mercury 87-88107A5.
  - 3 Position Magneto: Off-Run-Start, Push to Choke.
  - Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC, Choke: 7 amp @ 12V DC.
  - Terminal type: 6 Color coded wire leads/potted.
  - Maximum panel thickness: 5/8".
  - Hole size: 7/8".

Mfg. No. / Description Propellers 8020537 (MP52000)

List Price

\$56.88 Z0-2893000

#### Sierra Ignition Switch

## SIERR&





- Back up nut: Brass.
- Face nut: Hex chrome face nut.
- 3 Position Magneto: Off-Run-Start.
- Rated Ignition: 10 amp @ 12V DC, Solenoid: 30 amp @ 12V DC.
- Terminal type: 5 Screw tab.
- Maximum panel thickness: 1-1/8".
- Hole size: 7/8".

Order No. Mfg. No. / Description 7001452 (MP39040) **\$43.25** Z0-8203000 Sierra Ignition Switch - Push to Choke



- Marine grade glass-filled polyester switch.
- Back up nut: Brass.
- Face nut: Knurled black plastic with rubber cap.
- 3 Position Magneto: Off-Run-Start, Push to Choke.
- Rated Ignition: 15 amp @ 12V DC. Solenoid: 30 amp @ 12V DC, Choke: 7 amp @ 12V DC.
- Terminal type: 6 Color coded wires.
- Maximum panel thickness: 5/8".
- Hole size: 7/8".

Mfg. No. / Description 8020529 (MP41090-1)

List Price

**\$36.01** Z0-1252000

Sierra Ignition Switch - Push to Choke

## SIERRA



- Marine grade glass-filled polyester switch.
- Face nut: Hex black plastic face nut.
- Replaces: Mercury 87-17009A5.
- 3 Position Magneto: Off-Run-Start, Push to Choke.
- Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC, Choke: 7 amp @ 12V DC.
- Terminal type: 6 Color coded wire leads/potted.
- Maximum panel thickness: 5/8".
- Hole size: 7/8".

Mfg. No. / Description

List Price

8020536 (MP51090)

**\$48.63** Z0-4043000

#### Sierra Ignition Switch



- Marine grade glass-filled polyester switch.
- Back up nut: Brass.
- Face nut: Hex black plastic face nut.
- 3 Position Magneto: Off-Run-Start.
- Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC.
- Terminal type: 5 Screw tab.
- Maximum panel thickness: 1-1/8".
- Hole size: 7/8".

Mfg. No. / Description Order No 7001458 (MP39100)

\$28.51 Z0-6991000

## Sierra Ignition Switch - Push to Choke



- Marine grade glass-filled polyester switch.
- Face nut: Hex black plastic face nut.
- 3 Position Magneto: Off-Run-Start, Push to Choke.
- Mercury control box applications.
- Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC, Choke: 7 amp @ 12V DC.
- Terminal type: 6 Color coded wire leads/potted.
- Maximum panel thickness: 5/8".
- Hole size: 7/8".

Order No. Mfg. No. / Description List Price

**367630** (MP41070-2)

**\$31.43** Z0-0022000

## Sierra Ignition Switch - Push to Choke



- Marine grade glass-filled polyester switch.
- Back up nut: Anodized steel.
- Face nut: Hex plastic face nut with snap on rubber cap.
- 3 Position Magneto: Off-Run-Start, Push to Choke.
- Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC, Choke: 7 amp @ 12V DC.
- Terminal type: 6 Screw tab.
- Maximum panel thickness: 1-1/8".
- Hole size: 7/8".

Order No. Mfg. No. / Description 8020472 (MP39090)

List Price

**\$47.60** Z0-2333000

#### Sierra Ignition Switch

## SIERRA



- Marine grade glass-filled polyester switch.
- Back up nut: Brass.
- Face nut: Hex black plastic face nut.
- 3 Position Magneto: Off-Run-Start.
- Rated Ignition: 15 amp @ 12V DC, Solenoid: 30 amp @ 12V DC.
- Terminal type: 6 Screw tab.
- Maximum panel thickness: 1-1/8".
- Hole size: 7/8".

Order No. Mfg. No. / Description 8020515 (MP39830)

\$56.47 Z0-3593000

Trolling

Motors

Lighting

Anchor

& Dock

Safety

Steering Controls Pumps Fuel System Seating &

Trailering Tops &

Perform

Propellers Engine & Care Cleaning

& Care

Paint &

Paint Acc

Fun &

Flotation

Topside

Cockpit & Deck

Hardware,

Instruments

#### Sierra Ignition Switches for Yamaha



- Exact OEM replacement installation.
- Ideal for DFI, EFI and MPI engines.
- Heavy duty potted construction.
- Minimal bleed per circuit.
- Molded umbrella type key.
- Colors on wires match factory color codes.

YAMAHA	CONT	ROL E	3OX 2	& 4	STROKE

Mfg. No. / Description List Price 8020531 (MP51020) Replaces: 703-82510-12-00 **\$107.38** Z0-7157000

## YAMAHA DASH MOUNT 2 & 4 STROKE - DUAL ENGINE APPLICATION

Mfg. No. / Description **8020532** (MP51030) Replaces: 61B-82510-01-00 **\$110.32** Z0-2277000

## Marpac L.E.D. Stainless Steel Push Button Switches



- Corrosion resistant stainless steel housing and button.
- LED light ring can be set for either push-on (indicating power) or always on.
- Water resistant to IP67 standards.
- Mounting hole: 3/4" (19 mm).
- Rated: 20 amps at 12V DC.
- Use 7-1226 label kit.

Order No.	Description		List Price	
7-1210	Momentary	Blue LED Ring	\$21.49	F0-4051000
7-1212	Self-Locking	Blue LED Ring	\$21.99	F0-9351000
7-1220	Momentary	Red LED Ring	\$21.49	F0-4051000
7-1222	Self-Locking	Red LED Ring	\$21.99	F0-9351000

## LABEL KIT

- For Marpac Push Button Switches: 7-1210, 7-1212, 7-1220 or 7-1222.
- 40 waterproof labels.

LIMITED QUANTITIES Order No. Description **7-1226** Label Kit \$5.49 F0-4830000

Sierra Ignition Switches for Yamaha - Push to Choke



• Exact OEM replacement installation.

- Ideal for DFI, EFI and MPI engines.
- Heavy duty potted construction.
- Minimal bleed per circuit.
- · Molded umbrella type key.
- Colors on wires match factory color codes.

YAMAHA	<b>CONTRO</b>	L BOX 2	& 4	STROK

Order No. Mfg. No. / Description List Price 8020533 (MP51040) Replaces: 703-82510-43-00 \$135.40 Z0-8749000

YAMAHA DASH MOUNT 2 & 4 STROKE - DUAL ENGINE APPLICATION

Mfg. No. / Description **\$180.32** Z0-2262100

8020534 (MP51050) Replaces: 6K1-82510-06-00

## Marpac L.E.D. Backlit Stainless Steel Push Button Switches









- Corrosion resistant stainless steel housing and button.
- LED backlit can be set for either push-on (indicating power) or always on.
- Water resistant to IP67 standards.
- Mounting hole: 3/4" (19 mm).
- Rated: 20 amps at 12V DC.
- Use 7-1227 label kit.

Order No.	Description		
7-1223	Self-Locking	Red LED	\$
	=		



List Price **21.79** F0-5251000

## LABEL KIT

- For Marpac LED Push Button Switches: 7-1211, 7-1213, 7-1221 or 7-1223.
- 40 waterproof labels.

Order No. Description List Price **7-1227** Label Kit \$6.09 F0-6240000

Fasteners Camouflage

Misc.

Comm.

Instruments

Lighting

Anchor

& Dock

Safety

Pumps

Seatina &

Perform.

Propellers

Cleaning & Care

Paint &

Paint Acc.

Hardware

Fasteners

Camouflage

Fun & Flotation Topside

## Marpac Heavy Duty Momentary Push Button Switch





- Glass reinforced seamless polyester housing.
- Brass washer and back-up nut.
- Internally rubber gasketed.
- Moisture and dust proof rubber cap.
- Accommodates 1" panels. Silver contacts.
- 2 screw terminals. Stainless steel springs.
- Rated: 30 amps at 12V DC.

Order No. Description **7-0483** Push Button Switch List Price

**\$10.89** F0-2670000

Cole Hersee Push Button Switch with Cap



Brass case.

- Rated: 35 amps at 12V DC.
  - Two brass screw terminals.
  - Brass mounting stem 5/8"-32, 1-3/8" long.
  - Fits panels up to 1" thick.
  - Silver contacts.
    - 2 positions: Momentary, normally Off, push to On.
    - With snap-on black rubber cap.

Mfg. No. / Description

Steering 300741 (M-626-BP) Controls

List Price

**\$28.29** G0-5981000

## **Cole Hersee Push Button Switch**

Fuel Cole Hersee System

Pedestals Trailering

• Brass case.

 Rated: 35 amps at 12V DC. Tops &

- Two brass screw terminals.
- Brass mounting stem 5/8"-32, 1-3/8" long.
- Fits panels up to 1" thick.
- Silver contacts.
- 2 positions: Momentary, normally Off, push to On.
- With recessed facenut, designed to prevent accidental actuation.

Engine Order No & Care

Mfg. No. / Description

300739 (M-612-BP)

List Price **\$36.19** G0-5242000

Cole Hersee Weatherproof/Dustproof Caps

Cole Hersee



- Cockpit & Deck Durable, resilient rubber cap.
  - Cap is permanently fastened to the integral mounting nut by a rolled brass bezel.
  - Deep threaded 5/8"-32 aluminum mounting nut assures positive seal.
  - Fits **300664** (M-485-BP), **300727** (M-608-BP) and **300741** (M-626-BP) push button switches.
- Misc Black.

Comm **300805** (83280-03-BP) **\$6.79** G0-5540000

### Marpac Momentary Push Button Switch





- For any application requiring momentary contact, such as horn or starting.
- Requires 5/8" diameter hole in panel for installation.
- Rated: 15 amps at 12V DC.

Order No. Description

**7-0487** Push Button Switch

List Price **\$16.09** GO-8701000

**Cole Hersee Push Button Switch** 

Cole Hersee



- Brass case.
- Rated: 10 amps at 12V DC.
- Two brass screw terminals.
- Brass mounting stem 5/8"-32, 1" long.
- Fits panels up to 3/4" thick.
- Gasket sealed case.
- 2 positions: Momentary, normally Off, push to On.

Mfg. No. / Description Order No. 300664 (M-485-BP)

List Price

**\$25.99** GO-1471000

**Cole Hersee Push Button Switch** 

Cole Hersee



- PVC-coated body sealed against moisture and dirt with black rubber snap-on cap.
- Rated: 10 amps at 12V DC.
- Two copper wire leads.
- Brass mounting stem 5/8"-32, 15/16" long.
- 2 positions: Off-momentary on.
- On with button depressed, spring return to off.
- Fits panels up to 1/2" thick.

Order No Mfg. No. / Description

**300727** (M-608-BP)

List Price

\$31.29 GO-6902000

Sierra Heavy Duty Push Button Switch

SIERR &



- Corrosion resistant plastic construction.
- Momentary On-Off, SPST.
- · With rubber boot nut.
- Mounting stem: 1-7/16" L x 5/8".
- 2 Boss screw terminals.
- Rated: 30 amps @ 12V DC.

Order No. Mfg. No. / Description List Price 8020475 (MP39160) \$18.73 Z0-1131000





Mfg. No. / Description

Trolling Motors Instruments

**Electrical** 

Lighting

Anchor

& Dock

Safety

Steering

Controls

**Pumps** 

System Seating &

#### Sierra Heavy Duty Brass Push Button Switch

## SIERRA

- Solid brass construction.
- Momentary On-Off, SPST.
- For starter, horn or other functions.
- With chrome plated brass face nut and button.
- Mounting stem: 1-3/8" L x 5/8"-32.
- 2 Boss screw terminals.
- Rated: 35 amps @ 12V DC

Mfg. No. / Description List Price 8020491 (MP39420) \$23.65 Z0-6561000

## Sierra Brass Push Button Switch

## SIERRA

- Solid brass construction.
- Momentary On-Off, SPST.
- For starter, horn or other functions.
- With rubber boot nut.
- Mounting stem: 1-1/4" L x 5/8".
- 2 screw terminals.
- Rated: 20 amps @ 12V DC.

Mfg. No. / Description Order No. List Price 8020484 (MP39320) **\$28.59** Z0-1002000

## **Marpac Momentary Push Button Switch**





• Momentary push button switch with rubber boot is perfect for horn button.

Order No List Price \$8.69 F0-8060000 7-51361

## Sierra Compact Push Button Switches

## SIERRA



- Contoured plastic button.
- Chrome plated brass mounting stem.
- Momentary On-Off, SPST.
- 2 brass blade terminals.
- Uses 1/2" mounting hole in dash or panel.
- Rated: 15 amps at 12V DC.

Order No. Mfg. No. / Description 8020504 (MP39680) Black **\$9.89** Z0-2960000 8020505 (MP39690) Red **\$9.99** Z0-9960000

#### Sierra Brass Push Button Switch

## SIERR&

- Solid brass construction.
- · Momentary On-Off, SPST.
- For starter, horn or other functions.
- With chrome plated brass face nut and button.
- Mounting stem: 1-1/4" L x 5/8".
- 2 screw terminals.
- Rated: 20 amps @ 12V DC.

Mfg. No. / Description List Price 8020483 (MP39310) **\$25.63** Z0-4971000

## Marpac Push Button Switch





- Contoured black plastic button.
- On-Off.
- Chrome plated brass mounting stem.
- 2 brass blade terminals.
- Uses 1/2" mounting hole in dash or panel.
- Rated: 15 amps at 12V DC.

Order No. Description List Price **7-1160** Push Button Switch \$8.29 F0-0850000

## **BEP Momentary Push Button Switch**



• Red button. Type: SPST

Order No.

• Momentary On-Off. • Termination type: 1/4" blades.

2460312 (1001401)

SIERRA

• Rated: 10 amps @ 12V DC.

Mfg. No. / Description



List Price

**\$5.59** F0-1930000

Trailering

Tops &

Perform

Propellers

Engine

& Care

Cleaning & Care

Paint &

Paint Acc

Fun & Flotation

Topside

Cockpit & Deck

Hardware, Fasteners

Camouflage

Misc.

Large black plastic button.

Sierra Compact Push Button Switches

- Chrome plated brass housing.
- Momentary On-Off, SPST.
- For fog horns or sirens.
- Overall width 2-5/8".

Order No. Mfg. No. / Description

7001464 (MP39300)

**\$10.83** Z0-8570000

## Cole Hersee Push/Pull Switch



- All brass construction.
- Chrome plated brass knob.
- 3 screw terminals.
- 3 positions: Off-on #1-on #1 and #2. Normally off.
- Complete with face nut, washer and hex nut for mounting.
- Energizes one circuit in first position and both circuits in second position.
- Mounting stem 3/8"-32 thread, 1-1/4" long.
- Maximum panel thickness 1".
- Rated: 10 amps at 12V DC.

Mfg. No. / Description Order No. Trolling Motors **300640** (M-476-BP)

List Price

**\$47.29** GO-8613000

Mfg. No. / Description Order No. 300652 (M-482-BP)

• Fits panels up to 3/4".

• Rated: 10 amps at 12V DC.

• Brass housing.

• 2 positions: Off-On, Normally Off.

• Chrome plated solid brass screw-on knob.

· Complete with face nut, washer and hex nut for mounting.

• Brass mounting stem 3/8"-32 thread, 1-1/4" long.

• 2 brass screw terminals.

List Price **\$30.99** GO-6702000

Cole Hersee Push/Pull Switch



• Brass housing, plasticized.

Cole Hersee

• Chrome plated solid brass screw-on knob, 10-32 thread.

Cole Hersee Push/Pull Switch

- 2 positions: Off-On, Normally Off.
- Two insulated copper wire leads, 12" long.
- · Complete with face nut, washer and hex nut for mounting.
- Brass mounting stem 3/8"-32 thread, 1-1/4" long.
- Fits panels up to 3/4".
- Rated: 10 amps at 12V DC.

Mfg. No. / Description Order No.

**300715** (M-606-BP)

List Price \$33.49 G0-4422000

Instruments

Electronics

## Marpac Push/Pull Switches



Anchor & Dock

Safety

Steering,

Controls

Solid brass construction.

Chrome plated brass knob and face nut.

- 2 positions: Off-On. Normally Off.
- Mounting stem 3/8" diameter.
- Accommodates 1" panel.

• Rated: 15 amps at 12V DC.

Pumps Description 7-0489 Two Screw Terminals

Fuel **7-0886** Two 1/4" Blade Terminals System

Seatina & Pedestals

Trailering Tops &

Perform.

Propellers

Engine & Care

Cleaning & Care Paint &

Fun & Flotation

Paint Acc.

Topside Acc.

Cockpit

& Deck Hardware

Fasteners

Camouflage

Misc

Comm





\$13.29 GO-0980000 \$12.39 F0-7680000

## Marpac Push/Pull Switch



Solid brass construction.

- Chrome plated brass knob and face nut.
- 3 positions: Off-On-On. Normally Off.
- 4 screw terminals.
- Mounting stem 3/8" diameter.
- Accommodates 1" panel.
- Rated: 15 amps at 12V DC.

Order No Description List Price 7-0493 Push/Pull Switch **\$13.69** GO-7190000

## **BEP Push-Pull Switch**



- 3 positions: Off-on #1-on #1 and #2, Normally off.
- Shock and weather resistant.
- All knobs are screw-on type.
- #8-32 screw terminals.
- Fits panels up to 1". • Rated: 10 amps at 12V DC.

Order No. Mfg. No. / Description List Price 2460319 (1001301) SPDT **\$18.79** F0-5131000

## Marpac Push/Pull Switch

# MARPAC

- Solid brass construction.
- · Chrome plated brass knob and face nut.
- 3 positions: Off-On-On. Normally Off.
- 3 screw terminals.
- Mounting stem 3/8" diameter.
- Accommodates 1" panel.
- Rated: 15 amps at 12V DC.

Order No. Description

7-0491 Push/Pull Switch

List Price

**\$12.79** F0-5980000

## **BEP Push-Pull Switch**

- Brass case, stem, terminals and mounting hardware.
- 3 positions: Off-on #1 and on #2. Normally off.
- · Shock and weather resistant.
- All knobs are screw-on type.
- #8-32 screw terminals.
- Fits panels up to 1".

 Rated: 10 amps at 12V DC. Order No Mfg. No. / Description

2460323 (1001304) SPDT

## Sierra Heavy Duty Push Pull Switch

## SIERR&

- Solid brass construction.
- Mounting bushing: 3/8".
- For panels up to 1" thick.
- Rated: 15 amp @ 12V DC.
- Off-On, SPST. • Pull for "On".
- Cream plastic knob.
- 2 Screw terminals.

Order No. Mfg. No. / Description 8020492 (MP39510)

List Price

\$20.99 Z0-0941000



List Price

\$45.19 F0-3613000

#### Sierra Heavy Duty Push Pull Switch

## SIERRA

- Solid brass construction.
- Mounting bushing: 3/8".
- For panels up to 1" thick.
- Rated: 15 amp @ 12V DC.
- Off-On, SPST.
- Pull for "On".
- Chrome plated plastic knob.
- 2 Screw terminals.

Mfg. No. / Description Order No List Price 8020493 (MP39520) **\$20.60** Z0-2441000

## Sierra Heavy Duty Push Pull Switch

## SIERRA

- Solid brass construction.
- Mounting bushing: 3/8".
- For panels up to 1" thick.
- Rated: 15 amp @ 12V DC.
- Off-On, SPST.
- Pull for "On".
- Chrome finish plastic knob.
- 2 Blade terminals.

Mfg. No. / Description Order No List Price \$14.15 Z0-0990000 8020495 (MP39540)

## Sierra Heavy Duty Push Pull Switch

## SIERRA

- Solid brass construction.
- Mounting bushing: 3/8".
- For panels up to 1" thick.
- Rated: 15 amp @ 12V DC.
- Off-On (1 & 2), SPST.
- Pull for "On" turns on two separate circuits.
- Chrome plated solid brass knob.
- 3 Screw terminals.

Order No. Mfg. No. / Description

**8020499** (MP39600)



\$15.58 Z0-0901000

Sierra Heavy Duty Push Pull Switch

## SIERR&

- Solid brass construction.
- Mounting bushing: 3/8".
- For panels up to 1" thick.
- Rated: 15 amp @ 12V DC.
- Off-On, SPST.
- Pull for "On".
- Chrome plated solid brass knob.
- 2 Screw terminals.

Mfg. No. / Description Order No List Price **\$26.65** Z0-5681000 8020494 (MP39530)

## Sierra Heavy Duty Push Pull Switch

## SIERRA

- Solid brass construction. • Mounting bushing: 3/8".
- For panels up to 1" thick.
- Rated: 15 amp @ 12V DC.
- Off-On (1)-On (2 & 3), SPDT.
- First pull energizes #1, second pull energizes two separate circuits.
- Chrome finish plastic knob.
- 4 Screw terminals.

Order No. Mfg. No. / Description 8020500 (MP39610)

List Price

**\$21.11** Z0-8741000

## Sierra Heavy Duty Push Pull Switch

# SIERRA

- Solid brass construction.
- Mounting bushing: 3/8".
- For panels up to 1" thick.
- Rated: 15 amp @ 12V DC.
- Off-On (1)-On (1 & 2), SPDT.
- First pull energizes #1, second pull energizes both circuits.
- Chrome plated solid brass knob.
- 3 Screw terminals.

Order No. Mfg. No. / Description

8020497 (MP39580)

List Price **\$23.13** Z0-9161000

## Sierra Heavy Duty Push Pull Switch

- Solid brass construction.
- Mounting bushing: 3/8".
- For panels up to 1" thick.
- Rated: 15 amp @ 12V DC.
- Off-On (1)-On (1 & 2), SPDT.
- First pull energizes #1, second pull energizes both circuits.
- Chrome finish plastic knob.
- 3 Blade terminals

Order No. Mfg. No. / Description 8020498 (MP39590)

List Price

**\$21.11** Z0-8741000







Electronics Trolling

Motors Instruments

Lighting

Anchor & Dock

Safety

Steering Controls

**Pumps** 

Fuel System

Seating &

Trailering Tops &

Perform

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc

Fun & Flotation

Topside

Cockpit & Deck

Hardware, Fasteners

Camouflage

Misc

Comm.

Instruments

Lighting

Anchor & Dock

Safety

Steering

Controls

Pumps

Fuel

System

Seating &

Pedestals

Trailering

Tops & Covers

Engine

& Care

Cleaning

Paint &

Paint Acc

Fun &

Comm.

**Electrical** 

#### **Marpac Euro-Style Rocker Switches**







- Black, plastic rocker switches.
- Rated: 16 amps at 12V DC.
- Fits Contura cut-out. **NON-ILLUMINATED**

Separate 1
7 1125
7-1135

Liet Price

Motors						
	7-1139	3 Position	On-Off-On	DPDT	\$7.09	F0-6940000
Liberrollies	7-1138	3 Position	Momentary On-Off-Mom. On	SPDT	\$6.69	F0-8640000
Electronics	7-1137	3 Position	On-Off-On	SPDT	\$5.99	F0-9140000
		2 Position	Momentary On-Off	SPST	\$6.49	F0-4540000
	7-1135	2 Position	On-Off	SPST	\$5.69	F0-8930000
	Oluei No.	Description			rist Luce	

#### ILLUMINATED

· Glows "White" when switch is in "On" position.

Order No.	Description			List Price	
7-1140	2 Position	On-Off	SPST	\$7.19	F0-3050000
7-1144	3 Position	On-Off-On	DPDT	\$8.19	F0-3750000

## Marpac Contura Style L.E.D. Illuminated Rocker Switch





379760

\$16.59 F0-1611000

**\$21.99** F0-9351000

\$16.19 F0-3311000

\$13.19 F0-3290000

- LED illuminated.
- Glows "Blue" when switch is in "On" position.
- Water resistant switches specially designed for marine or outdoor applications.
- Splash resistant to IP66 standards.
- 1.45" x 0.83" cut-out replaces contura style switches in existing panels.

Urder No.	Description			List Price
7-1145	2 Position	On-Off	SPST	<b>\$7.69</b> F0-8350000

387426

On-Off-On

On-Off-On

Off-Mom. On


Off-Mom. On

## **Blue Sea Water Resistant Contura Switches**

#### Perform. BLŲĘ SEĄ

Propellers

387438



- 20Å @ 12V DC, 15A @ 24V DC.
- Internal and external gasket panel seal.

(8283-BSS) SPDT

DPST

SPST

**387440** (8286-BSS) DPDT

**387452** (8288-BSS)

**1308292** (8292-BSS)

- Mounting hole: 1.45" x .83".
- Meets UL 1500 and ISO 8846 external ignition protection requirements.

I IOIUIIOII	GRAY						
Topside	Order No.	Mfg. No. / Descri	iption			List Price	
Acc.	379760	(8232-BSS)	SPDT	2 LEDs	On-Off-On	\$16.49	F0-4511000
Cockpit	379772	(8231-BSS)	SPST	O LEDs	Off-Mom. On	\$13.09	F0-6190000
& Deck	379780	(8230-BSS)	SPST	1 LEDs	Off-On	\$13.09	F0-6190000
Hardware,	387349	(8220-BSS)	DPDT	2 LEDs	On-Off-On	\$21.99	F0-9351000
Fasteners	BLACK						
Camouflage	Order No.	Mfg. No. / Descri	iption			List Price	
	387426	(8282-BSS)	SPST	1 LEDs	Off-On	\$13.19	F0-3290000

2 LEDs

2 LEDs

0 LEDs

0 LEDs

## Marpac Contura® Rocker Switches





- Non-corrosive plastic construction.
- Rated: 20 amps at 12V DC.

NON-	LLUMINATED				
Order No.	Description			List Price	
7-053	5 2 Position	On-Off	SPST	\$7.99	F0-9550000
7-053	5 2 Position	Momentary On-Off	SPST	\$9.39	G0-9260000
7-053	7 3 Position	On-Off-On	SPDT	\$9.89	G0-3660000
7-053	<b>3</b> Position	Momentary On-Off-Mom. On	SPDT	\$10.39	G0-6960000
7-053	9 3 Position	On-Off-On (6 Terminal)	DPDT	\$12.29	G0-3280000
	INIATED DDA	CC DIADE TEDMINAIC CIII	ED COL	ITA CTC	

ILLUMIN	ILLUMINATED - BRASS BLADE TERMINALS, SILVER CONTACTS							
Order No.	Description			List Price				
7-0540	2 Position	On-Off	SPST	\$9.79	G0-6560000			
7-0541	2 Position	Momentary On-Off	SPST	\$10.89	G0-0370000			
7-0542	3 Position	On-Off-On	SPDT	\$12.19	G0-7180000			
7-0543	3 Position	Momentary On-Off-Mom. On	DPDT	\$14.99	G0-4001000			
7-0544	3 Position	On-Off-On (6 Terminal)	DPDT	\$14.19	G0-1590000			

#### Sierra Standard Weather Resistant Contoura® II Rocker Switches

8020750

## SIERRA

- · Protects against dust and prolonged spray to IP66 and IP68 standards.
- Supplied with neoprene mounting gasket.
- Removable actuators.
- Brass blade terminals, silver contacts.
- Rated: 20 amps @ 12V DC.

Order No.	Mfg. No. / Descri	ption		List Price	
8020750	(RK19400-1)	On-Off	SPST	\$13.43	Z0-0490000
8020752	(RK19410-1)	Momentary On-Off	SPST	\$15.89	Z0-3590000
8020754	(RK19420-1)	On-Off-On	SPDT	\$13.41	Z0-9390000
8020756	(RK19430-1)	Momentary On-Off-Mom. (	On SPDT	\$17.59	Z0-4501000
8020780	(RK19490-1)	On-Off-On	DPDT	\$16.43	Z0-0511000

## Sierra Illuminated Weather Resistant Contoura® II Rocker Switches

## **SIERR**





- Non-corrosive plastic construction.
- Removable actuators.
- Brass blade terminals, silver contacts.
- Rated: 20 amps @ 12V DC.

Order No.	Mfg. No. / Description		List Price	
8020758	(RK19440-1) On-Off	SPST	\$17.39	Z0-1401000
8020760	(RK19450-1) Momentary On-Off	SPST	\$13.93	Z0-5790000
8020762	(RK19460-1) On-Off-On	SPDT	\$18.39	Z0-8901000
8020790	(RK19540-1) On-Off-On	DPDT	\$24.09	Z0-4441000
8020792	(RK19550-1) Momentary On-Off-Mom. On	DPDT	\$25.79	Z0-6451000

Trolling

Motors

Lighting

Anchor

& Dock

Safety

Steering

Controls

Instruments

#### **Marpac Illuminated Rocker Switches**



- · Glows "Red" when switch is in "On" position.
- Single pole.
- 1/4" spade terminals.
- Requires 27/32" x 1-15/32" cut out.
- Rated: 15 amps at 12V DC.

## ON-OFF • 2 POSITION • 3 TERMINALS

Order No. Description List Price **7-0531** SPST \$5.99 F0-9140000

ON-OFF-ON • 3 POSITION • 4 TERMINALS

List Price 7-0530 SPDT \$8.69 GO-2850000

#### **BEP Illuminated Rocker Switch**



- Black plastic body with clear plastic rocker that illuminates "Red" when "On".
- Off-On.
- Shock and weather resistant.
- 1/4" blade terminals.
- Rated: 10 amps at 12V DC.

Non-corrosive plastic construction.

• Silver contacts. Brass blade terminals. • Rated: 20 amps @ 12V DC.

Mfg. No. / Description

8020820 (RK40150) Momentary On-Off

8020840 (RK40350) Momentary On-Off-Mom. On

Order No. Mfg. No. / Description

SIERRA

List Price

Sierra Standard Rocker Switches with Black Actuators

**2460324** (1001705) **\$10.99** F0-9670000

#### **Marpac Illuminated Rocker Switch**





- Illuminated black plastic rocker switch.
- Glows "Red" when switch is in "On" position.
- Rated: 10 amps at 12V DC.

LIMITED

ON-OFF • 2 POSITION • 3 TERMINALS

Order No Description **7-0533** SPST \$8.69 G0-2850000

## **BEP Illuminated Rocker Switch - Multicolored**





- Shock and weather resistant.
- Amber, and Clear.

**\$24.99** F0-9471000

#### **Marpac Rocker Switches**



- Non-illuminated black plastic rocker switch.
- Single pole.
- 1/4" spade terminals.
- Requires 27/32" x 1-15/32" cut out.
- Rated: 15 amps at 12V DC.

## ON-OFF • 2 TERMINALS

Description List Price **7-1200** SPST \$4.59 F0-1230000

#### ON-OFF-ON • 3 TERMINALS

Order No Description List Price

7-1205 SPST \$7.19 G0-2840000

## Sierra Illuminated Rocker Switch

## SIERRA



- Non-corrosive plastic construction.
- Dependent pilot light illuminates in "On" position.
- Momentary On-Off.
- SPST.
- Silver contacts. Brass blade terminals.
- Rated: 20 amps @ 12V DC.

Order No. Mfg. No. / Description

**8020552** (RK40120)

List Price

8020540

**\$16.19** Z0-6890000

LIMITED

**QUANTITIES** 

Pumps

# Fuel

System

Trailering Tops &

Perform

Propellers

Engine

& Care Cleaning

& Care

Paint & Paint Acc

LIMITED

**QUANTITIES** 

Fun &

Flotation

Topside

Cockpit

& Deck

Hardware. Fasteners

Camouflage

Misc









LIMITED **QUANTITIES** 

Z0-6180000

Z0-0870000

## Sierra Narrow Body Rocker Switches

**SPST** 

**SPDT** 

## SIERRA



List Price

List Price

\$11.49

\$10.99

## FITS .550" x 1.125" CUT OUT

Blade terminals. Rated: 10 amps @ 12V DC.

Order No. Mfg. No. / Description			List Price	
<b>8020546</b> (RK19640) On-Off	SPST	Non-Illuminated	\$6.94	Z0-6840000
8020545 (RK19630) On-Off	SPST	Illuminated "Red"	\$8.95	Z0-6260000

## FITS 7/16" x 1-1/4" CUT OUT

Blade terminals. Rated: 20 amps @ 12V DC.

8020548 (RK21880) On-Off	SPST	Non-Illuminated	\$6.17	Z0-2340000
<b>8020549</b> (RK21890) On-Off	SPST	Illuminated "Red"	\$4.76	D0-1830000

• Certified to IP 66 and IP 68 - protected against dust, prolonged spray and submersion.

- Supplied with neoprene mounting gasket.
- Brass blade terminals, silver contacts.
- Snap in lens of choice (Amber, Clear, Green, Red).

Order No. Mfg. No. / Description

8020541 (RK19510K) On-Off

DEPENDENT PILOT LIGHT - INCLUDES 1 LENS OF EACH COLOR Mfg. No. / Description

8020540 (RK19500K) On-Off

**SPST** 

**SPST** 

**\$13.79** Z0-5280000

List Price

List Price

\$13.59 Z0-3180000

ONE DEPENDENT PILOT LIGHT AND ONE INDEPENDENT PILOT LIGHT

• One dependent pilot light - illuminates in "On" position.

• One independent pilot light - illuminates when panel lights "On".

Includes 2 lenses of each color.

Order No. Mfg. No. / Description

SPST \$16.80 Z0-8001000

Mfg No / Description

Order No.





- Three 1/4" blade terminals.
- Includes: (1) white L.E.D. and (4) L.E.D. covers; Red, Green,
- Rated: 25 amps at 12V DC.


Order No. Mfg. No. / Description **2460316** (1001716)

List Price

Sierra Weather Resistant Illuminated Rocker Switches







- Removable actuators.

- Rated: 20 amps @ 12V DC.

INDEPENDENT PILOT LIGHT - INCLUDES 1 LENS OF EACH COLOR

List Price 8020543 (RK19530K) On-Off

## **Marpac Illuminated Toggle Switches**





- Translucent plastic paddle.
- Switch illuminates "White" when dash lights are "on". Changes to "Red" light when switch is in "on" position.
- 1/4" spade terminals.
- Fits panels up to 3/8".
- Rated: 15 amps at 12V DC.

• Fits Marpac 7-1240 Switch Panel.

• Self-illuminating handle bar.

Rated: 16 amps at 12V DC.

Description

7-1242 Rubber Switch Boot

Non-corrosive plastic construction.

Rated: 25 amps @ 12V DC.

8020664 (TG40020-1) On-Off

Order No

Brass blade terminals, silver contacts.

Mounting stem: 15/32" L x 15/32"-32.

Mfg. No. / Description

**7-1241** 2 Position

SIERR &

Order No.	Description				List Price	
7-0528	2 Position	On-Off	3 Terminals	SPST	\$5.59	F0-1930000
7-1290	3 Position	On-Off-On	6 Terminals	DPDT	\$7.39	F0-7150000
7-1242	Rubber Switch Boot				\$3.69	F0-8520000

7-1242

#### Marpac Illuminated Toggle Switch Trolling

On-Off

**SPST** 

Sierra Standard Toggle Switches



# Instruments

### Electrical

Lighting

Electronics

Motors

Anchor & Dock

Safety

Steering Controls

Pumps Fuel

System Seating & Pedestals

Trailering

Tops &

Perform.

Propellers

Engine & Care

Paint & Paint Acc

Fun & Flotation Topside

Acc. Cockpit & Deck

Hardware, Fasteners

Camouflage

Misc

Comm.



- Black plastic paddle and locking ring with lever seal and knurled cap nut.
- 1/4" spade terminals.
- Mount in 15/32" diameter panel hole.
- Fits panels up to 1/4".
- Rated: 15 amps at 12V DC.
- Use Marpac 7-0468 Boot Seal to resist water penetration.

Order No.	Description			List Price	
7-0462	2 Position	On-Off	2 Terminals	\$5.39	G0-1630000
7-0464	2 Position	Momentary On-Off	2 Terminals	\$6.29	G0-1240000
7-0463	3 Position	On-Off-On	6 Terminals	\$7.69	G0-5150000
7-0465	3 Position	Momentary On-Off-Mom. On	6 Terminals	\$7.89	G0-9250000

**Marpac Toggle Switches** 

## **Boater Sports Non-Illuminated Toggle Switch**



- Black plastic lever and locking ring with paddle seal and knurled cap nut.
- Great for lights, aerators and blowers.
- Rated: 15 amps @ 12V DC.
- On-Off-Momentory On.
- 3 terminals.

LIMITED

F0-8350000

F0-8520000

\$7.69

\$3.69

List Price

**\$11.79** Z0-3070000

Order No. Mfg. No. / Description 1-51310 (51310)

List Price



## LUMITED QUANTITIES \$6.89 H0-3140000

LIMITED

## Sierra Duckbill Toggle Switches

## SIERRA



- Non-corrosive plastic construction.
- Brass blade terminals.
- Mounting hole: 1/2".
- 1" black plastic handle.
- Rated: 15 amps @ 12V DC.

Order No.	Mfg. No. / Desc	cription	
8020656	(TG21130)	On-Off	SPST
2020457	/TC21140\	$\Omega_{n_{-}}\Omega_{m_{-}}$	CDUL

**QUANTITIES** List Price Z0-7650000 \$7.99 Z0-9630000 \$6.19

## Sierra Tip Lit Toggle Switches



SPST

- Non-corrosive plastic construction.
- Lights through tip of handle.
- Illuminates white when panel lights are "On", changes to red when switch is "On".
- Brass blade terminals, silver contacts.
- Mounting stem: 15/32" L x 15/32"-32.
- Rated: 20 amps @ 12V DC.

Order No.	Mfg. No. / Des	cription			List Price	
8020673	(TG40300)	On-Off		SPST	\$15.16	Z0-1601000
8020674	(TG40310)	Momentary On-Off		SPST	\$15.83	Z0-8011000
8020675	(TG40320)	On-Off-On		SPDT	\$16.75	Z0-2711000
8020676	(TG40330)	Momentary On-Off-Mon	n. On	SPDT	\$18.17	Z0-2721000
8020677	(TG40340)	On-Off-Momentary On		SPDT	\$15.29	Z0-6801000
8020654	(TG19520)	On-Off-On		DPDT	\$25.77	Z0-4081000
8020655	(TG19530)	Momentary On-Off-Mon	n. On	DPDT	\$29.99	ZO-0381000

#### Marpac Toggle Switch





- Nickel plated indicator plate; assembled.
- On-Off.
- Mounting stem: 15/32" length.
- Two 6" wire leads.
- Rated: 6 amps at 125V AC.
- Use Marpac **7-0468** Boot Seal to resist water penetration.

Description List Price **7-0529** Toggle Switch \$5.09 F0-6530000

### Marpac Toggle Switch





- Chrome plated.
- On-Off.
- 1/4" spade terminal.
- Replacement toggle switch for Marpac Switch Panels: 7-0516, 7-0517 and 7-0518.
- $\bullet$  For use in panels with hole diameter 13/32" and a panel thickness up to 1/8".
- Rated: 5 amps at 12V DC.

Order No.	Description	List Price	
7-0534	Toggle Switch	\$4.59	F0-1230000
7-0519	Spare Toggle Boot Seal	\$3.29	F0-0320000

## Marpac Heavy Duty Toggle Switches



- Plastic housing with plated steel cap.
- Universal applications.
- Nickel plated brass handle 11/16" length.
- Nickel plated brass mounting stem 15/32"- 32 thread and 15/32'' length.
- Rated: 25 amps at 12V DC.
- Use Marpac 7-0468 Boot Seal to resist water penetration.

Order No.	Description			List Price	
7-0880	On-Off	2 Terminals	SPST	\$8.29	G0-5550000
7-0881	On-Off-On	3 Terminals	SPDT	\$8.99	G0-2060000
7-0883	Momentary On-Off-Mom. On	3 Terminals	SPDT	\$8.49	F0-4950000
7-0884	Momentary On-Off	2 Terminals	SPST	\$8.29	G0-5550000
7-0882	On-Off-On	6 Terminals	DPDT	\$11.89	G0-7970000

## Cole Hersee Medium Duty SPST Toggle Switch







- Chrome plated brass handle.
- Black bakelite with plated steel cap.
- Rated: 10 amps at 12V DC.
- Single pole. 2 positions: Off-on.
- 2 screw terminals.
- Stem mounting: 15/32"-32 thread.
- Fits panels through 9/32" thick.

Order No.	Mfg. No. / Description	List Price	
300690	(M-484-BP)	\$14.09	G0-4490000
300800	(81264-BP) Boot Seal	\$9.69	G0-9460000

#### Marpac Toggle Switch





- All brass with nickel plated brass face nut and brass back up nut.
- Mounting stem: 7/16"-28 thread, 3/8" length and 7/16" diameter.
- Rated: 20 amps at 12V DC.

Description List Price **7-1270** Toggle Switch \$8.59 F0-1060000

## **Boater Sports Brass Toggle Switch**

Blue Sea WeatherDeck™ Toggle Switches





LIMITED

Electronics

Trolling Motors Instruments

Lighting

Anchor

& Dock

- Chrome plated brass.
- Rated: 10 amps at 250V AC.
- On-Off-On.
- 3 terminals.

Order No. Mfg. No. / Description

**1-51331** (51331)

BLUE SEA

• Terminal size: 1/4".

• Nickel-plated brass and phenolic non-corrosive construction.

On-Off

On-Off-On

Momentary On-Off

Momentary On-Off-On

Blue Sea WeatherDeck™ Toggle Switch

Momentary On-Off-Mom. On

• Amperage maximum operating: 15A @ 12V DC.

Voltage maximum operating: 250V AC.

Mfg. No. / Description

Terminal type: Quick connect tab.

**379407** (4150-BSS) SPST

**379408** (4151-BSS) SPST

**379409** (4152-BSS) SPDT

**379410** (4153-BSS) SPDT

379411 (4154-BSS) SPDT

BLŲĘ SEA

QUANTITIES List Price \$7.69 H0-1640000

List Price

**\$7.69** F0-8350000

**\$7.69** F0-8350000

**\$7.69** F0-8350000

**\$7.69** F0-8350000

\$7.69 F0-8350000

Safety

Steering Controls

**Pumps** 

Fuel

System Seating & Pedestals

Trailering

Tops &

Perform

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc

Fun & Flotation

Topside

Cockpit & Deck

Hardware, Fasteners

Camouflage

Misc.





construction.

- On-Off-On.
- DPDT.
- Amperage maximum operating: 5A @ 30V DC.
- Voltage maximum operating: 30V DC.
- Terminal size: 1/4".
- Terminal type: Quick connect tab.

Mfg. No. / Description 387058 (4155-BSS) \$18.79 F0-5131000

# **Sierra Heavy Duty Toggle Switches**











List Price



• Fits panels up to 1/4" thick.

• Handle: 11/16" long. Instruments

Mounting stem: 15/32" L x 15/32"-32.

• Rated: 25 amps @ 12V DC.

## **Electrical**

Motors

Fuel

Pedestals

Tops &

Perform.

Cleaning

Paint & Paint Acc

Fun &

Acc.

Cockpit

Fasteners

Misc

Comm.

Order No.  $\,\,$  Mfg. No. / Description

Lighting	<b>8020900</b> (TG22000)	On-Off	SPST	\$9.21	Z0-4460000
Ligititity	<b>8020902</b> (TG22010)	On-Off-On	SPDT	\$9.21	Z0-4460000
Anchor	<b>8020904</b> (TG22020)	On-Off-On	DPDT	\$17.99	Z0-6701000
& Dock	<b>8020906</b> (TG22030)	Momentary On-Off	SPST	\$10.89	Z0-4560000
	<b>8020908</b> (TG22040)	Momentary On-Off-Mom. On	SPDT	\$9.21	Z0-4460000
Safety					

## **Marpac Rubber Switch Boot**





System Seatina &

> Waterproof and dustproof. Screw nuts: M12.

Trailering

Use with: 7-0528, 7-1241 and 7-1290 Toggle Switches.


LIMITED QUANTITIES

Order No. Description 7-1242 Rubber Switch Boot List Price \$3.69 F0-8520000

## Blue Sea WeatherDeck™ Toggle Switch Boot

#### Propellers BĻŲĘ SEA

Engine & Care



• Case material: UV resistant silicone rubber.

UV resistant material resists discoloration and cracking.

• Thread: 15/32".

Black.

Flotation Mfg. No. / Description Topside

\$5.09 F0-6530000 **379406** (4138-BSS)

## Sierra Weatherproof Boot Nut - Black

& Deck SIERR A Hardware,

Camouflage For standard toggles with 15/32" mounting stem.

Completely covers toggle handle.

· Seals out moisture and dirt.

Order No. Mfg. No. / Description 8020480 (MP39240-1) **\$5.08** Z0-6530000

## **Sierra Heavy Duty Toggle Switches**

## SIERRA

- Super tough zinc die cast.
- · Chrome plated plastic handle with metal core.
- Heavy copper screw terminals.
- Mounting stem: 15/32" L x 15/32"-32.
- Rated: 50 amps @ 12V DC.

Order No. Mfg. No. / Description List Price 8020660 (TG21500) On-Off **\$17.16** Z0-1021000 **SPST 8020662** (TG21600) Momentary On-Off-Mom. On SPDT **\$22.30** Z0-1651000

## Sierra Heavy Duty Toggle Switch - All Brass Construction


## SIERRA

- Heavy duty die cast toggle switch.
- On-Off.
- SPST.
- Chrome plated brass bat handle.
- Sealed bushing.
- 2 screw terminals.
- Mounting stem: 15/32" L x 15/32"-32.
- Rated: 35 amps @ 12V DC, 20 amps @ 125V AC.

Order No. Mfg. No. / Description List Price 8020950 (TG40000) \$10.10 Z0-7070000

## Marpac Universal Toggle Boot Seals






- Brass threads.
- Fits switches with 15/32" mounting stem and handle to 11/16".
- Use with: 7-0462, 7-0463, 7-0464, 7-0465, 7-0529, 7-0880, 7-0881, 7-0882, **7-0883** and **7-0884** Toggle Switches.

Order No. Description List Price **7-0468** Black **\$2.39** F0-7610000

**\$3.49** F0-4420000 **7-0887** Gray

## **Cole Hersee Toggle Switch Seal**

## Cole Hersee



- Mounting surface of nut has O-ring seal for moisture and dirt protection.
- Fits standard handles up to 11/16".
- Covers entire toggle handle.
- For 300690 (M-484-BP) Toggle Switches.
- Gray.

Mfg. No. / Description **300800** (81264-BP) **\$9.69** G0-9460000

### Sierra Weatherproof Boot Nut - Gray

## SIERRA

- For standard toggles with 15/32" mounting stem.
- Completely covers toggle handle.
- · Seals out moisture and dirt.
- Nickel plated brass nut.

Order No. Mfg. No. / Description 7001450 (MP39030) **\$8.37** Z0-6850000



**Boater Sports Rubber Toggle Switch Boot** 

Blue Sea Circuit Breaker Toggle Guard

Electronics

Trolling Motors Instruments

Lighting

Anchor

& Dock

Safety

Steering

Controls

Pumps Fuel System Seating & Pedestals

Trailering

Tops &

## Sierra Weatherproof Boot Nut

## SIERR&



- For illuminated toggle switches (except Duckbill).
- 1/2" boot seals out moisture yet allows illumination to show.

Order No. Mfg. No. / Description 8020479 (MP39220)

\$8.37 Z0-6850000

List Price

#### • 1/2" boot. Sold bulk.

Order No.

Brass threads.

BLŲĘ SEA

Fits standard toggle switches.

Mfg. No. / Description 2000068 (6840-B)

• Corrosion resistant, and protects against moisture and dirt.

List Price

\$3.39 HO-3020000

## Marpac On/Off Switch Panel





- Used for lights, blowers, aerators, bilge pumps, etc.
- Water resistant toggle boot.
- Corrosion resistant brass switch, accommodates up to 1.18" thick panel.
- Rated: 10 amps @ 12V DC.
- Dimensions: 1.85" W x 2.48" L.

Order No. Description 7-51381 On/Off Switch Panel List Price

\$13.89 F0-2790000

• Protects circuit breakers from being accidentally switched ON or OFF.

- Fits all A-Series single pole circuit breakers.
- Fits all panel switches.
- Uses circuit breaker mounting screw hole.
- Includes 2 mounting screws.
- Can be used on any brand of circuit breaker panel using standard toggle type circuit breakers.

**Sierra Small Indicator Lights** 

Mfa. No. / Description

379950 (4100-BSS)

\$4.29 F0-0030000

List Price

## **Sierra Small Indicator Lights**

## SIERRA



• 12V DC use only.

SIERRA

- Mounting hole 5/16".
- 5" tinned copper wire leads.

Order No. Mfg. No. / Description	List Price
<b>8020685</b> (UN22100) Red	<b>\$9.25</b> Z0-7460000
<b>8020686</b> (UN22110) Green	<b>\$11.41</b> Z0-9970000
<b>8020687</b> (UN22120) Amber	<b>\$9.25</b> Z0-7460000

8020682

SIERRA



- 125V AC use only.
- Mounting hole 5/16".
- 5" tinned copper wire leads.

Order No. Mfg. No. / Description 8020688 (UN22150) Red 8020689 (UN22160) Green

List Price

**Rig Rite Light Dimmer Switch** 

**\$11.67** Z0-7180000 **\$11.67** Z0-7180000

Perform. Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc

Fun & Flotation

Topside

Cockpit

& Deck

Hardware, Fasteners

Camouflage

Misc.

LIMITED **QUANTITIES** 

• Light dimmer.

• 10 amp max.

Order No. Mfg. No. / Description **2970530** (530)

\$39.99 A0-9993000

Comm.

Sierra Large Indicator Lights

- 12V DC use only.
- Mounting hole 1/2".
- 4" tinned copper wire leads.

Order No. Mfg. No. / Description	List Price
8020682 (UN21280) Red	<b>\$8.17</b> Z0-2750000
8020683 (UN21290) Green	<b>\$8.17</b> Z0-2750000
8020684 (IIN21320) Amher	\$6.98 70-9840000

- Directly replaces all L.E.D.s used in Blue Sea Systems traditional metal circuit breaker panels.
- Simple push-in installation mounts in any thickness material.

Blue Sea L.E.D. Indicator Light

- Useful as general indicator and alarm lights.
- Resistor circuit.

BLUE SEA

- Green light.
- 12/24 V DC.

Order No. Mfg. No. / Description List Price 1308172 (8172-BSS) \$3.69 F0-8520000

Trolling

Motors

Electrical

Lighting

Anchor

& Dock

Safety

Steering Controls Pumps

Fuel System

Seatina &

Pedestals

Trailering

Tops &

Perform.

Propellers

Engine

& Care

Cleaning

& Care

Paint &

Paint Acc

Flotation Topside

Acc.

Misc

#### Norsk LiFeP04 Deep Cycle Batteries





- Equipped with Bluetooth and compatible with the Norsk Guardian App for IOS and Android.
- Equipped with Norsk Guardian Advanced Battery Management System (BMS).
- Features M8 terminal posts with included lock nuts for easy rigging.





## 12.8 VOLT DEEP CYCLE BATTERY

- Designed to be installed in series, providing reliable power for your trolling motors, fishing electronics or golf carts running 12V, 24V or 36V systems.
- Dimensions: 12.9" x 6.7" x 8.4". (Group 27 Size)

Order No. Mfg. No. / Description 2672210 (23-100) 100Ah List Price

List Price

**\$949.99** Z0-9995700

#### 24 VOLT DEEP CYCLE BATTERY Instruments

- The perfect combination of convenience and performance for the boater looking to power a 24 volt trolling motor with a single battery.
- Can be wired in parallel with a second 24V 50Ah battery to double the capacity and runtime.
- Dimensions: 12" x 6.5" x 8".

Mfg. No. / Description Order No.


2672301 (23-245) 50Ah \$849.99 Z0-5943600


## Norsk LiFeP04 Lithium Deep Cycle Batteries

NORSK









- One-Touch Power Management The Power Management button allows the user to quickly check State of Charge, and manage advanced features such as ESR and Deep Sleep<sup>™</sup> or reset the BMS.
- IP67 Waterproof.
- Norsk Guardian App Intergration Seamlessly manage your battery's performance with the Norsk Guardian App. Monitor battery status, control the Deep Sleep mode, and access Emergency Start Reserve [ESR] with ease, all from the convenience of your smartphone.
- Designed to endure over 4,000 charge cycles.

NEW **PRODUCT** 

### 16 VOLT DEEP CYCLE BATTERY - GROUP 3

Mfg. No. / Description **2672432** (B16135G) 50Ah \$1,088.00 E0-0061800

## 24 VOLT DEEP CYCLE BATTERY - GROUP 3

Mfg. No. / Description Fun &

335332 (U1-AGM)

List Price **2672433** (B24090G) 90Ah **\$976.00** E0-0023700

#### **Marine Batteries**

Cockpit Order No. Mfg. No. / Description List Price & Deck **\$345.57** A0-7554300 **335315** (8D-6) Hardware \$578.39 A0-9387500 335323 (D31-AGM) Fasteners \$253.49 HO-9025100 **335325** (27DC-50) \$230.29 A0-9203200 335327 (24DC-50) Camouflage 335330 (24-AGM) \$497.23 A0-3279400

## Norsk Heated LiFeP04 Deep Cycle Batteries

NORSK





- Equipped with Norsk Lithium's Exclusive Thermal Core Heating Technology. With the Thermal Core Heating Technology, it brings the internal temperature of the battery up for safe
- Equipped with Bluetooth and compatible with the Norsk Guardian App for IOS and Android.
- Equipped with Norsk Guardian Advanced Battery Management System (BMS).
- Features M8 terminal posts with included lock nuts for easy rigging.
- Lifespan: 4,000+ Cycles.
- Designed to be installed in series, providing reliable power for your trolling motors, fishing electronics or golf carts running 12V, 24V or 36V systems.



## 12 VOLT DEEP CYCLE BATTERY

• Dimensions: 12.9" x 6.7" x 8.4". (Group 27 Size)

Order No. Mfg. No. / Description 2672281 (23-080H) 80ah

List Price

**\$849.99** Z0-5946600

#### **36 VOLT DEEP CYCLE BATTERY**

Dimensions: 18.9" x 10.63" x 8.19".

Order No. Mfg. No. / Description 2672305 (23-360H) 60ah List Price

**\$1,700.09** E0-7057210

#### **Norsk Heated Lithium Marine Cranking Battery**

NORSK





- Emergency Start Reserve.
- Deep Sleep.
- Thermal Core Heating Technology.
- BCI-Compliant Case.
- Triple sets of terminals for flexible rigging.
- One-Touch Power Management.
- IP67 Waterproof.
- Norsk Guardian App Intergration Seamlessly manage your battery's performance with the Norsk Guardian App. Monitor battery status, control the Deep Sleep mode, and access Emergency Start Reserve [ESR] with ease, all from the convenience of your smartphone.

Designed to endure over 4,000 charge cycles.

Order No. Mfg. No. / Description 2672307 (B12180GHS) 180Ah

**PRODUCT** List Price

**\$1,299.99** Z0-5087900

MAP

NEW

## Norsk Marine Battery Display Rack

## NORSK

- A great way to display 10 Norsk Lithium Deep Cycle Batteries on your salesfloor while educating customers on the features of the Norsk Lithium Guardian App.
- Receive a FREE Battery Display Rack when you purchase nine (9) LifePo4 Norsk Lithium Marine Batteries featuring Guardian Technology.
- Dimensions: 29" W x 17" D x 65" H.

Mfg. No. / Description

267X001 Marine Battery Display Rack







\$355.11 A0-1155300



## **Marpac Battery Boxes**



- · Non-corrosive marine grade material.
- Injection molded high strength composite construction.
- Holds one battery.
- Fits new battery style size.
- Meets industry requirements.
- Easy installation with included strap and mounting hardware.

Order No.	Description	List Price	
7-0034	For 24 and 24M Series Batteries	\$11.59	F0-1180000
7-0036	For 27, 30 and 31 Series Batteries	\$14.79	F0-5301000

## **Attwood PowerGuard Battery Boxes**



- Polypropylene construction for total acid resistance.
- Hold-down straps resist 350 lbs. of force.
- Vented.
- Drop tested in temperatures ranging from -20 $^{\circ}$  F to +120 $^{\circ}$  F.
- Black.
- Mounting hardware included.
- Meets ABYC Standard E-10 and USCG Specification Number 183.420 as an OEM-installed battery hold-down system.

Order No.	Mfg. No.	Battery Series	Outside Dimenions	List Price	
237330	(9082-1)	U1	11" x 7-1/2" x 8-1/2"	\$13.19	F0-3290000
237342	(9065-1)	24/24M/24F	14" x 9-5/8" x 10-5/8"	\$11.39	F0-7970000
237366	(9067-1)	27/27M/27F	16-7/8" x 9-5/8" x 10-7/8"	\$15.69	F0-8901000
237354	(9084-1)	29/31	18-7/8" x 9-1/4" x 10-1/4"	\$23.19	F0-3261000

## **Marpac Economy Battery Trays**





- Durable non-corrosive composite construction.
- Easy to install.
- Four (4) #8 stainless steel screws are required (Not included).

Urder No.	Description	List Price	
7-2197	For 24 and 24M Series Batteries	\$7.59	G0-9050000
7-2198	For 27, 30 and 31 Series Batteries	\$7.59	G0-9050000



- Non-corrosive high-strength polyethylene construction resists chemicals and rust.
- Maintains tough properties with nominal 0.185" wall thickness.
- Complies to industry requirements & meets Coast Guard regulations (F10)

Order No.	CAPACITY: (2) STANDARD BATTERY Mfg. No. / Description	List Price	
666810	(042333) 17.38" D x 13.00" W x 11.25" H	\$149.89	F0-2940100
BATTERY	CAPACITY: (1) 4D BATTERY		
Order No.	Mfg. No. / Description	List Price	
666822	(042204) 23.63" D x 12.50" W x 14.13" H	\$155.09	F0-6580100
BATTERY	CAPACITY: (1) 8D BATTERY		
Order No.	Mfg. No. / Description	List Price	
666846	(042208) 24.75" D x 14.88" W x 11.50" H	\$169.69	F0-8781100
666860	(042209) 24.50" D x 14.50" W x 14.50" H	\$176.59	F0-1632100
BATTERY	CAPACITY: (2) 8D BATTERIES		
Order No.	Mfg. No. / Description	List Price	
666884	(042210) 27.88" D x 24.63" W x 11.50" H	\$235.49	F0-4846100
666908	(042211) 27.25" D x 24.50" W x 14.00" H	\$259.19	F0-3418100
	Marpac Deluxe Battery Tray	S	





- Durable, non-corrosive composite construction.
- Self locking knobs
- Easy to install.
- Includes: Stainless steel installation screws.

Order N	lo. Description	List Price	
7-21	95 For 24 and 24M Series Bat	tteries \$13.19	G0-4880000
7-21	<b>96</b> For 27, 30 and 31 Series E	Batteries \$14.69	G0-4890000



Instruments

Lighting Anchor

& Dock Safety

Steering, Controls

Pumps

Fuel System

Seating & Pedestals Trailering

Tops & Covers

Perform

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc

Fun & Flotation

Topside

Cockpit & Deck

Fasteners

Camouflage

Misc.

Comm.

## **Marpac Battery Trays**





- Includes stainless hardware and adjustable buckle strap.

Order No.	Description	List Price	
7-51014	For 24 Series Batteries	\$8.19	G0-9450000
7-51016	For 27 Series Batteries	\$8.89	G0-6950000
7-51017	For 31 Series Batteries	\$9.69	G0-9460000



Instruments

Electronics

Trolling Motors

**Electrical** 

Lighting

Anchor & Dock

Safety

Steering Controls Pumps

Fuel System Seating & Pedestals

Trailering

Tops &

Perform

Propellers Engine

& Care Cleaning

& Care Paint &

Paint Acc. Fun & Flotation

Topside Acc.

Cockpit & Deck Hardware,

Fasteners Camouflage



Misc

Comm.








- Keep batteries secure to prevent damage to passengers, boat and equipment.
- Poly bag with header.

Order No.	Description	List Price	
7-51014	For 24 Series Batteries	\$8.19	G0-9450000
7-51016	For 27 Series Batteries	\$8.89	G0-6950000
7-51017	For 31 Series Batteries	\$9.69	G0-9460000

## **Attwood Heavy Duty Adjustable Battery Trays**





- Contains no metal parts to corrode and no webbing straps to fade.
- Ergonomic nuts and bolts easily secure batteries. Meets ABYC Standard E-10 and USCG requirements.

QUANTITIES **Battery Series** Inside Dimensions List Price 1148738 (9097-5) 24/24M/24F 10-5/8" x 6-3/4" \$12.79 F0-5980000 12-1/8" x 6-3/4" **1148739** (9098-5) 27/27M/27F **\$12.99** F0-9090000

## T-H Marine Optima™ Battery Holder Tray with Stainless Steel Buckle







- Designed to fit the unique shape of Optima Marine Batteries.
- Rugged poly tray with 8 mounting slots
- This robust battery tray provides a secure fit for D27M and D31M series batteries.
- Poly strap with stainless steel buckle.
- Resistant to UV and corrosion.

Mfg. No. Inside Dimensions 6400550 (NBH-31-SSC-OPT) 13" L x 7" W **\$32.29** F0-0622000

## **Attwood Low Profile Adjustable Battery Trays**

## (a) attwood

- Heavy duty, non-corrosive black plastic.
- Includes adjustable height crossbar and two retaining bolts.
- Meets ABYC Standard E-10 and U.S. Coast Guard requirements.
- Install with #10 fasteners.

LIMITED **QUANTITIES** Order No. Mfg. No. **Battery Series** Inside Dimensions List Price **1149090** (9090-5) 24/24M 10-5/8" x 7-1/4" x 8-1/2" \$10.89 F0-2670000 1149091 (9091-5) 27/27M 12-5/8" x 7-1/4" x 8-1/2" \$12.19 F0-3580000

### T-H Marine Battery Holder Trays with Stainless Steel Buckle





- Quality 316 stainless buckle adds strength for the heaviest batteries.
- Designed to fit tight spaces.
- Recessed mounts no tabs.
- Meets all NMMA specs.

Order No.	Mfg. No.	For Series	Inside Dimensions	List Price	
6400349	(NBH24-SSC-DP)	24	10-5/8" L x 7" W	\$19.79	F0-5831000
6400351	(NBH-27-SSC-DP)	27	12-1/2" L x 7" W	\$19.79	F0-5831000
6400355	(NBH31-SSC-DP)	29/31	13" L x 7" W	\$19.79	F0-5831000

## **T-H Marine Narrow Battery Holder Trays**



LIMITED



12-1/2" L x 7" W **\$211.49** F0-4084100

- Smallest dimensions possible for tight space problems.
- Resistant to gasoline, oil, acid, and most chemicals.
- · Recess mounting wells recessed fasteners no tabs.
- Poly strap with strong quick release buckle.
- Meets All NMMA Specifications.

**640044** (NBH-27P-20B) 27

SOLD EA	СН				
Order No.	Mfg. No.	For Series	Inside Dimensions	List Price	
640018	(NBH-24P-DP)	24	10-5/8" L x 7" W	\$13.79	F0-5690000
640020	(NBH-27P-DP)	27	12-1/2" L x 7" W	\$13.79	F0-5690000
640036	(NBH-31P-DP)	29/31	13″ Ĺ x 7″ W	\$13.79	F0-5690000
SOLD 20	PER BOX				
Order No.	Mfg. No.	For Series	Inside Dimensions	List Price	
640056	(NBH-24P-20B)	24	10-5/8" L x 7" W	\$211.59	F0-1184100

## T-H Marine Dual Battery Holder Tray







- Designed to securely install two 27 series batteries in the absolute tightest space.
- By placing the batteries side-by-side in one tray, the extra space and fasteners for two trays are eliminated.
- Poly strap with strong quick release buckle.
- Meets NMMA specs for battery retention.

Order No.	Mfg. No.	Inside Dimensions	List Price	
640062	(DBH-27P-DP)	13-5/8" L x 12" W	<b>\$32.49</b> F0-4722000	

Trolling Motors

Instruments

**Electrical** 

Anchor & Dock

Safety

Steering Controls

Pumps

Fuel

#### T-H Marine Combo Two Size Battery Holder Tray



- One tray fits both Series 24 or 27 Batteries.
- Clip snaps in to convert to 24 Series.
- Includes: Poly strap.
- Resistant to acid and gasoline.

Mfg. No. / Description Order No. List Price 3420209 (NBHC-247P-DP) \$16.99 G1-4011000

## **Marpac Battery Tray Strap**



- Replacement strap for use with 7-51014, 7-51016, and 7-51017 battery trays.
- Includes: (2) Floor mount loops and (4) stainless steel
- Length 54", width 1-1/2".
- Sold each.

Order No. Description List Price 7-51026 Battery Tray Strap \$5.69 GO-1830000

## T-H Marine Battery Holder Replacement Strap





- Replacement strap with poly buckle.
- Length 38".

Order No. Mfg. No. / Description List Price 639990 (BS-1-DP) **\$6.79** F0-5740000

## **Marpac Footman Loops**



- Nickel plated brass.
- Perfect for use as battery and fuel tank hold-downs, etc.
- Fits up to 1-1/4" straps.
- Sold per pair.

Order No. Description List Price **\$7.29** F0-0150000 7-54120 Footman Loops

## Minn Kota Digital Battery Meter



- For use with 12 volt batteries.
- L.E.D. Screen gives current voltage of the battery being tested.
- "State of Charge" Indicators display battery status: 0, 1/3, 2/3, Fully Charged.
- Touch the positive lead to the positive terminal on the battery and the negative lead of the probe to the negative terminal.





#### **Moeller Battery Box Handle**

M•ELLER



• Fits most Group 27 Battery Boxes.

• Makes it easier to lift the battery box out of tight spaces.

LIMITED **QUANTITIES** 

Mfg. No. / Description List Price 666999 (42235) \$10.29 F0-0270000

## Marpac Battery Hold Down Strap



- Made from acid and gas resistant materials.
- Includes corrosion resistant hold down clamp with stainless steel screws.

• Length 39".

Order No. Description **7-0032** Battery Hold Down Strap

**\$5.09** G0-1430000

## Lighting

**Attwood Battery Box Hold-Down Strap Kit** 



- Straps are woven polypropylene with firm-grip buckles and are completely resistant to battery
- Fits 9065, 9065A, 9067, 9082, and 9069 battery boxes.

• Kit includes: (4) #8, 3/4" screws and two footman clamps.

Order No. Mfg. No. / Description

1149013 (9013-3) Strap Length 40"

STRAP ONLY FOR 9084 BATTERY BOX Order No. Mfg. No. / Description

1149143 (9014A3) Strap Length 54"

List Price \$5.89 F0-2140000

LIMITED

## BEP Digital Voltage Sensing Relay (DVSR)





- Safely charge two or more independent battery banks from one charge source (alternator, battery charger).
- Charges engine starting batteries before combining auxiliary bank for charging.
- Protects start batteries from becoming flattened by domestic loads.
- Isolates electronics from harmful electrical surges from starter motors.
- Simple to install 3-wire connection, leaves alternator wiring intact.
- No volt drop vs. diode isolators.
- Ignition protected.
- Surface or panel mountable.
- Rating continuous: 125A, rating intermittent: 140A.
- Cable to meet rating: 8AWG.
- Dimensions: 2-3/4" L x 2-3/4" W x 2" H.
- 12/24V DC.

Misc

Mfg. No. / Description Mfg. No. / Description M549-9750 (1820087) MK-BM-1D **\$15.49** D0-9321000 2460210 (710-140A) \$154.59 F0-1280100



Pedestals Trailering

Tops &

Perform

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc

Fun &

Flotation

Topside

Cockpit


& Deck

Hardware. Fasteners

Camouflage

## Pro Charging Systems Go Charge Maintainer/Battery Charger

PRO Charging Systems



- State of charge LED indicator.
- Reverse polarity protected.
- Four (4) stage charge profile.
- Includes: Power cord, fused harness, alligator clips and ring terminals.
- Measures: 1-5/8" H x 1-3/4" W x 3-7/8" L.

Mfg. No. / Description Order No. **284589** (GC122)

LIMITED List Price

**QUANTITIES** \$70.09 E0-7525000

## Electrical

Electronics

Trolling

Motors

Anchor & Dock

Safety Steering Controls Pumps

Fuel

System

Seatina &

Pedestals

Trailering

Tops &

Perform

Propellers

Engine

& Care

Paint Acc

Fun & Flotation

Topside

Cockpit

& Deck

Hardware Fasteners

Camouflage

Misc

Comm

Acc.

Instruments

## **NOCO Boost PRO UltraSafe Lithium Jump Starter**

#### 10CO Lighting



Compact, yet powerful lithium jump starter rated at 3,000 amps up to 80 jump starts on a single charge.

 An ultra-safe and mistake-proof design with spark-proof technology and reverse polarity protection, which allows it to safely connect to any battery.

An ultra-bright 500 lumen LED flashlight with 7 light modes including SOS and emergency strobe

Power 12V devices anywhere, like tire inflators, power inverters, and more.

Recharge your personal devices on the go, like smartphones, tablets, e-watches and more - up to 6 smartphone recharges.

Designed for both gas engines up to 9.0 liters and diesel engines up to 7.0 liters for cars, SUVs, trucks, boats, RVs, and more.

Dimensions: 7.28" H x 12.40" W x 2.72" D.


Mfg. No. / Description 3550150 (GB150)

**\$335.99** D0-9786200

### **NOCO Boost Plus UltraSafe Lithium Jump Starter**

## NOCO





An ultra-safe and mistake-proof design with spark-proof technology and reverse polarity

protection, which allow it to safely connect to any battery.

- An ultra-bright 100 lumen LED flashlight with 7 light modes, including SOS and emergency
- Recharge your personal devices on the go, like smartphones, tablets, e-watches and more up to 4 smartphone recharges.
- Designed for gas engines up to 6 Liters and diesel engines up to 3 Liters for cars, boats, lawn mowers and more.
- Dimensions: 3.16" H x 7.72" W x 1.71" D.

Mfg. No. / Description List Price 3550040 (GB40) \$112.99 D0-9309000

#### Pro Charging Systems Battery Fuel Gauges - Onboard Marine

## PRO Charging Systems

- Rugged PC ABS polymer case/water resistant design.
- Accurately displays battery pack state/charge status.
- For use with Lead Acid (Wet Cell), AGM, and lithium batteries.
- With DeltaView Link App View charge status from your wireless device.
- TROUBLE FREE easy installation. Connect it and forget it!
- Advanced microprocessor constantly evaluates battery pack state.
- May be used in many types of applications including: Bass boats, pontoons, house boats, sports fishing boats and other marine vehicles.
- Diameter 2-1/4" x length 2-1/2", requires 2" cutout.
- Made in the USA and built to last.

Mfg. No. / Description Order No List Price 2845032 (WOM1512V/12V) 1 x 12v Trolling Battery \$139.09 E0-2340100 **2845034** (WOM1524V/12V) 2 x 12v Trolling Battery **\$139.09** E0-2340100 2845036 (WOM1536V/12V) 3 x 12v Trolling Battery **\$139.09** E0-2340100

#### **NOCO Boost HD UltraSafe Lithium Jump Starter**

## NOCO



Troiling Motor

PRO Charging Systems

Starting Motor

DeltaVolt

- Compact, yet powerful lithium jump starter rated at 2,000 amps up to 40 jump starts on a single charge.
- · An ultra-safe and mistake-proof design with spark-proof technology and reverse polarity protection, which allows it to safely connect to any battery.
- An ultra-bright 400 lumen LED flashlight with 7 light modes including SOS and emergency strobe
- Power 12V devices anywhere, like tire inflators, power inverters, and more.
- Recharge your personal devices on the go, like smartphones, tablets, e-watches and more up to 6 smartphone recharges.
- Designed for gas engines up to 8 liters and diesel engines up to 6 liters for cars, SUVs, trucks, boats, RVs, and more.
- Dimensions: 5.98" H x 8.74" W x 2.76" D.

Mfg. No. / Description 3550070 (GB70) \$225.99 D0-9708100

### **NOCO Boost Sport/Plus EVA Protection Case**

## NOCO



- Lightweight, durable, and rugged custom exterior.
- Equipped with a zipper closure and reinforced handle for storing and carrying Boost.
- Offers protection from moisture, impact, dust, and environmental factors.
- Fits the NOCO Boost GB20, GB30, GB40 UltraSafe Jump Starters (sold separately).
- Additional pockets for related Boost accessories (sold separately).
- Weather resistant. Do not submerge in water.
- Dimensions: 5.75" H x 10.16 W x 3.82" D.

Order No. Mfg. No. / Description List Price 3550013 (GBC013) \$23.99 E0-9971000

Trolling Motors

Instruments

Lighting

Anchor & Dock Safety Steering Controls Pumps

System

Trailering

Tops &

Perform

Propellers

Engine

& Care

Cleaning

& Care

Paint &

Paint Acc Fun & Flotation

Topside

Cockpit & Deck

Hardware, Fasteners

Camouflage

## **Pro Charging Systems Professional Series Battery Chargers**





- Approved for Wet Cell and AGM batteries.
- DeltaVolt Intuitive Charging Technology.
- Waterproof, dependable, rugged construction.
- Fully automatic/multi stage charging.
- Battery maintenance mode. On-board diagnostic codes.
- Temperature compensated. Advanced microprocessor controlled.
- L.E.D. lights indicate the state of charge.
- Zero spark technology. Reverse polarity protected. No installation restrictions.
- FCC Parts A & B interference compliant.
- DC charge cables: 5'. AC power cord: 3'.
- · Ignition protected.

Order No.	Mfg. No. / Description			List Price	
2845018	(PS1) (1) 15 Amp Bank	15 Amps	12V	\$310.19	E0-4623200
284590	(PS2) (2) 15 Amp Banks	30 Amps	12V, 24V	\$469.39	E0-4025300
284592	(PS3) (3) 15 Amp Banks	45 Amps	12V - 36V	\$678.99	E0-4290500
284594	(PS4) (4) 15 Amp Banks	60 Amps	12V - 48V	\$879.09	E0-2395600

#### AUTOPROFILE - INTUITIVE CHARGING TECHNOLOGY

- AutoProfile detects if batteries are Lithium or AGM and automatically charges the batteries for optional performance.
- Can also detect and charge wet cell/flooded lead Acid (FLA) batteries.

Order No.	Mfg. No. / Description			List Price	
284500	(PS1AUTO) (1) 15 Amp Bank	15 Amps	12V	\$325.79	E0-4344200
284502	(PS2AUTO) (2) 15 Amp Banks	30 Amps	12V, 24V	\$499.69	E0-7747300
284504	(PS3AUTO) (3) 15 Amp Banks	45 Amps	12V - 36V	\$695.39	E0-4512500
284506	(PS4AUTO) (4) 15 Amp Banks	60 Amps	12V - 48V	\$899.79	E0-4847600

## **Pro Charging Systems RealPRO Series Battery Chargers**





- Dependable, rugged construction and waterproof.
- Battery maintenance mode.
- DC charge cables: 5'. AC power cord: 3'.
- Approved for Wet Cell, Absorbed Glass Mat (AGM) and most lithium batteries.
- Approved and meets ISO 8846 Marine standards.
- LED lights indicate "Each Battery's" state of charge.
- Reverse polarity protected and no installation restrictions.
- · Ignition protected.

Order No.	Mfg. No. / Description			List Price	
2845023	(RS1) (1) 6 Amp Bank	6 Amps	12V	\$170.69	E0-2082100
284596	(RS2) (2) 6 Amp Banks	12 Amps	12V, 24V	\$233.79	E0-4357100
284598	(RS3) (3) 6 Amp Banks	18 Amps	12V - 36V	\$317.79	E0-4383200
284599	(RS4) (4) 6 Amp Banks	24 Amps	12V - 48V	\$369.19	E0-9867200

## **Pro Charging Systems Sportsman Series Battery Chargers**

PRO Charging Systems



- Approved for Wet Cell and AGM batteries.
- DeltaVolt Intuitive Charging Technology.
- Waterproof, dependable, rugged construction.
- Fully automatic/multi stage charging.
- Battery maintenance mode. On-board diagnostic codes.
- Temperature compensated. Advanced microprocessor controlled.
- L.E.D. lights indicate the state of charge.
- Zero spark technology. Reverse polarity protected. No installation restrictions.
- FCC Parts A & B interference compliant.
- DC charge cables: 5'. AC power cord: 3'.
- Ignition protected.

Order No.	Mfg. No. / D	escription			List Price	
2845026	(SS1)	(1) 10 Amp Bank	10 Amps	12V	\$259.29	E0-7449100
284600	(SS2)	(2) 10 Amp Banks	20 Amps	12V, 24V	\$391.59	E0-9639200
284601	(SS3)	(3) 10 Amp Banks	30 Amps	12V - 36V	\$572.09	E0-7092400
284602	(SS4)	(4) 10 Amp Banks				

## AUTOPROFILE - INTUITIVE CHARGING TECHNOLOGY

- AutoProfile detects if batteries are Lithium or AGM and automatically charges the batteries for optional performance.
- Can also detect and charge wet cell/flooded lead Acid (FLA) batteries.

Order No.	Mfg. No. / Description			List Price	
284508	(SS1AUTO) (1) 10 Amp Bank	10 Amps	12V	\$261.49	E0-2169100
284510	(SS2AUTO) (2) 10 Amp Banks	20 Amps	12V, 24V	\$401.49	E0-2110300
284512	(SS3AUTO) (3) 10 Amp Banks	30 Amps	12V - 36V	\$586.79	E0-9004400
284514	(SS4AUTO) (4) 10 Amp Banks	40 Amps	12V - 48V	\$779.09	E0-2348500

## **Pro Charging Systems Dual Power High Frequency Battery Chargers**



- 2X faster and 1/2 the weight (Compare to conventional chargers in its class.)
- Simultaneously charges trolling and starting batteries.
- User selectable algorithms for various battery chemistries.
- Wireless monitoring with DeltaView Link.

Order No.	Mfg. No. / Description	List Price	
284614	(DP24/12) 24V/12V Dual Output	<b>\$783.09</b> E0-23	78500
284612	(DP36/12) 36V/12V Dual Output	<b>\$1,049.19</b> E0-98	68700

## **Pro Charging Systems B.O.S. Battery Optimization System**

- Actively balances batteries to increase run time.
- Works with any battery chemistry.
- Self-powered.
- Available in 6V, 8V and 12V configuration.
- Up to six batteries in series.
- Battery selection and prediction (BSAP-24) algorithm.
- Less than 1mA sleep mode.
- Transfer rate up to 7.5A.
- 12 volts.



/-		
Order No	Mfa No / Description	List Price

Order No.	Mfg. No. / Description	List Price	
284608	(BOS12V3) 3 Batteries	\$412.39 E0-929030	0
284609	(BOS12V4) 4 Batteries	\$440.29 E0-220330	0

Misc

Trolling Motors

Instruments

Lighting

Anchor & Dock Safety

Steering

Controls

Pumps

Fuel

System

Seating & Pedestals

Trailering

Tops &

Perform.

Propellers

Engine

& Care

Paint & Paint Acc Fun &

Acc.

Cockpit

& Deck

Hardware,

Fasteners

Camouflage

Electrical

## **ProMariner ProSportHD Series Lithium Battery Chargers**

## **Pro**Mariner



- Lightweight, tri-surface heatsink design.
- This delivers significantly faster charging through optimal cooling, while delivering true rated constant current charging amps during charge mode.
- · Fully automatic multi-stage charging enhances battery performance while extending battery life.
- User selectable charging profiles for Flooded, AGM, Gel and ProMariner approved LiFePO4 chemistries.




2901759

Order No.	Mfg. No.	# of Banks	Amps	DC Volt Systems		List Price
2901759	(44006)	1	6A	12V	\$148.89	F0-2240100
2901760	(44008)	2	8A	12V/24V	\$187.99	F0-9513100
2901761	(44012)	2	12A	12V/24V	\$231.89	F0-2326100
2901762	(44020)	2	20A	12V/24V	\$274.39	F0-7029100
2901763	(44021)	3	20A (plus)	12V/24V/36V	\$290.39	F0-7230200

## **ProMariner Battery Isolator**

## **Pro**Mariner



 Allows simultaneous charging of two batteries from one alternator, without connecting the batteries together.


- Discharging the household battery, will not result in also discharging the starter battery.
- Endures harsh environments thanks to waterproof design IP68 rating.
- Allows one direction electric flow.
- Rated for use with DC devices ranging from 10A to 13A.
- Long lasting quality.
- ROHS, CE, Prop65 and ABYC E-11 compliant.
- Configuration: 1 Alternator, 2 battery.
- Maximum current: 70A.

Mfg. No. / Description

2901702 (01-70-2) **\$126.89** F0-2888000

## ProMariner ProMarl Digital Series On-Board Battery Charger

## **Pro**Mariner



- Single preset charging profile Use with Flooded (Lead-Acid) or Gel batteries.
- Integrated LEDs for battery status and fault detection
- Auto-maintain/energy saver modes extends battery life.
- Pre-wired with waterproof inline DC fuses and nickel-plated copper ring terminals.
- Built-in safety features: Dual inline DC safety fuses for all multi-bank models, reverse polarity, over-temperature, over-current, over-voltage, and ignition protection.
- Meets US FCC emissions requirements and CEC compliance.
- Maximum number of batteries: 3 Banks.
- DC amp: 15A.
- Volts DC: 12V/24V/36V.

Order No. Mfg. No. / Description 2901758 (31515)

List Price

\$240.79 F0-5586100

## Minn Kota Portable Digital Battery Charger





- Automatic Temperature Compensation -Our on-board chargers sense outside temperature fluctuations and adjust the charge accordingly.
- Automatic multi-stage charging.
- Digital control Our microprocessor-based design enables our chargers to continually monitor the temperature and state of charge.
- LED display indicates power ON, charging, full charge & check connection.
- Short circuit, reverse polarity, arc and ignition protected.
- FCC Compliant. Designed to UL marine standard 1236.
- 1 bank.
- Total output: 10 amps.

Order No. Mfg. No. / Description 476788 (1830110) MK 110PD

**QUANTITIES** \$101.99 Z0-8536000

LIMITED

Minn Kota On-Board Alternator Battery Chargers

## MINN KOTA





- technology will reroute the alternator power to the trolling motor batteries. Battery Protection: Extends battery life by protecting your battery from frequent deep discharges.
- LED Indicator Lights: Inform of charge stage, maintenance mode status, error notifications and full charae
- · Waterproof Construction: All on-board charges are built to be waterproof, shock-resistant and vibration-resistant.
- Supported Battery Types: 12v AGM, 12v flooded lead acid.
- 3-Year Warranty: All battery charges come with a full 3-year replacement warranty.



			g	- · · · · · · · · · · · · · · · · · · ·					LIMITED
Misc.	Order No.	Mfg. No.	Model No.	# of Banks	Output per Bank	Total Output	Dimensions	List Price	QUANTITIES
	476776	(1821032)	MK 20C	2	10 amps	10 amps	7" L x 7-1/4" W x 3-1/2" H	\$150.09	D0-7002100
Comm.	476780	(1821033)	WK 30C	3	10 amps	30 amps	10-1/2" l x 7-1/4" W x 3-1/2" H	\$196.99	DO-9575100

#### Minn Kota On-Board Digital Battery Chargers



- Digital Control: Microprocessor-based design delivers a faster, more precise charge every time.
- Automatic Temperature Compensation: Chargers sense and adjust to ambient temperature fluctuations to ensure a fast, accurate charge.
- LED Indicator Lights: Inform of charge stage, maintenance mode status, error notifications and
- Automatic Multi-Stage Charging: Controls the voltage and current your battery gets throughout the charging cycle, ensuring a fast, safe and precise charge.
- Waterproof Construction: All on-board chargers are built to be waterproof, shock-resistant and vibration-resistant.

# of Banks

2

3

4

• Saltwater compatible.

Mfg. No.

(1822205)

(1823155)

(1824405) MK 440D

Order No.

476829

476843

476869

- Supported Battery Types: 12v AGM, 12v Flooded Lead Acid, 12v Lithium LiFePO4.
- 3-Year Warranty: All battery charges come with a full 3-year replacement warranty.

Model No.

MK 220D

MK 315D

476843	476829	TEAL
	The	DIGITAL
		17/0/0
		476869 LIMITED

QUANTITIES

Z0-9348100 D0-5798100 Z0-9429200

List Price

\$291.99

\$237.19

\$461.99

Instruments

Electronics

Trolling

Motors

Lighting Anchor

& Dock

Safety Steering Controls Pumps

Fuel System Seating & Pedestals

Trailering

Tops &

Perform

Propellers

Engine

& Care

Cleaning & Care

Paint &

Paint Acc

Fun &

Flotation

Topside

Cockpit & Deck Hardware, Fasteners Camouflage

Misc

Comm.

Minn Kota Precision On-Board Chargers

Charge Time

4 to 6 Hours

4 to 6 Hours

10 to 12 Hours

Dimensions

13-1/2" L x 7-1/2" W x 4" H

12-1/2" L x 7-1/2" W x 4" H

11-3/4" L x 6-3/4" W x 8" H

Total Output

20 amps

15 amps

40 amps





Output per Bank

10 amps

5 amps

10 amps



- Automatic Temperature Compensation: Precision chargers sense and adjust to ambient temperature fluctuations to ensure a fast, accurate charge.
- Low-Line Voltage Compensation: When outlets don't put out the 120 volts they are supposed to, Precision Chargers compensate to deliver a fast, consistent charge no matter what.
- Battery Equalization: Cleans and protect your battery (flooded lead acid only) every time you plug in. Also activates a more rigorous, complete cleaning at the push of a button.
- Digital Control: Microprocessor-based design delivers a faster, more precise charge every time.
- LED Indicator Lights: Inform of charge stage, maintenance mode status, error notifications and full charge.
- Automatic Multi-Stage Charging: Controls the voltage and current your battery gets throughout the charging cycle, ensuring a fast, safe and precise charge.
- Waterproof Construction: All on-board chargers are built to be waterproof, shock-resistant and vibration-resistant.
- Saltwater compatible.
- Supported Battery Types: 12v AGM, 12v Flooded Lead Acid, 12v Lithium LiFePO4.



12V LITHIU	IM ION (LII	repu4) Optimi	ZED
Order No.	Mfg. No.	Model No.	#

12v LITHIUM ION (LiFePO4) OPTIMIZED										
Order No.	Mfg. No.	Model No.	# of Banks	Output per Bank	Total Output	Charge Time	Dimensions	List Price		
476885	(1831061)	MK 106PCL	1	6 amps	6 amps	10 to 12 Hours	9-1/4" L x 4" W x 3" H	\$121.99	D0-9579000	
476887	(1831101)	MK 110PCL	1	10 amps	10 amps	4 to 6 Hours	9-1/4" L x 8-1/4" W x 3" H	\$150.09	D0-7002100	
476889	(1832121)	MK 212PCL	2	6 amps	12 amps	10 to 12 Hours	9-1/4" L x 8-1/4" W x 3" H	\$206.39	D0-1156100	
476891	(1832201)	MK 220PCL	2	10 amps	20 amps	4 to 6 Hours	9-1/4" L x 8-1/4" W x 3" H	\$300.09	D0-7004200	
476895	(1833181)	MK 318PCL	3	6 amps	18 amps	10 to 12 Hours	9-1/4" L x 8-1/4" W x 3" H	\$281.39	D0-1152200	
476897	(1833301)	MK 330PCL	3	10 amps	30 amps	4 to 6 Hours	9-1/4" L x 8-1/4" W x 3" H	\$375.19	D0-5100300	
476899	(1833452)	MK 345PCL	3	15 amps	45 amps	3 to 5 Hours	11" L x 9-1/4" W x 3" H	\$501.99	Z0-2971300	
476901	(1834401)	MK 440PCL	4	10 amps	40 amps	4 to 6 Hours	9-1/4" L x 10-1/2" W x 3" H	\$497.09	D0-7679300	
476905	(1835500)	MK 550PCL	5	10 amps	50 amps	4 to 6 Hours	9-3/4" L x 11-3/4" W x 3-1/2" H	\$706.99	D0-9556500	

Trolling

Motors

Instruments

Lighting Anchor & Dock Safety

Steering Controls

Pumps

**Electrical** 

## **Guest On-Board Battery Chargers**



- All high frequency, digital charging technology.
- Fully automatic 5-stage performance charging.
- Dedicated battery charging, sensing and control per bank.
- Expanded LED charge status monitor.
- Wiring and battery fault detection.
- Auto-maintain energy saver mode.
- 100% Waterproof (IP67) and shock resistant for all fresh and saltwater applications.
- For all 12 volt flooded and AGM lead acid batteries.
- Built-in safety: reverse polarity, over-current, over-voltage, over-temperature and ignition protection. In-line fuses for maximum DC wire protection.
- Input volts: 90-135V AC, 50/60Hz.
- 2 year warranty.

Order No.	Mfg. No.	Amps	Voltage		List Price	
379200	(2708A)	5	12	1 Bank	\$123.19	F0-3268000
379190	(2707A)	4/4	12/24	2 Bank	\$150.39	F0-7250100
379202	(2711A)	5/5	12/24	2 Bank	\$190.89	F0-2633100
379204	(2713A)	5/5/5	12/24/36	3 Bank	\$232.39	F0-7626100
379205	(2720A)	10/10	12/24	2 Bank	\$249.39	F0-7547100
379206	(2731A)	10/10/10	12/24/26	3 Bank	\$430.39	E0-9722300

#### **NOCO X-Connect Micro Battery Clamps**

Fuel NOCO System

Seatina & Pedestals

Tops &

Perform

Propellers

Engine

& Care

Paint &

Paint Acc

Topside

Cockpit

& Deck

Hardware

Fasteners

Camouflage

Misc

Comm

Acc.

 Needle-nose clamp. Trailerina

 High-output battery clamps with all-copper heavy gauge wire and molded strain reliefs.

Built-in 20A fuse protection for increased safety.

Rugged, watertight connector for extreme environments.

 Wide 1-1/4" clamping span to accommodate different terminal sizes.

Built-in M6 eyelet connectors for mounting purposes.

Not compatible with NOCO Boost UltraSafe Lithium Jump Starters.

Cable length 18-1/2".

Mfg. No. / Description 3551001 (GC001) \$23.99 E0-9971000

#### **NOCO X-Connect Eyelet Terminal Connector**

NOCO Fun & Flotation

> Permanently mount a battery connection to any battery.

Lie-flat design for seamless installations with M6 (1/4") hole size.

Built-in fuse protection for increased safety.

More ways to charge with plug-n-play accessory changes.

• Rugged, watertight connector for extreme environments.

Not compatible with NOCO Boost UltraSafe Lithium Jump Starters.

• Cable length 18-1/2".

Order No. Mfg. No. / Description List Price 3551002 (GC002) \$18.99 E0-4241000

## Norsk Lithium Battery Charger

## NORSK

 Rugged construction that can handle moisture, vibrations, and temperature fluctuations with ease.



- Compatible with 36V Norsk Lithium LiFePO4 Batteries.
- State-of-the-art safety features: Overcharge protection and short circuit protection.
- Output voltage: 43V.
- Output current: 10A.
- Dimensions: 14" x 11" x 11".

Mfg. No. / Description Order No.

**2673610** (21-3610)

QUANTITIES

LIMITED

List Price

\$239.99 E0-9997100

## **NOCO On-Board Battery Chargers**

#### NOCO





- On-Board Battery Charger, Battery Maintainer, and Battery Desulfator.
- For 12-volt batteries, including marine, boat, starter, and deep-cycle batteries.
- Selectable charging modes including 12V, 12V AGM, 12V Lithium, and 12V Repair Mode for all types of lead-acid and lithium-ion batteries.
- An integrated thermal sensor detects the ambient temperature and alters the charge to eliminate over-charging in hot climates and under-charging in cold climates.
- Charges batteries as low as 1-volt. Or use the all-new force mode that allows you to take control and manually begin charging dead batteries down to zero volts.
- Automatically detects battery sulfation and acid stratification to restore lost battery performance for stronger engine starts and extended battery life.
- A simplified mounting system allows for quick and easy installations in any direction even up-side-down - with an integrated anti-vibration backing to isolate shock, vibration, and noise.
- A fully-sealed and waterproof.
- 12 volt.

GEN BATTERY CHARGERS - 5 AMPS PER BANK						
Order No. Mfg. No.	# of Banks	Amps	List Price			
3550081 (GEN5X	2) 2	10	\$174.99	E0-4213100		
3550082 (GEN5X	3) 3	15	\$249.99	E0-9478100		

	<b>GENPRO</b>	<b>BATTERY CHAR</b>	MPS PER BANK			
	Order No.	Mfg. No.	# of Banks	Amps	List Price	
	3550083	(GENPRO10X1)	1	10	\$155.09	E0-2361100
l	3550084	(GENPRO10X2)	2	20	\$280.09	E0-7001200
l	3550085	(GENPRO10X3)	3	30	\$399.99	E0-9999200
l	3550086	(GENPRO10X4)	4	40	\$529.99	E0-9479300

#### **NOCO X-Connect Extension Cable**

## NOCO

- Extend the reach of your battery charger and accessories.
- Compatible with G750, G1100, G3500, G7200, and G4 models, as well as, GENIUS1, GENIUS2, GENIUS2X2, GENIUS2X4, GENIUS5, and GENIUS10. Additionally, the GC004 is compatible with the GC001, GC002, GC003, GC008, and GC009 X-Connect accessories. Not compatible with NOCO Boost UltraSafe Lithium Jump Starters.
- Cable length 10'.

Order No. Mfg. No. / Description 3551004 (GC004) \$25.99 E0-9491000



Electronics Trolling

Motors

Lighting

Anchor

& Dock

Safety

Steering Controls

Pumps Fuel System

Seating &

Pedestals

Trailering Tops &

Perform

Propellers Engine & Care Cleaning & Care Paint & Paint Acc

Fun & Flotation Topside

Cockpit

& Deck Hardware, Fasteners Camouflage

Misc.

Instruments

## **Newmar Phase Three Modular Battery Charger**

## NEWMAR





- Powder coated stainless steel case.
- Three stage "smart" charging: bulk, absorption, float.
- Battery type selector switch: gel-cell, lead-acid, AGM.
- Temperature compensated output via sensor.
- Maximum output: 67 amps.
- Universal input: 90-264 VAC, 50-60 Hz, usable anywhere in the world.
- ABS approved as redundant power system for essential services as well as a battery charger.

**700396** (PTMS-24-67) Phase Three Modular Battery Charger **\$7,163.89** F0-2741050 **700307** (PTM-24-22) \$1,756.99 F0-9892210 Individual Module

## **Newmar Temperature Compensation Sensors**





Ch

**700066** (115-24-35CD)

- An optional remote sensor for optimizing the voltage output of your Phase Three charger based on ambient or battery temperature.
- Designed for use with Phase Three Series and Phase Three Modular Battery Chargers.

Order No.	Mfg. No. / Description	List Price	
699974	(TCS-12/24-25) 25' Cable	\$162.09	E0-7512100
699977	(TCS-12/24-40) 40' Cable	\$211.19	E0-9385100

#### **Newmar Phase Three Series Battery Chargers**

## NEWMAR







700345

12 VOLT MODELS

- "Smart" circuitry provides three stage charging: bulk, absorption, float.
- Gel-Cell/Flooded Lead-acid/AGM battery type switch selects optimum charge/float voltages.
- Multiple isolated output banks, ammeter indicates output current.
- Built to last a rugged stainless steel case with a durable white powder coat finish, an optional drip shield, and marinized internal circuitry for enhanced durability.
- Protection: current limiting, thermal protection, forced air cooling, drip shield.
- ABS Type approved for battery charging and power supplies.

IZ VOLI	MODELS								
Order No.	Mfg. No.	Output	Input VAC (50-60 Hz.)	List Price					
700370	(PT-14W)	14 amps	85-264	\$1,111.49	F0-4087700				
700373	(PT-25W)	25 amps	90-132 or 180-264	\$1,022.89	F0-2061700				
700345	(PT-40)	40 amps	90-264	\$1,663.99	F0-9746110				
700387	(PT-80)	80 amps	90-264	\$2,775.69	F0-8924910				
24 VOLT	24 VOLT MODELS								
Order No.	Mfg. No.	Output	Input VAC (50-60 Hz.)	List Price					
700372	(PT-24-8)	8 amps	85-264	\$875.49	F0-4821600				
		'							

Oluci No.	mig. No.	υσιροί	iliput vac (50 00 112.)	LIST THE	
700372	(PT-24-8)	8 amps	85-264	\$875.49	F0-4821600
700374	(PT-24-13)	13 amps	90-132 or 180-264	\$1,034.29	F0-0042700
700371	(PT-24-20)	20 amps	85-135 or 170-270	\$1,950.09	F0-6056310
700376	(PT-24-45)	45 amps	90-264	\$2,613.49	F0-4492810
700379	(PT-24-60)	60 amps	90-264	\$3,634.39	F0-7044520
700381	(PT-24-95)	95 amps	90-264	\$4,087.59	F0-1316820

arles Marine to Newmar Cross Reference	arles N	Narine 1	to Newmar	Cross	Reference
--	---------	----------	-----------	-------	-----------

CHARLES HQ SERIES				
Description	Charles Marine Mfg. No.	Newmar DMI #	Mfg. No.	
25 amp, 12 volt	(9Q-12255HQ-A)	700373	(PT-25W)	
45 amp, 12 volt	(9Q-12455HQ-A)	700345	(PT-40)	
25 amp, 24 volt	(9Q-24255HQ-A)	700371	(PT-24-20)	
45 amp, 24 volt	(9Q-24455HQ-A)	700376	(PT-24-45)	

CHARLES I OWER SOIT EI							
Description	Charles Marine Mfg. No.	Newmar DMI #	Mfg. No.				

Please note that the Charles Marine Products have been discontinued by vendor.

Ξ\	wmur Cross Reference							
I	<b>CHARLES 5</b>	000 SERIES						
	Volt	Charles Marine Mfg. No.	Amp	Newmar DMI #	Mfg. No.	Amp		
	12 volt	(93-12105SP-A)	10	700370	(PT-14W)	14		
١	12 volt	(93-12155SP-A)	15	700370	(PT-14W)	14		
١	12 volt	(93-12205SP-A)	20	700373	(PT-25W)	25		
١	12 volt	(93-12305SP-A)	30	700373	(PT-25W)	25		
١	12 volt	(93-12505SP-A)	50	700345	(PT-40)	40		
١	12 volt	(93-12605SP-A)	60	700387	(PT-80)	80		
١	12 volt	(93-12805SP-A)	80	700387	(PT-80)	80		
١	12 volt	(93-121005SP-A)	100	700387	(PT-80)	80		
١	24 volt	(93-24105SP-A)	10	700374	(PT-24-13)	13		
١	24 volt	(93-24205SP-A)	20	700371	(PT-24-20)	20		
١	24 volt	(93-24305SP-A)	30	700371	(PT-24-20)	20		
١	24 volt	(93-24405SP-A)	40	700376	(PT-24-45)	45		
١	24 volt	(93-24505SP-A)	50	700376	(PT-24-45)	45		
	24 volt	(93-24605SP-A)	60	700379	(PT-24-60)	60		



CHADIEC DOWED CHIDDLY

30 amp, 24 volt (93-PS2430-A)



Trolling Motors

Instruments

Lighting Anchor & Dock

Safety

Steering

Controls

Pumps

Fuel

System

Seatina &

Pedestals

Trailering

Tops &

Perform.

Engine & Care

Cleaning

Paint &

Paint Acc

Fun & Flotation

Topside Acc.

Cockpit

& Deck

Hardware Fasteners

Camouflag

Misc

Electrical

#### **Newmar Remote Monitor Panel**

# **NEW<sub>MAR</sub>**

 An optional remote indicator/activation panel which will allow you to monitor the status of your Phase Three Charger and when necessary, re-initiate the three stage charge regimen.



. It is designed for use only with the following models: PT-14, PT-25W, PT-80, PT-24-8, PT-24-13, PT-24-45, PT-24-95.

- LED's indicate charger output stage.
- Manual re-initialization of three stage charge cycle.
- Comes prewired with 25' of cable.
- Panel dimensions: 3" H x 4.75" W.

Order No. Mfg. No. / Description 698146 (RP)

List Price

**\$259.99** E0-9949100

## **Newmar Phase Three Charger Monitor/Control Unit**





Anodized aluminum case with strong mounting flanges.

- Digital readout for three battery bank voltages to 1/10th accuracy.
- Adjustable high/low DC voltage alarm and float voltage fine-tuning.
- Includes AC power indicator and 10' wiring harness.
- Designed for various PT and PTMS Series chargers.
- Wire cord grips for moisture resistance.
- Case dimensions: 8.7" H x 4.6" D x 5.5" W.
- Output: 6 amps.
- Input VAC (50-60 Hz): 90-130 or 180-264.
- 12 volt.

Propellers Order No Mfa. No. / Description 700384 (PT-MCU)

List Price

**\$957.19** F0-3007600

## **Newmar ABC Series Battery Charger**

## NEWMAR

- Rugged, powder-coated aluminum case with vibration absorbing mounts and conformal-coated circuit board.
- 3-step output (bulk, absorption, float) supports two isolated battery banks for optimal recovery and battery
- Includes ammeter, on/off switch, power indicator light, and 115/230 VAC input selector.
- Auto-reset thermal overload protection and convection cooling for high-moisture environments.

Mfg. No. / Description **700304** (ABC12-6)

\$766.19 F0-3363500

## Newmar High Power DC-AC Inverter with Built-in Battery Charger





- Rugged circuitry delivers stable "Perfect Wave" AC, suitable for appliances from heavy-duty refrigerators to sensitive electronics.
- Built-in 3-stage charger supports gel-cell, flooded lead-acid, or AGM batteries, with adjustable amp-hour capacity for efficient charging.
- Internal charger activates via automatic transfer relay when external AC power is detected; optional Battery Integrator supports multiple banks.
- Features large DC terminal blocks, GFCI-protected outlets, and the option for hard-wired AC
- Front panel shows operational status; optional remote panel available.
- Thermally controlled fan extends component life.
- Automatic low-voltage shutdown prevents overdischarge damage.
- Heavy-duty aluminum case with powder coating and polyurethane-coated internal circuitry for harsh environments.
- Case dimensions: 7.5" H x 16" W x 15.5" D.
- UL listed with a two-vear warranty.
- Watts (cont.): 1,800.
- Inverter input: 11-14V DC, 180 amps.
- Charger input: 115V, 60 Hz, 15 amps. Charger output: 85 amps @ 12 volt.

Order No. Mfg. No. / Description

LIMITED **QUANTITIES** List Price

700399 (12-1800IC)

\$5,923.09 HO-5835530

## **ASEA Dock Boost Transformer**









- Provides precision voltage regulation to the vessel, delivering complete protection from the most common shore power problems, including: Brownouts, spikes, sags and low-line or highline voltage conditions from the dock power pedestal.
- Auto-restart from shore brownout or blackout.
- Auto-restart from overload.
- Fault shield fro bonded, galvanic bridged/isolated ground.
- Serial bus (RS-232) remote diagnostics.
- Remote on/off.
- kWh meter.
- Advanced power monitoring (input/output).
- Input voltage: 167-270V AC, phase: 1, amps: 50, frequency: 57-63Hz.
- Output power form: Split Phase 12/240V AC, Rated power: 12kVA.

Order No Mfg. No. / Description List Price

\$13,678.29 F0-0847590

**284582** (DBT-12)









Trolling

Motors

Instruments

Lighting

Anchor

& Dock

Safety

Steering Controls

Pumps

Fuel

System

Seating &

Pedestals

Trailering Tops &

Perform

Propellers Engine & Care

Cleaning

& Care

Paint &

Paint Acc

Fun &

Flotation

Topside

Cockpit & Deck

Hardware.

Fasteners

Camouflage

#### STANDARD SERIES

- Designed for communication and navigation equipment on negative ground systems ensuring consistent and reliable power output.
- Corrosion-resistant anodized aluminum case with polyurethanecoated PC boards and heavyduty shock mounts for harsh environments.
- Includes current limiting, thermal shutdown, short circuit, reverse polarity, and overvoltage safeguards.
- Output voltage: 13.6.
- Input voltage: 20-50.

Order No.	Mfg. No.	Output Amps	List Price	
700615	(32-12-10)	10 Intermittent, 10 Continuous	\$664.69	E0-2589400
700662	(32-12-35)	35 Intermittent, 30 Continuous	\$1,413.79	E0-4306010

#### ISOLATED SERIES

- Handles a wide input voltage range with precise voltage regulation.
- Includes reverse polarity, input/output fuses, current limiting, short circuit protection, and thermal/voltage shutdown.
- Rugged case for high-vibration environments with polyurethanecoated PC board for added durability.
- Power ON indicator and full isolation for positive or negative ground systems.
- Output voltage: 13.6.
- Input voltage: 20-56.
- Output amps: 18 Intermittent, 10 Continuous.



## **Newmar Battery Isolators**



- Allow charging multiple batteries automatically from one or two alternators and prevent discharge or dumping of one battery into another.
- Conservatively rated diodes and a rustproof anodized aluminum heat sink case.
- Rated for up to 48 volts DC, negative ground.
- Heavy duty construction.
- Stainless steel mounting hardware provided.
- Protective covers provided for terminals.

MAXIMUM AMPERAGE INPUT CAPACITY: 70 AMPS					
Order No.	Mfg. No. / D	lescription		List Price	
378679	(1-2-70)	1 Alternator Source	2 Battery Banks	\$160.69	F0-8421100
378706	(1-3-70)	1 Alternator Source	3 Battery Banks	\$370.79	H0-7422200
378693	(2-3-70)	2 Alternator Sources	3 Battery Banks	\$431.89	F0-2320300
BAAVIBAL	IAA AAADED	DACE INDUT CADACIT	TV 100 AMDC		

#### | MAXIMUM AMPERAGE INPUT CAPACITY: 120 AMPS

Order No.	Mfg. No. / Description	List Price		
378681	(1-2-120) 1 Alternator Source	2 Battery Banks	\$310.69	H0-1468100
378700	(2-3-120) 2 Alternator Source	3 Battery Banks	\$310.69	H0-1468100

## **Newmar Power Supplies - Heavy Duty Power Series**



• Excellent regulation and ripple spec: Output voltage maintained within 1% under all rated line and load conditions.

 Polyurethane conformal coated PC board and corrosion resistant heavy duty aluminum case with integral shock mounts assures survival in hostile environments.

• Ideal for powering 12 and 24 volt communication/navigation equipment aboard commercial vessels where reliability is essential.

• Input range: 105-125/210-250 VAC (selectable), 50-60 Hz.

12 VOLT MODELS. OUTPUT VOLTAGE: 13.6					
Order No.	Mfg. No.	Intermittent	Continuous	List Price	
700561	(115-12-8)	8 amps	5 amps	\$709.99	E0-9423500
700585	(115-12-20A)	20 amps	8 amps	\$1,545.19	E0-9885110
700600	(115-12-35CD)	35 amps	35 amps	\$2,254.79	E0-9019610
		· .			

24 VOLT MODELS. OUTPUT VOLTAGE: 24.5					
Order No.	Mfg. No.	Intermittent	Continuous	List Price	
700054	(115-24-18CD)	18 amps	18 amps	\$2,399.99	E0-9999710
700066	(115-24-35CD)	35 amps	35 amps	\$3,541.09	E0-2855620
			•		

## **Newmar Automatic Power Selectors (APS)**





- A solid state device which enables installation of a seamless, redundant power system for critical electronic loads.
- Should one source falter or fail, the other will automatically supply the load with no transfer delay, operation continues uninterrupted.
- Selects the higher voltage of two independent DC power sources and routes power to the
- Easy installation, two independent power sources are wired to the APS and routed in a single output to the vital load.
- Rugged, rust-proof anodized aluminum case.
- Voting rating: 6-50V DC, negative ground.

Order No.	Mfg. No. / Description		List Price	
700434	(APS-70)	Maximum Loads: 70 amps	\$207.09	F0-6944100
700450	(APS-160)	Maximum Loads: 160 amps	\$659.19	H0-1559300







Misc

Trolling

Motors

Instruments

Lighting Anchor

& Dock

Safety

Steering

Controls

Pumps

Fuel

System

Seating & Pedestals

Trailering

Tops &

Propellers

& Care

Paint &

Paint Acc

Fun &

Flotation

Topside Acc.

& Deck

Hardware, Fasteners

**Electrical** 



# PHASE THREE SERIES **Battery Charger**

12 & 24 Volt Options

"Smart" battery charging technology for systems aboard workboats, military vessels, commercial vessels, and recreational craft.

These chargers interact with batteries providing the optimum three stage charge process for fast recovery and conditioning, maximizing performance and extending battery life.

- "Smart" circuitry provides three stage charging; bulk, absorption, float
- Gel-Cell/Flooded Lead-Acid/AGM battery type switch selects optimum charge/float voltages
- Optional sensor adjusts output voltage based on battery temperature (except PT-7)
- Current limiting prevents damage from overloading
- Use as a power supply can power loads without a battery in-line
- ABS type approved battery charger and power supply
- PT-MCU control/monitor optional





SCAN TO **EARN MORE** 



Available for most models. LEDs indicate charger output stage

Order No. 698146 | \$228.00



#### Temperature Compensation Sensor

Available for most models.

25' Cable Order No. 699974 | \$141.00 40' Cable Order No. 699977 | \$184.00



#### Phase Three Charger Monitor/Control Unit

AC input breaker output voltage adjust. Digital DC volt meter with alarm.

Order No. 700384 | \$842.00





MCE MARINE POWER

NEWMAR

xantrex

Camouflage



# Fail-Safe Galvanic Isolator

30 & 60 Amp Options



- · Protects against corrosion
- Maintains a safe environment
- UL1500 certified for ignition protection
- Tested to 50°C/122°F ambient temperature
- The fail-safe feature ensures ground maintenance
- . Ensures ground connection in the event of isolator failure

Order No.	Mfg No.	Description	List Price	
	(395-3030-FS)	Galvanic Isolator, 30A	\$417.50	
	(395-3060-FS)	Galvanic Isolator, 60A	\$559.50	



SCAN TO LEARN MORE





MCE MARINE POWER

NEWMAR

xantrex

Electronics

Trolling Motors

Instruments

Lighting

Anchor & Dock

Safety

Steering Controls

System

Seating &

Trailering

Tops & Covers

Perform.

Propellers

Cleaning

& Care Paint &

Paint Acc.

Flotation

Topside

Cockpit & Deck

Fasteners

Camouflage

Trolling

Electrical

Lighting

Anchor

& Dock

Safety

Steering, Controls Pumps

Fuel System

Seating & Pedestals

Trailering



#### XANTREX LITHIUM-ION BATTERIES

Designed to work with Xantrex Inverter/Chargers and Xantrex Solar



105 Ah

Group 27 replacement



**50 Ah** 

Group 31 replacement



125 Ah

Group 31 replacement



**50 Ah** 36 V

Group 31 replacement



240 Ah

#### **UL CERTIFIED CELLS**

For installation and use in mobile applications

#### **FEATURES**



Internal BMS - reduces footprint



Cell Balancing - extends lifetime of battery



Bluetooth - connect to the Xantrex mobile app to view status of battery



LED's to monitor state of charge



Parallel stacking ability



Remote Panel - view status of battery, turn on and off

#### PRODUCT SPECIFICATIONS

PART#	DESCRIPTION	PRICE
883-0105-12	12V 105Ah Xantrex Lithium-ion Battery (Group 27 Replacement)	\$849.00
883-0125-12	12V 125Ah Xantrex Lithium-ion Battery (Group 31 Replacement)	\$999.00
883-0240-12	12V 240Ah Xantrex Lithium-ion Battery	\$1,899.00
886-0050-24	24V 50Ah Xantrex Lithium-ion Battery (Group 31 Replacement)	\$824.00
386-0050-36	36V 50Ah Xantrex Lithium-ion Battery (Group 31 Replacement)	\$1,250.00
181-0180-12	12V Heating Blanket	\$285.00
809-084G	DC Battery Cables + Fuse S-Kit	\$199.00
809-082G	DC Battery Cables + Fuse M-Kit	\$249.00
809-0820	DC Battery Cables + Fuse L-Kit	\$349.00
809-0840	DC Battery Cables + Fuse XL-Kit	\$599.00

Perform.

Propellers

Engine
& Care
Cleaning
& Care
Paint &
Paint Acc.

Fun &
Flotation

Topside
Acc.

Cockpit
& Deck

Hardware,
Fasteners

Camouflage

Misc.

## **BATTERY CHARGERS**





# TRUECHARGE 3

- Lightweight, ultra-compact, universal chargers
- Settings for flooded, gel, AGM or Lithium-ion batteries, as well as custom profile for different battery types
- Drip-proof design characteristics enable the charger to be mounted in multiple orientations.
- Meets CE, ABYC, IEC and UL1564 with marine supplement standards



12 Vdc Applications 20 A 24 Vdc Applications 10 A

20 A 40 A

20 A

A) 60 A

30 A

(80 A) (10 (40 A) (5

100 A 120 A

50 A 60 A

NOTE: 12V (80 A, 100 A, 120 A) and 24 Vdc (40 A, 50 A, 60 A) achieved through stacking.

Part#	Description	MSRP
804-1220-10	TRUEcharge3 20, 12V/20A	\$467.48
804-1240-10	TRUEcharge3 40, 12V/40A	\$606.68
804-1260-10	TRUEcharge3 60, 12V/60A	\$1013.84
808-8040-10	TRUEcharge3 Remote Panel	\$121.80

Part #	Description	MSRP
804-2410-10	TRUEcharge3 10, 24V/10A	\$600.88
804-2420-10	TRUEcharge3 20, 24V/20A	\$734.28
804-2430-10	TRUEcharge3 30, 24V/30A	\$1001.08
808-0232-01	Battery Temperature Sensor	\$51.04

TRUECharge3 Remote Panel allows you to monitor and control battery charger performance from a remote location, including features not accessible from the charger's onboard display & enables the parallel stacking feature of the TRUECharge3 Battery Chargers



#### **XPLORE 120/12**

#### ALL CHARGING NEEDS IN ONE CHARGER

- Six Battery Bank Charger
- Dual Battery Chemistry Charging
- · Lithium Battery Compatible
- NMEA 2000 monitoring and control
- · Xantrex App monitoring and control via bluetooth
- Ability to charger dead batteries down to 0 V

Part #	Description	MSRP
819-0120-12	12V, 120A, 6 Bank, Bluetooth, NMEA 2000	\$1,800.00

# STANDALONE ACCESSORIES





(84-2030-00 - MSRP \$348.00 | 84-2031-00 - MSRP \$406.00)

- · Reads battery bank like a fuel gauge
- Selectively display voltage, charge and discharge current, consumed amp hours and remaining percentage of battery capacity
- LinkPRO displays time remaining and can measure up to 9,999 Ah
- LinkLITE can measure currents up to 999 Ah

Optional Accessories: Connection Kit for LinkLITE & LinkPRO (854-2021-01), Communication Kit for LinkPRO (854-2019-01), Temperature Kit for LinkPRO (854-2022-01)



#### Digital echo~charger

(82-0123-01 - MSRP \$200.68)

- Designed to charge auxiliary or starting batteries from an inverter/charger or other charging source with minimal voltage drop
- Compatible with either 12 Vdc or 24 Vdc battery banks

Electronics

Trolling Motors

Instruments

Electrica

Lighting

Anchor & Dock

Safety

Steering, Controls

Pumps

Fuel System

Seating & Pedestals

Trailering

Tops & Covers

Perform.

Propellers ———Engine

& Care

& Care
Paint &

Paint Acc.

Flotation Topside

Acc.
Cockpit

& Deck

Fasteners

Camouflage

Misc.

## INVERTER/CHARGERS





#### FREEDOM 458

- The original best selling inverter/charger for RVs and boats
- Exceptional surge for demanding loads
- Battery temperature sensor included
- Meets UL458 regulatory standards

PART #	DESCRIPTION	PRICE
81-2010-12	FREEDOM 458 20 Inverter/Charger	51738.84
81-2022-12	FREEDOM 458 20 Inverter/Charger	\$2050.88
81-2530-12	FREEDOM 458-25 Inverter/Charger	\$2236.48

## TRUE SINE WAVE INVERTER/CHARGERS



#### FREEDOM SW (HYBRID, LITHIUM-ION COMPATIBLE)

- State-of-the-art sine wave series with advanced features
- Ideal upgrade for Magnum, RS, MS, Trace SW and other older make/models
- Built-in hybrid functionality combines shore and AC generator input to power loads
- Exceptional surge for extended time will operate motor loads, compressors, hot plates, sump pumps & other heavy loads within its power range
- Meets UL458 with marine supplement, CSA, ABYC and FCC Class B

PART#	DESCRIPTION	PRICE
815-2012	FREEDOM SW 2012 Inverter/Charger	\$2654.08
815-2024	FREEDOM SW 2024 Inverter/Charger	\$2781.68
815-2524-02	FREEDOM SW 2524 Inverter/Charger	\$2679.60
815-3012	FREEDOM SW 3012 Inverter/Charger	\$3190.00
815-3024	FREEDOM SW 3024 Inverter/Charger	\$3256.12
815-3524-02	FREEDOM SW 3524 Inverter/Charger	\$3045.00

# TRUE SINE WAVE INVERTER/CHARGERS



#### FREEDOM XC (LITHIUM-ION COMPATIBLE)

- · Full output in invert or charge mode from -4°F to 104°F. Operates up to 140°F
- Extended surge, power share, equalization, power factor correction
- · Dead battery charging down to 0 Vdc
- Meets UL458 with marine supplement, ABYC, CSA and FCC Part 15 Class B
- · Built-in 30 A Automatic Transfer Switch
- 10 ms UPS like AC transfer time

PART #	DESCRIPTION	PRICE
818-2010	FREEDOM XC Pro 2000 Inverter/Charger, 2000W, 100A, 120VAC/12VDC	\$1,523.08
818-2015	FREEDOM XC Pro 2000 Inverter/Charger, 2000W, 100A, 120VAC/12VDC (Marine)	\$1,523.08
818-3010	FREEDOM XC Pro 3000 Inverter/Charger, 3000W, 150A, 120VAC/12VDC	\$2,040.44
818-3015	FREEDOM XC Pro 3000 Inverter/Charger, 3000W, 150A, 120VAC/12VDC (Marine)	\$2,040.44
808-0817-01	FREEDOM X & XC Remote Display Screen with CABLE 25'	\$81.20
808-0817-02	FREEDOM X & XC Remote Panel with Bluetooth 25' Network Cable	\$109.04
808-0820	FREEDOM Communication Card Mating Connector Assembly (with 10" LEADS)	\$28.59
808-0822-01	FREEDOM Combox NEMA2K Communication (Convert X and XC'S Into PRO Marine)	\$149.00
808-9817	FREEDOM X & XC - GFCI Plug & Play Kit	\$32.48

Electronics

Trolling Motors

Instruments

**Electrical** 

Lighting

Anchor & Dock Safety

Steering Controls

Pumps Fuel

System Seating & Pedestals

Trailering

Tops &

Perform.

Propellers

Engine & Care

Paint & Paint Acc

Fun & Flotation Topside

Acc. Cockpit

& Deck Hardware, Fasteners

Camouflage

Misc

# TRUE SINE WAVE INVERTERS





#### **PROwatt SW**

- Economical true sine wave solution
- Dual GFCI AC receptacles and USB charge port.
- 120 Vac / 60 Hz & 230 Vac / 50 Hz models available
- Hardwire capability and shore power pass through via optional transfer relay
- Meets UL458 with marine supplement and CSA

PART#	DESCRIPTION	PRICE
806-1206	PROwatt SW 600W, 120AC/12DC, GFCI, USB Charger	\$379.32
806-1210	PROwatt SW 1000W, 120AC/12DC, GFCI, USB Charger	\$554.48
806-1220	PROwatt SW 2000W, 120AC/12DC, GFCI, USB Charger	\$854.92

PART #	DESCRIPTION	PRICE
806-1206-01	PROwatt SW 700W, 230AC/12DC, 5CHUKO	\$546,36
806-1210-01	PROWatt SW 1400W, 230AC/12DC, SCHUKO	\$770.24
806-1220-01	PROwatt 5W 2000W, 230AC/12DC SCHUKO	51119.40



#### **PROsine**

- · The original true sine wave inverter
- · Built-in AC transfer relay, detachable remote panel
- · High surge for extended period of time

Meets UL458 with marine supplement, 0	CSA,
ABYC & KKK-A-1822	

· LCD remote panel and temp sensor included

PART #	DESCRIPTION	PRICE
806-1000	PROsine 1000W, 120AC/12DC GFCI	\$1,198.28
806-1070	PROsine 1000W, 230AC/12DC SCHUKO	\$1,368.80
806-1074	PROsine 1000W, 230AC/12DC Hardwire	\$1,514.96
806-1080	PROsine 1000W, 230AC/24DC SCHUKO	51,368.80
806-1084	PROsine 1000W, 230AC/24DC Hardwire	51,514.96
806-1801	PROsine 1800W, 120AC/12DC GFO	\$2,278.24
806-1802	PROsine 1800W, 120AC/12DC Hardwire	\$2,278.24

PART #	DESCRIPTION	PRICE
806-1850	PROsine 1800W, 120AC/24DC GFCI	\$2,292.16
806-1851	PROsine 1800W, 120AC/12DC Hardwire	\$2,292.16
806-1870	PROsine 1800W, 230AC/12DC SCHUKO	\$1,680.84
806-1874	PROsine 1800W, 230AC/12DC Hardwire	\$1,680.84
806-1880	PROsine 1800W, 230AC/24DC SCHUKO	\$1,680.84
806-1883	PROsine 1800W, 230AC/12DC Hardwire	\$1,680.84
806-1884	PROsine 1800W, 230AC/24DC Hardwire	\$1,680,84



#### FREEDOM X

- . Full output from -4°F to 104°F. Operates up to 140°F
- · Extended surge, 10 ms UPS like AC transfer time
- Configurable low battery voltage shutdown
- Meets UL458 with marine supplement, ABYC, CSA and FCC Part 15 Class B
- Huge wiring bay and quick connect terminals for fast and easy installation
- · Ignition lockout to minimize battery drain
- Built-in 30 A Automatic Transfer Switch
- NEW 24 Vdc 2000W model now available

DESCRIPTION	PRICE	PART#	DESCRIPTION	PRICE
FREEDOM X 1000W, 120AC/12DC, Hardwire	\$631.04	817-2000-21	FREEDOM X 2000W, 120AC/24VDC, Hardwire	\$1,124.04
FREEDOM X 1000W, 120AC/12DC, Hardwire	\$595.00	817-2080	FREEDOM X 2000W, 80A, 120AC/12DC,	\$1,086.92
FREEDOM X 1000W, 120AC/12DC, Hardwire	\$806,20		Hardwire	
FREEDOM X 2000W, 120AC/12DC, Hardwire	\$882.76	817-2080-12	FREEDOM X 2000W, 80A, 230AC/12DC, Hardwire	\$1,260.92
FREEDOM X 2000W, 230AC/12VDC Hardwire	\$882.76	817-3000	FREEDOM X 3000W, 120AC/12DC, Hardwire	\$1,260,92
	FREEDOM X 1000W, 120AC/12DC, Hardwire FREEDOM X 1000W, 120AC/12DC, Hardwire FREEDOM X 1000W, 120AC/12DC, Hardwire FREEDOM X 2000W, 120AC/12DC, Hardwire	FREEDOM X 1000W, 120AC/12DC, Hardwire \$631.04  FREEDOM X 1000W, 120AC/12DC, Hardwire \$595.00  FREEDOM X 1000W, 120AC/12DC, Hardwire \$806.20  FREEDOM X 2000W, 120AC/12DC, Hardwire \$882.76	FREEDOM X 1000W, 120AC/12DC, Hardwire \$631.04 817-2000-21  FREEDOM X 1000W, 120AC/12DC, Hardwire \$595.00 817-2080  FREEDOM X 1000W, 120AC/12DC, Hardwire \$806.20  FREEDOM X 2000W, 120AC/12DC, Hardwire \$882.76	FREEDOM X 1000W, 120AC/12DC, Hardwire \$631.04 \$17-2000-21 FREEDOM X 2000W, 120AC/24VDC, Hardwire \$595.00 FREEDOM X 1000W, 120AC/12DC, Hardwire \$806.20 FREEDOM X 2000W, 120AC/12DC, Hardwire \$882.76 FREEDOM X 2000W, 120AC/12DC, Hardwire \$882.76 FREEDOM X 2000W, 230AC/12VDC, Hardwire \$882.76 FREEDOM X 2000W, 120AC/12DC, Hardwire \$882.76 FREED

Electronics

Trolling Motors

Instruments

Lighting

Anchor & Dock

Safety

Steering, Controls

Pumps Fuel

System Seating & Pedestals

Trailering Tops &

Perform.

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc.

Fun & Flotation

Topside

Cockpit & Deck

Hardware, Fasteners

Camouflage

Misc.

Trolling

Motors

Safety

Steering Controls

Pumps

Fuel System

Seatina &

Pedestals

Trailering

Tops & Covers

Perform

Propellers

Engine

& Care

Paint &

Paint Acc

Topside Acc.

Cockpit

& Deck Hardware Fasteners

Instruments

**Electrical** 

#### **Marpac Power Inverter**





- Converts 12 volt DC to 110 volt AC for power when needed.
- Charge most USB compatible devices.
- Plugs into cigarette lighter.
- Fits in most cup holders.
- Great for charging mobile phones, laptops, MP3 players.
- Automatic shut off if voltage drops below 10V or exceeds 15V DC.
- CE and E-Certified.

LIMITED **QUANTITIES** 

List Price

Order No. Description 7-1279 Power Inverter

\$49.59 GO-3233000

#### Marpac Trolling Motor Plug / Receptacle - 3-Prong





3-Prong locking plug / receptacle for trolling motors.

- 50 amps, 12/24 volt.
- Replaces: Marinco 305CRRB and 305BP.

	Order No.	Description		List Price	
_	7-51557	Receptacle - Female	Boat Side	\$21.19	F0-3841000
	7-51558	Plug - Male	Motor Side	\$21.79	F0-5251000

#### **Minn Kota AC Power Ports**



- Allows quick connection to AC extension cord.
- Uses male AC plug from charger no cutting/splicing wires.
- Watertight cover and gasket protects AC plug against corrosion when not in use.

Mfg. No. / Description Fun & Flotation

476590 (1865110) White **\$17.09** D0-7631000

List Price 476588 (1865108) Black **\$17.09** D0-7631000

#### Newmar Power-Pac™ Power Supplies with Built-in Battery Back-Up

POWER - PAC

#### NEWMAR

- · Highly regulated, low ripple, noise-free 12 volt output.
- Built-in, "on-line" stand-by battery provides immediate back-up power in case of AC power loss.
- Internal mounting space and terminals for conversion of 7 A/H model into 14 A/H model.
- Includes output "Normal" indicator L.E.D., "Back-up power only" warning light, and audible & visual low battery (10.7 VDC) voltage indicators.
- Low battery warning buzzer mute switch.
- Input/output fused.
- Automatic low battery (10.3 VDC) voltage disconnect with low voltage disconnect override
- 115/230 50-60 Hz input, selected by slide switch on rear panel.
- 7 amp/hour.

Order No. Mfg. No. / Description List Price **207605** (7AH) **\$1,268.39** F0-7878800

#### **Pro Charging Systems Onboard Charger Inlet**

#### PRO Charging Systems



- Installs into console with 3 screws.
- The hollow housing holds the power cord inserted through the back.
- Just lift the front lid, pull out the cord and plug into an extension cord.
- When finished, unplug and push the plug back into the housing.
- 2.5" diameter x 1.943" deep. Requires a 1-7/8" diameter hole.
- Includes mounting screws.

Order No. Mfg. No. / Description **284610** (90032KIT)

List Price **\$13.49** E0-2101000

#### Marinco On-Board Charger Inlets - Front Mount

#### MARINCO





- 15 amp, 125 volt straight blade.
- Marinco on-board charger inlets make battery charging through an on-board battery charger safer and more convenient.
- Inlets mount on the boat exterior and are hard-wired directly to the charger.
- Mounts easily to fiberglass and aluminum hulls.
- UV resistant housing/cap.

Order No. Mfg. No. / Description **217908** (150BBI) Black **218640** (150BBIW)

White

List Price **\$26.39** F0-7481000 **\$26.39** F0-7481000

#### Marinco ConnectCharger™ Inlet - Universal Mount

#### MARINCO



- A receptacle designed to accept plug-in Guest ConnectCharge on-board battery chargers.
- This model features universal mounting: Use three screws through the faceplate to mount it from the front or use a threaded locking ring to mount it to the dash from the rear.
- The watertight lid snaps closed to protect the AC plug.
- Black.

Order No. Mfg. No. / Description List Price **217910** (150CCI) **\$24.59** F0-1271000

Camouflage

Trolling

Motors

Lighting

Anchor

& Dock

Safety

Steering Controls

Pumps

Fuel

System Seatina &

Pedestals

Trailering

Tops &

Perform

Propellers

Engine & Care

Cleaning

& Care

Paint &

Paint Acc

Fun &

Flotation

Topside

Cockpit

Instruments

#### Marinco 2-Wire ConnectPro® Charging/Trolling System





List Price

#### CONNECTPRO RECEPTACLE

- Works with 12V, 24V, or 36V 2-wire systems.
- For front mount panel installations.
- Weather resistant sealing cap.
- Drain holes in receptacle keep water away from electrical components.
- Perma-Lock screw terminals will not loosen under extreme hull vibration.
- Fits standard 1-1/8" diameter mounting hole.
- Accepts 10 and 8 AWG wire.

Order No. Mfg. No. / Description List Price \$32.19 G1-2902000 2460108 (12VBRS2)

#### **CONNECTPRO PLUG**

- 0-ring seal for waterproof connections.
- Weather resistant plug cover.
- Ergonomic contoured grip for easy hook-up and ground blade alignment.
- Max rating is 40 amps.
- · Accepts 16 to 8 AWG wire. Order No. Mfg. No. / Description

2460107 (12VBPS2) **\$24.99** G1-4261000 CONNECTPRO RECEPTACLE AND PLUG

Mfg. No. / Description List Price 2460109 (12VCPS2) \$54.39 G1-5353000

#### Marinco 3-Wire 70A Charging/Trolling System





#### TROLLING MOTOR RECEPTACL

Watertight sealing cap.

Order No. Mfg. No. / Description List Price 700864 (12VBRS3) \$37.29 F0-0162000

#### TROLLING MOTOR PLUG

- Integrated strain relief.
- Keyed design with thumbprint locator.

Order No. Mfg. No. / Description List Price \$31.99 F0-9322000 **700852** (12VBPS3)

#### TROLLING MOTOR PLUG AND RECEPTACL

Mfg. No. / Description List Price **700825** (12VCPS3) **\$63.79** F0-5644000

#### Marinco 3-Wire ConnectPro® Charging/Trolling System



#### CONNECTPRO RECEPTACLE

- Universal design for 2 or 3-wire configuration 12V, 24V, 12/24V, 24/36V or 36V systems.
- Watertight sealing cap.
- Drain holes in receptacle keep water away from electrical components.
- Perma-Lock screw terminals will not loosen under extreme hull vibration.
- Fits standard 1-1/8" diameter mounting hole.
- Easy to install, with supplied mounting plate for front panel installation, or locking ring for rear access installation.
- Accepts 10 and 8 AWG wire.
- Max rating is 40 amps.

Order No. Mfg. No. / Description List Price 217941 (12VBR) Includes Mounting Plate **\$31.39** F0-7912000

#### CONNECTPRO PLUG

- 0-ring seal for waterproof connections.
- Weather resistant plug cover.
- Ergonomic contoured grip for easy hook-up and ground blade alignment.
- · Accepts 16 to 8 AWG wire.
- Max rating is 40 amps.

Order No. Mfg. No. / Description List Price 217940 (12VBP) **\$24.29** F0-0071000

#### 6 GAUGE CONNECTPRO WIRE RECEPTACLE ADAPTER

Allows 6 AWG wire connection to ConnectPro receptacle.

Mfg. No. / Description \$25.09 F0-6571000 **217617** (12VBRAD)

#### **CONNECTPRO RECEPTACLE AND PLUG**

Mfg. No. / Description List Price 217942 (12VCP) \$52.89 F0-2073000

#### **NOCO AC Port Plug with Extension Cord**

NOCO



• Rated at 15 amps, 125 volts for peak performance. • Integrated charge inlet with a 16" extension cable.

- Requires no cable modification or hard wiring.
- Full-sized AC prongs for maximum conductivity.
- Easy installation, requires a 2" diameter hole.
- Cord length 16".

Order No Mfg. No. / Description List Price \$26.99 E0-4202000 3550001 (GCP1)

#### ProMariner Universal AC Plug Holder+

- Universal design for all standard 120V AC plugs.
- Converts plug holder to an AC inlet for ProMariner engineered chargers.
- Watertight and UV resistant cover.
- Plug clamp insert and stainless steel mounting screws included.
- Easy installation.

Order No. Mfg. No. / Description **2901765** (51300) Black \$13.39 F0-7390000 **Pro**Mariner



& Deck Hardware. Fasteners

Camouflage

Misc

#### Marinco 4-Wire 12/24V Locking Charging/Trolling System

The 4-wire trolling/charging system eliminates the need for a charge/run switch. Install the receptacle on the boat, mount the black trolling motor plug on the trolling motor, and the red charger plug on the leads of the battery charger. Simply plug in the black plug to troll, or plug in the red plug to charge.

#### Marinco Charger Plug (Male)

#### MARINCO



List Price

List Price

**\$99.09** F0-6396000

- Accepts up to 10 AWG wire.
- Red.

Order No. Mfg. No. / Description

Spring loaded flip lid cover and receptacle, pre-assembled.

Spring loaded flip lid cover without receptacle.

Mfg. No. / Description

217972 (2018BP-12)

Order No. Mfg. No. / Description

**217996** (2018BR-MB)

MARINCO

**\$34.59** F0-1242000

#### Marinco Receptacle and Bracket

Marinco Bracket

MARINCO Trolling

Motors

#### **Electrical**

Lighting

Instruments

Electronics

Anchor

& Dock

Safety

Steering, Controls

Pumps Fuel

System Seating &

Pedestals Trailering

Tops &

Perform.

Propellers

Engine & Care

Order No.

**217958** (2018MB)

Cleaning & Care

Paint & Paint Acc

Fun & Flotation

Topside Acc.

Cockpit & Deck

Hardware, Fasteners

Camouflage

Misc

Comm.

#### Marinco Trolling Motor Plug (Male)

#### MARINCO

- Connects to trolling motor.
- Jumpered internally to supply 12V and 24V power to the trolling motor when plugged into the receptacle.
- Accepts up to 8 AWG wire.
- Max rating is 60 amps.
- Black.

Order No. Mfg. No. / Description

217984 (2018BP-24)

\$32.89 F0-2032000

#### Marinco Receptacle

#### MARINCO



- Glass reinforced corrosion resistant nylon.
- Accepts 8 AWG stranded wire or up to 6 AWG with spade terminals.

Mfg. No. / Description

217960 (2018BR)

List Price

List Price

**\$68.79** F0-5184000

#### Marinco Trolling/Charging System Package

Package includes: 217972 (2018BP-12), 217984 (2018BP-24) and 217996 (2018BR-

# MARINCO





- Enclosed in one package and economically priced.

Mfg. No. / Description

218001 (2018PKG)

List Price

**\$136.39** F0-7459000

#### Marpac Trolling Motor Plug / Receptacle - 4-Prong

NEW **PRODUCT** 



7-51556



**\$37.09** F0-6952000

List Price

- 4-Prong locking plug / receptacle for trolling motors.
- 50 amps, 12/24 volt.
- Replaces: Marinco 2018BR and 2018BP-24.

Order No. Description

**7-51555** Receptacle - Female \$15.19 F0-3601000 Boat Side \$16.69 F0-8611000 7-51556 Plug - Male Motor Side

Trolling Motors

Instruments

Lighting

Anchor

& Dock

Safety

Steering

#### Marinco Male Plug

#### **MARINCO**



- 15 amp, 125 volt.
- Straight blade.
- Features corrosion resistant contacts and terminals.
- The body is made of yellow nylon with a ribbed design for secure grip.

Order No. Mfg. No. / Description 217530 (5266CR)

List Price

\$39.89 F0-2972000

#### **Marinco Female Locking Connector**

#### MARINCO



- 15 amp, 125 volt.
- Locking blade.
- Features corrosion resistant contacts and terminals.
- The body is made of yellow nylon with a ribbed design for secure grip.

Order No. Mfg. No. / Description

**MARINCO** 

Marinco Duplex Straight Receptacle

7000856 (4731CR) \$39.29 F0-0572000

#### Marinco Male Locking Plug

#### **MARINCO**



- 15 amp, 125 volt.
- Locking blade.
- Features corrosion resistant contacts and terminals.
- The body is made of yellow nylon with a ribbed design for secure grip.

Order No. Mfg. No. / Description **217566** (4721CR)

List Price

**\$23.79** F0-5661000

#### **Marinco Weatherproof Cover**

#### MARINCO



- Constructed of heavy duty vinyl.
- Use with 217530 (5266CR) and 217205 (5366CR) male plugs.

Order No. Mfg. No. / Description **219217** (6017)

List Price

\$11.69 FO-8180000

**MARINCO** 

• 15 amp, 125 volt.

Corrosion resistant.

217542 (4700CR)

**MARINCO** 

Mfg. No. / Description

Locking blade.

Yellow.

Order No.

#### Marinco Female Connector

#### **MARINCO**



- 15 amp, 125 volt.
- Straight blade.
- Features corrosion resistant contacts and terminals.
- The body is made of yellow nylon with a ribbed design for secure grip.

Order No. Mfg. No. / Description **217528** (5269CR)

List Price

**\$36.89** F0-2852000

#### **Marinco Weatherproof Cover**

#### **MARINCO**



 Constructed of heavy duty vinyl. Use with 217528 (5269CR) and 7000862 (5369CR) female connectors.

Order No. Mfg. No. / Description **219231** (6018)

Marinco Duplex Locking Receptacle

Marinco Stainless Steel Sealed Cover with Lift Lid

List Price

List Price

**\$99.39** F0-7596000

**\$16.79** F0-5711000

Controls Pumps

Fuel System

Seating & Pedestals

Trailering

Tops &

Perform

Propellers

Engine & Care

Cleaning

& Care

Paint & Paint Acc

Fun & Flotation

Topside

Cockpit & Deck

Hardware. Fasteners

Camouflage

Misc.

**\$87.29** F0-0116000

• 15 amp, 125 volt. Straight blade.

Corrosion resistant.

Yellow.

Order No. Mfg. No. / Description 217554 (5262CRR)



List Price

\$42.39 F0-7692000

Marinco Ground Fault Circuit Interrupter (GFCI) Receptacles

#### MARINCO

- 15 amp, 125 volt. • Includes cover.
- CAUTION: Ground Fault Circuit Interrupter protection is required when using electrical products outdoors or near water. GFCI Protection is required by the ABYC where a receptacle is in a head, galley, machinery space or weather deck.
- · White.

Order No. Mfg. No. / Description List Price **217605** (1591-FI.WHITE) \$52.19 F0-3563000 • Stainless steel sealed cover with lift lid.

• Use with 217542 (4700CR) duplex receptacles.

Order No. Mfg. No. / Description 217489 (7879CR-FI)

List Price

#### 20 amp, 125 volt Devices and Accessories

#### Marinco Male Plug

#### **MARINCO**



- 20 amp, 125 volt.
- Straight blade.
- Features corrosion resistant contacts and terminals.
- The body is made of yellow nylon with a ribbed design for secure grip.

Order No. Mfg. No. / Description

**219205** (5366CR) **\$36.89** F0-2852000

#### **Marinco Female Connector**

#### MARINCO



List Price

Electrical

Electronics

Trolling

Motors Instruments

Lighting

Safety

Steering

Seating & Pedestals Trailering Tops &

Perform.

Engine

& Care

Paint & Paint Acc Fun & Flotation

Acc.

Cockpit

& Deck

• 20 amp, 125 volt.

Anchor Straight blade. & Dock

Features corrosion resistant contacts and terminals.

The body is made of yellow nylon with a ribbed design for secure grip.

Order No. Mfg. No. / Description Controls

List Price

**\$49.99** F0-9943000 7000862 (5369CR)

#### **Marinco Weatherproof Cover** Pumps

#### MARINCO Fuel System



· Constructed of heavy duty vinyl.

Use with 217530 (5266CR) and 219205 (5366CR) male plugs.

Mfg. No. / Description Propellers **219217** (6017)

**\$11.69** F0-8180000

#### Marinco Weatherproof Cover for Male Locking Plug

#### **MARINCO**



Topside

Constructed of heavy duty vinyl.

· Weatherproof cover without locking connecting ring.

Use with 217439 (305CRPN) and 7000838 (205CRPN) male locking plugs.

Hardware, Mfg. No. / Description Fasteners **218304** (102N) **\$15.29** F0-0701000

Camouflage

Comm.

#### Marinco Male Locking Plug

#### **MARLINCO**



- 20 amp, 125 volt.
- Locking blade.
- Features corrosion resistant contacts and terminals.
- The body is made of yellow nylon with a ribbed design for secure grip.
- Use with 218304 (102N) cover.

Order No. Mfg. No. / Description 7000838 (205CRPN)

List Price

**\$27.99** F0-9591000

#### **Marinco Female Locking Connector**

#### **MARINCO**



- 20 amp, 125 volt.
- Locking blade.
- Features corrosion resistant contacts and terminals.
- The body is made of yellow nylon with a ribbed design for secure grip.

Order No. Mfg. No. / Description

219279 (205CRCN)

List Price **\$38.89** F0-2272000

#### **Marinco Weatherproof Cover**

#### **MARINCO**



- · Constructed of heavy duty vinyl.
- Use with 217528 (5269CR) and 7000862 (5369CR) female connectors.

Order No. Mfg. No. / Description **219231** (6018)

**\$16.79** F0-5711000

#### Marinco Locking Receptacle

#### **MARINCO**





- 20 amp, 125 volt.
- Locking blade.
- Corrosion resistant.
- Yellow.

Order No. Mfg. No. / Description **219255** (205CRR)

**\$40.29** F0-0282000

#### 30 amp, 125 volt Devices and Accessories

#### Marinco Male Locking Plug

#### MARINCO



- 30 amp, 125 volt.
- Locking blade.
- Features corrosion resistant contacts and terminals.
- The body is made of yellow nylon with a ribbed design for

Marinco Weatherproof Cover for Male Plug

• Use with 218304 (102N) cover.

Order No. Mfg. No. / Description 217439 (305CRPN)

MARINCO

List Price

\$23.29 F0-0361000

#### Marinco Female Locking Connector



- 30 amp, 125 volt.
- Locking blade.

MARING

- Features corrosion resistant contacts and terminals.
- The body is made of yellow nylon with a ribbed design for secure grip.
- Use with 217352 (103ELN) and 218316 (103RN) covers.

Mfg. No. / Description Order No. 217415 (305CRCN)

List Price \$41.29 F0-0982000

**Marinco Weatherproof Cover for Female Connector** 

#### **MARINCO**



- Constructed of heavy duty vinyl.
- Weatherproof cover with threaded sealing ring.
- Use with 217415 (305CRCN) female locking connector.

Order No. Mfg. No. / Description

**218316** (103RN) \$23.79 F0-5661000 • 30 amp, 125 volt, 3-wire.

**MARINCO** 

· Short housing, black nylon with an internal strain relief system and recessed fasteners.

Marinco NEMA Male Locking Plug

Mfg. No. / Description 217922 (305BP)

List Price \$26.79 F0-5781000

Trolling Motors

**Marinco Weatherproof Cover for Female Connector** 

#### **MARINCO**



List Price

Lighting

Electronics

Instruments

Anchor & Dock

Safety

Steering

Controls

Pumps

LIMITED **QUANTITIES** 

Fuel \$25.39 F0-7771000

System

Seating & Pedestals

> Trailering Tops &

Perform

Propellers

Engine

& Care

Cleaning

& Care

**Marinco Male Locking Plug with Cover** 

\$15.29 F0-0701000

List Price

#### **MARINCO**

male locking plugs.

218304 (102N)

Order No. Mfg. No. / Description

Constructed of heavy duty vinyl.

• Weatherproof cover without locking connecting ring.

• Use with 217439 (305CRPN) and 7000838 (205CRPN)



- 30 amp, 125 volt.
- Features corrosion resistant contacts and terminals.
- The body is made of yellow nylon with a ribbed design
- A weather resistant cover is included for added protection in harsh environments.

Mfg. No. / Description Order No. 218656 (305CRPN.VPK)

List Price

\$39.89 F0-2972000

Marinco Sealing Collar with Threaded Ring

#### **MARINCO**



- · Provides maximum moisture protection between cordset and adapter.
- Designed for use with 20 and 30 amp locking systems.

Order No. Mfg. No. / Description List Price **217338** (110R) \$15.89 F0-2111000

#### Marinco Female Locking Connector with Cover

**Marinco Threaded Sealing Ring** 

Order No. Mfg. No. / Description

locking connector.

217352 (103ELN)

Constructed of heavy duty vinyl.

• Weatherproof cover with Easy Lock sealing

• Use with 217415 (305CRCN) female

#### **MARINCO**

List Price



- Features corrosion resistant contacts and terminals.
- The body is made of yellow nylon with a ribbed designed for secure grip.
- A weather resistant cover with threaded sealing ring are included for added protection in harsh environments.

• For use with 30 amp weatherproof boots and sealing collar.

Mfg. No. / Description

218652 (305CRCN.VPK)

Mfg. No. / Description

List Price

**\$70.79** F0-5594000

Paint & Paint Acc

Fun & Flotation

Topside

Cockpit & Deck Hardware,

Fasteners Camouflage

Misc.

LIMITED **QUANTITIES** 

\$9.59 F0-1760000

List Price

**MARINCO** 

Order No.

218620 (100R)

#### 30 amp, 125 volt Devices and Accessories

#### **Marinco Locking Receptacles**

#### **MARINCO**



- 30 amp, 125 volt.
- Corrosion resistant reinforced nylon construction.

Order N	۱o.	Mtg. No. / Descrip	ption	List Price	
2179	34	(305CRR)	Yellow	\$43.49	F0-4403000
2174	141	(305CRRB)	Black	\$45.59	F0-1913000

#### Electronics **Marinco Power Inlet**

Trolling Motors

Instruments

& Dock

Safety

Steering

Controls

#### **MARLINCO**





List Price

**Electrical** 

Lighting 30 amp, 125 volt.

Anchor

Marine grade UV stabilized glass-filled polyester construction with Easy Lock System.

- The cover is designed to stay hinged open when the cover is lifted up. A soft touch unlocks it
- 4-way right angle rear safety enclosure.
- Stainless steel trim.
  - · White.

Pumps	Order No.	Mfg. No. / Description
Fuel	217376	(301EL-B)

\$77.89 F0-2545000 217427 (305CRMB) Interior \$33.79 F0-5632000 System

#### Seating & Marinco Power Cord Plus® Cordsets Pedestals





Paint & Paint Acc

Fun &

Flotation

Topside

Cockpit

& Deck

Hardware, Fasteners

Camouflage

Misc

Comm.

Acc.

- 30 amp, 125 volt.
- Watertight molded plug and connector for safety and durability.
- All models include a standard threaded ring for hook-up to ordinary threaded inlets.
- Corrosion resistant, nickel plated contacts.
- Power Indicator Light: Boatside connector features a molded-in LED light. When it glows red, you know you have power to the boat.
- Contour Grip with Thumbprint Locator: Both plug and connector ends are molded to fit the contour of your hand. When the thumbprint is in the 12 o'clock position, the blades line up for easy connection.
- Marinco's Easy Lock System: Quickly locks the cord set to the inlet in just 1/8 of a turn. The exclusive locking tabs engage slots built into all Marinco inlets.

_	Order No.	Mfg. No. / Desc	cription		List Price		
	218608	(199116)	Length 12'	Yellow	\$76.59	F0-1635000	
	7000832	(199117)	Length 25'	Yellow	\$132.49	F0-4729000	
	217314	(199119)	Length 50'	Yellow	\$153.09	F0-6170100	
	218612	(199120)	Length 50'	White	\$169.39	F0-7581100	

#### **Marinco Contour Power Inlet**

#### **MARINCO**

- 30 amp, 125 volt.
- Marine grade UV stabilized glass-filled polyester construction with Easy Lock System.
- The cover is designed to stay hinged open when the cover is lifted up. A soft touch unlocks it for closing.
- 8-way right angle rear safety enclosure.
- Stainless steel trim.
- · White.

Mfg. No. / Description Order No. List Price **\$98.29** F0-0886000 **218648** (304EL-B)

#### **Marinco Stainless Steel Power Inlet**

#### **MARINCO**





- 30 amp, 125 volt.
- Solid cast marine grade 316 stainless steel with Easy Lock System.
- The cover is designed to stay hinged open when the cover is lifted up. A soft touch unlocks it
- 8-way right angle rear safety enclosure.

Mfg. No. / Description List Price **217403** (303SSEL-B) **\$117.29** F0-0128000 217427 (305CRMB) Interior \$33.79 F0-5632000

#### **Marinco EEL Shore Power Cordsets**

#### MARINCO





- Technology. Designed for use with standard inlets (NEMA).
- Single-handed operation.
- No sealing ring required.
- Patented jaw-clamp technology provides a watertight seal every time.
- Power indicator light on both ends informs you full power is flowing through the cord.
- Meets and exceeds rigorous UL testing standards.
- Yellow.

Order No.	Mfg. No. / Description	List Price	
218700	(CS30-25) Length 25'	\$150.59	F0-1450100
218704	(CS30-50) Length 50'	\$180.69	F0-8462100

Trolling Motors

Instruments

**Electrical** 

Lighting Anchor

& Dock

Safety

Steering

Controls

**Pumps** 

Fuel

System Seating & Pedestals Trailering

Tops &

Perform

Propellers

Engine & Care

Cleaning

& Care

Paint &

Paint Acc

Fun & Flotation

#### 50 amp, 125 volt Devices and Accessories

#### Marinco Male Locking Plug



- 50 amp, 125 volt.
- 2 pole, 3 wire.
- Corrosion resistant materials.
- Ribbed, thick wall nylon housing for secure gripping.
- Use with 217136 (7717N) cover.

Order No. Mfg. No. / Description

218676 (6361CRN) \$110.29 F0-0277000

Marinco Weatherproof Cover for Male Plug

List Price



- Constructed of heavy duty vinyl.
- Use with 218676 (6361CRN) and 217198 (6365CRN) male locking plugs.
- Can be used on both male and female ends.

Order No. Mfg. No. / Description **217136** (7717N) \$27.19 F0-3091000

Marinco Threaded Locking Sealing Ring

#### **MARINCO**



- Use with 50 amp systems.
- Use when combining 30 amp EEL cordset with another cordset.

Order No. Mfg. No. / Description List Price

\$10.69 F0-8470000 218660 (500R)

**Marinco Power Inlet** 

#### MARINCO



- 50 amp, 125 volt.
- Marine grade UV stabilized glass-filled polyester construction with Easy Lock System.
- The cover is designed to stay hinged open when the cover is lifted up. A soft touch unlocks it for closing.
- Without rear safety enclosure.
- Stainless steel trim.

Order No. Mfg. No. / Description List Price 219091 (6351EL) \$108.29 F0-0857000

#### Marinco Female Locking Connector



- 50 amp, 125 volt.
- 2 pole, 3 wire.
- Corrosion resistant materials.
- Ribbed, thick wall nylon housing for secure gripping.

Order No. Mfg. No. / Description **217061** (6360CRN)

\$128.39 F0-7898000

Marinco Weatherproof Cover for Female Connector



- Constructed of heavy duty vinyl.
- Weatherproof cover with threaded sealing ring.
- Use with 217061 (6360CRN) and 217174 (6364CRN) female locking connectors.

Order No. Mfg. No. / Description List Price 217263 (7715CRN) **\$36.49** F0-4552000

Marinco Sealing Collar with Threaded Ring

#### **MARINCO**



- Use with 50 amp only systems.
- Use when combining 30 amp EEL cordset with another cordset.

Order No. Mfg. No. / Description List Price

\$17.69 F0-8321000 **218664** (510R)

#### **Marinco Stainless Steel Power Inlet**

#### MARINCO



- 50 amp, 125 volt.
- Solid cast marine grade 316 stainless steel with Easy Lock
- · The cover is designed to stay hinged open when the cover is lifted up. A soft touch unlocks it for closing.
- · Rear safety enclosure with strain relief.

Order No. Mfg. No. / Description **217100** (6371EL-B)

\$218.29 F0-0825100

Marinco Wire Dock Side Receptacle

#### **MARINCO**



- 50 amp, 125 volt.
- 2 pole, 3 wire.
- Corrosion resistant reinforced nylon construction.

Order No. Mfg. No. / Description 217035 (6370CR)

\$160.79 F0-5521100

Marinco Weatherproof Cover for Female Connector



- Constructed of heavy duty vinyl.
- Weatherproof cover with Easy Lock sealing ring.
- Use with 217061 (6360CRN) and 217174 (6364CRN) female locking connectors.

Order No. Mfg. No. / Description List Price 217162 (7715ELN) \$35.49 F0-4842000

#### Marinco Power Cord Plus® Cordset

#### **MARINCO**



- 50 amp, 125 volt, 3 wire.
- · Watertight molded plug and connector for safety and durability.
- All models include a standard threaded ring for hook-up to ordinary threaded inlets.
- Corrosion resistant, nickel plated contacts.
- Power Indicator Light: Boatside connector features a moldedin LED light. When it glows red, you know you have power
- Contour Grip with Thumbprint Locator: Both plug and connector ends are molded to fit the contour of your hand. When the thumbprint is in the 12 o'clock position, the blades line up for easy connection.
- Marinco's Easy Lock System: Quickly locks the cord set to the inlet in just 1/8 of a turn. The exclusive locking tabs engage slots built into all Marinco inlets.
- Length 50'.
- Yellow.

Order No. Mfg. No. / Description 218570 (6153SPP)

List Price **\$769.89** F0-2983500

Topside Acc.

Cockpit & Deck Hardware,

Fasteners Camouflage

Misc

Trolling

Motors Instruments

**Electrical** 

Lighting

Anchor

& Dock

Safety

Steering Controls

Pumps

Fuel System Seatina & Pedestals

Trailering

Tops &

Perform.

Propellers

Engine & Care

Paint & Paint Acc Fun & Flotation Topside Acc. Cockpit

& Deck

Hardware Fasteners

Camouflage

Misc

Comm

#### 50 amp, 125/250 volt Devices and Accessories

#### Marinco Male Locking Plug



- 3 pole, 4 wire.
- · Corrosion resistant materials.
- Ribbed, thick wall nylon housing for secure gripping.
- Use with 217136 (7717N) cover.

Order No. Mfg. No. / Description 217198 (6365CRN)

List Price

**\$112.79** F0-5987000

Mfg. No. / Description

Marinco Weatherproof Cover for Female Connector

#### Marinco Weatherproof Cover for Male Plug



- Constructed of heavy duty vinyl.
- Use with 218676 (6361CRN) and 217198 (6365CRN) male locking plugs.
- Can be used on both male and female ends.

Order No. Mfg. No. / Description

**217136** (7717N) \$27.19 F0-3091000

Marinco Threaded Locking Sealing Ring

#### MARLINCO



- Use with 50 amp systems.
- Use when combining 30 amp EEL cordset with another cordset.

Order No. Mfg. No. / Description

**218660** (500R)

List Price

\$10.69 F0-8470000

#### **Marinco Power Inlet**

#### WARLINGO



• 50 amp, 125/250 volt.

Marine grade UV stabilized glass-filled polyester construction with Easy Lock System.

- The cover is designed to stay hinged open when the cover is lifted up. A soft touch unlocks it for closing.
- · Rear safety enclosure with strain relief.
- Stainless steel trim.

Order No. Mfg. No. / Description **217150** (6353EL-B) **\$125.09** F0-6578000 **Marinco Female Locking Connector** 

#### **MARINCO**



- 50 amp, 125/250 volt.
- 3 pole, 4 wire.
- Corrosion resistant materials.
- Ribbed, thick wall nylon housing for secure gripping.
- Use with 217263 (7715CRN) cover

217174 (6364CRN)

\$125.39 F0-7778000

# MARINCO

- Constructed of heavy duty vinyl.
- Weatherproof cover with threaded sealing ring.
- Use with 217061 (6360CRN) and 217174 (6364CRN) female locking connectors.

Order No. Mfg. No. / Description

List Price

217263 (7715CRN) \$36.49 F0-4552000

#### Marinco Sealing Collar with Threaded Ring

#### **MARINCO**



- Provides maximum moisture protection between cordset and adapter.
- Use with 50 amp only systems.
- Use when combining 30 amp EEL cordset with another cordset.

Mfg. No. / Description

List Price

\$17.69 F0-8321000 **218664** (510R)

#### **Marinco Stainless Steel Power Inlet**





- 50 amp, 125/250 volt.
- Solid cast marine grade 316 stainless steel with Easy Lock
- The cover is designed to stay hinged open when the cover is lifted up. A soft touch unlocks it for closing.
- Rear safety enclosure with strain relief.

Mfg. No. / Description

217249 (6373EL-B) **217251** (6373ELMB) Interior **\$135.29** F0-0749000

\$222.99 F0-9065100

#### Marinco Wire Dock Side Receptacle

#### **MARINCO**



- 50 amp, 125/250 volt.
- 3 pole, 4 wire.
- Corrosion resistant reinforced nylon construction.

Order No. Mfg. No. / Description 217213 (6369CR)

List Price

\$157.49 F0-4201100

#### Marinco Weatherproof Cover for Female Connector

# **MARINCO**

- Constructed of heavy duty vinyl.
- Weatherproof cover with Easy Lock sealing ring.
- Use with 217061 (6360CRN) and 217174 (6364CRN) female locking connectors.

Order No. Mfg. No. / Description

List Price

**217162** (7715ELN)

\$35.49 F0-4842000

#### Marinco Power Cord Plus® Cordset

# MARINCO 50 amp 125/250 volt, 4 wire.

- Watertight molded plug and connector for safety and durability.
- Length 50'.
- Yellow.

Order No. Mfg. No. / Description **218668** (6152SPP)

List Price

**\$1,062.39** F0-7634700

#### **Marinco EEL Shore Power Cordset**



- 50 amp, 125/250 volt.
- Length 50'.
- Yellow.

**218556** (CS504-50)

\$1,198.19 F0-3783800

Order No. Mfg. No. / Description List Price

Trolling Motors

Instruments

Lighting

Anchor

& Dock

#### **Boxes and Covers**

#### Marinco Weatherproof Cover with Lift Lid

#### **MARINCO**

- Yellow Lexan polycarbonate with lift lid.
- Fits 15 amp, 219255 (205CRR) 20 amp and 217934 (305CRR) 30 amp and 217441 (305CRR) 30 amp single receptacles.

Order No. Mfg. No. / Description List Price 218506 (7420CR) **\$53.69** F0-8573000

Marinco Plastic Switch/Outlet Box

#### Yellow Lexan polycarbonate with lift lid.

• Fits 217213 (6369CR) and 217035 (6370CR) 50 amp receptacles.

Order No. Mfg. No. / Description 218568 (7788CR)

List Price \$68.89 F0-2284000

#### **MARINCO**

#### **NOTE: Actual Product is** White

- Accepts 15 amp, 20 amp and 30 amp receptacles, telephone outlets and TV coax connectors.
- Can be secured against the back of the wall or wall facing.
- Dimensions: 3-9/32" W x 2-3/16" H x 2-1/2" D.
- · White.

Order No. Mfg. No. / Description List Price **218600** (6079) \$12.29 F0-0680000

### **MARINCO**

**MARINCO** 





Marinco FD Box

Marinco Weatherproof Cover with Lift Lid

(7788CR) weatherproof covers.

Order No. Mfg. No. / Description 218417 (6083CR)

List Price \$141.39 F0-7989000

Safety Steering

Controls

Fuel System Seating & Pedestals Trailering Tops &

Engine

& Care Cleaning

& Care Paint & Paint Acc

Fun &

Flotation

Topside

Marinco Stainless Steel Sealed Cover with Lift Lid Pumps

#### Marinco Stainless Steel Sealed Cover with Lift Lid

#### **MARINCO**



- Stainless steel sealed cover with lift lid.
- Use with 217542 (4700CR) duplex receptacles.

Order No. Mfg. No. / Description

List Price 217489 (7879CR-FI) \$87.29 F0-0116000 • Stainless steel sealed cover with lift lid.

• Use with 217542 (4700CR), 217554 (5262CRR) and 5739CR duplex receptacles.

Order No. Mfg. No. / Description

**MARINCO** 

218594 (7879CR)

Perform List Price Propellers

**\$62.59** F0-1834000

#### Marinco Dock Side 30 Amp to 15 Amp Adapter with GFCI

#### **MARINCO**

- Provides safer hook-up to 30A dock side power.
- Provides protection against harmful electric shock.
- Reduces the possibility of fire.
- Offers protection for up to 3 attached tools.
- Corrosion resistant and rain-proof rated for outdoor use.
- GFI trip level of 4-6 mA.
- Can also be used for other outdoor, harsh environments such as construction sites or whereever ground fault protection is desired.

Order No. Mfg. No. **Boat Side (Female Connector)** Attaches to boat inlet or cordset **7000834** (199128) (3) 15A 125V Straight Blade

Dock Side (Male Plug) Attaches to dockside receptacle or cordset

30A 125V Locking



List Price

\$149.09 F0-6340100



Cockpit & Deck Hardware. Fasteners

Camouflage

Misc

Safety

Pumps

#### Marinco EEL ShorePower-Style Straight Adapters

- Straight Adapters are high quality, one-piece adapters used much like Pigtail Adapters. However, they do not have sealing collars and are not recommended for use in wet locations.
- Use only in an enclosed, dry location, such as powering your boat from a 15 amp power receptacle inside a house.
- LED power indicator.
- Ergonomic design for easier gripping.

Order No.	Mfg. No.			Dock Side (Male Plug) Attaches to dockside re	eceptacle or cordset	List Price
218744	(S20-15)	15 or 20A 125V Straight Blade	<b>G</b> w	20A 125V Locking	G W	<b>\$70.89</b> F0-2694000
218752	(\$30-15)	15 or 20A 125V Straight Blade	<b>G</b> w	30A 125V Locking	<b>6</b>	\$58.59 F0-1014000
217655	(\$15-30)	30A 125V Locking	c 🕜	15A 125V Straight Blade		\$58.59 F0-1014000
218748	(S20-30)	30A 125V Locking	c O	20A 125V Locking	G COW	<b>\$97.09</b> F0-6976000
218710	(\$15-504)	50A 125/250V Locking with Sealing Collar System	<b>*</b>	15A 125V Straight Blade		\$72.59 F0-1805000
	218744 218752 217655 218748	218744 (S20-15) 218752 (S30-15) 217655 (S15-30) 218748 (S20-30)	Connection   Con	Connector	Connector   Attaches to boat inlet or cordset   Attaches to dockside re   20A 125V   Straight Blade   20A 125V   Locking   20A 125V   Locking   218752   (S30-15)   15 or 20A 125V   Straight Blade   30A 125V   Locking   217655   (S15-30)   30A 125V   Locking   218748   (S20-30)   30A 125V   Locking   20A 125V   Locking	Commonstrate



#### **Marinco Pigtail Adapters**

Steering, Pigtail adapters allow you to connect from one dock side receptacle (or other power source receptacle) to one boat side inlet or equipment of dissimilar power configuration.

 These adapters are fully molded and equipped with Marinco's unique sealing collar (where indicated) and covers for use in wet locations

	locations.							
Fuel System Seating &	Order No.	Mfg. No.	Boat Side (Female Connect Attaches to boat inlet or con	•	Dock Side (Male Plug) Attaches to dockside recep	otacle or cordset	List Price NEW	
Pedestals  Trailering	217756	(104SPP)	30A 125V Locking with Sealing Collar System	c N	15A 125V Straight Blade with Locking Screw		<b>\$72.79</b> F0-5905000	
Tops & Covers  Perform.	217821	(115A)	50A 125V Locking with Sealing Collar System	<b>"</b> 106	15A 125V Straight Blade with Locking Screw		<b>\$293.69</b> F0-8550200	)
Propellers Engine & Care	217706	(105SPP)	50A 125/250V Locking with Sealing Collar System	X T	15A 125VV Straight Blade with Locking Screw	•	\$80.09 F0-6065000	
Cleaning & Care Paint &	218636	(117A)	50A 125/250V Locking with Sealing Collar System	X (T)	30A 125V Locking	<b>(</b>	\$252.29 F0-0667100	)
Fun & Flotation Topside	7000880	(110A)	30A 125V Locking with Sealing Collar System	ر الله الله الله الله الله الله الله الل	50A 125V Locking	G W	\$180.99 F0-9662100	)
Acc. Cockpit & Deck	217768	(121A)	30A 125V Locking with Sealing Collar System	ه کام	50A 125/250V Locking	Y CON	\$182.79 F0-5972100	J
Hardware, Fasteners Camouflage	218544	(118A)	50A 125/250V Locking with Sealing Collar System	**************************************	50A 125V Locking	6 <b>(3)</b> W	\$398.59 F0-1097200	)
Misc. Comm.	218532	(123A)	50A 125V Locking with Sealing Collar System	W 1 6	50A 125/250V Locking	Y G X	\$257.09 F0-6997100	J



# Marinco Y-Adapters **MARINCO** 217845 217857 217819

217883

Order No.	Mfg. No.	Boat Side (Female Connector) Attaches to boat inlet or cordset	Dock Side (A Attaches to dockside		List Price	Y-Adapters enable you to split one
217845	(157AY)	(2) 30A 125V Locking with Sealing Collar System	30A 125V Locking	G c	<b>\$270.49</b> F0-4398100	dock side receptacle between two boat inlets of similar or dissimilar power configurations.  • Sealing collar to create a
217857	(152AY)	(2) 30A 125V Locking with Sealing Collar System	50A 125V Locking	G W	\$339.19 F0-3473200	weatherproof seal when joining cables together.  • Suitable for use in wet locations.  • Watertight molded plug and
217819	(153AY)	(2) 30A 125V Locking with Sealing Collar System	50A 125/250V Locking	Y W	\$283.59 F0-1589100	connector ends for safety and durability.  • Heavy duty, super flexible marine grade cable.
217883	(165AY)	(2) 50A 125/250V Locking with Sealing Collar System	50A 125/250V Locking	° w x	\$641.19 F0-3884400	<ul> <li>Corrosion resistant, nickel-plated contacts.</li> </ul>





- The reverse "Y" adapter has two male plugs with special power isolation circuitry for added safety.
- They provide 50A 125/250V power when only two 30A 125V receptacles are available.
- Reverse "Y" adapters are fully molded and equipped with the Marinco unique sealing collar and covers (where indicated) for use in wet locations.

Order No.	Mfg. No.	<b>Boat Side (Female</b> Attaches to boat inlet or cordse		<b>Dock Side (Male</b> Attaches to dockside receptacle	List Price		
217869	(RY504-2-30)	50A 125/250V With Sealing Collar System	X Y G	(2) 30A 125V Locking	€ C	G C	\$550.49 F0-4358300

Electronics

Trolling Motors

Instruments

Lighting

Anchor & Dock

Safety

Steering,

Controls

Pumps

Fuel System

Seating & Pedestals

Trailering

Tops & Covers

Perform.

Propellers

Engine & Care

Cleaning & Care

Paint & Paint Acc.

Fun &

Flotation

Topside

Cockpit & Deck

Hardware, Fasteners

Camouflage

Misc.

Trolling

Electrical

Lighting
Anchor
& Dock

Pedestals

Trailering

Tops &

Perform.

Propellers

Engine & Care

#### **Marinco Railmount Cord Clips**

#### MARINCO



- For 30A cords.
- Organize shore power cords quickly and easily.
- Can be used on tube or wire rails.
- UV stable.
- Practically unbreakable.
- Packaged as set of 6 clips.

Order No. Mfg. No. / Description
218809 (CLIP-01)

List Price

\$15.69 F0-8901000

#### **Newmar PX Series Waterproof Box**

# NEW<sub>MAR</sub>





Safety		PX-1
Steering,	Number of Connector Strips:	1
Controls	Positions Per Strip:	6
Dumne	Max. Wire Gauge:	16
Pumps	Number of Cable Entry Points:	5
Fuel	Number of Cable Entries Installed:	3
System	Spare Cable Entries Provided:	2
Seating &	Cable Diameter Range:	.148

Ideal for making wiring connections above or below decks, even in areas subject to occasional spray

Similar to BX Series junction boxes, but made from rugged, non-corrosive, high impact polypropylene

- Snap-on cover provides watertight seal.
- Multiple position connector strips with "captive" screw compression wire terminals installed meets ABYC standards
- Multiple knockouts provided for conduit access (in addition to cable entries)
- IEC Waterproof Rating: IP54.
- Box dimensions: 2.95" x 2.95" x 1.66".

eaning	Order No.	Mfg. No. / Description	List Price	
	699938		\$53.19	E0-9893000

#### Marinco Organizer Bag

#### **MARINCO**



- Heavy duty nylon zippered bag with handle.
- Ideal for storing cordsets and adapters.
- Dimensions: 20" x 15" x 8".

 Order No.
 Mfg. No. / Description
 List Price

 218784
 (BAG)
 \$48.29
 F0-0833000

#### **Newmar BX Series Splashproof Boxes**



- · Rugged cast aluminum box with white enamel finish
- IP rating 54 Splashproof.
- Provides for secure, protected below-deck wiring connections in wheel house or below decks and engine rooms.
- Supplied with high quality connector strips secure wires with compression fittings no terminals required.

	BX-1	BX-2	BX-3
Number of Connector Strips:	1	1	2
Positions Per Strip:	6	12	11
Max. Wire Gauge:	16	16	14
Max. amps (Per Position):	6	6	10
Cable Entries:	2	8	2
Cable Diameter:	.25"	.37"	.59"

Order No.	Mfg. No. / Description	List Price	
699932	(BX-2) Box Size: 4.4" x 2.4" x 1.2"	\$79.59	E0-9695000
699935	(BX-3) Box Size: 4.7" x 3.7" x 1.3"	\$117.69	E0-7288000

# Cleaning & Care Paint & Paint Acc. Fun & Flotation Topside Acc. Cockpit & Deck Hardware, Fasteners Camouflage