Catálogo de accesorios Náuticos



2025



www.repuestoselnavegante.com



	Windla	<u> </u>
Lewmar Pro-Series 700/1000 Horizontal Windlasses	Lewmar Pro-Fish 700/1000 Horizontal Windlasses	
LEWMAR		
 100% 316 stainless steel housing. For boats up to 38 ft. Maximum line speed/min.: 105 ft. Fast line speed. Worm motor gearbox for reliability. Dual direction solenoid inside unit. Rope-chain gypsy. Manual recovery option. 5 year warranty. Dynamic DIY install kit includes: Windlass, base gasket seal, fast mounting studs, installation wrench, circuit breaker, dual-direction solenoid and rocker switch. 	 100% 316 stainless steel housing. For boats up to 38 ft. Maximum line speed/min.: 105 ft. Fast line speed. Automatic Freefall. New gypsy designed specifically for up to 16mm leaded anchor rodes. Manual recovery option. 5 year warranty. Dynamic DIY install kit includes: Windlass, base gasket seal, fast mounting studs, installat wrench, circuit breaker, dual-direction solenoid and rocker switch. 	Anchor & Dock
PRO-SERIES 700 HORIZONTAL WINDLASS	PRO-FISH 700 HORIZONTAL WINDLASS	Electronics
Motor power: 500W.	Motor power: 500W.	Trolling
 Typical working load: 175 lbs. Maximum pulling power: 700 lbs. Use with 1/4" G4 or BBB, 7mm DIN 766 chain, 1/2" (12mm) 3-strand and 8-plait rope. 	 Typical working load: 175 lbs. Maximum pulling power: 700 lbs. Use with 1/4" 64 or BBB, 7mm DIN 766 chain, 1/2" (12mm) 3-strand and 8-plait rop 	Motors
Order No. Mfg. No. / Description List Price	Order No. Mfa. No. / Description	Instruments
554988 (6656011967-310) \$1,264.39 CO-3747010	554989 (6656211967-310) \$1,407.39 C0-82691	10 Electrical
PRO-SERIES 1000 HORIZONTAL WINDLASS	PRO-FISH 1000 HORIZONTAL WINDLASS	
• Motor power: 700W.	Motor power: 700W.	Lighting
 Typical working load: 250 lbs. Maximum pulling power: 1,000 lbs. Use with 5/16" G4 chain, 9/16" - 5/8" 3-strand and 8-plait rope. 	 Typical working load: 250 lbs. Maximum pulling power: 1,000 lbs. Use with 5/16" 64 chain, 9/16" - 5/8" 3-strand and 8-plait rope. 	Anchor
Order No. Mfg. No. / Description List Price	Order No. Mfg. No. / Description List Price	& Dock
554990 (6657011108-102) \$1,530.09 C0-8500310	554991 (6656411108-102) \$1,386.29 (0-53871	10 Safety
Lewmar ProSport 550 Horizontal Windlass	Lewmar V700 Vertical Windlass	Steering, Controls
LEWMAR	LEWMAR	
a Burned a luminum units una		Pumps
Rugged aluminum centre case and durable composite side covers.	100% 316 stainless steel housing.	Fuel System
 For boats up to 28 ft. Maximum line speed/min.: 98 ft. 	For boats up to 35 ft.	Seating &
Typical working load: 137.5 lbs.	Maximum line speed/min.: 82 ft. Motor power: 320W.	Pedestals
Maximum pulling power: 550 lbs.	• Typical working load: 175 lbs.	Trailering
 Low power consumption/current draw. Dual direction power operation. 	 IP67 Rated (Waterproof to 1 meter). Fall Safe anchor lock. 	Tops & Covers
Manual freefall.	• Fast line speed. Manual recovery option.	
 Convenient above-deck installation. Use with 1/4" G4 or BBB, 7mm DIN 766 chain, 1/2" (12mm) 3-strand and 8-plait rope. 	 Use with 1/4" 64 or BBB, 7mm DIN 766 chain, 1/2" (12mm) 3-strand and 8-plait rop Kit includes: Contactor and circuit breaker. 	e. Perform.
 3 year warranty. 	 S year warranty. 	Propellers
Order No. Mfg. No. / Description List Price	Order No. Mfg. No. / Description List Price	Engine
554951 (6656811967-303) \$904.59 C0-0986700	555106 (6670011108-312) \$1,111.29 (0-06449	
Lewmar V1 Vertical Windlass	Lewmar 3-Button Windlass Wireless Remote Kit	Cleaning & Care
LEWMAR	LEWMAR	Paint &
For boats up to 40 ft.		Paint Acc.
Motor power: 700W.		Fun & Flotation
Rope-chain gypsy.	ÔJUN	Topside Acc.
Manual chain release (Free Fall). Cone clutch for smooth, easy control.		Cockpit
 Optional manual override motor gearbox. 		& Deck
 W.A.R.P. Drum. Fall safe anchor lock. Robust/reliable worm gearbox. 		Hardware, Fasteners
 FastFit option for quicker installation and less hassle. 	• Allows wireless remote up/down operation of any Lewmar windlass.	
• Emergency recovery kit available. Water resistant IP68 kits available.	 Easily retrofitted to existing installations and include a replaceable battery. Kit includes: One wireless fob and one receiver that supports up to eight remote key fobs. 	Camouflage
 Use with Campbell 3/8" S4, 5/16" G40, 10mm DIN 766 chain, 1/2" - 5/8" 3-strand and 8-plait rope. 	 The fobs float and are waterproof to IP67 (1 meter deep). 	Misc.
Order No. – Mfg. No. / Description	Order No. Mfg. No. / Description List Price	Comm.
S/O (6671011108-138) Call for Price	555156 (68000967) \$482.69 E0-20263	00



				Anchor Winches	
		or Winches			Ð
Pugged all steel engre	ALL TRAC ANCHOR WI Sealed membrane UP/DOWN 	NCH MODELS INCLUDE:	• Accomply bardware and instruct	ione	
 Rugged all-steel gears. 100' of 0.20" pre-wound braided anchor rope. 	 Sealed membrane UP/DOwn Anchor safety chain. 	v swiich.	 Assembly hardware and instruct 2 Year Manufacturer's Warrant 		6
Automatic resetting circuit breaker.	• 17' of 14-gauge marine-grad	le battery wire.			
Trac Fisherman 25 Electric An	chor Winch	Tra	ic Pontoon 35 Electric Anchor W	/inch	
TRAC		TRAC			Anchor & Dock
• Freshwater - Black.		• Freshwater - Black.			
 Maximum anchor capacity: 20-25 lbs. Typical boat length: Up to 20'. 		 Maximum anchor capacity Typical boat length: Up to 			
 Speed up: 65 ft/min. 		 Typical boar length: op to Speed up: 65 ft/min. 			
 Speed down: 70 ft/min. Separate roller davit included. 		 Speed down: 70 ft/min. Integrated roller davit. 			
Order No. Mfg. No. / Description	List Price	 Integrated roller davit. Order No. Mfg. No. / Description 	n	List Price	Electronics
554050 (69002)	\$239.39 F0-7576100	554070 (69003)		\$277.79 F0-5449100	Trolling
Trac Angler 30 AutoDeploy Electri	c Anchor Winch	Trac Deck	boat 40 AutoDeploy Electric An	chor Winch	Motors
TRAC		TRAC			Instruments
					Electrical
 Maximum anchor capacity: 25-30 lbs. Typical boat length: Up to 22'. 		 Maximum anchor capacity Typical boat length: Up to 		2	Lighting
• Speed up: 65 ft/min.		• Speed up: 65 ft/min.			Anchor
 Speed down: 70 ft/min. Attached or separated davit. 		 Speed down: 70 ft/min. Integrated davit. 			& Dock
Wireless remote control included.		Wireless remote control in		l i cha	Safety
 Push-button AutoDeploy which automatically deploys the anchor touches bottom. 	anchor, releasing rope until the	anchor touches bottom.	hich automatically deploys the anchor	, releasing rope until the	Steering,
3 button operation: UP/DOWN/AUTO DEPLOY. Order No. Mfg. No. / Description	List Price	3 button operation: UP/D Order No. Mfg. No. / Description	,	List Price	Controls
554040 (69004) Gray	\$302.89 F0-2021200	554045 (69005) Gray		\$340.49 F0-4383200	Pumps
Trac Anchor Winch 2nd Sw	ritch Kit	Tra	c Gen3 Anchor Winch 2nd Swite	ch Kit	Fuel System
TRAC	8	TRAC	6-2	-	Seating & Pedestals
	TRACE		6		Trailering
• Installed at the helm or wherever chosen, provides a	a	 Installed at the helm or w provides a second option f 	herever chosen, for control of the		Tops &
 The switch on the winch cover will continue to 		electric anchor winch.The switch on the winch c		THAC	Covers
 operate as well. Includes: Sealed switch, bezel faceplate, 16' of cables 		to operate as well.	1 WIN II		Perform.
with connectors and 4 screws.		 Includes: Sealed switch, b of cables with connectors 	ezel faceplate, 24' and 4 screws.		Propellers
• Works with Trac Anchor Winch Models: Fisherman 25 (T10108-25) and Pontoon 35 (T10109-35).		 Works with "G3" Trac And Fisherman 25 (T10108-G 	chor Winch Models: 3) and Pontoon 35 (T10109-G3).		Engine
Order No. Mfg. No. / Description	List Price \$41.69 F0-8192000	Order No. Mfg. No. / Description 554080 (69043)		List Price \$40.59 F0-1482000	& Čare
554074 (69040)					Cleaning & Care
Trac Anchor Winch Wireless Remote Kits	Trac Isol	ator Bolts	Trac Quick Re	lease Mount	Paint & Paint Acc.
TRAC	TRAC	FI	TRAC	-	Fun &
		/	R		Flotation
Allows push-button anchor operation from any location.		15 5	81 22 V	1	Topside Acc.
The wireless remote clips into a handy	1	TT	SWARZ		Cockpit & Deck
storage bracket that can be mounted on your helm or anywhere you wish.					Hardware,
FOR USE WITH: T10108-25 & T10109-35			 Machined from aircraft alumin anodized gunmetal gray. 	um, sand blasted, and	Fasteners
Order No. Mfg. No. / Description List Price 554076 (69041) \$69.09 F0-638400	• Install your anchor winch, tro accessories from the top of y	lling motor and other	 Allow anchor winches to be instantion or on the transom. 	stalled in elevated bow	Camouflage
FOR USE WITH: T10108-G3 & T10109-G3	 Sold 4 per pack. 	יטו שטעו עכוג.	 Stainless steel hardware and c 	optional lock included.	Misc.
Order No. Mfg. No. / Description List Price	Order No. Mfg. No. / Description 2000598 (69060)	List Price \$24.79 F0-5371000	Order No. Mfg. No. / Description 3630602 (69075)	List Price \$103.69 F0-8527000	Comm.
554078 (69044) \$67.29 F0-017400		JLT.17 10 JJ/1000	JUJUUZ (0/0/J)	2103.07 10-032/000	-





317

nchor & Dock

Electronics

Trolling Motors Instruments

Electrical

Lighting

Safety

Steering

Controls

Pumps

Fuel

System

Seatina &

Pedestals

Trailering

Tops & Covers

Perform.

Propellers

Engine

& Care

Cleaning

& Care Paint & Paint Acc

Fun & Flotation

Topside

Cockpit

& Deck

Hardware.

Fasteners

Camouflage

Misc.

Comm

Acc.

Ancho

& Dock

318	Anchors						
An	Danforth® Standard® Anchors	Danforth [®] Hi-Tensile [®] Anchors					
Anchor & Dock		BANFORTH.					
20							
	 Backs and the dimensional state 						
G	Has the traditional holding power which has always been associated with Danforth Characterial Archeve	Our toughest, most durable anchors and features very high holding power.					
	 Standard Anchors. The shank is made of high strength steel. 	 The flukes are fabricated for additional strength and then beveled to allow quick, deep bottom 					
	The steel flukes are strong and wide. Each anchor has a hot dipped galvanized	 Penetration. Shanks made from drop forged steel. 					
	coating for long lasting protection. • Note: Holding power data is based on bottoms of medium consistency.	Hot dipped galvanized coating. Note: Holding power data is based on bottoms of					
	Order No. Mfg. No. / Description List Price	medium consistency.					
Electronics	656198 (94012) 9 lbs. Holding Power: 600 lbs. \$47.49 F0-4233000 656201 (94013) 14 lbs. Holding Power: 920 lbs. \$75.29 F0-0725000	Order No. Mfg. No. / Description List Price 656299 (94020) 12 lbs. Holding Power: 1,800 lbs. \$375.89 F0-2136200					
Trolling Motors	656225 (94015) 25 lbs. Holding Power: 1,600 lbs. \$210.79 F0-5574100	656302 (94021) 20 lbs. Holding Power: 2,500 lbs. \$528.79 F0-5107300					
Instruments	656237 (94016) 43 lbs. Holding Power: 2,000 lbs. \$393.39 F0-7357200 656249 (94017) 70 lbs. Holding Power: 3,000 lbs. \$806.39 H0-3838400	656314 (94022) 35 lbs. Holding Power: 3,800 lbs. \$873.19 F0-3211600 656338 (94024) 90 lbs. Holding Power: 6,300 lbs. \$2,532.69 60-0969610					
	656251 (94018) 100 lbs. Holding Power: 3,500 lbs. \$1,050.09 G0-6530700	656352 (94026) 190 lbs. Holding Power: 7,700 lbs. \$6,061.39 G0-3116040					
Electrical	Guardian Marine Anchors	Fortress Marine Anchors					
Lighting	Guardian						
Anchor & Dock		Tough anodized finish.					
Safety	Precision-machined from an aluminum alloy that	Corrosion resistant.					
Steering,	is as strong as steel, but only half the weight. • Less machining steps than Fortress with 32° angle	Precision-machined from an aluminum alloy that is as strong as steel, but only half the weight.					
Controls	only and non-anodized finish. • Easy to manage weight.	Rustproof. Will set faster and penetrate deeper into common sea					
Pumps	Rustproof.	 bottoms for incredible holding power. Adjustable 32° to 45° fluke angle. 					
Fuel System	 An affordable alternative to heavy steel anchors. Features Mud Palms designed to help the anchor set 	 Exclusive and patented feature which dramatically increases holding power in problem soft mud bottoms. 					
Seating & Pedestals	faster in any type of sea bottom. Mud Palms create a "life" to the crown of the anchor, causing the flukes	 Disassembles for easy storage. 					
Trailering	to point more directly to the seabed.Disassembles for easy storage.	Order No. Mfg. No. / Description List Price 513982 (FX-7) 4 lbs. For Boats: 16' to 27' \$161.29 E0-7902100					
	Order No. Mfg. No. / Description List Price	513994 (FX-11) 7 lbs. For Boats: 28' to 32' \$216.19 EO-4126100					
Tops & Covers	514061 (G-5) 2.5 lbs. For Boats: 12' to 16' \$65.69 E0-7294000 514063 (G-7) 4 lbs. For Boats: 17' to 22' \$84.39 E0-9236000	514009 (FX-16) 10 lbs. For Boats: 33' to 38' \$312.79 E0-9543200 514011 (FX-23) 15 lbs. For Boats: 39' to 45' \$496.59 E0-4427300					
Perform.	514065 (G-11) 6 lbs. For Boats: 23' to 27' \$115.79 E0-4868000	514023 (FX-37) 21 lbs. For Boats: 46' to 51' \$739.29 E0-7445500					
	514067 (G-16) 7 lbs. For Boats: 28' to 33' \$167.69 E0-7752100 514069 (G-23) 13 lbs. For Boats: 34' to 41' \$264.79 E0-9589100	514035 (FX-55) 32 lbs. For Boats: 52' to 58' \$1,080.99 E0-4701800 514047 (FX-85) 47 lbs. For Boats: 59' to 68' \$1,658.39 E0-9734210					
Propellers	514069 (6-23) 13 lbs. For Boats: 42' to 47' \$415.29 E0-7411300	514047 (FX-125) 47 lbs. For Boats: 69' to 150' \$2,429.99 E0-9734210					
Engine & Care	Tie Down Super	r Hooker Anchors					
Cleaning & Care	TIE DOWN	• This lightweight, hot dipped galvanized anchor has strong wide flukes that penetrate quickly					
Paint &		 and firmly for maximum holding power. The fully welded crown configuration provides the right angles for ultimate holding power and 					
Paint Acc. Fun &	Hooker	secure penetration.					
Flotation	h a .	Stows flat and can be used with most fluke type anchor storage systems. Order No					
Topside Acc.		656516 (95030) Size #2.5 Holding Power: 130 lbs. \$26.19 F0-3381000					
Cockpit		656528 (95035) Size #4 Holding Power: 240 lbs. \$33.59 F0-1532000 656530 (95040) Size #8 Holding Power: 480 lbs. \$41.29 F0-0982000					
& Deck		656542 (95045) Size #13 Holding Power: 740 lbs. \$71.69 F0-8105000					
Hardware, Fasteners		656554 (95050) Size #18 Holding Power: 1,050 lbs. \$83.19 F0-3285000 656566 (95055) Size #22 Holding Power: 1,300 lbs. \$111.69 F0-8187000					
Camouflage		656578 (95060) Size #40 Holding Power: 1,600 lbs. \$278.89 F0-2259100					
		656579 (95065) Size #65 Holding Power: 2,400 lbs. \$518.59 F0-1036300					
Misc.		656580 (95070) Size #85 Holding Power: 2,800 lbs. \$717.99 F0-9520500					
Comm.	SPECIAL HANDL	ING MAY APPLY 🔊					



- manganese steel. • Self-launching.
- Easy retrieval in case of snags.

MARPAC

Order No.

- Lloyd's Register Type Approval.
- Maintains precise geometry at high loads.
- Absolute stability and high holding power.
- High stability ballasting for correct seabed orientation and optimum penetration.
- Accommodates all universal chain and rope-end fittings.

Order No.	Mfg. No. / Description		List Price	
554899	(0057406) 14#	For 1/4″ or 6 - 7 mm Chain	\$240.09	E0-7008100
554902	(0057410) 22#	For $5/16''$ or 8 mm Chain	\$320.29	E0-2204200



- Similar in design to the anchors used by oil rigs in the North Sea.
- Very effective under a wide variety of sea bed, tide and wind combinations.
- Works well with most bow rollers for easy storage.
- Sets and re-sets fast and easily.

Order No Description


01001 110.	Doscription		LIST THEO	
7-2338	Size #11	For Boats: Up to 23'	\$54.79	F0-5383000
7-2339	Size #16.5	For Boats: Up to 30'	\$ 79.29	F0-0555000
7-2340	Size #22	For Boats: Up to 34'	\$97.19	F0-3086000
7-2341	Size #33	For Boats: Up to 40'	\$144 .19	F0-3900100
7-2342	Size #44	For Boats: Up to 46'	\$1 90.99	F0-9633100
7-2343	Size #66	For Boats: Up to 56'	\$2 95.69	F0-8960200







322	Anchor Line, Anchor Rope	
	Marpac Braided Polypropylene Anchor Line with Zinc-Plated Hook	Marpac Solid Braid Nylon Anchor Line with Zinc-Plated Hook
Anchor & Dock	MARPAC:	Note: Snap Hook may vary from picture.
Electronics	 Includes zinc-plated snap hook. Resistant to oil, rot and mildew. Anchor line floats. White. Order No. Description 7-6445 1/4" x 50" Safe Working Load: 133 lbs. \$2.89 H0.3710000 	 Includes zinc-plated snap hook. Resistant to oil, rot and mildew. Flexible and strong. White. Order No. Description T-6447 3/16" x 50' Safe Working Load: 154 lbs. \$3.19 E0-9320000
Electronics Trolling Motors	7-6444 3/8" x 75' Safe Working Load: 264 lbs. \$7.09 H0-5240000 7-6446 3/8" x 100' Safe Working Load: 264 lbs. \$5.89 E0-2440000	7-52978 3/16" x 100' Safe Working Load: 154 lbs. \$12.89 60-4680000 7-52998 3/8" x 50' Safe Working Load: 440 lbs. \$15.69 60-1501000 Panther Anchor Rope Kits
Instruments Electrical	TRAC	PANTHER
Lighting Anchor & Dock		
Safety Steering, Controls Pumps Fuel System	 700 lbs. break strength. Stainless steel loop/thimble and anchor shackle. For freshwater and saltwater use. Boating rope for all brands of electric anchor winches. Reflective tracer that is easily visible in near-darkness. 	 Made from heavy duty 3/8" blue polypropylene. Includes: No-tie rope cleat and snap hook. Tensile strength: 2,800 lbs. Order No. Mfg. No. / Description List Price
Seating & Pedestals	Order No. Mfg. No. / Description List Price 3630510 (69080) 3/16" x 100' W Blue \$29.69 F0-8702000	1941847 (757000) 3/8" x 50' Blue \$23.99 D0-9191000 1941848 (757010) 3/8" x 100' Blue \$44.09 E0-7033000
Trailering Tops & Covers Perform.	Marpac Braided Nylon Anchor Line	Marpac Twisted Nylon Anchor Line
Propellers Engine & Care Cleaning & Care Paint & Paint & Paint Acc. Fun &		 Highly resistant to rot, abrasion, oil, grease, gasoline and marine growth. Spliced in thimble makes attaching anchor/chain easier. Can be stowed wet without damage to the fibers. Superior strength and flexibility.
Flotation Topside Acc. Cockpit & Deck Hardware, Fasteners Carnouflage	 Braided core within a braided sheath for a strong double braided line. Spliced in thimble makes attaching anchor/chain easier. Superior strength and flexibility. Unlikely to kink, hockle or rotate under load. Resistant to oil, rot and mildew. Excellent UV protection. Order No. Description Cold. Safe Working Load: 800 lbc \$27,19 H0.1322000	 4 stage construction for better abrasion resistance. Excellent UV protection. White. Order No. Description T-6433 3/8" x 50' Safe Working Load: 660 lbs. \$16.99 H0-9101000 T-6434 3/8" x 100' Safe Working Load: 660 lbs. \$28.29 H0-7961000 T-6435 3/8" x 150' Safe Working Load: 660 lbs. \$39.99 H0-9932000 T-6436 1/2" x 100' Safe Working Load: 860 lbs. \$43.99 H0-9362000 T-6437 1/2" x 150' Safe Working Load: 860 lbs. \$66.99 H0-9104000 T-6438 1/2" x 200' Safe Working Load: 860 lbs.
Misc. Comm.	7-6450 3/8" x 100' Gold Safe Working Load: 800 lbs. \$37.19 H0-1322000 7-6443 1/2" x 150' Gold Safe Working Load: 1,040 lbs. \$90.49 H0-9245000 7-6452 3/8" x 100' Black Safe Working Load: 800 lbs. \$36.59 H0-5912000 7-6453 1/2" x 150' Black Safe Working Load: 1,040 lbs. \$82.69 H0-1694000 7-6454 5/8" x 200' Black Safe Working Load: 1,760 lbs. \$165.79 H0-7499000	7-6438 1/2" x 200' Safe Working Load: 860 lbs. \$86.99 H0-9125000 7-6439 1/2" x 250' Safe Working Load: 860 lbs. \$60.49 E0-7354000 7-6440 5/8" x 200' Safe Working Load: 1,270 lbs. \$134.79 H0-7808000 7-6442 5/8" x 300' Safe Working Load: 1,270 lbs. \$208.29 H0-7942100 7-6449 3/4" x 300' Safe Working Load: 2,558 lbs. \$298.79 H0-7297100



\$363.99 G0-7834200

\$319.39 G0-9931200

Comm.

Greenfield Anchor Buddy - Poly-Cov	ered Bungee Cord	Airhead Anchor B	ungee
			C
		 Enables you to tether your boat offshore, away from a beach or rocky shoreline without having to swim or use a dinghy. Connect an anchor to your boat with the high tensile strength Anchor Bungee and set the anchor offshore. A heavy duty zinc plated shackle and snap hook are to your anchor and boat. Tie a line to the stern to pull the boat into the shore Simply secure the end of the rope to a stake onshor will pull the boat away from shore into safe waters. 	provided for attaching the Antonio to unload your group.
 Poly-covered bungee cord. Simply drop anchor about 30' out, proceed to shore, and Anchor Buddy stretches, while your anchor stays set. As you pay out your bow line, Anchor Buddy retracts, anchoring your boat safely offshore. Also works great for anchoring in rough water. For temporary anchoring/mooring only. 	LIMITED	 Anchor Bungee flexes to relieve stress on the anchor. The bright red and yellow 16 strand 2,500 lb. tensil constructed of polypropylene so it floats. Stretches from 14' to 50'. Order No. Mfg. No. / Description 601794 (AHAB-1) 	e strength rope is easy to spo List Price \$34.99 ZO
ANCHOR BUDDY. STRETCHES FROM 14' TO 50'		Cal-June Industrial R	lope Float
Order No. Mfg. No. / Description 1981231 (AB4000-B) Black 1981232 (AB4000-O) Orange 1981234 (AB4000-RB) Royal Blue 1981235 (AB4000-RD) Red 1981236 (AB4000-Y) Yellow	List Price \$45.09 H0-5072000 \$45.09 H0-5072000 \$45.09 H0-5072000 \$45.09 H0-5072000 \$45.09 H0-5072000 \$45.09 H0-5072000	Rock hard shell with 100% closed-cell, solid form core.	
MINI BUDDY PWC. STRETCHES FROM 7' TO 18'		• No-wear rope hole is PVC lined throughout.	
 Ideal solution for shallow water and small craft application Order No. Mfg. No. / Description 	INS.	Size: 15".Rope hole: 1-1/4".	_
1981271 (SWAB-B) Black	\$37.99 H0-9722000	• Buoyancy: 42 lbs.	
1981275 (SWAB-RD) Red 1981276 (SWAB-Y) Yellow	\$37.99 H0-9722000 \$37.99 H0-9722000	Order No. Mfg. No. / Description 267801 (4401RF) White	List Price \$274.99 HO
Marpac 8 Plait Nylon Rope A	ichor Rodes	Marpac 3-Strand Nylon	Anchor Rodes

• Windlass grade rope for shock absorption.

• Included swivel to reduce chain twisting.

1/2" x 300' Rope

9/16" x 200' Rope

exposure to sun and saltwater.

Description

7-7455 1/4" x 10' Chain

7-7456 1/4" x 15' Chain

7-7457 1/4" x 15' Chain

7-7461 5/16" x 15' Chain

Order No.

- Extra-strong factory spliced chain to rope.
- 8 Plait nylon rope: Eliminates ALL hockling and kinking, reduces risk of jamming the windlass gypsy, resists stiffening with age, 50% more line fits in locker than standard 3-strand rope
- High test, hot dipped, galvanized G4 chain minimizes corrosion.
- Excellent for use with most windlasses.
- Included swivel reduces chain twisting.

Order No Description

Uluel NO.	Description		LIST LITCE	
7-7450	1/4″ x 10′ Chain	1/2" x 150' Rope	\$257.59	G0-9527100
7-7451	1/4″ x 15′ Chain	1/2" x 200' Rope	\$345. 79	GO-8613200
7-7453	1/4" x 15' Chain	1/2" x 300' Rope	\$451 .99	G0-3820300
7-7452	5/16" x 15' Chain	5/8" x 200' Rope	\$477.29	GO-8791300

List Drive



				Anchor Shakles	
Marpac Galvanized Steel Screw Pi	n Anchor Shackles	WhiteCap G	alvanized Steel Anchor Sh	ackle	Anchor & Dock
MADDAC		@WHITECAP"			
MARPAG		•			
	6 20				6 6
				6	
Hot dipped galvanized steel. Order No. Description	List Price				
7-0395 Size 1/4" Sold 2 Per Card	\$2.39 G0-0610000				
7-0396 Size 5/16" Sold 2 Per Card	\$2.99 G0-0020000	Forged hot dipped galvanized stee	el anchor shackle.	LIMITED QUANTITIES	
7-0397 Size 3/8" Sold 2 Per Card 7-0398 Size 1/2" Sold 1 Per Card	\$3.69 G0-7420000 \$3.49 G0-4320000	Order No. Mfg. No. / Description 3802564 (S-1534) Size 1/2"		List Price \$8.09 F0-6650000	
,					
Galvanized Shackles - Lo	ad Rated	Galvanized S	Steel Screw Pin Anchor Sho	ickles	
			\bigcirc		
					Electronics
		 Hot dipped galvanized steel. 			
		 Imported. 			Trolling Motors
Star Star		• Sold each.		•	Instruments
		Order No. Description 616031 Size 3/16"		List Price \$0.59 G0-0400000	
		616055 Size 1/4"		\$0.59 G0-0400000 \$0.59 G0-0400000	Electrical
Order No. Description		616079 Size 5/16"		\$0.69 G0-6400000	Lighting
616258 Size 1/4" Sold 1/2 Ton 616261 Size 5/16" Sold 3/4 Ton	\$1.29 G0-6800000 \$1.39 G0-3900000	616093 Size 3/8" 616118 Size 7/16"		\$1.19 G0-0800000 \$1.89 G0-7210000	
616272 Size 3/8" Sold 1 Ton	\$2.39 G0-0610000	616132 Size 1/2"		\$2.59 G0-4710000	Anchor & Dock
616284 Size 7/16" Sold 1-1/2 Ton 616296 Size 1/2" Sold 2 Ton	\$2.89 G0-4910000 \$3.69 G0-7420000	616156 Size 5/8" 616170 Size 3/4"		\$3.69 G0-7420000 \$2.99 G0-0020000	Safety
617502 Size 5/8" Sold 3-1/4 Ton	\$5.89 G0-5930000	616173 Size 7/8"		\$8.69 G0-2850000	
617514 Size 3/4" Sold 4-3/4 Ton	\$9.19 G0-6160000	616182 Size 1"		\$12.19 G0-7180000	Steering, Controls
Boater Sports Galvanized Anchor Shackles		Hot Dip Galvanized An	1chor Shackles		Pumps
ROATTE CAR	ЭСТІТАЛ			To and the second s	
VSPORTAN CONTINUES					Fuel System
C. and					Seating & Pedestals
10	 Forgod bot din advanized a 	oating on both the shackle and pin.			
	 Easily identifiable copper col 	ored pin.			Trailering
	• Proof tested and load rated.	🥌			Tops & Covers
	 Working load limit, size, and Meet or exceed the current l 	l logo stamped on every shackle. RR-C-271 Type IV Grade A	des.		
Heavy duty hot dipped galvanized anchor shackles.	Order No. Mfg. No. / Description		•	List Price	Perform.
With holed end screw pin.Curved.	210765 (10319051) 5/1 210769 (10319052) 3/8		Breaking Load 9,900 lb. Breaking Load 13,200 lb.	\$2.69 G0-0810000 \$3.19 G0-4120000	Propellers
• Size 1/4".	210773 (10319053) 7/1	6″ Working Load Limit: 3,300 lb.	Breaking Load 19,800 lb.	\$4.29 G0-7820000	Engine
Slide blister pack. UMIT QUANTI QUANTI			Breaking Load 26,400 lb. Breaking Load 42,900 lb.	\$4.69 G0-4130000 \$7.39 G0-5940000	& Care
Order No. Mfg. No. / Description List Price 1-55030 (55030) \$1.79 H0-7010			Breaking Load 62,700 lb.	\$10.09 G0-6760000	Cleaning & Care
Marpac Stainless Steel Screw Pin		long D Stain	ess Steel Shackle with Scr	ow Pin	Paint &
Marpac Stanness Steer Screw Pin	Anchor Shuckles		ess Sieer Shuckle with Sch		Paint Acc.
MARPAG					Fun & Flotation
			e		Topside
			q		
(3	Cockpit & Deck
				67	Hardware,
Cast 316 stainless steel.Sold one per card.		• Made from grade 316 stainless ste	aal far maximum carrosian rasis	tance and durability making	Fasteners
Sold one per cara. Order No. Description	List Price	it ideal for marine and industrial ap	pplications.	iunce una aorability, making	Camouflage
7-0267 Size 1/4"	\$4.79 G0-1230000	Working load limit: 1,000 lbs.			Misc.
7-0268 Size 5/16" 7-0269 Size 3/8"	\$6.59 G0-2440000 \$9.49 G0-6360000	• Size 5/16". Order No. Mfg. No. / Description		List Price	
					Comm.
7-0270 Size 1/2"	\$15.69 G0-1501000	212101 (S0138-0008)		\$6.25 B0-3650000	Continu

326	Rope Thimbles, Quick Links, Wire Rope Clips			
		Standard Ro	pe Thimbles	
Anchor & Dock	 Hot dipped galvanized steel. Imported. Sold each. Standard Stainless Steel Wire Rope Thimbles		Order No. Description 615433 Size 3/16" 615437 Size 1/4" 615471 Size 5/16" 615495 Size 3/8" 615535 Size 1/2" 615572 Size 5/8" 615597 Size 3/4" 615611 Size 1" Galvanized Thimbles Type III - Heavy	List Price \$0.29 G0-9100000 \$0.29 G0-9100000 \$0.39 G0-6200000 \$0.49 G0-3300000 \$0.69 G0-6400000 \$1.69 G0-3110000 \$2.29 G0-3510000 \$3.89 G0-1620000 Duty
Electronics Trolling Motors Instruments		H0-3200000	• Sold each.	
Electrical Lighting Anchor	212035 (\$0123-0008) Size 5/16" \$1.29 212047 (\$0123-0010) Size 3/8" \$2.19 212059 (\$0123-0013) Size 1/2" \$3.09	H0-9500000 H0-7700000 H0-1310000 H0-5810000	Order No. Description 615624 Size 3/8" 615660 Size 5/8"	QUANTITIES \$0.69 60-6400000 \$2.49 60-7610000
& Dock	Marpac Quick Links		Stainless Steel Locking Wire	63
Safety Steering, Controls Pumps Fuel	 Precision cast. Great for anchor chain and trailer safety chains. Sold each per blister pack. 	2	• Helps prevent screw pin from working loose from shackle.	\bigcirc
Seating & Pedestals	PLATED STEEL Order No. Diameter Dimensions Safe Working Load List Price 7-54534 5/16" 1-1/2" W x 2-15/16" L 690 lbs. \$2.39	F0-7610000 F0-6120000	SOLD IN 10' COILS Order No. Mfg. No. / Description 552401 (30085) .032" 552403 (30086) .041" SOLD IN ONE POUND CANISTERS	List Price \$3.59 H0-5120000 \$3.59 H0-5120000
Tops & Covers Perform.	STAINLESS STEEL Order No. Diameter Dimensions Breaking Strength List Price 7-54506 5/16" 1-1/2" W x 2-15/16" L 4,299 lbs. \$4.39	F0-7030000	Order No. Mfg. No. / Description 552405 (30087) .032" x 340' 552407 (30088) .041" x 225'	List Price \$17.59 H0-5501000 \$17.59 H0-5501000
Propellers Engine & Care Cleaning & Care Paint & Paint Acc. Fun &	Imported Galvanized Wire Rope Clips		Duplex Oval Sleeves	
Flotation Topside Acc. Cockpit & Deck Hardware, Fasteners Camouflage	615039 Size 3/16" \$0.39 615053 Size 1/4" \$0.59 615077 Size 5/16" \$0.59 615091 Size 3/8" \$0.89 615130 Size 1/2" \$1.19	60-6200000 60-6200000 60-0400000 60-0400000 60-0600000 60-0800000 60-3110000	COPPER DUPLEX OVAL SLEEVES - ZINC PLATED Order No. Mfg. No. / Description 211211 (SL2-2P) 1/16" Use Hand Swager (1-SC) 211223 (SL2-3P) 3/32" Use Hand Swager (1-SC) 211235 (SL2-4P) 1/8" Use Hand Swager (1-SC) 211247 (SL2-5P) 5/32" Use Hand Swager (1-SC) 211259 (SL2-6P) 3/16" Use Hand Swager (1-SC) 211259 (SL2-6P) 3/16" Use Hand Swager (0-7/32) 211261 (SL2-7P) 7/32" Use Hand Swager (0-7/32) 211273 (SL2-8P) 1/4" Use Hand Swager (0-5/16) 211285 (SL2-10P) 5/16" Use Hand Swager (0-5/16) ALUMINUM DUPLEX OVAL SLEEVE VAL SLEEVE VAL SLEEVE	List Price \$0.69 H0-1400000 \$1.09 H0-5600000 \$1.89 H0-3110000 \$2.39 H0-3410000 \$4.89 H0-3920000 \$5.79 H0-7430000 \$7.99 H0-9740000 \$14.29 H0-7580000
Comm.	615166 Size 3/4" \$2.99	H0-9710000 H0-3440000	Order No. Mfg. No. / Description 211196 (SL1-6) 3/16" Use Hand Swager (1-SC)	List Price \$0.89 H0-3500000



Beautiful Luster and Even Finish From hand polished molds

ANATOMY OF A PREMIUM FENDER

All Polyform US fenders are made in our factory in Kent, Washington. The original one-piece construction is like nothing else in the world and creates a premium product with quality like no other. Unique Vinyl Valve with Screw Seals securely for better air retention

Great UV Stability To better maintain brilliant color

ENGINEERED FOR EXCELLENCE BUILT FOR PERFORMANCE

Delivering the ultimate protection for your investment

Molded-in Ribs For added strength and greater abrasion resistance

Soft Flexible Material Absorbs more energy for better protection



Even Wall Thickness Provides durability with no weak points

Reinforced Ropeholds For added strength


PolyformUS.com

328	Fenders	
Anchor & Dock	Marpac Inflatable Vinyl Fenders	Polyform G Series Boat Fenders
G	MADDAC.	O lufarm
В		U.S.
	0	Strong single piece construction.
		Even wall thickness for maximum strength and
		durability.
Ā		Molded-in ribs for strengt and abrasion resistance. White Blue Black Gray
	Made of high quality vinyl. White Blue Black "Super-soft" fenders.	Reinforced ropeholds.
	 Non-abrasive and can be tied to cleats or rails 	Designed for use by trailered boats and in permanent
	 to put protection exactly where you need it. Ribbed on all sides for strength and durability. Red 	protected moorings. Graphite Cobalt Blue Forest Green Sand
	Kibbed on all sides for strength and durability. Red Tan Reinforced rope holes for added strength.	Order No. Mfg. No. / Description For Boats: List Price 720020 (G-2 WHITE) 4.5" x 15.5" White 10' to 15' \$22.29 F0-0651000
	Order No. Description List Price	719851 (G-3 BLACK) 5.5" x 19" Black 15' to 20' \$26.79 FO-5781000
Electronics	7-0580 4-1/2" x 16" White For Boats: Up to 15' \$7.84 Z0-8850000 7-0585 4-1/2" x 16" Blue For Boats: Up to 15' \$7.84 Z0-8850000	719877 (G3-GRAY) 5.5" x 19" Gray 15' to 20' \$27.59 F0-1391000 719902 (G-3 BLUE) 5.5" x 19" Blue 15' to 20' \$26.79 F0-5781000
Trolling	7-0590 4-1/2" x 16" Black For Boats: Up to 15' \$7.84 Z0-8850000	720032 (G-3 WHITE) 5.5" x 19" White 15' to 20' \$26.79 F0-5781000
Motors	7-0581 5-1/2" x 20" White For Boats: 15' to 20' \$12.24 Z0-8190000	719908 (G-3 COBALT B) 5.5" x 19" Cobalt Blue 15' to 20' \$26.79 FO-5781000
Instruments	7-0586 5-1/2" x 20" Blue For Boats: 15' to 20' \$12.24 Z0-8190000 7-0591 5-1/2" x 20" Black For Boats: 15' to 20' \$12.24 Z0-8190000	719912 (G-3 FGREEN) 5.5" x 19" Forest Green 15' to 20' \$26.79 F0-5781000 719922 (G-3 SAND) 5.5" x 19" Sand 15' to 20' \$26.79 F0-5781000
	7-52558 5-1/2" x 20" Red For Boats: 15' to 20' \$13.89 FO-2790000	720034 (55-059-450) 5.5" x 19" Graphite 15' to 20' \$26.79 F0-5781000
Electrical	7-0582 6-1/2" x 23" White For Boats: 20' to 25' \$13.47 Z0-0101000 7-0587 6-1/2" x 23" Blue For Boats: 20' to 25' \$13.47 Z0-0101000	719863 (G-4 BLACK) 6.5" x 22" Black 20' to 25' \$40.59 F0-1482000 719879 (G4-GRAY) 6.5" x 22" Gray 20' to 25' \$41.79 F0-5292000
Lighting	7-0592 6-1/2" x 23" Black For Boats: 20' to 25' \$13.47 Z0-0101000	719914 (G-4 BLUE) 6.5" x 22" Blue 20' to 25' \$40.59 F0-1482000
Anchor	7-52565 6-1/2" x 23" Tan For Boats: 20' to 25' \$16.59 F0-1611000	720044 (G-4 WHITE) 6.5" x 22" White 20' to 25' \$40.59 F0-1482000
& Dock	7-0583 8-1/2" x 27" White For Boats: 25' to 30' \$24.42 Z0-1381000 7-0588 8-1/2" x 27" Blue For Boats: 25' to 30' \$24.42 Z0-1381000	719918 (G-4 COBALT B) 6.5" x 22" Cobalt Blue 20' to 25' \$40.59 F0-1482000 720040 (G-4 SAND) 6.5" x 22" Sand 20' to 25' \$40.59 F0-1482000
Safety	7-0593 8-1/2" x 27" Black For Boats: 25' to 30' \$24.42 Z0-1381000	720046 (97-141-463) 6.5" x 22" Graphite 20' to 25' \$40.59 FO-1482000
Steering,	Taylor Made Hull Gard® Inflatable Vinyl Fenders	719875 (G-5 BLACK) 8.8" x 26.8" Black 25' to 35' \$78.29 F0-0845000 719881 (G5-GRAY) 8.8" x 26.8" Gray 25' to 35' \$80.59 F0-1465000
Controls		719926 (G-5 BLUE) 8.8" x 26.8" Blue 25' to 35' \$78.29 FO-0845000
Pumps	Taylor Made	720056 (G-5 WHITE) 8.8" x 26.8" White 25' to 35' \$78.29 F0-0845000 719929 (G-5 COBALT B) 8.8" x 26.8" Cobalt Blue 25' to 35' \$78.29 F0-0845000
Fuel		719932 (G-5 FOREST) 8.8" x 26.8" Forest Green 25' to 35' \$78.29 FO-0845000
System		720050 (G-5 SAND) 8.8" x 26.8" Sand 25' to 35' \$78.29 F0-0845000 720058 (69-228-286) 8.8" x 26.8" Graphite 25' to 35' \$78.29 F0-0845000
Seating & Pedestals	Combines unsurpassed softness and superior	720058 (69-228-286) 8.8" x 26.8" Graphite 25' to 35' \$78.29 F0-0845000 720068 (G-6 WHITE) 11" x 30" White 35' to 40' \$103.39 F0-7327000
Trailering	strength to provide boaters with the maximum protection available from a utility fender.	Taylor Made Storm Gard® Inflatable Vinyl Fenders
	Valve seats are integrally molded into the	ruyor mude sionii ouru o innuiusie viigi renders
Tops & Covers	fender, not glued in like the competition. White Mid Atlantic Burgundy Reinforced molded in eyelets.	Taylor Made
Perform.	Unique oval design which prevents the fender	
	 from rolling out of position. Inflation valves adjust the level of firmness to Captain's Black Onva Emergid 	
Propellers	 Initiation valves adjust the level of limitless to Captain's Black Onyx Emerald Satisfy all applications. Captain's Black Onyx Green 	
Engine	Order No. / Mfg. No. / Description For Boats: List Price	Feature all the same great
& Care	719344 (1021) 4-1/2" x 16" White 10' to 15' \$17.99 F0-9521000 3454121 (41021) 4-1/2" x 16" Mid Atlantic Blue 10' to 15' \$20.99 H0-9521000	qualities as our standard Hull Gard, White Mid Atlantic Black Onyx Super Gard, and Big B fenders. Blue
Cleaning & Care	719356 (1022) 5-1/2" x 20" White 15' to 20' \$23.49 F0-4461000	Reinforced molded-in eyelets.
Paint &	719386 (41022) 5-1/2" x 20" Mid Atlantic Blue 15' to 20' \$21.99 F0-9351000	Ribbed sides minimize roll. Integrated color agents provide
Paint Acc.	719400 (531022) 5-1/2" x 20" Burgundy 15' to 20' \$21.99 F0-9351000 719409 (571022) 5-1/2" x 20" Captain's Navy 15' to 20' \$21.99 F0-9351000	added luster in sunlight. Silver Mist Burgundy Captain's Navy Aurora Gold
Flotation	719414 (31723) 6-1/2" x 23" Black Onyx 20' to 25' \$36.19 F0-3352000	Order No. / Mfg. No. / Description For Boats: List Price
Topside Acc.	719368 (1023) 6-1/2" x 23" White 20' to 25' \$36.19 F0-3352000 719390 (41023) 6-1/2" x 23" Mid Atlantic Blue 20' to 25' \$36.19 F0-3352000	719405 (252000) 5-1/2" x 20" White 15' to 20' \$23.19 F0-3261000 3450092 (252004) 5-1/2" x 20" Mid Atlantic Blue 15' to 20' \$29.99 J0-9461000
Cockpit	719401 (531023) 6-1/2" x 23" Burgundy 20' to 25' \$33.99 F0-9732000	719412 (252007) 5-1/2" x 20" Black Onyx 15' to 20' \$24.69 F0-8271000
& Deck	719410 (571023) 6-1/2" x 23" Captain's Navy 20' to 25' \$36.19 F0-3352000 719415 (71028) 8-1/2" x 27" Black Onyx 25' to 35' \$69.69 F0-8784000	225415 (252047) 5-1/2" x 20" Silver Mist 15' to 20' \$24.69 F0-8271000 225420 (252053) 5-1/2" x 20" Burgundy 15' to 20' \$23.19 F0-3261000
Hardware, Fasteners	719370 (1028) 8-1/2" x 27" White 25' to 35' \$69.69 F0-8784000	225425 (252057) 5-1/2" x 20" Captain's Navy 15' to 20' \$23.19 F0-3261000
	719396 (41028) 8-1/2" x 27" Mid Atlantic Blue 25' to 35' \$69.69 F0-8784000	225435 (262300) 6-1/2" x 22" White 20' to 25' \$35.99 F0-9152000
Camouflage	719411 (571028) 8-1/2" x 27" Captain's Navy 25' to 35' \$69.69 F0-8784000 719416 (71024) 10-1/2" x 30" Black Onyx 35' to 50' \$98.29 F0-0886000	225455 (262357) 6-1/2" x 22" Captain's Navy 20' to 25' \$35.99 F0-9152000 225460 (262379) 6-1/2" x 22" Aurora Gold 20' to 25' \$35.99 F0-9152000
Misc.	719371 (1024) 10-1/2" x 30" White 35' to 50' \$98.29 F0-0886000	225465 (282600) 8-1/2" x 27" White 25' to 35' \$69.69 F0-8784000
	719398 (41024) 10-1/2" x 30" Mid Atlantic Blue 35' to 50' \$93.99 F0-9756000 M749-5324 (531024) 10-1/2" x 30" Burgundy 35' to 50' \$93.79 F0-5656000	225475 (282647) 8-1/2" x 27" Silver Mist 25' to 35' \$69.69 F0-8784000 225485 (282657) 8-1/2" x 27" Captain's Navy 25' to 35' \$69.69 F0-8784000
Comm.	M749-5414 (541024) 10-1/2" x 30" Emerald Green 35' to 50' \$93.79 F0-5656000	225490 (282679) 8-1/2" x 27" Aurora Gold 25' to 35' \$69.69 F0-8784000

									Fenders	
Taylor Made Sup	erGard Inflatable Vinyl	Fenders			Boater	Sports Stand	lard Fenders			Ð
Taylor Made	(-	SPORTS			-			Anchor & Dock
-	1 million	maine		• Made of high quali						e ð
 Made from the highest quality marine feature a high gloss finish with rubbe 	e grade vinyl and			 Ribbed on all sides Non-abrasive and a 			ut protection ex	actly		
 Valve seats are integrally 	i toolbuii needie vuive.			where you need it. • Reinforced rope ho				,	LIMITED	5
 molded into the fender. Eye hole accepts rope size 				Order No. Mfg. No. /		engin.		List Price	QUANTITIES	
 up to 5/8". Ribbed sides minimize roll. 	Sec.			1-52559 (52559) 1-52561 (52561)	5-1/2″ x 20		/	\$16.39 \$18.09	F0-7411000 F0-6621000	
	White Mid Atlantic Blue	Black Onyx	Burgundy	1-52562 (52562)	6-1/2″ x 23	6″ Red		\$16.89	F0-2811000	
· · ·				1-52564 (52564) 1-52185 (52185)					F0-8901000 F0-3091000	
Emerald Green Ruby Red Au		Captain's Navy I	Lime Green		,		ıyl Fender Ki			
Order No. Mfg. No. / Description	Black For Boats:	List Price		MADDAC.	marpaci					Electronics
719522 (950520) 5-1/2" x 20"	White 15' to 20' Mid Atlantic Blue 15' to 20'	\$29.99 FO- \$29.99 FO-	-9902000	MANPAL					L.	Trolling Motors
3451088 (952520) 5-1/2" x 20"	Black Onyx 15' to 20'	\$31.99 FO-	-9322000	• Two fenders per po			side of the boo	t. 💻		
,	Burgundy 15' to 20' Emerald Green 15' to 20'	\$31.99 FO- \$29.99 FO-		 Ribbed on all sides Rope holes are rein		d durability.				Instruments
3451110 (955520) 5-1/2" x 20"	Ruby Red 15' to 20'	\$31.99 FO-	-9322000	• Includes inflation v	alve to vary air				No other	Electrical
	Aurora Gold 15' to 20' Silver Mist/Black 15' to 20'	\$31.99 FO- \$29.99 FO-	-9902000	Includes: (2) BraidBraided MFP fende			and resistant to			Lighting
	Black Onyx 20' to 25' Burgundy 20' to 25'	\$49.99 FO- \$49.99 FO-		abrasion, mildew, o Order No. Size	oil & rot.	For Boats:	Fender Line	List Price		Anchor
719617 (954622) 6-1/2" x 22"	Emerald Green 20' to 25'	\$49.99 FO-	-9943000	7-6520 5-1/2">		15' to 20'	3/8″ x 60″	\$23.02	Z0-7271000	& Dock
	Ruby Red 20' to 25' Captain's Navy 20' to 25'	\$51.99 FO- \$49.99 FO-		7-6524 5-1/2" > 7-6528 5-1/2" >		15' to 20' 15' to 20'	3/8" x 60" 3/8" x 60"		Z0-7271000 Z0-7271000	Safety
719635 (960622) 6-1/2" x 22"	Aurora Gold 20' to 25'	\$49.99 FO-	-9943000	7-6521 6-1/2">	c 23″ White	20' to 25'	3⁄8″ x 60″	\$25.97	ZO-8491000	Steering, Controls
	Silver Mist/Black 20' to 25' White 25' to 35'	\$52.19 FO- \$89.09 FO-	-6326000	7-6525 6-1/2" > 7-6529 6-1/2" >		20' to 25' 20' to 25'	3/8" x 60" 3/8" x 60"		Z0-8491000 Z0-8491000	Pumps
,	Mid Atlantic Blue25' to 35'Black Onyx25' to 35'	\$89.09 FO- \$89.09 FO-		7-6522 8-1/2" > 7-6526 8-1/2" >		25' to 30' 25' to 30'	1/2" x 84" 1/2" x 84"		Z0-5853000 Z0-5853000	
3451112 (955824) 8-1/2" x 26"	Red Ruby 25' to 35'	\$84.99 EO-	-4736000	,			•	-		Fuel System
719640 (957824) 8-1/2" x 26" 719558 (950128) 10-1/2" x 30"	Captain's Navy 25' to 35' White 35' to 50'	\$83.99 FO- \$125.99 FO-			form G Series	Fenders wit	h Fender Line	es - 4 Pack		Seating & Pedestals
719596 (951128) 10-1/2" x 30" 719673 (957128) 10-1/2" x 30"		\$125.99 FO- \$125.99 FO-		Polyform U.S.					44	Trailering
3458016 (974128) 10-1/2″ x 30″		\$124.99 FO		• Even wall thickness	s for maximum s	strength and du	rability.			
Polyform	F Series Fenders - Whit	e		• Designed for use b moorings.	y trailered boats	and in perman	ent protected		3	Tops & Covers
aluform i				Reinforced ropehol					Bigtim	Perform.
U.S. (S)				Molded-in ribs for s Order No. Mfg. No. /	•	asion resistance	• For Boats:	List Price		Propellers
• Wide range of sizes to suit any vesse	el.			719869 (49-053-	554) 8.8″ x 26		25' to 35'	\$253.19	F0-3277100	Engine
Unique vinyl valve seals securely.Even wall thickness for maximum structure	enath and durability				581) 8.8″ x 26		25' to 35'		F0-3277100	& Care
• Multiple ribbed reinforced ropeholds.				Taylor	Made Tuff Ei	nd™ Inflatak	ole Vinyl Fend	ders - Whi	te	Cleaning & Care
 Twin-eye design for vertical or horizon Designed for use in permanent unpro 		ks and concrete w	valls	Taylor Ma	de 🐻	1	Æ			Paint & Paint Acc.
Order No. Mfg. No. / Description		List Price					4		Þ	Fun &
719749 (F-1 WHITE) 6" x 24" 719751 (F-02 WHITE) 7.5" x 26"	For Boats: 20' to 25' For Boats: 20' to 30'	\$66.49 FO- \$78.69 FO-		Features seamlessFor heavy duty ma		5.		and the second	and the second	Flotation
719752 (F-2 WHITE) 8.2" x 25"	For Boats: 20' to 30'	\$91.19 FO-	-3836000	 Designed to perform Constructed from the second from				rd Dia Dan	d Hull Card	Topside Acc.
719753 (F-3 WHITE) 8.2" x 30" 719754 (F-4 WHITE) 8.5" x 40.5	For Boats: 20' to 30' 5" For Boats: 30' to 35'	\$124.89 FO- \$158.69 FO-		• Constructed from the fenders, the end in	each Tuff End	is injection mole	ded for extra str	ength and re	eliability.	Cockpit & Deck
719755 (F-5 WHITE) 11" x 30" 719762 (F-6 WHITE) 11" x 42"	For Boats: 30' to 40' For Boats: 35' to 50'	\$163.09 FO- \$222.79 FO-		Now inflatable with Order No. Mfg. No. /	, ,	oump.		List Price		Hardware,
719763 (F-7 WHITE) 15" x 41"	For Boats: 50' to 60'	\$324.09 FO-	-6862200	719703 (1191)	12″ x 35″	For Boats: 50'		\$180.79	F0-5562100	Fasteners
719786 (F-8 WHITE) 15" x 58" 719787 (F-10 WHITE) 18" x 50"	For Boats: 50' to 70' For Boats: 60' to 70'	\$540.69 FO- \$619.49 FO-		719704 (1192) 719712 (1193)		For Boats: 60' For Boats: 70'			F0-5926100 F0-0167300	Camouflage
719788 (F-11 WHITE) 21.2" x 57	.5" For Boats: 60' and Up	\$729.59 FO-	-1701500	719706 (1194)	24"x 57"	For Boats: 80'			F0-5982400	Misc.
SPEC	CIAL H	AN	DL	NG	MA	Y	APP	LY		Comm.

330	Fenders			
	Marpac Hole-Thru-Middle Fend	ers	Polyform HT/	A Series Fenders
nchor & Dock	MARPAC		Polyform	
	Miller .		Even wall thickness for maximum	
20	Made of high quality vinyl.		strength and durability.	
	These "super-soft" fenders are non abrasive and can be tied to cleats or rails to put protection		 Molded-in ribs for strength and abrasion resistance. 	
G	exactly where needed.Ribbed on all sides for strength and durability.		 Reinforced tube ends. Designed for medium-duty use in both	
	 Reinforced rope holes for added strength. Fits up to 5/8" line. 		permanent protected and unprotected moorings.	White Black Blue
	Single fenders.	White Black	WHITE	
	Order No. Description 7-6532 8" x 20" White For Boats: 25' to 30'	List Price \$22.54 Z0-0961000	Order No. Mfg. No. / Description 720107 (HTM-1 WHITE) 6.3" x 15.5"	For Boats: List Price 20' to 25' \$55.29 F0-0783000
	7-6535 8" x 20" Black For Boats: 25' to 30'	\$22.54 Z0-0961000	720119 (HTM-2 WHITE) 8.5" x 20.5" 720121 (HTM-3 WHITE) 10.5" x 27"	25' to 30' \$72.69 F0-8805000 30' to 40' \$128.99 F0-9209000
Electronics	7-6533 10" x 28" White For Boats: 30' to 35' 7-6536 10" x 28" Black For Boats: 30' to 35'	\$40.18 Z0-4103000 \$40.18 Z0-4103000	720133 (HTM-4 WHITE) 13.5" x 34.8"	40' to 50' \$190.29 F0-0233100
Trolling Motors	Taylor Made Big B™ Inflatable Vinyl	Fenders	BLACK Order No. Mfg. No. / Description	For Boats: List Price
Instruments		a sector of the	720117 (HTM-2 BLACK) 8.5" x 20.5" 720122 (HTM-3 BLACK) 10.5" x 27"	25' to 30' \$72.69 F0-8805000 30' to 40' \$128.99 F0-9209000
Flootical	Taylor Made		720234 (HTM-4 BLACK) 13.5" x 34.8"	40' to 50' \$190.29 F0-0233100
Electrical	Made from the highest quality marine grade vinyl with a high gloss finish.		BLUE Order No. Mfg. No. / Description	For Boats: List Price
Lighting	 Incorporates a center rope tube that allows 	- Aller and a second	720169 (HTM-2 BLUE) 8.5" x 20.5" 720125 (HTM-3 BLUE) 10.5" x 27"	25' to 30' \$72.69 F0-8805000 30' to 40' \$128.99 F0-9209000
Anchor & Dock	end-to-end line passage. • Features seamless construction, with molded		720232 (HTM-4 BLUE) 13.5" x 34.8"	40' to 50' \$190.29 F0-0233100
Safety	ribs to minimize roll. • Rubber football needle valve for easy inflation		Taylor Made Square	Low Freeboard Fender
Steering, Controls	and long life. • 3/4" diameter center hole accepts up to 5/8"	White Mid Atlantic Blue	Taylor Made	
Pumps	diameter rope to secure the fender. • • • • • • • • • • • • • • • • • • •		⁴ Products.	
Fuel	hanging is useful protection against pilings	Black Onyx Emerald Green		
System	Order No. / Mfg. No. / Description For Boats:	List Price		
Seating & Pedestals	720400 (1025) 6" x 15" White 20' to 25' 720444 (71025) 6" x 15" Black Onyx 20' to 25'	\$52.09 F0-6463000 \$52.09 F0-6463000	 The patented decian of the causer low 	
Trailering	720412 (1026) 8" x 20" White 25' to 35' 720441 (41026) 8" x 20" Mid Atlantic Blue 25' to 35'	\$69.99 F0-9984000 \$69.99 F0-9984000	 The patented design of the square Low Freeboard fender holds the fender in position better and prevents it from rolling out of 	
Tops & Covers	720445 (71026) 8" x 20" Black Onyx 25' to 35' 720395 (571026) 8" x 20" Captain's Navy 25' to 35'	\$69.99 F0-9984000 \$69.99 F0-9984000	 Shaped to protect the gunwales and rub rail 	
Perform.	M749-5526 (541026) 8" x 20" Emerald Green 25' to 35'	\$66.59 F0-1664000	Made from specially formulated tough marin	
	720424 (1032) 10" x 26" White 35' to 50' 720447 (71032) 10" x 26" Black Onyx 35' to 50'	\$123.29 F0-0368000 \$123.29 F0-0368000	grade vinyl and features an inflation valve fo air pressure adjustment.	White Metallic Black Metallic Red
Propellers	720396 (571032) 10" x 26" Captain's Navy 35' to 50' 720442 (41032) 10" x 26" Mid Atlantic Blue 35' to 50'	\$123.29 F0-0368000 \$117.99 F0-9528000	Order No. Mfg. No. / Description 719815 (31005) 5" x 14" White	List Price \$32.69 F0-8822000
Engine & Care	720425 (1034) 12" x 34" White 50' to 60' 720448 (71034) 12" x 34" Black Onyx 50' to 60'	\$177.59 F0-1342100 \$177.59 F0-1342100	3451006 (31006) 5" x 14" Metallic Bl 3451003 (31055) 5" x 14" Metallic Re	ack \$39.99 G1-9952000
Cleaning & Care				
Paint & Paint Acc.	Attwood Pontoon Fender	Taylor Made Pont		ylor Made Pontoon Corner Gard
Fun &	(a) attwood	Taylor Made	Tay	lorMade Products.
Flotation Topside		• Marine grade UV-resistant		(A)
Acc.		vinyl and have an integrated rubber football-style valve		30
Cockpit & Deck		 for easy inflation. Designed to fit snugly 	a walk	
Hardware, Fasteners		 Designed to fit shugiy between the pontoon and deck of the boat, offering 	• Flex to fit and 90° c	
Camouflage		protection from docks, rafting boats and other object	Silver color	r matches aluminum decking. asteners included.
Misc.	moorning parton on apr	• Dimensions: 9" W x 16" L.	Air-cushion	ed impact protection.
	• Dimensions: 8-1/2" x 16-1/2" x 10". Order No. Mfg. No. / Description List Price	Order No. Mfg. No. / Description 3453130 (31030) White	List Price • Dimension: \$73.99 H0-9344000 Order No.	s: 3″ W x 12″ L. Mfg. No. / Description List Price
Comm.	1147964 (93536-1) White \$30.79 F0-5512000	3450034 (31035) Silver Mis	t \$75.99 H0-9554000 722796	(31038) \$36.99 F0-9852000


			Fenders, Buoys 331
Hull Hugr Contour Fenders	Hull Hugr PWC Fender	Taylor Made PWC Fen	Anchor & Dock
	A		
HURFUHNER	HORFUHDER	Taylor Made	
			•••
Unlike traditional boat		Designed to	
fenders, the contoured shape prevents these		custom fit the profile of most	
boat dock fenders from rolling or riding up,	Engineered specifically for	PWCs.The fender bottom is shaped to "hook"	under the head
meaning your boat stays protected.	PWCs, it hinges in the center to better protect PWC bodies from docks.	flange for quick attachment.	
They hinge to wrap	 Hooks under the rub rail with a molded acetyl hook integrated into the back of the fender connect the top of 	• Flex areas on the fender provide a "hing allows the fender to conform to the sha	je" action that
around the gunwale and hull, following the	fender to a cleat or ski eye with the adjustable strap and	• The PWC fender features an inflation va	Ive for air pressure
contours of the boat.	vinyl dipped steel hook provided. • Recommended 2 fenders per PWC.	adjustment and includes a suction cup a	nd securing line.
 Constructed with a marine grade, rip-proof, tri-laminate cover, with closed cell foam inside. 	Recommended 2 fenders per PWC. Order No. Mfg. No. / Description List Price	Cidei no. mig. no. / Description List	Price .99 H0-9173000 Electronics
 Durable polycarbonate grommets at each end allow you to 	5960281 (HH-P1B) Black \$21.99 Z0-98210		.99 H0-9173000
hang from cleats.	Dell-form		Trolling Motors
Manufactured from three layer dual density EVA and can be stowed under seats.	Polyfor	m A Series Buoys	
24″ L x 6″ W x 2-1/2″ D	Polyform US		
Order No. Mfg. No. / Description List Price	0.5. S		Electrical
596917 (HH-1C) Blue \$19.99 Z0-9511000 596919 (HH-1CB) Black \$19.99 Z0-9511000	• Even wall thickness for maximum strength and durability.		Linkting
596911 (HH-1CB) Black \$19.99 20-9511000 596921 (HH-1CW) White \$19.99 Z0-9511000	 Polyform's unique vinyl valve system. Redesigned ropehold for improved strength and durability 		Lighting
30″ L x 6″ W x 4″ D	 Dual valve inflation/deflation system for sizes A-5, A-6 a 		Anchor & Dock
Order No. Mfg. No. / Description List Price	Order No. Mfg. No. Color Size	Circumference Boat Size: List F	
596931 (HH-30C) Blue \$34.99 Z0-9302000 596933 (HH-30CB) Black \$34.99 Z0-9302000	718000 (A-O RED) Red 8" x 11.5" 718005 (A-O WHITE) White 8" x 11.5"		59 F0-1623000 Safety 59 F0-1623000
596935 (HH-30CW) White \$34.99 Z0-9302000	718010 (A-1 RED) Red 11" x 15"	34.6" 15' to 30' \$57.	09 F0-6993000 Steering, Controls
	718015 (A-1 WHITE) White 11" x 15" 718020 (A-2 RED) Red 14.5" x 19.5"	34.6" 15' to 30' \$57. 45.6" 30' to 40' \$78.	09 F0-6993000
Marpac Anchor Buoys	718020 (A-2 WHITE) White 14.5 x 19.5"		99 F0-9255000 Pumps 99 F0-9255000
MARPAG	718030 (A-3 RED) Red 17" x 23"		69 F0-8937000 Fuel System
\sim	718035 (A-3 WHITE) White 17" x 23" 718040 (A-4 RED) Red 20.5" x 27"		69 F0-8937000 System 89 F0-2240100 Seating &
• Inflatable PVC buoy.	718045 (A-4 WHITE) White 20.5" x 27"	64.4" 50' to 60' \$148.	89 F0-2240100 Pedestals
Heavy duty construction.	718050 (A-5 RED) Red 27" x 36" 718055 (A-5 WHITE) White 27" x 36"		39 F0-7878100 39 F0-7878100
UV protection.	718060 (A-6 RED) Red 34" x 44"	· · · · · · · · · · · · · · · · · · ·	49 F0-4607300
 Works with anchor retrieval ring. Orange. 	718065 (A-6 WHITE) White 34" x 44" 718070 (A-7 RED) Red 39" x 54"		49 F0-4607300 Covers
Order No. Description List Price	718070 (A-7 RED) Red 39" x 54" 718075 (A-7 WHITE) White 39" x 54"		79 F0-5726600 79 F0-5726600 Perform.
7-50711 8.5" x 28" \$55.49 F0-4883000		-	Propellers
7-50713 15" x 47" \$113.29 F0-0397000 7-50714 18" x 57" \$159.19 F0-3411100	laylor Made Luff E	nd™ Inflatable Vinyl Buoys	Flopeners
7-50715 21" x 70" \$203.79 F0-5624100	Taylor Made		Engine & Care
Taylor Made Net Bouy		۵. (Cleaning
	 Heavy duty seamless construction. Made from injection molded vinyl tested to 2000 psi ten 	sile strength	& Care
Taylor Made	• Features large line holes that will accept standard shackle	es and allow rope as	Paint & Paint Acc.
	 thick as 1/2" or even 5/8" to be threaded through twice Eyelet shape designed with a taper to allow the attachment 		Fun &
	 Trivalve does not require removal to inflate. 		Flotation
Heavy duty marine grade vinyl with Injected molded ends.	Order No. Mfg. No. Color Size Circumf		ALC.
 Eyelet shape designed with a taper 	719205 (61140) Orange 9" 28" 3451143 (1143) White 12" 38"		09 F0-6782000 99 E0-9953000
to allow the attachment of a standard shackle.	719217 (61143) Orange 12" 38"	15' to 20' \$49.	29 F0-0543000
 Circumference: 38". 12" D x 16" L. 	719229 (61146) Orange 15" 47" 719221 ((1149) Orange 16" 57"		69 F0-8105000 Hardware, Fasteners
• Rope-eye diameter: 1-1/16".	719231 (61149) Orange 18" 57" 719243 (61152) Orange 21" 66"		89 F0-2466000 Tostelets 79 F0-5020100 Camouflage
Order No. Mfg. No. / Description List Price	719255 (61155) Orange 27" 85"	60' to 70' \$221.	09 F0-6745100
3450297 (903812) Neon Green \$55.99 H0-9533000	719267 (601157) Orange 34" 107"		09 F0-6792300 Misc.
	ANDLING A	MAY APPL'	Comm.






334	Fender Lines, Dock Lines		
	Marpac Braided MFP Fender Lines with 4" Loop	Marpac Double Braided Ny	lon Dock Lines
Anchor & Dock		 Superior strength and flexibility. 	
	 Floats. Multifilament polypropylene double braid construction. Can be stored wet, resists shrink. Resistant to abrasion, mildew, oil and rot. 	 Resistant to oil, rot and mildew. Excellent UV protection. Pre-spliced 12" eye. Won't stain decks. 	
Electronics	• UV protection.	WHITE Order No. Description Safe Working Load	List Price
Trolling Motors	 Safe working load: 396 lbs. Sold two lines per pack. 	7-6300 3/8" x 15' 800 lbs.	\$7.79 H0-7640000
	Order No. Description List Price	7-6301 3/8" x 20' 800 lbs. 7-6303 1/2" x 15' 1,040 lbs.	\$9.79 H0-7850000 \$10.49 H0-9260000
Instruments	7-6468 3/8" x 48" White \$4.59 H0-5720000 7-6480 3/8" x 72" White \$1.69 E0-7210000	7-6304 1/2" x 20' 1,040 lbs.	\$13.29 H0-7970000
Electrical	7-6469 3/8" x 48" Black \$4.69 H0-1820000	7-6305 1/2" x 25' 1,040 lbs. 7-6307 5/8" x 15' 1,760 lbs.	\$16.59 H0-5990000 \$16.19 H0-1790000
	7-6482 3/8" x 72" Black \$1.69 E0-7210000 7-6484 3/8" x 72" Blue \$1.79 E0-4310000	7-6308 5/8" x 20' 1,760 lbs.	\$20.99 H0-9521000
Lighting		7-6320 3/4" x 20' 2,024 lbs. 7-6322 3/4" x 30' 2,024 lbs.	\$26.59 H0-5951000 \$38.69 H0-1232000
Anchor & Dock	Marpac Double Braided Nylon Fender Lines with 6" Loop		330.07 110-1232000
•	MARPAC	BLACK Order No. Description Safe Working Load	List Price
Safety	~	7-6220 3/8" x 15' 800 lbs.	\$8.99 H0-9350000
Steering, Controls		7-6221 3/8" x 20' 800 lbs. 7-6223 1/2" x 15' 1,040 lbs.	\$11.09 H0-5660000 \$11.89 H0-3170000
	Superior strength and flexibility. Resistant to oil, rot and mildew.	7-6224 1/2" x 20' 1,040 lbs.	\$15.29 H0-7190000
Pumps	• Excellent UV protection.	7-6225 1/2" x 25' 1,040 lbs.	\$18.99 H0-9311000
Fuel System	• Safe working load: 880 lbs.	7-6313 5/8" x 15' 1,760 lbs. 7-6227 5/8" x 20' 1,760 lbs.	\$17.29 H0-7301000 \$24.59 H0-5741000
Seating &	 Includes 6" loop. Sold two lines per pack. 	7-6228 5/8" x 25' 1,760 lbs.	\$27.69 H0-1661000
Pedestals	Order No. Description List Price	7-6232 5/8" x 30' 1,760 lbs. 7-6229 5/8" x 35' 1,760 lbs.	\$36.19 G0-5242000 \$18.69 E0-2041000
Trailering	7-6476 3/8" x 72" White \$9.59 H0-5750000	7-6314 3/4" x 20' 2,024 lbs.	\$28.79 H0-7271000
Tops &	7-6477 3/8" x 72" Black \$10.29 H0-7160000	BLUE	
Covers	Taylor Made Fender Loc Fender Lines	Order No. Description Safe Working Load	List Price
Perform.	Taular Mada	7-6230 3/8" x 15' 800 lbs. 7-6231 3/8" x 20' 800 lbs.	\$8.99 H0-9350000 \$11.09 H0-5660000
Dranallara	Taylor Made	7-6233 1/2" x 15' 1,040 lbs.	\$11.89 H0-3170000
Propellers		7-6234 1/2" x 20' 1,040 lbs. 7-6235 1/2" x 25' 1,040 lbs.	\$15.29 H0-7190000 \$18.99 H0-9311000
Engine & Care		7-6235 1/2" x 25' 1,040 lbs. 7-6237 5/8" x 20' 1,760 lbs.	\$24.59 H0-5741000
Cleaning		7-6238 5/8" x 25' 1,760 lbs.	\$27.69 H0-1661000
& Care		7-6240 5/8" x 30' 1,760 lbs. 7-6239 5/8" x 35' 1,760 lbs.	\$35.39 G0-1732000 \$20.99 E0-4751000
Paint & Paint Acc.		,	
Fun &		GOLD Order No. Description Safe Working Load	List Price
Flotation		7-6250 3/8" x 15' 800 lbs.	\$8.99 H0-9350000
Topside Acc.		7-6251 3/8" x 20' 800 lbs. 7-6253 1/2" x 15' 1,040 lbs.	\$11.09 H0-5660000 \$11.89 H0-3170000
Cockpit	• 3/8″ x 72″.	7-6254 1/2" x 20' 1,040 lbs.	\$15.29 H0-7190000
& Deck	• Solid braid polypropylene rope will not fade or kink, and is rot-resistant.	7-6255 1/2" x 25' 1,040 lbs.	\$18.99 H0-9311000
Hardware, Fasteners	• Pre-spliced and professionally finished end allows the fender to be secured without hard-to-	7-6260 5/8" x 20' 1,760 lbs. 7-6257 5/8" x 25' 1,760 lbs.	\$24.59 H0-5741000 \$27.69 H0-1661000
	• Sold in packs of 2.	7-6258 5/8" x 30' 1,760 lbs.	\$29.29 G0-2691000
Camouflage	Order No. Mfg. No. / Description List Price	7-6259 5/8" x 35' 1,760 lbs.	\$20.49 E0-7351000
Misc.	3456749 (11311) White \$22.99 J0-4621000	RED	
	3451313 (11313) Black \$22.99 J0-4621000 3456761 (11315) Cranberry \$22.99 J0-4621000	Order No. Description Safe Working Load 7-6280 3/8" x 15' 800 lbs.	List Price \$5.29 E0-7930000
Comm.	3456750 (11317) Navy Blue \$22.99 J0-4621000	7-6284 1/2" x 20" 1,040 lbs.	\$9.59 E0-9170000







338	Mooring Buoys, Marker Buoys			
	Jim-Buoy Tube Style Mooring Buoy	Taylor Made Traditional Sur-Moor™ Mooring Buoy		
Anchor & Dock		Taylor Made		
& Doc	• Park band unter shall a semilare and almost independently	Hot dipped galvanized steel. Blue stripe is reflective for nighttime visibility. Order No. Mfg. No. Diameter Circumference Buoyancy List Price		
	 Rock hard outer shell, seamless, and almost indestructible. Core is 3 lb. high density polyurethane foam. 	719100 (22170) 12" 38" 30 lbs \$165.09 F0-6551100 719105 (22171) 15" 47" 60 lbs. \$210.99 F0-9674100		
	Order No. Mfg. No. Tube ID Buoy Dia. Buoyancy List Price 266045 (4402T-W-21/2) 2-1/2" 18" 86 lbs. \$295.49 F0-4860200	719109 (22172) 18" 57" 100 lbs. \$263.59 F0-1548100 719113 (22174) 24" 75" 240 lbs. \$469.99 F0-9982300		
	Taylor Made Sur-Moor™ Shackle Buoy	Taylor Made Sur-Moor™ T3C™ Mooring Buoys		
Electronics	Taylor Made	Taylor Made		
Trolling Motors		Sur-Moor hard skin mooring buoys have a seamless and tough, one-piece polyethylene shell.		
Instruments	• The rope nest design has a built in cup shape at the top of the buoy that allows the anchor shackle to nest below the buoy surface.	Hard skin shells feature ultraviolet light absorbers and have a sandblasted finish.		
Electrical	 This recessed area helps shield the shackle from contacting the boat hull and offers a nesting place for the pennant line when the boat departs from the mooring. 	 Filled with closed cell foam to positively displace water. Blue stripe is reflective for nighttime visibility. Tube-through-the-center design allows the anchor chain to pass directly through the buoy. 		
Lighting	 Hard skin polyethylene shell is UV protected. Hard skin shell now has a sandblasted finish which allows the buoy to be easily painted for 	Order No. Mfg. No. Diameter Buoy Dia. Circum. Buoyancy List Price		
Anchor & Dock	identifying.	719108 (46370) 2" 12" 38" 30 lbs. \$137.49 F0-4269000 719110 (46371) 2" 15" 47" 60 lbs. \$179.39 F0-7552100		
Safety	Order No. Mfg. No. Diameter Buoy Diameter Buoy Diameter Buoyancy List Price 719150 (46818) 2-1/2" 18" 100 lbs. \$225.69 F0-8975100	719112 (46372) 2-1/2" 18" 57" 100 lbs. \$223.59 F0-1565100 719114 (46374) 2-1/2" 24" 75" 240 lbs. \$399.99 F0-9997200		
Steering, Controls	Taylor Made Mast Buoys	Taylor Made T3C Mooring Collar		
Pumps	Taylor Made	Taylor Made		
Fuel System		E.		
Seating & Pedestals	• Perfect as a pick-up buoy and ideal for all diving applications.	- Andrew		
Trailering	 5/16" diameter pultruded fiberglass mast with PVC outer layer adds strength, flexibility and no more fiberglass shards to become exposed. Sealed urethane foam - provides great floatation and years of service. 			
Tops & Covers	 Corrosion resistant HDPE-coated cast metal weight that will not scratch or mar your boat's finish. 	 Hot dip galvanized steel collar protects your T3C buoy from anchor chain wear, prolonging the life of the buoy. 		
Perform.	Order No. Mfg. No. / Description List Price 719154 (22105) Mast Length 48" \$61.89 F0-2334000	Designed to work in combination with standard shackles. Order No. Mfg. No. / Description Fits Mooring Buoys: List Price		
Propellers	719166 (22106) Mast Length 74" \$66.29 F0-0464000 719178 (22126) Mast Length 96" \$70.09 F0-6094000	719355 (33020) Tube Diameter 2" 46370, 46371 \$24.79 F0-5371000 719053 (33025) Tube Diameter 2-1/2" 46372, 46374 \$30.79 F0-5512000		
Engine & Care	Taylor Made Sur-Mark Marker Buoys	Taylor Made Sur-Mark Buoy Labels		
Cleaning & Care	Taylor Made			
Paint & Paint Acc.				
Fun & Flotation	WAKE WAIG			
Topside Acc.		AREA		
Cockpit & Deck	Molded from tough UV protected polyethylene and are	 Fade resistant, self-adhesive vinyl marker labels. Brightly colored for high visibility. Two labels required per buoy. Orange tape not included. 		
Hardware, Fasteners	 closed cell foam filled to positively displace water. One-piece seamless construction, internal concrete ballast, recessed alarmized and the tables stand unright for storage 	Eash label is 13" W x 24" L to fit Sur-Mark Marker Buoys. Order No. Mg. No. / Description List Price		
Camouflage	recessed glavanized eye; both styles stand upright for storage. Order No. Mfg. No. Height Col. Dia. Large Ring Dia. Buoyancy List Price	642500 (46180) Slow 5 MPH \$61.79 F0-5234000 642505 (46181) Slow No Wake \$61.79 F0-5234000		
Misc.	721400 (46103) 61" 9" N/A 15 lbs. \$289.99 F0-9920200 721405 (46104) 49" 10" 18" 40 lbs. \$398.99 F0-9297200	642510 (46182) No Swimming \$61.79 F0-6094000 642532 (46185) Swim Area Hazard \$61.79 F0-5234000		
Comm.	SPECIAL HANDL	ING MAY APPLY 🔊		



Taylor Made Double Molded Vinyl Dock Edging Taylor Made Cor	mmercial Grade Double Molded PVC Dock Edging
Taylor Made Double Molded Vinyl Dock Edging Taylor Made Cor Image: Taylor Made Double Molded Vinyl Dock Edging Image: Taylor Made Cor Image: Taylor Made Double Molded Vinyl Dock Edging Image: Taylor Made Cor Image: Taylor Made Double Molded Vinyl Dock Edging Image: Taylor Made Cor Image: Taylor Made Double Molded Vinyl Dock Edging Image: Taylor Made Cor Image: Taylor Made Double Molded Vinyl Dock Edging Image: Taylor Made Cor Image: Taylor Made Double Molded Vinyl Dock Edging Image: Taylor Made Cor Image: Taylor Made Double Molded Vinyl Dock Edging Image: Taylor Made Cor Image: Taylor Made Double Molded Vinyl Dock Edging Image: Taylor Made Cor Image: Taylor Made Double Molded Vinyl Dock Edging Image: Taylor Made Cor Image: Taylor Made Double Molded Vinyl Dock Edging Image: Taylor Made Cor Image: Taylor Made Double Molded Vinyl Dock Edging Image: Taylor Made Cor Image: Taylor Made Double Molded Vinyl Dock Edging Image: Taylor Made Taylor Made Cor Image: Taylor Made Double Molded Vinyl Dock Edging Image: Taylor Made Taylor Ma	
Tough inner core is surrou	y state Guard unded with soft white vinyl for extra cushion against tough docks. to the edges of docks, piers or floats with screws or nails.
Moldad twice and molecularly bonded for extra durability and protection SIDE GARD - DEPTH 1-	
Tough inner core is surrounded with soft white vinyl for extra cushion against tough docks. Each piece installs easily to the edges of docks, piers or floats with screws or nails.	e Straight Length 10' \$49.99 FO-9943000 Straight Length 10' \$59.99 HO-9953000
Irolling SMALL EDGE GARD - DEPTH 1-3/8", HEIGHT 2-3/4"	6
Motors List Price Order No. Mfg. No. / Description Order No. Mfg. No. / Description Instruments 3458570 (46086) Coil Length 10' \$31.09 H0-5681000 3456099 (46031) White 7190040 (46097) Coil Length 25' \$55.99 F0-9193000 3456726 (46012) White	on List Price e Straight Length 10' \$47.99 H0-9782000
	TH 2-3/8", HEIGHT 3-5/8"
Order No. Mfg. No. / Description List Price T21437 (46058) Coil Length 10' \$49.69 F0-8743000 721546 (46032) White Anchor 721429 (46098) Coil Length 10' \$41.59 F0-1192000	e Straight Length 10' \$43.49 FO-4403000
Anchor 721439 (46098) Coil Length 25' \$100.09 F0-6007000 Taylor Made Tr & Dock C-SHAPE GARD - DEPTH 1-1/4", HEIGHT 3-5/8"	rue Color® Commercial Grade Edging - P-Shape
Sofety Order No. Mfg. No. / Description List Price Taylor Made	5
Steering, Controls 721428 (46070) Straight Length 8' \$29.99 F0-9902000 721429 (46056) Coil Length 10' \$37.19 F0-3062000 721522 (46054) Coil Length 25' \$91.99 F0-9346000	nology to color match aluminum
Taylor Made Dockgard® EPDM Rubber Dock Edging	at properties of the existing line in oteration for your boat, non-marring,
System holding up- to UV and mil	Idew but now you don't have to lack on your new aluminum dock.
Seating & Predictors. Mfg. No. / Descriptic Pedestals	ion List Price QUANTITIES
	ck Pro $^{ extsf{B}}$ Standard "P" Shaped Vinyl Dock Edging
Tops & environments and is soft enough to cushion your boat Top-Side Guard D-Profile Taylor Made Proposets.	
• At 70 durometer, edging starts softer than vinyl and stays flexible when exposed to UV rays.	
Propellers as our other heavy duty d	profile has the same great qualities Jouble molded profiles to give you
Engine 721591 (96001) Straight Length 6' \$101.19 F0-3807000 • Installs easily with screws	rotection you need dock side. '
Cleaning Order No Mfn No / Description List Price Order No Mfn No / Description	ion List Price
& Care 721616 (96038) Straight Length 6' \$101.19 F0-3807000 3450021 (45994) Coil	Length 10' \$58.99 G1-4383000
Paint Acc. Taylor Made Ninety Degree Vinyl Corner Bumpers	Taylor Made Corner Guard
Fun & Flotation Taylor Made Property Constraints	
Topside Acc. • Made from the same tough PVC as our dock	S Aller B
Cockpit & Deck • Inside structural ribs provide the impact resistance • Made from the same greater • Made from the same gr	at rubber material as our
Hardware, Fasteners • Fits flush with the large Commercial Grade P-Shape. • Use with our dock strips for the large Commercial Grade P-Shape.	for complete protection.
Camouflage Order No. Mfg. No. / Description List Price • Dimensions: 3-1/2" x 6" 3456015 (46015) White Dimensions: 6" x 6" \$26.99 H0-9161000 Order No. Mfg. No. / Description	и
MISC.	
SPECIAL HANDLING N	

Dock and Corner Bumper, Post Bumper

Taylor Made Post Bumper

Taylor Made Dock Pro® Vinyl Dock Bumpers

Protect the side and top of the dock with 1-1/4" cushion above dock level.

Made from the same tough marine grade vinyl as Taylor Made fenders, with solid flaps that

• Our dock bumpers have superior cushioning that protects boats and docks from each other.

10" x 10"

10" x 10"

18"

18"

Taylor Made

- · Molded from marine grade vinyl with an inflation valve to adjust firmness.
- Post bumpers are great protection for pipe supported type docks.
- Protects the boat from contact with the metal dock pipe and
- hardware at dock level. Easily slides over 1-1/2" dock pipe and rests securely against the dock.
- White.
- Order No. Mfg. No. / Description

Faylor Made

attach easily to any dock.

Mfg. No.

721527 (46081) Corner Mount

721539 (46082) Straight Mount

721538 (46075) Straight Mount

(46076) Corner Mount

Order No.

721529

721410 (45600) 7" Dimaeter x 17" Long



List Price

List Price

\$23.09 F0-6161000

\$24.69 F0-8271000

\$24.69 F0-8271000

\$24.69 F0-8271000

\$37.99 F0-9562000

LIMITED

QUANTITIES

- Taylor Made
- · Polyester textile cover and closed-cell foam inner cushion, not vinyl, PVC or rubber.
- Cleans easily with liquid soap and a brush.
- · Flexible enough to mount on curves or around corners.
- Will not deteriorate in the sun or mar your boat.
- Flexible tab (1" wide) system allows standard top-of-dock or unique fold-over mounting which conceals the top row fasteners.

Order No.	Mfg. No. / De	scription		List Price	
721806	(DB2.60)	3-5/8″ W x 1-1/4″ D	Length 6'	\$54.69	F0-8283000
719642	(DB3.30)	4-1/2″ W x 1-3/4″ D	Length 3'	\$50.09	F0-6053000
719650	(DB3.60)	4-1/2″ W x 1-3/4″ D	Length 6'	\$78.89	F0-2255000
721818	(DB4.30)	5-1/2″ W x 2-1/4″ D	Length 3'	\$65.19	F0-3654000
3450059	(DB4.40)	5-1/2" W x 2-1/4" D	Length 4'	\$105.99	J0-9285000
722973	(DB4.60)	5-1/2″ W x 2-1/4″ D	Length 6'	\$106.19	F0-3347000
719660	(DB4.90)	5-1/2" W x 2-1/4" D	Length 9'	\$141.39	F0-7989000

Taylor Ma



Order No. Mfg. No. / Description 7

725878	(CB3.20)	Height 3″	Length 12"	\$55.79
725880	(CB4.20)	Height 4"	Length 12"	\$64.69

Taylor Made Removeable Post Bumper

Color

White

Black

White

Black



- Made out of the same high quality materials as our Dock and Post Bumper, Perimeter Removable Post Bumper.
- Comes equipped with polyester webbing (53" long) and a heavy duty Derlin buckle system which allows for a quick, easy and secure installation.
- Simply wrap the webbing around the piling, snap the buckle and pull tight.
- When you're ready to depart, simply unbuckle and stow away.

Order No. Mfg. No. / Description 3450056 (RPB3.30) 4-1/2" W x 3' H List Price

LIMITED

QUANTITIES

List Price


\$55.89 F0-2193000



Taylor Made Dock Cushion

- UV protected.
- Outer shell made from high density PE foam and inner core made with lower density EVA foam.
- Designed for both horizontal and vertical applications, Dock Cushions are pre-drilled and ready to mount. Hardware not included.
- Order No Mfa. No. / Description

M749-46011 (46011) Straight 36" L x 3-1/4" W x 5" T



È

• Dimensions: 7" diameter x 15" height. Mounting Pattern: (6) 5/16" holes. Order No Mfg. No. / Description List Price 237449 (93534-1) \$26.19 F0-3381000






341

3450059 (DB4.40) 5-1/2" W x 2-1/4" D Length 4' 722973 (DB4.60) 5-1/2" W x 2-1/4" D Length 6'	\$105.99 J0-9285000 \$106.19 F0-3347000	Electronics
719660 (DB4.90) 5-1/2" W x 2-1/4" D Length 9'	\$141.39 F0-7989000	Trolling Motors
Taylor Made Dock Corner Bu	mpers	Instruments
Taylor Made		
-		Electrical
 Create a finished look to the 90° outside corner of the dock Designed to match up perfectly with our medium, large and 		Lighting
x-large dock bumpers and extend 12" along each side of th dock from the corner point. Mounting flanges are incorporated both top and bottom	le	Ancho & Docl
for secure installation.		Safety
Order No. Mfg. No. / Description 725878 (CB3.20) Height 3" Length 12" 725880 (CB4.20) Height 4" Length 12"	List Price \$55.79 F0-5093000 \$64.69 F0-8254000	Steering, Controls
Attwood SoftSide Dock Fen	ders	Pumps
a) attwood		Fuel System
·	21 10	Seating & Pedestals
	2 24	Trailering
237447 237446		Tops & Covers
23 Seamless one-piece construction.	37448 237449	Perform.
Molded from a lightweight polymeric material that is soft to resistant to UV, chalking, splitting and crushing.	the touch, easy on hulls and	Propellers
CORNER DOCK FENDER - FITS 90° ANGLE • Dimensions: 11-3/4" x 11-3/4" x 4-1/2". Mounting path	torn: (1) 5 /14" holes	Engine & Care
Dimensions, 11-3/4 x 11-3/4 x 4-1/2 . Moonning pure Drder No. Mfg. No. / Description	List Price	Cleaning
237446 (93531-1)	\$18.09 F0-6621000	& Care
STRAIGHT-EDGE DOCK FENDER Dimensions: 18" x 3-1/2" x 4-1/2". Mounting pattern: (3	3) 5/16″ holes	Paint & Paint Acc.
Order No. Mfg. No. / Description 237447 (93532-1)	List Price \$15.99 F0-9111000	Fun & Flotation
SLIDE-ON POST DOCK FENDER - FITS UP TO 2-3/8'		Topside Acc.
Dimensions: 7" diameter x 15" height. Mounting Pattern: ((4) 5/16" holes.	Cockpit
Irder No Mfa No / Description	List Drice	& Dock


& Deck List Price \$27.49 F0-4291000 Hardware, Fasteners Camouflage

Misc.


Comm







Boat Lift Motors, Traction Tapes









Accon Flush-Mounted Pull-Up Cleats

Accon Marine



- Made of marine grade 316 stainless steel.
- · Sealed base eliminates the need for a waterproofing cup, water can be drained through a fitting at the bottom of the unit.
- Can be converted to a lifting cleat by inserting a connecting rod in the base of the unit and attaching the rod to the bow eye.
- Each cleat is shipped with a backing plate that also serves as the cut-out template.
- Screws are not included.

Order No. Mfg. No. / Description

S/O	(209-4)	Length 4-1/2"	Call for Price
S/O	(209-4-CA)	Length 4-1/2" with Lifting Hardware	Call for Price
S/O	(209-4-LH)	Lifting Hardware for 4-1/2"	Call for Price
S/O	(209-6)	Length 6"	Call for Price
S/O	(209-6-CA)	Length 6" with Lifting Hardware	Call for Price
S/O	(209-6-LH)	Lifting Hardware for 6"	Call for Price
S/O	(209-8)	Length 8"	Call for Price
S/O	(209-8-CA)	Length 8" with Lifting Hardware	Call for Price
S/O	(209-8-LH)	Lifting Hardware for 8"	Call for Price
S/O	(209-10)	Length 10"	Call for Price
S/O	(209-10-CA)	Length 10" with Lifting Hardware	Call for Price
S/O	(209-10-LH)	Lifting Hardware for 10"	Call for Price
S/O	(209-10-S)	Length 10", Stud Mount	Call for Price
S/O	(209-10-S-CA)	Length 10" with Lifting Hardware, Stud Mount	Call for Price
S/O	(209-4-TMP)	Top-Mount Backing Plate for 209-4	Call for Price
S/O	(209-6-TMP)	Top-Mount Backing Plate for 209-6	Call for Price
S/O	(209-8-TMP)	Top-Mount Backing Plate for 209-8	Call for Price
S/O	(209-10-TMP)	Top-Mount Backing Plate for 209-10	Call for Price


Accon Pop-Up® Cleats

Accon Marine

- Made of marine grade
- 316 stainless steel.
- Cleat pops up at the touch of a button - simply push it back down when it is no longer needed and it locks in the flush position.
- In the up position, Pop-Up Cleats function exactly like conventional cleats.
- Each cleat is shipped with a backing plate which also serves as the cut-out template. Screws are not included.
- 0 1 11 Mfa No / Description


Order No.	Mtg. No. / Descripti			
S/0	(202-4)	Length 4-1/2"		Call for Price
S/O	(202-6)	Length 6"		Call for Price
S/0	(202-6-S)	Length 6"	Stud Mount	Call for Price
S/O	(202-8)	Length 8″		Call for Price
S/0	(202-8-S)	Length 8″	Stud Mount	Call for Price
S/O	(202-10)	Length 10"		Call for Price
S/0	(202-4C)	Waterproofing Cup f	or 202-4	Call for Price
S/O	(202-6C)	Waterproofing Cup f	or 202-6	Call for Price
S/0	(202-8C)	Waterproofing Cup f	or 202-8	Call for Price
S/O	(202-10C)	Waterproofing Cup f	or 202-10	Call for Price
S/0	(202-4-TMP)	Top-Mount Backing	Plate for 202-4	Call for Price
S/O	(202-6-TMP)	Top-Mount Backing	Plate for 202-6	Call for Price
S/O	(202-8-TMP)	Top-Mount Backing	Plate for 202-8	Call for Price
S/O	(202-10-TMP)	Top-Mount Backing	Plate for 202-10	Call for Price
S/O	(600)	Brass Through Hull F	itting	Call for Price
S/O	(601)	Plastic Through Hull	Fitting	Call for Price
S/0	(602)	Stainless Steel Throu	ıgh Hull Fitting	Call for Price







Stern Eyes, Bow Eyes, Turnbuckles





Schaefer Single Ball Bearing Block

SCHAEFER

• Aluminum cheeks and ball bearing sheave.

Swivel head may be locked in place.


Electronics Trolling Motors Instruments

Electrical

Lighting

Anchor

- Made from grade 316 stainless steel for maximum corrosion resistance and durability, making them ideal for marine and industrial use.



- SWL 1,700 lbs. Max. line 1/2". & Dock Order No. Mfg. No. / Description List Price Safety **596000** (706-05) \$203.09 H0-5812100 Steering Schaefer Triple Ball Bearing Block Controls SCHAEFER Pumps Fuel System Seating & Pedestals Trailering Tops & Covers Perform. Propellers Anodized aluminum cheeks and delrin ball bearings. Swivel head may be locked in place. Engine • Delrin ball bearing sheave provides a low-friction yet high safe working load block. & Care • Sheave diameter 2-3/8", thickness 2-29/32", width 2-1/2", length 5-1/32". Cleaning SWL 1,700 lbs. Max. line 1/2". & Care Order No. Mfg. No. / Description List Price Order No Paint & **596062** (706-94) **\$491.19** H0-1749200 **596050** (706-35) Paint Acc
 - Removable becket allows pre-spliced lines to be easily attached.
 - Swivel head may be locked in place.
 - Delrin ball bearing sheave provides a low-friction yet high safe working load block.
 - Sheave diameter 2-3/8", thickness 2", width 2-1/2", length 7-3/32".
 - SWL 1,700 lbs. Max. line 1/2".
 - Mfg. No. / Description

List Price \$442.29 H0-7356200



Fun & Flotation Topside Acc. Cockpit & Deck Hardware, Fasteners Camouflage

Misc

Comm.